

## CONTENTS

|                                                                                                                                 |    |
|---------------------------------------------------------------------------------------------------------------------------------|----|
| <b>INTRODUCTION</b>                                                                                                             | 1  |
| <b>REVIEW OF LITERATURE</b>                                                                                                     |    |
| <b>I. Biological studies on <i>Sesamia cretica</i></b>                                                                          | 4  |
| <b>II. Ecological studies on <i>S. cretica</i></b>                                                                              | 7  |
| II.1. Annual generations of <i>S. cretica</i> in different regions of Egypt                                                     | 8  |
| II.2. Periods of <i>S. cretica</i> activities                                                                                   | 9  |
| <b>III. Mass rearing techniques</b>                                                                                             | 12 |
| <b>IV. Use of entomopathogenic bioagents for insect control</b>                                                                 | 12 |
| IV.1. <i>Bacillus thuringiensis</i> as a biopesticides                                                                          | 29 |
| IV.2. Insects susceptibility to entomopathogenic nematodes                                                                      | 38 |
| IV.3. Combining effect of entomopathogenic (bacteria & nematodes) and enhancing their effect by additives                       | 45 |
| <b>V. Survey of predators attacking corn borers and effect of entomopathogenic bacteria and nematodes on beneficial insects</b> | 47 |
| <b>VI. Histopathological effects of biopesticides</b>                                                                           | 50 |
| <b>VII. Effect of biopesticides on insect haemolymph components</b>                                                             |    |
| <br><b>MATERIALS AND METHODS</b>                                                                                                |    |
| 1. Scheme field design for evaluating biopesticides on <i>S. cretica</i>                                                        | 54 |
| 2. Biopesticides used                                                                                                           | 56 |
| 3- Effect of treatments on maize yield                                                                                          | 58 |
| 4- Prolonged effects of biopesticides on <i>S. cretica</i>                                                                      | 59 |
| a- Pupal weight                                                                                                                 | 59 |
| b- Adults and pupae malformations                                                                                               | 59 |

|                                                                                            |    |
|--------------------------------------------------------------------------------------------|----|
| c- Hatchability among F1 egg –masses.....                                                  | 60 |
| 5-Effect of field applications of different materials on insect predators' population..... | 60 |
| 6.Rearing techniques of <i>S. cretica</i> for laboratory experiments.....                  | 61 |
| 7.Bioassay studies on the used treatments.....                                             | 62 |
| 8. Histopathological studies on <i>S. cretica</i> larvae.....                              | 64 |
| 9. Total protein assay in haemolymph of <i>S. cretica</i> larvae.....                      | 66 |

## RESULTS AND DISCUSSION

### I. Laboratory bioassay tests on *S. cretica* larvae.....

#### I.1. (LT50's) of different assayed biopesticides (entomopathogenic bacteria & nematodes)

|                                        |    |
|----------------------------------------|----|
| A- 1 <sup>st</sup> instar larvae ..... | 68 |
| B- 3 <sup>rd</sup> instar larvae.....  | 72 |
| C- 5 <sup>th</sup> instar larvae.....  | 77 |

#### I.2. Comparative toxicity (LC50's) of different assayed biopesticides

(*B.t.* biopesticides & entomopathogenic nematodes)

|                                       |    |
|---------------------------------------|----|
| A- 1 <sup>st</sup> instar larvae..... | 81 |
| B- 3 <sup>rd</sup> instar larvae..... | 84 |
| C- 5 <sup>th</sup> instar larvae..... | 87 |

### II. Evaluation of bacterial biopesticides application in maize fields on *S. cretica* infestations

|                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------|-----|
| II.1. On <i>S. cretica</i> eggs & egg-masses.....                                                                        | 92  |
| II.2. On <i>S. cretica</i> larval infestation                                                                            |     |
| II.2.1. after 5 days from first spray.....                                                                               | 96  |
| II.2.2. One day after the second treatment.....                                                                          | 99  |
| II.2.3. Five days after the second treatment.....                                                                        | 101 |
| II.2.4. One day after the third treatment.....                                                                           | 104 |
| II.3. Effect of <i>B. thuringiensis</i> preparations and <i>B. t.</i> + additives on number of dead hearted plants ..... | 106 |

|                                                                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| II.4. Maize yield after treatment by <i>B.t.</i> preparations and <i>B.t.</i> + additives.....                                                                      | 109 |
| <b>III. Latent effect of biopesticides and additives in 2003 &amp; 2004 seasons.....</b>                                                                            |     |
| III.1. Effect of field applications of bacterial preparations with and without additives on <i>S. cretica</i> pupal weight .....                                    | 111 |
| <b>IV. Evaluation of different biopesticides applications in maize fields on <i>S. cretica</i> infestation</b>                                                      |     |
| IV.1. On <i>S. cretica</i> egg-masses and total number of eggs.....                                                                                                 | 117 |
| IV.2. On <i>S. cretica</i> larval infestation                                                                                                                       |     |
| IV.2.1. After five days from the first treatment.....                                                                                                               | 122 |
| IV.2.2. One day after the second treatment.....                                                                                                                     | 125 |
| IV.2.3. Five days after the second treatment.....                                                                                                                   | 128 |
| IV.2.4. One day after the third treatment.....                                                                                                                      | 131 |
| IV.3. Effect of bioinsecticidal treatments on number of dead hearted maize plants after one day of third spray.....                                                 | 135 |
| IV.4. Effect of different bioinsecticidal preparations used for <i>S. cretica</i> on maize yield.....                                                               | 137 |
| <b>V. Latent effect of mixtures (bacteria &amp; entomopathogenic nematodes)</b>                                                                                     |     |
| V.1. Effect of bioinsecticidal field treatments on <i>S. cretica</i> pupal weight.....                                                                              | 140 |
| V.2.1. Malformations due to bioinsecticide applications on <i>S. cretica</i> larvae.....                                                                            | 143 |
| V.2.2. Malformations among pupae after biopesticides application in maize fields.....                                                                               | 144 |
| V.3. Evaluation of biopesticides on the percentages of malformed adults .....                                                                                       | 156 |
| V.4. Latent effect of bioinsecticidal treatments on fecundity of <i>S. cretica</i> female moths.....                                                                | 159 |
| <b>VI. Relative population abundance of predaceous insect species in relation to bioinsecticides applied on early summer plantation for <i>S. cretica</i> .....</b> | 166 |

**VII. Histopathological effects bacteria and entomopathogenic  
nematode on *S. cretica* Led. treated as 4<sup>th</sup> instar**

|                                            |            |
|--------------------------------------------|------------|
| VII. General histology.....                | 207        |
| -The mid-gut.....                          | 207        |
| <b>VIII. Total protein assessment.....</b> | <b>192</b> |
| <b>CONCLUSION.....</b>                     | <b>223</b> |
| <b>SUMMARY.....</b>                        | <b>227</b> |
| <b>REFERENCES.....</b>                     | <b>241</b> |
| <b>ARABIC SUMMARY</b>                      |            |