CONTENTES

I. NTRODUCTION	
II. REVIEW OF LITERATURE	1
1. Effect of temperature on some biological aspects of the pink bollworm	3
Pectinophora gossypiella (Saund.) and its natural enemies	
1.1. Pink bollworm	3
1.2. The parasitoid, Dibrachys cavus Walker	3
1.3. The predator, Hippodamia tredecimpunctata	6
2. Ecological studies on the pink bollworm and its natural enemies	7
2.1. Seasonal fluctuation of pink bollworm, <i>P. gossypiella</i> 2.2. Fruiting structure of cotton	1
2.2. Fruiting structure of cotton	1:
2.3. Diapause of pink bollworm, <i>Pectinophora gossypiella</i>	16
2.4. Emergence of pink bollworm, Pectinophora gossypiella moths after	
diapause	21
2.5. Parasitism on larvae of pink bollworm, <i>Pectinophora gossypiella</i> , during	
larval diapause	27
2.6. Seasonal abundance of arthropod predators in cotton fields	31
III. MATERIALS AND METHODS	40
1.Laboratory studies	40
1.Rearing technique	40
1.1. P. gossypiella	40
1.1.1. P. gossypiella field strain	40
1.1.2. P. gossypiella laboratory strain	41
1.2. Rearing of two insect species of natural enemies	42
1.2.1. Rearing of the parasitoid, D. cavus	36
1.2.2. Rearing of the predator, <i>H. tredecimpunctata</i>	42
2. The laboratory experiments	43
2.1.Effect of temperature on some biological aspects of <i>P. gossypiella</i>	43
2.2. Temperature-dependent development threshold of <i>P. gossypiella</i>	44
2.3. Thermal heat units required for <i>P. gossypiella</i> .	45
2.4. Effect of temperature on some biological aspects of the parasitoid <i>D. cavus</i> ,	
reared on P. gossypiella larvae	45
2.5. Effect of temperature on some biological aspects of the predator, H.	46
tredecimpunctata, on P. gossypiella eggs	46

2.6. Feeding capacity of the predator, <i>H. tredecimpunctata</i> .	47
II. Field studies.	47
1. Seasonal fluctuations of the P. gossypiella male moths	47
2. Fruiting structures of Giza 85 cotton variety	48
3. P. gossypiella infestation to different cotton fruit	15.5
structures	48
3.1. Infestation in squares	49
3.2. Infestation in flowers	49
3.3. Infestation in green bolls	49
4. Methodology for calculating heat units under field	
conditions	49
5. P. gossypiella, larvae entering diapause	50
6.P. gossypiella, moths' emergence from overwintering larvae	50
7. Parasitism on diapausing P. gossypiella larvae	51
8. Seasonal abundance of arthropod predators associated with cotton fields	51
8.1. The sweeping net method for arthropod predators in cotton fields	52
8.2. The direct count method for arthropod predators found in cotton fields	52
IV. RESULTS AND DISCUSSION	
I. Laboratory studies	53
1. Effect of temperature on some biological aspects of pink bollworm, P.	53
gossypiella (Saund)	53
1.1. Egg stage	53
1.1.1. Incubation period of eggs and thermal heat units required	57
1.1.2. Hatchability percentage	57
1.2. Larval stage	59
1.2.1. Duration and thermal heat units required	59
.2.2. Mortality	59
.3. Pre-pupal stage	60
.4. Pupal stage	60
.5. Adult stage	62
1.5.1.Female's duration	62
1.5.1.1. Pre-oviposition period	63
1.5.1.2. Oviposition period	63

1.5.1.3. Post oviposition period	63
1.5.1.4. Egg laying	65
1.5.2. Adult male longevity	65
1.6. Life-cycle	67
2. Effect of temperature on some biological aspects of the parasitoid D. cavus	
Walker	69
2.1. Egg stage	69
2.1.1. Incubation period and thermal heat units required	73
2.1.2. Hatchability percentage	73
2.2. Larval stage	73
2.2.1. Duration and thermal heat units required	73
2.2.2. Larval mortality	73
2.3. Pupal stage	75
2.4. Adult stage.	76
2.4.1. Sex ratio	76
2.4. 2. Female's duration	78
2.4.2.1. Per- oviposition period	78
2.4.2.2. Oviposition period	79
2.4.2.3. Post oviposition period	79
2.4.2.4. Egg laying activity	80
2.4. 3. Male longevity.	80
2.5. Life-cycle.	71
3. Effect of temperature on some biological aspects of the predator, H .	81
tredecimpunctata, fed on P. gossypiella eggs	81
3.1. Egg stage	81
3.2. Larval stage	83
3.2.1. Larval duration	83
3.2.2. Larval mortality	83
3.3. Pre-pupal period	83
3.4. Pupal period	83
3.5. Adult's emergence	83
3.6. Feeding capacity of H. tredecimpunctata	85
3.7. Adult stage	85
II. Field studies	89
1. Seasonal fluctuation of P. gossypiella, male moths	89
1.1 First season (2002)	89

1.2. Second season (2003)	89
1.3. Fruiting structure of cotton variety Giza 85 and seasonal fluctuation of pin	nk nk
conworm addit males	96
1.4. Effect of climatic factors on the population density of <i>P. gossypiella</i>	10
1.4.1. Maximum temperature	100
1.4.2. Minimum temperature	100
1.4.3. Relative humidity	
1.4.4. Interaction of the three climatic factors	102
1.5. Number of generations	102
1.6. Relationship between number of pink bollworm male moths and	103
accumulated neat units	400
2. Percentage of infestation by pink bollworm to fruiting structures of cotton	108
plants	
2.1. Infestation in squares	110
2.2. Infestation in flowers	110
2.3. Infestation in green bolls	113
2.4. Pink bollworm larval counts in green bolls	116
2.5. Relationship between the captured numbers of pink bollworm male moths	118
and infestation percentages in green cotton bolls	121
3. Pink bollworm, Pectinophora gossypiella, larvae entering dianguse	
3.1. Relationship between climatic factors and percentage of pink bollworm	124
larvae entering diapause stage	120
3.1.1. Temperature	129
3.1.2. Effect of relative humidity	129
3.1.3. Effect of photoperiod	131
3.1.4. Joint effect of the three climatic factors	131
3.2. Duration of larval diapause	132
3.3. Pupal period after larval diapause	132
4. Emergence of <i>P. gossypiella</i> moths during the subsequent season.	134
4.1. Relationship between sample collection dates of diapaused larvae and	135
emergence dates of moths	125
4.2 Accumulated heat units in relation to emergence of pink bollworm moths	135
5. The parasitism on pink bollworm diapausing larvae	141
5.1.Pink bollworm larval mortality.	144
5.2. Number of pink bollworm parasitized larvae	145
5.3. Numbers of pink bollworm larvae parasitized by different parasitoids	149

5.4. Emergence of adult parasitoids	153
6. Seasonal abundance of total population of arthropod predators in cotton fields.	158
6.1. The sweep net method	158
6.1.1. Abundance of total predators	158
6.1.2. Abundance of different predators	160
6.2. Direct count technique of predators in cotton fields	173
6.2.1. Abundance of total predators	181
6.3.2. Abundance of different predators	181
V. SUMMARY	188
VI. REFERENCES	206
VII. ARABIC SUMMARY	