

LITERATURE CITED

- Aitken, J.B. (1970), Herbicides in North Florida peach orchards. (Abstracts) proc. 23 red. Meet. Sth. Weed Sci. Soc., 206, (N. Florida Exp. Stn, Quincy). (Weed Abst. 20(1) 188.).
- Aitken, J.B., and G.E. Arnold. (1973). Comparative weed control with four herbicides in peaches in Proc. of the 85th Annual meeting Florida state hort. (Weed Abst. 24-295.).
- Americanos, P.G. 1978. Chemical weed control in vineyards. Technical Bulletin. Agricultural Research. Institute Cyprus 1978 No. 25, 19 pp. (En, 21 ref) Agric. Res. Inst. Nicosia Cyprus (Weed Abst. 28:2343).
- Anderssen, F.G. 1937. Citrus manuring-its effect on cropping and on the composition and keeping qualities of oranges. Jour. Pom and Hort. Sci., 15:117-159.
- Arenstein, Z. and G. Atzmon 1968. Control of perennial weeds in an apple orchard. Proc. 3rd Israel Weed control conf. 1968. Agricultural research council W.R.O.
- Arnoux, m. and J.P. Tabardel. 1971. Five years trials with bromacil in peach orchards (columna) 115-21 France. (Weed. Abst. 21:2334).

Atkinson, D. & R.I.C. Holloway 1976. Weed competition and performance of established apple trees
Proc. 1976 British crop protection conf.
Vol. 1, 299-304. (Hort Abst. 47:9086).

Axelrod, Y. and Israely, 1968 Bromacil for weed control in citrus groves (Abst. Proc. 3rd. Israel weed control conf.) Agric. Research Council W.R.O.

Barker, P.B. 1912 The moisture content of field soils under different treatments. Nebraska Agric. Exper. Sta. Ann. Rep., 25:106-110.

Batchelor, L.D. 1933. Fertilizing citrus trees with special reference to the use and the supplementing of manure. I and II California Citrogr., 18:266, 284, 288-289, 298-309.

Baxter, P. 1970. Orchard soil management trials. 1. Effect of a weed free or straw mulched strip on the growth and yield of young fruit trees. Aust. J. exp. Agric. Anim. Husb., 1970, 10(45) (Weed Abst. 20-1136).

Bayer, D.E. and S. Yamaguchi. 1965. Absorption of C¹⁴ diuron. Weeds 13:232-235.

Beljaeva, T.V. and U.I. Zavarzine. 1967. Results of trials with herbicides in a peach orchard. Himija Sel. Hoz., 5(a):43-7. (Hort. Abst. 38:1968).

- Belobrov, A.V., and K.L. Yanchik. 1976. The yield and chemical composition of apples from simazine-treated orchards. Sado vodstvo vinogradarstvo, vinodelie Moldavii No.3, 49-51(Ru)(Hort. Abst. 47:4259).
- Blanco, H.G. and D. Dea. Oliveira. 1976. A study of the effects of weed control timing on production of a pernatal orange grove (Abstract). In Resumos XI Seminario Brasileiro de Herbicidas e Ervas Daninhas Londrina 1976-26-27 (Pt)(Hort. Abst. 47:9844).
- Boichev, A. 1977. The problem of dalapon detoxication in vineyard soils. Gradinarska i Lozarska Nauka 14(8) 107-113 (Bg, fr, ru, 16 ref) Opitna Stantsiya po Ovoshcharstvo i Lozarstvo, Pomorie, Bulgaria (Hort. Abst. 49:3301).
- Boorman, L.K. and W. Koffman. 1976. Paspalum control in pome fruit orchards. Agricultural Gazette of new Horticulturist south. Wales 87(5) 20-21.
- Bos, E.K. and V.I. Zavarzin. 1967. Dalapon in vineyards Zashch. Rast., 12(a) Agricultural Research Council W.R.O.
- Brown, J.D. and O. Lilleland. (1949) Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort-Sci. 48:341-346.

- Brown, R.T. and R.J. Constantin. 1972. Weed control in citrus orchards. Louisiana Agriculture 16(2) 4-5, 7, (Weed Abst:1007).
- Brown, R.T. and D.W. Newsom. 1978. Chemical weed control in citrus nursery stock. Louisiana Agriculture (1977-78) 21(2) 4-5 (En, 3p1) Floquemines Parish Experiment station port Sulphur Louisiana USA (Weed Abst. 28:2135).
- Buban, T. 1970. Inhibition of flower bud formation in apple trees by uracil derivatives. Almafak virag-rugykepzenek gáflasa uracil-származékokkal. Ki-serletugyi Közlemények, G. publ. 63(13) 11-22. (Hort. Abst. 42:5387).
- Bucha, H.C. and C.W. Todd. 1951. 3 (P-chlorophenyl) 1,1 dimethyl urea a new herbicide Science 114:493-494.
- Burger, W.P. and A.P. Vincent. 1970. Citrus weed control requirements. S.Afr. Citrus J., No. 435, pp. 3, 5, 7, 13 (Hort. Abst. 40:9191).
- Burr, W.W. 1914. The storage and use of soil moisture. Nebraska Agric. Exp. Sta. Res. Bull. 5. 88 pp. 2 figs.

- Burt, E.O. and J.T. Mc Cown. 1959. Controlling perennial grasses in citrus groves. Proc. 12th Sth. Weed Conf. 93-9.
- Cahoon, G.A., E.S. Morton, B.W. Lee and G.E. Goodall. 1963. The use of plastic ground covers in citrus nurseries. Proc. Amer. Soc. Hort Sci. 83:309-315.
- Call, L.E., and M.C. Swell. 1917. The soil mulch. Amer. Soc. Agron. Jour., 9:49-61.
- Carlson, D.B. 1968. The influence of simazine on the quality and composition of pome fruit. Diss Abstr., Sect. B, 28:4831. (Hort. Abst. 39:6279).
- Cassin, J. 1978. Herbicides in citrus growing. Fruits (1978) 33(12):849-852 (Fr. 5, ref. 1pL) station de San Giuliano 20230 San Nicolao Corse, France (Hort. Abst. 49:2927).
- Cesari, A. and G. Malucelli. 1975. Translocation time of herbicides in plants. In 8th Inter. Plant Prot Cong. 1:140-143. (Weed Abst. 25:3684).
- Chapman, H.D. and P.F. Pratt. 1961. Methods of Analysis for soils. Plants and waters. Univ. of Calif., Division of Agric. Sci.

Chitkara, S.D., A.G. Kamal and K. Singh

1979. Effect of various concentrations of simazine, diuron and gramoxone on weed control and fruit yield in grapes (*Vitis vinifera*). Progressive Horticulture (1979) 11(1) 5-16 (En, 7ref) Haryana Agricultural University Hissar India (Hort. Abst. 50:6136).

Chkhartishvili, N.S. and B.A. Bekauri. 1979. The effect of mulching on grapevine root system. Vinodelie, Vinogradarstvo SSSR. No 5, 41-42 (RU) Gruzinskii NIISV i Vinodeliya Mukhranshii Soykhos Georgian SSR. (Hort. Abst. 50:5084).

Clanet, H., B. Schmitlin. and R. Laurent. 1970. New possibilities for pre-emergence weed control in stone fruit orchards. Pomol. Franc., 12.7-13, 16-20 (Hort. Abst. 41:559).

Cooper, W.E. Shewell. 1960 The Complete Fruit Grower. Faber and Faber, 24 Russell Square. London pp. 288.

Cucchi, N.J.A., F.C. La Red, A.M. Bustos and Gargiulo, 1963. Chemical control of Cynodon dactylon in Vineyards. Pap. read at 3 a Reunion National sobre malezas Y su control. Agric. Research Council W.R.O.

Cuello, F. and J. Elais, Bautista. 1974. Chemical weed control in citrus trees. Proceedings of the Tropical Region. American Society for Horticultural Science (1974) 18-30-36 (Es, en, 3ref) CNIECA, San Cristobal, Dominican Republic (Hort. Abst. 48:8564).

Cyprus Agricultural Research Institute. 1969. Chemical weed control in citrus. (Weed Abst. 21:2337).

Day, B.E. 1963. Weed control in citrus. Proc. Calif. Weed control conf., 9-13 (Univ. California, Riverside) Agric. Res. Council. W.R.O.

Day, B.E. 1955. Urea herbicides for citrus weed control. Calif. Citrogr. 40:398, 408, 410-412, 414.

Day, B.E., C.D. McCarty and R.C. Russell. 1958. Tolerance of mature Washington navel orange trees to monuron, diuron, Simazine, amino triazole, dalapon and EPTC. Progr. Rep Weed control Conf. 1958, 64-5.

Day, B.E., R.C. Russell and L.S. Jordan. 1967. The uracils, special purpose herbicides for citrus orchards. Calif. Citrogr., 52, 319-333-6 Agric. Res. Council. W.R.O.

- Deeva, V.P., V.A. Voynilo and L.P. Eremenko. 1972. The effect of dalapon on oxidative phosphorylation in plant mitochondria. *Fiziologiya, Biokhimiya Kulturnkh Rastenir* 4(1) 57-60 (Weed Abst. 22:178).
- Dhillon, B.S., Y.R. Chana and S.S. Gill. 1975. Chemical weed control in citrus nursery. *Haryana Journal of Horticultural Sciences* (1975) 4(½) (16-18) (En, 6, ref) Punjab Agricultural University Ludhiana India (Hort. Abst. 47:3009).
- Dokeva, P. 1972. Weed control in fruiting plum orchards. *ovoshcharstvo* 51(11) 33-34. (Hort. Abst 44:3068).
- Donaldson, D. 1961. Weed control in orchard crops. *Proc. 13th Annu California weed conf.*, 58-60. Agric. Res. Council W.R.O.
- Edmond, J.B., T.L. Senn and F.S. Andrews. 1959. *Fundamentals of Horticulture*. Mc Graw-Hill Book Company New York San Francisco Toronto London PP. 463.

- Enbleton, T.W., W.W. Jones, C.K. Labanauskas and W. Reuther, 1973. Leaf analysis as a diagnostic tool and guide to fertilization; pp.183-210 In: W. Reuther (ed.). The citrus Industry Vol. III. Univ. Calif. Div. Agric. Sci. Berkely, Calif.
- Fedorova, L. 1976. Suppressing the proliferation of couch grass in the Kal'skii Peninsula. In proceedings Nord. Europeiska Ograss Ymposiet i Dickursby Tikkurila Finland, 1976-G8-G14(Ru, 5ref) Polyaranya opyt. Stants. VIR, Apatita, murmansk. Obl., USSR (Weed Abst. 27:739).
- Fideghelli, C., F. monastra, A. Nicotra, L. Moser. 1973. Effect of non cultivation on the development production and mineral nutrition of peach trees. International congress on the control of Weeds and Algae in mediterranean countries. Sardinia 1973. No. 92/93, 331-341 (It, en, 19 ref.) Ist. Sperimentale per la Frutticoltura, Rome (Appio) Italy (Weed Abst. 27:1268).
- Fishher, B., T. Browne and A.H. Lange. 1958. Herbicides is familiarity causing carelessness? Calif Citrogr., 1958, 53, 107, 118.
- Fisher, J. 1977. Citrus industry. Ciba Geigy plots 58(6) 17, 19, 25, 26 (En) (Weed Abst. 27:1531).
- Fontes, F.C. and A.R. Guerreiro. 1976. Herbicides in citrus nurseries "results of 7 years experimental work. In proceedings II Simposio Nacional de Herbologia oeilas 1976 Vol. 11(1976) 195-216 (Pt, en, 30 ref.) Reparticao de servicos. Fitopatologicos Tapada da Ajuda Lisbon, Portugal. (Weed Abst. 27:1530).

Forsyth, J.B. 1969. Progress report on herbicide soil management in citrus *Fmrs Newslett.* No. 105, pp.7,9,11 (Hort.Abst. 40:9190).

Fortier, S. 1909. Soil mulches for checking evaporation U.S. Dept Agric. year book, 1908:465-472. Figs.22-28.

Freshwater, I.T. 1967 Johnson grass in the lower Burdekin past, present and futur. Cane Grs' quart. Bull., 32:61-4. (Hort.Abst.39(2):3908).

Getzendaner, M.E., W.L.Garner and P.W.Miller. 1965.2,2 dichloropropionic acid residues in citrus fruit from Florida following applications of the herbicide. J. Agric .Fd.Chem.,13,543-7.

Gomezde., B.G. 1977. Present status of weed control practices in Spain. In *Proceedings of the International Society of Citriculture*. Vol.1,158-161(En) Inst.Nac.Invest.Agrar. Centro Regde levante, Moncada Valenàia Spain (Weed Abst.28(5):1548).

Gortlevskij, A.A., B.S.Sidel Nikov, and N.I. Matreeva. 1964. Dalapon an effective herbicide for vineyards. *Vinodelie I vinogradar stve*, 24(5),30-1 (R) (Hort.Abst.35:652).

- Grossenbacher, J.H. 1924 Cultivation of bearing groves in relation to quality of citrus fruits. Florida State Hort.Soc.Proc., 37:72-76.
- Gs.guadze, V.L., E.A.Gobronidze and L.Gogiya. 1970. The effect of some herbicides on soil nutrients. subtropcherhie Kul'tury (1970) No.5, 122-125(RU). (Hort.Abst 42:2247).
- Hammetron, J.L. 1971. Weed control work in progress at the University of the West India PANS 17, (2) 226-30 En, Fac.Agric., Mona, Kingston 7, Jamaica.
- Harvey, J. 1977 Longterm study favours chemical control of vegetation. Citrus industry (1977) 58(6) 8, 10 (En) (Hort.Abst.27:1859).
- Havis, L. 1941. Relation between soil organic matter and available moisture under different orchard cultural systems. Proc.Amer. Soc.Hort. Sci. 38:32-36.
- Hertz, L.B. 1972. The effect of cultural and chemical weed control treatments on the growth of young McIntosh apple trees on three different rootstocks. In proceedings of the North central Weed control conference (1972) Vol.27, 67 (Hort.Abst 45:2918).

- Hewetson, F.N. 1971. The fall application of fruit tree herbicides. Proc. North. Weed science Soc. Vol. 25. (Weed Abst. 22:1321).
- Hilgard, E.W. 1906. Soils. Macmillan, New York, 593 pp. 89 figs.
- Hilgeman, R. H. 1959. Response of marsh grapefruit to different methods of soil tillage in the salt River Valley of Arizona. J. Rio. Grande Valley Hort. Soc. 13, 9-17.
- Hilkenbaumer, F. and W. Kolbe. 1974. The influence of various soil management methods and herbicide strip treatment on the yield, fruit quality and disease incidence of apple cultivars in long trials at Hofohen during full bearing. Erwerbsobstbau (1974) 16(3) 37-42. Rheinisch Friedrich Wihelms Univ. Bonn, German Federal Republic.
- Hilton, J.L., J.S. Ard., Jansen, L.L. Jansen and W.A. Gentner 1959 Degredation of herbicides by P.C. Kearney and D.D. Kaufman. 1969-marcel dekker, Inc., New York.
- Hoguo, E.J. 1967. Activity and selectivity of light influenced herbicides. Diss. Abstr. Sect. B, 28:414 (Hort Abst. 38:5107).

Horwitz, W. (ed.) 1970. Official methods of Analysis. Association of Official Analytical chemists. 11th ed., Washington, D.C.

Ivascenko, A.L. 1974. The effect of herbicides on the establishment, growth and development of apple seedlings. Khimiya V selskom Khozyaystve 12(12) 24-55. (Hort Abst. 44:7306).

Jordan, L. 1960. The effect of monuron on lemon fruit quality. Proc. 12th Calif. Weed Conf., 80-1.

Jawanda, J.S., V.K. Vij and J.N. Sharma. 1975. Note on the chemical control of weeds in sweet orange. Indian Journal of Agricultural Sciences 45(6) 282-285 (En, 8 ref., 1 Reg. Fruit. Res. Sta. Abohar 152116. Punjab, India (Weed Abst. 27:2246)).

Jawanda, J.S., V.K. Vij and J.N. Sharma 1975. Chemical weed control in citrus. II. Relative efficacy of five post emergence herbicides on bearing sweet orange orchard. Punjab Horticultural Journal (1975) 15(%) 78-82 (En, 11 ref) Regional Fruit Research station. Punjab Agricultural University. Abohar India (Hort. Abst. 47:6874).

Jazbec, M. 1977. Effect of soil management on the start of productivity and on growth of the apple cultivar Golden Delicious on M.4 rootstock. Yugoslovensko Vocarstvo (1977) 10 (39/40) 595-600 (Sn, en, 7 ref). Kmetijski Institut Slovenije-Ljubljana, Yugoslavia (Hort. Abst. 49:3137).

- Jones, W.W., C .W. Van Horn., A.H. Finch., M.C. Smith and E. Caldwell. 1940. A note on ascorbic acid: nitrogen relationships in grape fruit. Science, 99:103-104. 1 fig.
- Kenworthy, A.L. and G.M. Gilligan. 1949. Tree growth, Soil and leaf analysis in response to various soil management practices in a young apple orchard. Univ. of Del. Agr. Expt. sta. Cir. 24.
- Khubutiya, R.A. and G.S. Gogoberidze. 1967. Testing herbicides in citrus plantations. Khimiya sel' Khoz., 5(12):36-9.
- Kosinova, J. 1972. On the weed flora in Egypt. Year book Egyptian Botanical Society, 2, 1-6 (Weed abst. 23:1889).
- Kouwenhoven, P. 1975. Tree bark in public parks. Broom schors in openbare groeven Groeven (1975) No. 10. 315-316 (NI) Afdeling. Beplanting in. Lelystad Nederland. (Weed Abst. 27: 1842).
- Koverga, A.S. 1970. Herbicides for weed control in Crimean orchards. Trudy Gosudarstvennogo Nikitskogo Botanicheskogo Sada 46, 5-24. (Hort. Abst. 42:1972).
- Kretschman, D .W. and W.A. Simanton. 1959. Weed control in citrus planting sites and the effects on subsequently planted trees. Rep. Fla. Agric. Exp. Sta., 248.

Kuznetsov, M.D., S.F. Mikhajlov and A.G . Karpunin. 1972-

The use of herbicides in the fruit
tree nursery. Doklady, Moskovskaya sel
Skokhozyal stvennaya Akademiya imeni
K.A. timiry azeva No.179.(Hort.Abst.
44:6305).

Labrada, R. and E. Perez. 1975. Weed control in citrus
plantations. Symposium on plant protection
in citrus crops, Isla de plons, 1975.
(Weed Abst. 15:1004)/

Lichy, C.T., and G .F. Ryan, 1966. Some factors influencing
the effectiveness of dalapon on bermuda-
grass in citrus. Proc. 19th. Weed conf.,
248-53 . Agricultural Research Organiz-
ation W.R.O.

Lifshitz, N., Z. Arenstein, and A.Yaiun, 1968. Anevaluation
of herbicides for apple orchard. Proc.
3rd Israel weed control conf., 1968,
P.42 (Weed Abst. 19:643).

Luisi, N. and V .Cicco. 1975. Bromacil injuries on olive trees associated with citrus in Aulia. Informatore Fitopatologico 15(6)17-19 Univ.Bari,Italy (Weed Abst.25:2037).

Markelova,R.I. 1973.Changes in black currant leaf pigment content after dalapon application. Agrokhimiya No.7,145-147 (Ru)Gomelskii Universitet, Belorussian SSR.From. Referativnyi Zhurnal (Hort.Abst.44: 4580).

Martin,H.1970 Pesticide manual. Academic press second edition.

Martin,W.E. 1942. Physiological studies of yield,quality and maturity of March grape fruit in Arizona.Arizona. Agric.Exper. Sta. Tech. Bull. 97.48 pp.7 Ffigs.

Maslov, S.P. 1979. Possibility of grassing down the interrows in pomefruit orchards. Sbornik Statei, Orlovskaya Plodovo-Yagodnaya Opytnaya Stantsiya 9(1) 88-97(Ru,2ref). Opytnaya Stantsiya Orel.USSR.(Hort.Abst. 50:5997).

Maugerj.G . and V.Lo.Giudice 1975. The role of weeds in citrus plantation. The production of herbaceous biomass. Annali dell' Instuto Sperimentale per I'Agricoltura (1974/1975) ⁷/_B ,291-302 (It, en,fr.3ref.) Acireale,Sicilly. Italy(Hort.Abst.38:3928).

Merino, H.R. , B.J. Etchevers. Mc.L. . Pena. and M.O. Navea.

1979. Effect of soil management systems on soil erosion and production of non irrigated vineyards. Agricultura Tecnica (1979)39(2)35-40 (Es, en, ll ref) Universidad de Concepcion Chillan Chile (Hort. Abst. 50:6137).

minshall, W.H. 1957. Primary place of action and symptoms. induced in plants by 3(4-chlorophenyl) 1,1 dimethyl urea Canad J. Plant Sci. 37:157-166.

Misra, L.P., and H.S. Dhuria. 1978. Effect of herbicides on the control of weeds in apple orchards. pesticides (1978)12(3)27-28 (En, 5ref) Regional Fruit Research station, mashobra India. From Abstracts on Tropical Agriculture 5, 23300 (Hort. Abst. 49:4778).

Misra, L.P. & V. K. Charma. 1971. Preliminary investigations on the control of weeds in the apple orchard. Regional fruit Research station Pradesh india (Hort. Abst. 42:225).

Monstra, F.C. Fideghelli and A. Cinieotra. 1972. A comparative trial of several soil cultivation techniques with two year pear cultivars. In complete rendu du symposium culture du poirer 4-8 Angers, France. (Hort. Abst. 44:3729).

mullins.C.A., D.W.Lockwood., and D.L.Coffey. 1978. Chemical weed control in vineyards. Tennessee Farm and Home Science (1978) No.108,16-17 (En,3ref)Plateau Experiment Station. Tennessee University Tennessee, U.S.A. (Hort.Abst.49:6692).

Murphy, J. and J.P. Riely. 1962A modified single solution for the determination of phosphate in natural water. Anal. Chemi.Acta, 27: 31-36.

Myram,C., and J.D. Forrest. 1970. The development of terbacil and bromacil for the control of Agropyron repens and other weeds in some fruit crops. (In proceedings of 10th British weed control conference 752-759 Bayer Agrochem Ltd., Bury St.Edmunds,(Weed Abst 20:2110).

Nanaya, K.A., K.C. Srivastava and D.Leela. 1975.Herbicides in apple orchards. Sadovodstvo(5)17-18. Agricultural Research Council W.R.O.

Nikolaeva, N.G. and A.T .Shutkina.1977. Herbicides in moldavian apple orchards. Khimiya Vsel'skom Khozyaistve is (3) 59-63 (RU) Kishinveshii selskekhozyai. Institut,Kishinev. Moldavian SSR. (Hort.Abst. 37:9084).

Nishimoto, R.K., A.P.Appleby and W .R. Furtick. 1967. Site of uptake of pre emergence herbicides WSS Abstr. PP 46-47.

Nøke, G ., 1978. Weed control trials in apple orchards. Tidsskrift for Planteavl (1978)82(5) 587-598 (Da,en,2ref) statens Ukrudtsforsg. Flakkebjerg 4200 Slagelse Denmark (Hort.Abst.49:6536).

Oren, Y. 1976. Experiments with weed control in citrus via the irrigation system. (Abstract) 6th Conference of the Weed Science Society of Israel Phytoparasitica (1976) 4(2) 146(En) Extension Service, Ministry of Agriculture. Tel. Aviv. Israel. (Weed Abst.27:273).

Oren, Y., A. Bren and Y. Stren. 1976. Control of annual weeds in citrus groves via irrigation system (Abstract) 6th Conference of the Weed Science Society of Israel. Phytoparasitica (1976) 4(2) 146(En) Extension Service, Ministry of Agriculture, Tel Aviv. Israel Weed Abst. 27:272).

Oren, Y. and E. Israeli, 1976. Application of herbicides in young citrus groves. (Abstract) 6th Conference of the Weed Science Society of Israel Phytoparasitica (1976) 4(2) 152 (En) Extension Service, ministry of Agriculture. Tel. Aviv and Akko. Israel (Weed Abst.27:275).

- Oren, Y. E. Israeli, and A. Shafir. 1976. Comparison between autumn and spring application of herbicides in citrus. (Abstract) 6th Conference of the Weed Science Society of Israel. Phytoparasitica (1976) 4(2) 152 (En) Extension Service Ministry of Agricultural. Tel. Aviv. Israel (Weed Abst. 27:274).
- Orsenigo, J. R. ., 1964. Primary evaluation of preemergence and post emergence applied herbicides in vegetable crops, Spring 1960. Mimeo. Rep. Everglades Exp. St. 65-5, P. P. 27, tabs. 22 (Weed Abst. 15:428).
- Parekh, C. D. and A. K. Misra. 1977. Effect of herbicides on growth yield and quality of banana. In program and Abstracts of Papers. Weed Science conference and Workshop in India. Paper No. 91, 55 (En) Dep. Hort. Assam Agric. Univ. Jorhat. Assam (Weed Abst. 28:668).
- Patil, A. V. . 1976. Control of Kans (Sodan) with bromacil herbicide in young mandarin orange. some preliminary observations Pesticides India 5(11) 20-21 (Weed Abst. 22:91).
- Patil, A. V. 1976. Controlling weeds in citrus. Indian Horticulture (1976) 21(2) 21-22 (En) Mahatma Phule Krishi Vidyapeeth. Rahure (Ahmednagar Maharashtra. India (Hort. Abst. 47:7835).

- Pattj, 1956. Experiments in non tillage of citrus in coastal zone of Israel. Livre 4me Congr.Int.Agrumicult Medit., 1956, 1958. 219-30.
- Perugia, G. 1967. Use of the herbicides bromacil and terbacil in orchards and vineyards. C.R. 4e Cont. Con mauv Herbes (Columa), PP. 663-71 French (Weed Abst. 17:21).
- Phillips, R.L., D.P.H. Tucker and G.F. Ryan. 1969. Soil organic matter content in relation to terbacil toxicity symptoms in citrus. Proc. 22nd Meet. Sth. Weed Sci. Soc. 239-43.
- Pregl, E. 1945. Quantitative organic micro analysis 4th Ed. J. Chundril, London.
- Prendeville, G. N.Y. Eshel, M.M. Schreiber and G. F. Warren. 1967. Site of uptake of soil applied herbicides weed Res. 7:316-322.
- Proebsting, E.L. Jr. 1958. Yield, growth and date of maturity of Elberta peaches as influenced by soil management systems. Proc. Amer. Soc. Hort. Sci. 72:92-101.
- Raese, J.T. ., M.W. Williams and H. Schomer. 1974. Yield and Vigour of d'Anjou pears with early application of triazole and triazine herbicides. Hort Science 9(1).

- Robinson, J.B.D. and J.M. Singh. 1973. Effects and economics of weed control in bananas. *Figi Agricultural Journal* 35(2) Res.Div.Dep.Agric.Figi. (Weed Abst.24:973).
- Robinson, D.W. and N.D.O'kennedy. 1978. The effect of overall herbicide system of soil management on the growth and yield of apple trees "Golden delicious". *Scientia Horticulturae* (1978) (2)127-136 (En,9 ref) Agricultural institute, Kinsealy Research Centre, Dublin Irish Republic (Hort.Abst.49:1005).
- Rom, R.C. and R.E.Talbert. 1971. Field evaluation of herbicides in fruit crops. University of Arkansas Agricultural Experiment Station No.191, 23 pp. Fayetteville, Arkansas 72701, USA. (Weed Abst.22:1254)
- Russell, E.W. 1938. Soil Structure Imp.Bur.Soil Sci.Tech. Commun.37-40 pp.
- Ryan, G.F. 1965. Weed control in citriculture Rep. Fla. Agric. Exp.Sta.233 Agricultural Research Council W.R.O.
- Ryan, G.F. 1966. Evaluation of substituted uracil herbicides for use in citrus. Proc. Fla.Sta. Hort.Soc., 79:30-6.

Ryan, G .F. 1967. Weed control studies in citrus with paraquat.
Proc. 20th Sth. Weed Conf, Agricultural
Research council W.R.O.

Ryan, G.F. and D.W. Kretchman. 1968. Effect of four herbicides
on growth and Yield of orange trees. Proc.
Amer. Soci Hort Sci. 93:159.

Saburova, P.V. and A.A. Petunova. 1967. The application of
herbicides in Agriculture. Kolos, Leningard
1967

Santaballa, E . and C. Borres. 1978. Herbicides trials in
citrus. Ensayos de herbicidas en agrios
in Weeds and herbicides in Mediterranean
Basin (Proceeding of the Mediterranean
Herbicide Symposium, Madrid 1978. Madrid.
Spain. Ministerio de Agriculture (1978)
Vol. 1:336-345 (Es, 13 ref) Serv. Def.
contra Plagas e Inspeccion. Fitopatol
Valencia, Spain (Weed Abst. 27:3669).

Schmittin, B., H. Clanet, M. Arnoux, and G . Touzaa. 1967.
The use of bromacil for weed control in
peach orchards. C.R .Conf. Mauuv. Herbes
(COLUMA), F; Institute national de recherches
agronomiques, Versailles. France
Agricultural Research Council W.R.O.

- Schneider, G.W. and C.C. Scarborough. 1960 Fruit Growing. Prentice Hall, Inc. Englewood Cliffs, N.J. PP. 307.
- Schoonover, W.R. and L.D. Batchelor. 1948. Cultivation or tillage. In: The Citrus Industry. Vol. II (1948) Univ. of Calif. Press. Berkeley and Los Angeles. PP. 301-320.
- Schroder, D., H. Zakosek and K.P. Boal. 1978. Effect of herbicides in vineyard on cellulose decomposition in soil. Auswirkung des Herbizideinsatzes im Weinbau auf die zellulosezerstörung-im Boden. Weinberg und Keller (1978) 25(9)369-375 (De, 15ref) Institut für Bodenkunde; Bonn German Federal Republic (Hort. Abst. 49:4912).
- Shriver, J.W. and S.W. Bingham, 1973. Physiological effect of bromacil on Kentucky blue grass and orchard grass. Weed Science 21(3)212-217.
- Simons, R.K. 1955. Effects of different orchard management practices upon availability of soil moisture. Proc. Amer. Soc. Hort. Sci. 66:1-6.

- Simons, R .K. 1958 Organic carbon content in the soils of some Illinois apple and peach orchards as affected by Varied cultural management systems. Proc. Amer. Soc. Hort.Sci.72:33.
- Sitton,B.G., G.F. Potter, W.A.Lewis., M.Drosdoff H.L. Barrows and W.W. Kliby. 1959 .Effect of mulch, nitrogen and potassium fertilization on Savannah Soil and Tung trees. Proc. Amer.Soci. Hort. Sci 74:243.
- Smith,J.W. and T .J.Sheets.1967.Uptake, distribution and metabolism of monuron and diuron by several plants. J.Agr. and Food Chem. 15:577.
- Snedecor, G.W. 1956. Statistical Methods. 5th. Ed. Ames Iwas, U.S.A. the Iowa Stat. Univ. Press.
- Solovyanenko, V.I. 1967.The application of dalapon for weed control in black current plantation. Zap.Leninger Sel. Khoz.Inst., 115,100-3 (R) (Weed Abst. 18 :1152).
- Spiridonov, YU.YA and A.I. Yakovlev. 1969.The use of herbicides against clumps of "bamboo grass" in citrus plantings. Subrop. Kul't., (2),136-8 Inst.Chaya Subrop. Kul'tur , Makharadze Anaseuli,Georgia USSR. (Weed Abst. 20:171).

- Srinivasan, P.S. and R.J.Sakavaim. 1974. Effect of dowpon on riboflavin content in Cynodon dactylon pers.Science and culture (1979) 40(4)171-172 (En) tamil nadu agric. Univ., coimbatore, India (Weed Abst. 24:1266).
- Stanek, J. 1976. The effect of bromacil on Fruit crops and weeds. Vilv bromocilu ma ovocne ploding a plevelle Vedecke Prace ovocnerske 5, 161-171 (Hort Abst. 478).
- St.John, J.B. 1971. Comarative effects of diuron and chlorpropham on ATP levels in chlorella weed Sci. 19:274-276.
- Stoimenov, A.I. 1976. Studies on some herbiciaes used in two year-old apples in the nursery. Grodinarske Nauka 13(4)37-48(Hort. Abst. 47:7125).
- Takahashi, K., Y.Sakal, Y.Harada and K.Hirose .1977. Effect of ten years application with bromacil in citrus Satsuma mandarin orchard. 1-effect of bromacil on annual variations of weed species and population. Weed Research Japan (1977) 22(4) 198-202(Ja. en, 9ref) Kagawa Agric.Exp.Sta.Fuchu Branch .Sakaide Japan (Weed,Abst 28:3670).

- Thompson, H.E., C.P., Swanson and A.G. Norman. 1946.
New growth regulating compounds 1-summary
of growth inhibitory activities of some
organic compounds. Bot Gaz.107:476-507.
- Tilley, L.G.W. 1974. Paraquat a useful herbicide for
Sugar Cane. Growers quarterly Bulletin
38(1)32-33. District Adviser, Bur.Sug.
Exp.Stns.(Weed Abst.24-670).
- Torrest, J. 1976. mechanical or chemical weed control?
Agricultura, Spain 14(527) 203-205
(ES) Jefatura de Prod.Veg.Jaen.Spain
(Weed Abst.26(7):2250).
- Tucker, D .P.H. and R.L. Phillips. 1971. Weed control
demonstrations in Florida citrus groves.
In proceedings of the 24th Annual meeting
Southern Weed Science Society(1971)(Hort.
Abst.43:6339).
- Uzrad, M. 1978. The use of two types of volcanic tuff
for soil mulching as an alternative or
addition to plastic film mulch. Hassadeh
(1978) 58(10)2096-2183(He, en,4 ref.)
Shlahin Agricultural Services, Tel.
Aviv. Israel. (Hort.Abst 49:1614).

- Vardaniya.K.Kh., and Na.Vardaniyal. 1976. The effect of soya mulch on the growth and development of some subtropical crops. Subtropicheskie, Kul'tury (1976) No.2,121-124(RU) Vnich Sub Trop Kul'tur, Makhardaze, Georgian SSR (Hort.Abst. 47:5973).
- Van Staalduine. 1968. Some results of weed control trials with Sinbar under apple trees. Fruit leet, 60:200-1,203 (Hort.Abst.40:2425).
- Vernon, J .F. 1965. The effect of weed control by Isocil and Bromacil on growth and yield of young Peach and Apple trees. Proc. Amer. Soci. Hort.Sci. 86:148.
- Wessels, H.J. 1968. Herbicides keep orchards clean and production higher .S.Afr., Citrus J.(418), 11-13. (Hort.Abst.39:3554).
- Wilkinson, R.E. 1956. Degredation of herbicides by P.C. Kearney and D.D.Kaufman. Thesis, Ph.D.Univ. of California, Davis. Marcel Dekker, Inc., New York 1969.
- Young, H.J. 1912. Soil mulch. Nebraska Agric.Exper. Sta. Ann.Rep., 25:124-128.

Zaki, H.A. 1979. Studies on the effect of certain herbicides on some fruit trees and fruit characteristics. Thesis, Ph.D. Fac. of Agric. Cairo Univ.

Zahnk. 1976. Herbicides spray sequences in citrus plantation in Cuba. In Diez Anos de Colaboracion Cientifica Cuba. RDA (Ten years of scientific Collaboration Cuba GDR) Santiago de Las Vegas Cuba. INIFAT. (1976) 12.18 (Es, de, Vu, en, 8 ref.) VVB Agrochemie und Zwischenprodukte. Zentrale Stelle für Anwendungsforschung Agrochemie DDR der Deutschen Demokratischen Republik (Weed Abst. 27:992).

Zwick, F. 1976. Plastic mulch in plantations of young Oaks. Mulchfolie Zur Pflege von Eichen.Kulturen Allgemeine Forst Zeitschrift (1976) No. 16, 408-410 (De) (Weed Abst. 28:3547).