

VII- LITERATURE CITED

- Abdel-Sabour, M.E., 1979. Study of combining obility between some varieties of sorghum. M.Sc. Thesis. Fac. Agric. Moshtohor Zagazig Univ. (Banha), 1-237
- Argicar, G.P., and chavan, V.M., 1957 . A study of heterosis in sorghum. Indian J. Genet., 17: 65 - 72.
- Bartel. A.T., 1949. Hybrid vigor in sorgums. Agron. J., 41 : 147 - 152.
- Bhatt, G.M., 1971. Heterosis performance and combining obility in a diallel cross among spring wheats. (T.aestivum L.) . Austuralian J. Agrig. Res. 22 : 329 - 369.
- Burton, G.W., 1951. Quantitative inheritance in pearl millet. (Pennisetum glaucum). Agron. J., 43 : 409 - 417
- Campbell, L.G. and Casady, A.J. 1969. Effect of a single height gene (DW_3) on Sorghum bicolor (L.) Moeuch at 1-dwarf and 2 dwarf height levels. Crop Sci. 9:828 830.
- Castle, W.R., and Wright, S., 1921. An improved method of estimating the number of genetic factors concerned in crosses of blending inheritance Sci. N.S., 54 : 233.
- Castro, M.G.; Gardner, C.C. and Lannquist, J. H., 1968. Cumulative gene effects and the nature of heterosis in maize crosses involving genetically divers races. Crop. Sci. 8 : 97 - 101.

Chandra, S.; Pooni, H.S. and Sharma, G.D., 1973. Gene action governing days to flower, plant height and stem girth in sorghum. Indian J. Agric. Sci. 43 : 442-448.

Chiang, M.S., and Smith, J.D. 1967. Diallel analysis of the inheritance of quantitative characters in sorghum II-Gene action, the number of effective factors and heritability. Canad. J. Genet. Cytol., 9 : 823 - 830

Dabholkar, A.R., and Baghel. S.S., 1980 Gene action for resistance to grain mold, yield and yield components in sorghum. Jnkun Research J. (1980) 14 (1/2) 7-11. (C.f. Pl. Breed. Abstr. 52 (9), 1982).

Dalton, L. G. 1967. A positive regression of yield on maturity in sorghum Crop Sci. 7 : 271

Dharampal Singh and Singh, U. 1973 . Study of heritability and genetic advance in Sorghum vulgare Pers (Jowar). Agric. Sci. Kanpur. India. (c.f. Pl. Breed. Abst. 45 : 3586, 1975).

Dranko, I.A., and Dremlyuk, G.K., 1976. The inheritance of some characters in grain sorghum hybrids. Referativnyi Zhurnal 1976, 2 : 55 - 210. (c.f. Pl. Breed. Abstr. 47 : 10478, 1976).

Eckebil, J.P.; Ross, W.M.; Gardner, C.C.; and Maranville, J.W., 1977. Heritability estimates, genetic correlations, and predicted gains from 51 progeny tests in three grain sorghum random mating populations. Crop Sci. 17 : 373 - 377.

- El-Adi, A.M.; Kosba, Z.A. and El-Hadidi, M.S., 1977.
General and specific combining ability in interspecific hybrids of sorghum.
J. Agric. Sci. Mansoura Univ. 2 (1) : 24-36, 1977.
- El-Hifny; M.Z., Kassem; E.S.; El-Ghawas, M. and El-Tohami, M.K.
1972. Variability in morphological characters, yield components, quality characters of grain sorghum.
Assiut J. Agric. Sci. 1972 3 (2) : 65 - 84.
- El-Tohami, M.K., 1972, Variability in morphological characters, yield components, quality characters of grain sorghum. M.Sc. Thesis, Fac. Agric., Assiut Univ., Egypt.
- Finkner, R.E.; Finkner, M.D.; Glaz, R.M. and Gloria, M., 1981.
Genetic control for percentage grain protein and grain yield in grain sorghum. Crop. Sci. 21 : 139
142.
- Freeman, J.E., Hadley, H.E. and Seif, R.D., 1962.
Phenotypic effects of nine height mutants in sorghum vulgare. Crop Sci. 2 : 23 - 25.
- Gamble, E.E., 1962. Gene effects in corn (*Zea mays*, L.)
Separation and relative importance of gene effects for yield. Canad J. Pl. Sci., 42 : 349 - 358.
- Goud, J.V., and Asawa, B.M., 1978. Yield components in sorghum
Mysore J. Agric. Sci. (1978) 12 (2) 265 - 268.
(c.f. Pl. Breed. Abst. 50 (3) 1980).

Hadley, H.H., 1957. An analysis of variation in height in sorghum. Agron. J. 49 : 144 - 147.

Harrylan, 1963. Effect of high quality on maturity in the milo group of sorghum. Crop Sci. 3 : 476-499.

Hookstra, G.H.; and Ross, W.M. 1982. Comparison of F_1 and inbreds as female parents for hybrid sorghum seed production Crop Sci. 22 (1) 147 - 150.

Indi, S.K., 1979. Genetic analysis of different quantitative characters in three intervarietal crosses of sorghum. Sorghum bicolor (L.) Moench. (Abstract) Thesis Abstracts (1979) 5 (1) Coll. Agric., Dharwar, India.
(c.f. Pl. Breed. Abstr. 50 (12) 1980.

-----, and Goud, J.V., (1981) Genetic analysis of quantitative characters in an intervarietal cross of sorghum. Mysore J. Agric. Sci. 15 (1) 6 - 11.
(c.f. Pl. Breed. Abstr. 52 (9)).

Johnson, R.E., 1966. The inheritance of six agronomic characteristics in sudangrass, Sorghum vulgare var. sudaness. Diss Abstr. 1966. 26 : order No. 64 - 11, 253. P. 3596 (Abstr.).
(c.f. Pl. Breed. Abstr 37 : 2459, 1967).

kambal, A.E. and Abu-El-Gosim, E.H., 1976. Manifestations of heterosis in grain sorghum. Exp. Agric. (1976) 12 (1) 33 - 42 (En. 10 ref.) Fac. Agric. Shambat Sudan.
(c.f. Pl. Breed. Abstr, 46 : 9013, 1976).

Karber, R.E., and Quinby, J.R., 1937. Hybrid vigor in sorghum. J. Heredity. 28 : 83 - 91.

Kirby, J.S., and Atkinse, R.E., 1968. Heterosis response for vegetative and mature plant characters in grain sorghum, Sorghum bicolor (L.) Moench. Crop Sci. 8 : 335 - 339.

Koeing, R., and Walter, T.L., 1966. Correlation and Path Coefficient analysis of components of yield in grain sorghum (Sorghum vulgare pers). Abstr. of Annual Meetings of the American society of agronomy held at Oklahoma state University, Still University, Still water, on August 21-26 1966, P. 10.
(c.f. Pl. Breed. Abstr. 37 : 688, 1967).

Krishnmurthy, K.; Pajashekara, B.G.; Paghumatha, G.; Jagannath, M.K.; Bommegowda, A., and venugopol, N., 1974. Growth and yield differences in transplanted sorghums. Mysore J. Agric. Sci., 8 (1): 60 - 68.
(c.f. Pl. Breed. Abstr. 45 : 44 91, 1975).

Leclerg, E.L., Leonord, W.H., and Clark, A.G., 1962. Field Plot technique. Library of congress catalog card number 62 - 16455 U.S.A. PP. 32.

Lenz, M.C.; and Atkins, R.E., 1981. Comparisons of agronomic and morphologic characters in sorghum having different cytoplasms
Crop Sci. (1981) (6) 946 - 950

Liang. G.H., 1967. Diallel analysis of agronomic character in grain sorghum (Sorghum vulgare pers).
Canad. J. Genet. Cytol. 9 : 269 - 276.

-----, Overley, C.B. and Casady, A.J., 1969.
Interrelation among agronomic characters in grain sorghum (Sorghum bicolor (L.) Moench).
Crop. Sci. 40,: 299 - 302.

-----, Reddy, C.R., and Dayton, A.D., 1972. Heterosis, inbreeding depression and heritability estimates in a systematic series of grain sorghum genotypes.
Crop. Sci. 12 : 409 - 411.

Mahmoud Pasaa, M.A., 1974. Correlation studies in Sorghum bicolor (L.) Moench. Agric. Pakistan 1973. Publ. 1974. 24 (314) 245 - 259.
(c.f. Pl. Breed. Abstr. 46 : 2427, 1976).

Mahmoud, L. and Kramer, H.H., 1951 Segregation for yields. height and maturity following a soybean Cross.
Agron. J., 43 : 605 - 609.

Matzinger, D.F., Mann, T.J., and Cockerham, C.C., 1962.
Diallel crosses in Nicotiana tabacum. Crop.Sci. 2 : 383 : 386.

Morgan Chiang and Smith, J.D., 1967. Diallel analysis of the inheritance of quantitative characters in grain sorghum. II gene action, the number of effective factors and heritability Canad, J. Genet. Cytol. 9 : 823 - 830.

Mostafa, M.S., 1979. Heterosis and combining ability in grain sorghum. M.Sc. Thesis. Fac. Agric. Assiut Univ. 1-127.

Narasimha Rao, and Rachie, K.O. 1964. Correlations and heritability of morphological characters in grain sorghum. Madras Agric. J. 51: 156 - 161.
(c.f. Pl. Breed. Abst. 36 : 465, 1965)

Niehaus, M.H. , 1964. Combining ability for grain yield and its primary and secondary components in Sorghum vulgare pers. Diss. Abstr. 1964. 25 : order No 64 12, 768 : 3196..
(c.f. Pl. Breed. Abstr. 36 : 1981, 1966).

Nishibe, S., Ujihare, K., and shikata, S., 1974. Combining ability and heterosis in grain sorghum. Sorghums Newsletter, 17 P. 68 - 69. 1974.

Patel, R.H., Desai, K.B.; Kukada, M.U. and Desai, N.M. 1980 Components of variability in sorghum. Sorghum Newsletter. 23 : 19 - 20.

Patidar, H. (Hari patidar); and Dabholkar, A.R., 1982 Gene effects for grain size and yield in sorghum. Indian J. Genet and Pl. Breed (1981) Publ. (1982) 41 (2) 259 - 263

Prasad, R. (RaJender Prasad), 1981. Genetical studies on seed yield and related characters in sudan grass (Sorghum bicolor (L.) Moench var. Sudaness). (~~Abstract~~ Thesis Abstracts (1981) 7 (2) 156 - 157. Haryana Agric. Univ. Hissar. India.

Quinby, J.R., 1963. Manifestation of hybrid vigour in sorghum Crop. Sci. 3 : 288 - 91.

Quinby, J.R., and Karper, R.E., 1954. Inheritance of height in sorghum. Agron. J. 46 : 211 - 216.

Rao, N.G. P., and Murty, B.R., 1970. Components of heterosis in two sorghum hybrids. Indian J. Genet. 20 : 230 - 236.

_____; Ranna, B.S.; Rao, V.J.M. (Jaya Mohan Rao V.) and Reddy, B.F., (Balarami Reddy, B.) 1981. New hybrids and varieties of sorghum and their performance. Indian J. Genet. and Pl. Breed. (1981, Publ. 1982) 41 (2) 213 - 219.

Reddy, G.R., and Liang, G.H., 1971. Genetic variability of yield in F₂ populations of grain sorghum (Sorghum bicolor (L.) Moench). Canad. J. Genet. Cytol. 13 : 101 - 104.

Shukla, P.T., 1966. Studies of hybrid vigour in some of the Jower (S. Vulgare pers), hybrids involving cytoplasmic genetic male sterile line Ms 22 - 2 - 10. Ann. Agric. Res. Abstr. Post grad. Res. WK 1960 . 65. Nagpur Agric. Coll. Mag. 1966. Spec. Res. No. P. 121. (c.f. Pl. Breed. Abstr. 39 : 686, 1969).

Shnda, V.K., and Sudewad, S.M., 1980. Inheritance of grain yield and seed size in four crosses of sorghum. Sorghum Newsletter (1980) 23, 19. (c.f. Pl. Breed. Abst. 52 (1) 1982).

Sodani, S.N., and Chaturvedi, S.N. 1978. Heterosis for grain yield and its components in sorghum (Sorghum bicolor L., Moench. Indian J. of Heridity (1978) 10 (4) 21-30