

Farida, A. A., M. S. Abd-Elfattah, B. Elbawaf, A. M. Aly
G. Metwali, and M. E. wahba (1983).

Effect of Synthetic Pyrethroids Treatments on
Adult Stage of Spodoptera littoralis.

Proc. 5th Arab Pesticide Conf. Tanta Univ. Spt.
Vol. (II) 133-150.

Franklin, M. T. Goody (1949)

Acotton-Blue Lactophenol Technique for Mounting
Plant. Parasitic Nematodes.

J. Helminth. 23: 175-178.

Gichure, E. and J. Ondieki (1984 a).

Control of Root-Knot Nematode Meloidogyne
javanica on Potato Var. Annet. in Kenya By
Using Four Granular Nematicides.

Pak. J. Nematol. 2 (2): 85-90.

Gichure, E. and J.. Ondieki (1984 b).

Control of Root-Knot Nematode Meloidogyne
javanica on Tomato C.V. Early Beauty in
kenya by Using four Granular Nematicides

Pak. J. Nematol. 2 (2): 91-97.

Haque. Q. A. (1970).

Studies on the Effect of Different levels of Certain Elements on the Development of Root-Knot on Vegetables.

Ph. D. Thesis A. D. Aligarh.

Haque. Q. A., A. M. Khan and S. K. Saxena (1972).

Studies on The Effect of Different levels of Certain Elements on the Development of Root-Knot. I. Effect of NPK levels on Growth of Okra and Root-Knot Development.

Indian J. Nematol. 2: 35-41.

Ismail, W. and S. K. Saxena. (1976).

Effect of Differnt levels of Potassium on the Growth and NPK Status of Tomato Lycopersicon lycopersicum and L. peruvianum and Development of Root-Knot.

Indian J. Nematol. 6: 23-31.

Jackson, M. L. (1958).

Soil Chemical Analysis Constable and Co. L. Td. London.

Jagdale, G. B., A. B. Pawar and K. S. Darekar (1987).

Control of Root-Knot Nematode on Betel Vine With Systemic Nematicides.

Int. Nematol. Network Newsl. 4(1): 4-5

Johanson, A. W. (1978).

Effect of Nematicides Applied Through Overhead
Irrigation on Control of Root-Knot Nematodes
Meloidogyne incognita on Tomato Transplantings.
Plant. Dis. Repter. 62(1): 48-51.

John, M. K. (1970).

Colormetric Determination of Phosphorus in Soil
and Plant Materials with Ascorbic Acid.
Soil Sci., 109: 214-220.

Khan, A. M., and M. M. Alam (1985).

Control of Meloidogyne incognita on Tomato by
Chemicals Dips.
Pak. J. Nematol. 3 (2): 105-109.

Kheir, A. M., A. A. Farahat. and S.K. Abaddir (1982).

Chemical Control of the Root-Knot Nematode,
Meloidogyne incognita, Infecting Potato Solanum
tuberosum.
Bull. Fac. of Agric., Cairo Univ., 33: 135-143.

Mahajan, R. (1982).

Efficiency of Spot Treatment With Nematicides
for the Control of Meloidogyne incognita in
Egg-Plant (Solanum melongena) .
Indian J. Nematol. 12(2): 375-377.

Maung, N. O., and W. R. Jenkins. (1959).

Effect of Root-Knot Nematode Meloidogyne incognita acrita Chitwood, 1949 and A Stubb Root Nematode Trichodorus christiei Allen, 1957, on the Nutrient Status of Tomato L. esculentum .

Pl. Dis. Reprtr. 43: 791-796.

McLeod, R. W. and G. T. Khair, (1975).

Effect of Oximcarbamate, Organophosphate and Benzimidazole nematicides on life cycle stages of Root-Knot Nematode, Meloidogyne spp.

Ann. Appl. Biol., 79: 329-341.

Midan, A. A., Z. A. El-Bermawy and H. S. Radwan (1986).

Effect of Various Insecticides on Some Selected Tomato Genotypes.

Annals of Agric. Sc. Moshtohor, vol. 24:
(4): 2200-2212.

Mosbah, H. A. Hosny, K. El-Sherif, A. S. A. Saad and M. S. El-shahaat (1983)

Toxicity of Certain Insecticides Alone and in Combinations with Two Stickers Against the Cotton Leaf worm Spodoptera littoralis.

Proc. 5th Arab Pesticide conf. Tanta Univ. SPT. Vol. (II): 201 - 208.

Murphy, J. and J. P. Riely (1962).

A modified Single Solution Method for the Determination of Phosphate in Natural Water.

Anal. Chem. Acta. 27: 31-36.

Nabil, Z. S., S. H. Yousef and R. A. Ramadan (1983).

Cyolane, Sumicidine and Hostathion Persistence in the Egyptian Soils.

Proc. 5th Arab Pesticide Conf. Tanta Univ.

Sept. Vol. (II): 263-278.

Nadia, A. D., and K. A. Sabet (1979).

Effect of Organic Amendment and Fungicidal Application on the Population of Soil Microflora and Infection. With the Late-Wilt Disease of Maize.

Annals of Agric. Sc. Mohatohor. Vol. 11:

216 - 226.

Osman, A. A. (1977).

The Role of Crop Sequence and Rotation in the Scope of Nematode Integrated Control.

Ph. D. Thesis Fac. Agric. Cairo Univ. 92 pp.

Osman, A. A. and A. A. Farahat, (1983).

Systemic Nematicides Controlling Meloidogyne spp Infecting Cucurbitaceous Crops in Newly Reclaimed sandy soil.

Bull. Fac. Agric. Cairo Univ. 34(2): 751-761.

Osman, A. A., A. A. Farahat and M. Y. Yassin, (1983).

Selected Nematicides to Control Nematodes of
Corn and Soybean in Clay Loamy Soils.

Bull. Fac. Agric. Cairo Univ. 34(2):743-750.

Osman, A. A. and M. Y. Yassin (1983).

Root-knot Nematodes Meloidogyne spp Under the
Systemic Nematicidal Stress on Certain Vegetables

Bull. Fac. Agric. Cairo Univ. 34: 1103-1112.

Oteifa, B. A. (1952).

Potassium Nutrition of The Host in the Relation
to Infection by a Root-Knot Nematode Meloidogyne
incognita.

Proc. Helm. Soc. Wash. 19: 99-104.

Oteifa, B. A. and D. M. El-Gindi, (1962)

Influence of Subsequent Infection with Root-Knot
Nematode Meloidogyne javanica on P^{32} Absorption
and Translocation In Tomato plants.

Nematologica 7: 8-9.

Overman, A. J. and G. M. Howard, (1983).

Influence of Nemacur and Vydate on Root-Knot
Nematode, Sting and Strawberry Yield. Fungicide
and Nematicide test.

American Phytopath. Society, 39: 98.

Paris, G. K. and R. A. Jehle, (1943).

Root-Knot Nematodes on Lima Beans in Maryland.

Pl. Dis. Repr. 27: 235.

Piper, C. S. (1947).

"Soil and Plant analysis" the Univ. of Adelaide, Australia.

Pregl, E. (1945).

Quantitative Organic Microanalysis 4th Ed.

J. Chundrill, London.

Radewald, J. D., O. A. Harvey, F. Shibuya and Nelson (1975).

a Progress Report on the Control of The Root-Knot Nematode on white Rose Potato with Granular Nematicides.

Calif. Agric., 29(8): 8 - 9.

Reddy, D. D. R. and A. R. Seshadri (1972).

Studies on Some Systemic Nematicides II- Further Studies on the Action of Thionazin and Aldicarb on Meloidogyne incognita and Rotylenchulus reniformis .

Indian J. Nematol 2: 182 - 190.

Reddy., P. (1984).

Efficacy of Seed Treatment with Three Nematocides for the Control of Meloidogyne incognita Cow pea fresh Bean and Peas.
Indian J. Nematol. 14 (1): 39 - 40.

Rodrigues K. R., and P. A. Backman (1977).

Proc. Am. Phytopath. Soc. 4: 147-L48 (Abstr).

Rush, M. C. and J. R. Gifford (1972).

Enhancement Fungicidal Control of Seed Rot and Seedling Diseases of Rice By an Insecticidal Seed Treatment.
Pl. Dis. Repr. Vol. 56 (2); 154-157.

Sassar, J. N. and A. L. Taylor, (1978).

Biology, Identification and Control of Root-Knot Nematode Meloidogyne spp International Meloidogyne Project Publication North Carolina State Univ., Raleigh, N. C. 89 PP. (Cited by, Yarger and Barker) 1981.
Plant Disease, 65: 337-339.

Selim, A. Souka. S. R. Abd El-Fatah, M. S. Sallam, and S.-A. Sall(1987)

Effect of Fenvalerate and Irradiation with Gamma Rays on the Cotton leaf Worm Spodoptera