

REFERENCES

REFERENCES

- Abdel-Gawaad, A.A. (1980): Soil pollution by insecticide residues. (Under publication).
- ; F.H.El-Gayar and A.A. Khadr (1972 a):
Effect of some soil insecticides on germination, dry weight and nodulation in Triflorium alexandrinum Juslen.
Indian J. Agric. Sci. 42:(11), 969-974.
- ; A.S. Soliman; F.I. Rehab and N.M.Ali (1972b): Effect of some soil insecticides on plants: I-On Cotton, Clover, Bean and Corn. Phytopath. Z.Bd. 73, Heft. 3: 189-200.
- ; A.A. Khadr (1973): Effect of soil insecticides on cotton plants. Cotton Grow. Rev. 50:152-160.
- ; M.K. El-Khishen and M.S.H. Hefney (1981): soil pollution by pesticide residues; 3-Side effect on germination, growth, and crop yield. 1st international congress for soil pollution and protection from pesticide residues: 22-28 AUG.(1981) Egypt.
- Al-Adil, K.M.; E.R. White; W.L.Winterlin and W.W. Kilgore (1973): Up take and translocation of Guthion by beans and barley. J. Agric. Food Chem. 21:(3), 376-379.
- Aly, A.M.; A.S.A. Saad; A.El-Bahrawi and M.E.-Labany (1978): Activity of synthetic pyrethroids and certain insecticides on cotton boll worms in relation to their effect on fiber quality in Egypt. Meded. Fac. Land bonwwet Rijksuniv Gent.43: (2ptyl 719-725.C.F. (C.A. 90(23), 181501r).

- Amer, S.M. (1965): Cytological effects of pesticides:
1- Mitotic effects of N-methyl -1-naphthyl
carbamate "sevin". Cytologia, 30(1): 175-181.
- , E.M. Ali (1974): Cytological effects of
pesticides: V- Effect of some herbicides on
Vicia faba. Cytologia, 39(4): 633-643.
- , O.R. Farah (1974): Cytological effects of
pesticides: VI-Effect of the insecticide
"Roger" on the mitosis of *Vicia faba* and
Gossypium barbadense. Cytologia, 39(4):
507-514.
- , M.A.Hammouda and O.R.Farah (1971): Cytological
and morphological effects of the insecticides
N-methyl -1-naphthyl carbamate "Sevin". Flora,
160: 433-439.
- Anderegg, B.N.; Lichtenstein and J.D. Kemp (1977): Effect
of lindane on DNA, RNA and Protein synthesis
in corn roots. J. Agric.Food Chem.25(4):
923-928.
- Anderson, R.F. (1955): Internal Medication of plants for
the control of insect. J. Econ.Ent . 48(2):
187-190.
- Ashour, M.B.-A.M. (1979): Side effects of phosphorus
insecticides on plants. D.Ph. Thesis, Faculty
of agriculture, Zagazig University.
- Baswell, W.R.; W.J. Colore; B.E. Pepper; C.B. Taylor;
P.H. Gilmer and B.L.Carter (1955):
U.S.Dept. Agr.tech. Bull., 1121., 1-59.
(C.F. Abdel-Gawaad, A.A., 1980).

- Beck. E.W; L.H. Dawsey; D.W. Woodham; D.B. Leuck and L.W. Morgan (1962) : Insecticide residues on peanuts grown in soil treated with granular Aldrin and heptachlor. J. Econ. Ent . 55: 923-956.
- Beitz, H.; P.Seefeld; J. Hartisch and E. Heinisch (1971): Investigation on the up take of DDT from the soil by plants with lipophilic constituents. Rev. Appl. Ent .59(11) 1777 (3433).
- Belyaeva, M.G. and Zh. L.Lukpanov (1975): Physiological Characteristics of the effect of pesticides on Cucumbers. Tr. Kaz. Nauchno-Issled.Inst. Zashch Rest., 13: 116-121.
- Bhan, A.K. and B.L.Kaul (1975): Cytogenetic activity of dichlorvos in barley. Indian J. Exp. Biol. 13(4): 403-405.
- Blevins, R.D. and W.C. Dunn, Jr. (1975): Effect of carbaryl and dieldrin on the growth, protein content and phospholipid content of Hella cells. J. Agric. Food Chem. 23(3):
- Bollen, W.B.; J.E. Roberts and H.E. Morrison (1958): Soil properties and factors influencing aldrin and dieldrin recovery and transformation. J. Econ. Ent . 51(2): 214-219.
- Bonnemaizon, L. and P. Jourdeuil (1951): Influence of various insecticides on the germination and growth of several cultivated plants. Parasitica (Gembloux): 7: 81-108.
- Bradbury, F.R. and W.O. Whitaker (1956): The systemic action of benzene hexachloride in plants: Quantitative measurements. J. Sci. Food. Chem. 7(2): 248-253.

- Brass, C.L. and G.W. Ware (1960): BHC translocation from treated soil and the effect on growth of red clover. J. Econ. Ent . 53(1): 110-113.
- Brindley, T.A.; R. Schoep and F.G. Hinnan (1950): Effect of initial high dosages of DDT on the yields of peas and wheat. J.Econ.Ent . 43: 565-567.
- Carey, A.E.; G.B. Wiresma; H. Tai and W.G. Mitchell (1973): Organochlorine pesticide residues in soils and crops of the corn belt region, United States, 1970. Pestic. Monit. J. 6: 369-376.
- Care, J.H. and A.W. Tayler (1971); Pathways of loss of dieldrin from soils under field conditions. J. Agric. Food Chem., 19(2): 379-384.
- Carpentier, S. and C. Fremagest (1950): Activite C-mitotique des isomeres et de l'hexachlorocyclohexane, avec des observations sur l'influence du mesoinositol et du mesetnophosphate de sodium. Biochim. Biophys. Acta, 5: 290-296.
- Cox, H.C. and J.H. Lilley (1952): Effect of aldrin and dieldrin on germination and early growth of field crop seeds. J. Econ. Ento 45(3): 421-428.
- Chapman, R.K. and T.C. Allen (1948): Stimulation and suppression of some vegetable plants by DDT. J. Econ. Ent . 41(4): 616-623.
- Charnetski, W.A.; E.P. Lichtenstein and R.F. Evert (1973): Effect of lindane on cell structure of pea roots. Can.J.Bot. 51 (11): 211-2117.

- Chisholm, D. and A.W. Mac-phoe (1972): Persistence and effects of some pesticides in soil. J. Econ. Ent. 65(4): 1010 - 1013.
- , ----- and C.R. Mac. Eachern (1955):
Effect of repeated applications of pesticides to soil. Can J. Agric. Sci. 35; 433-439.
- Choi, S.Y. and H.R. Lee (1977): Control of some insects on soybeans with granular systemic insecticides applied in seedling-pits. Hanguk Sikmul Paho Hakhoe Chi. 16(1): 41-45.
- Chopra, S.L. and K.S. Nandra (1969): Effect of thiometon on the germination of Sarson. J. Agric. Food Chem. 17(4): 805-806.
- Clapp, D.W.; D.V. Naylor and G.C. Lewis (1976): The fate of disulfoton in portenuf silt loam soil. J. Environ. Qual. 5(2): 207-210.
- Cullinan, F.P. (1949): Some New insecticides. Their effect on plants and soils J. Econ. Ent. 42(2): 387-391.
- Darlington, C.D. and J. Mcleish (1951): Action of maleic hydrazide on the cell. Nature, 167: 407-408.
- Das, N.M. and S. Chandrika (1972): Effect of seed treatment with systemic insecticides on the germination of rice and the growth of seedling: Agr. Res. J. Kerala, 10(2): 152-156.
- David, W.A.L. (1951): Insecticidal action studies with bisdimethylaminephosphorus anhydride containing phosphorus 32. Ann. Appl. Biol. 38: 508-524.

- David, W.A.L. and W.N. Aldridge (1957): The insecticidal
in leaves of plants growing in soil treated
with parathion. Ann. Appl. Biol. 45:
332-346.
- , and B.O.C. Gardiner (1952): Insecticidal
action studies with bisdimethyl. Aminoflu-
orophosphine oxide containing 32 phosphorous.
Ann. Appl. Biol. 39(2): 203-210.
- Dennis, E.W. and C.A. Edwards (1964): Phytotoxicity of
insecticides and acaricides. III Soil app-
lications. Plant, Path. B, 173-177.
- Dorough, H.W. and B.C. Pass (1972): Res dues in corn and
soils treated with technical chlordane and
High-Purity chlordane. J. Econ. Ento. 64
(4): 976-979.
- Dowidar, A.E. and S.H. Rabie (1978): Effect of triffuralin
on the growth regulators of Amaranthus Chlcr-
ostachys seedlings. J. Facul. Ed. Ain Shams
Univ. 17-26.
- Eden, W.G. and B.W. Arthur (1965): Translocation of DDT
and heptachlor in soybeans J. Econ. Ent .
58(1): 161-162.
- Edwards, C.A. (1965): Some side effects resulting from
the use of persistent insecticides. Ann. appl.
Biol. 55(2): 329-331.
- (1956):
Insecticide residues in soils.
Residue Rev. 13: 83-132.

Edwards, C.A. (1970): Critical reviews in environmental control, 1, Chemical Rubber Co. Cleveland Ohio, U.S.A.

----- (1974): Environmental pollution by pesticides. "Environmental science research series", Pesticide residues in soil and water PP 409-458. Blackwell, Oxford.

El-Refai, A and M.M. Mowafy (1973): Propanil hydrolysis: Inhibition in rice plants by diazinon and carbaryl translocated from the soil. J. Assoc. off Anal. Chem. 56(5): 1178-1182.

El-Sebae, H.H. (1979): The danger of environmental pollution with pesticides. PP.5 "Personal communications".

El-Zergani, G.A. (1976): Persistence of organochlorine insecticides in the field in the Gezira soil under cotton. Bull. Environ. Contam. Toxicol. 15, 378-382.

Ene, C.F. and P.H. Everett (1958); Effect of soil application of 10 chlorinated hydrocarbon insecticides on soil microorganisms and the growth of stringless Black Valentine. Soil. Sci. Am. Proc. 22(3): 235-238.

Fjeldalen, J. and S. Renvall (1974): Pesticide residues in field crops in the Nordic countries, investigations on insecticides 1968-1970. Acta Agric. Scandinavica 24(1): 17-32.

- Fleming, W.E. (1950): Persistence and effect of DDT on Japanese beetle larvae in New Jersey soils. J. Econ. Ent. . 43: 87-89.
- , and I.M. Hadaway (1950): A large scale test with DDT to control the Japanese beetle. J. Econ. Ent. . 43: 586-590.
- , and W.W. Maines (1953): Persistence of DDT in soils of the area infested by Japanese beetle. J. Econ. Ent. 46(3): 445-449.
- Flore, J.A. and M.J. Bukovac (1978): Pesticide effects on the plant cuticle: EPTC effects on the qualitative composition of Brassica oleracea L. leaf cuticle. J. Am. Soc. Hortic. Sci., 103(3): 279-301.
- Foster, A.E. (1951): Some plants response to certain insecticides in soil. U.S.D. Agric. Circ. 862.
- Fuhremann, T.W. and E.P. Lichtentein (1980): A comparative study of the persistence, Movement and Metabolism of six carbon, 14- insecticides in soils and plants. J. Agric. Food Chem. 28: 446-452.
- Gentile, A.G.; A.W. Vaughan and D.G. Pfeiffer (1978): Cucumber pollen germination and tube plangation inhibited or reduced by pesticide. Environ. Entomol. 7(5): 689-691.
- Getzin, L.W. and R.K. Chapman (1959): Effect of soil upon the uptake of systemic insecticides by plants. J. Econ. Ent. . 52(6): 1160-1165.

Gimenez-Martin, G. (1962): Accion a-Motorica del parathion.
Phyton 18 : 23-26 (C.R. Ashour, M.B.
1979).

----- and J. Lopez-Saez (1961): Autogenesis por
accion del gamma-hexachlorociclohexano
sobre indivison celular. Phyton 16:
45-55.

Gomaa, E.A. (1977): Effect organophosphorus insecticides
on dry beans. Actes Congr. Int. Composos
phosphores 1 st 1977 (Pub. 1978),
671-676.

Gough, H.C. and A.Wood (1954): Seed dressings for the control
of Wheat bulb fly. Nature, 174(4442):
1151-1153.

Grimstone, A.V. and R.J. Skaer, (1972): A guide book to mic-
roscopial methods. Canbridge Univ. Press,
PP.24.

Gupta, D.S. and W.A. Rawlins (1967): Persistence of two
systemic carbamate insecticides in three
types of soils. Indian J. Ent. 28(4)
482-493.

Gurr, G.T. (1963): Biological staining methods, sevent
edition, 136-144, New King's Road,
London, S.W.6, 1-116.

Haeskeylo, J. (1957): Growth and fruiting properties and
Carbohydrate, Nitrogen and phosphorus
levels of cotton plants as influenced
by Thimet. J. Econ. Ent. . 50(3):
280-284.

Hachskaylo, J., D.A. Lindquist and T.B. Davich (1961):

Dimethoate adsorption and its translocation
and distribution in the cotton plants. J.
Econ. Ent . 54: 1206-1209.

Hagley, E.A.C. (1965): Effect of insecticides on the
growth of vegetable seedling. J. Econ.
Ent . 58: 777-778.

Haines, R.G. (1956); Evidence of lindane translocation
in corn plants. J. Econ. Ent . 49(4):
563-564.

Hamawi, H.; M.T. Mahdi; M.A. El-Ghandour; A. Eid and W.E.
Shelta (1977): Effect of seed treatment with
pesticides on germination of seeds of some
Egyptian cotton cultivars. Seed Sci. Technol.
5(1): 97-103.

Harris C.I. (1969): Movement of pesticides in soil J. Agric
Food Chem. 17(1): 80-82.

----- and W.W. Sans (1967): Absorption of organo-
chlorine insecticides residues from agricul-
tural soils by roots crops. J. Agric Food
Chem. 15(5): 861-863.

-----, ----- (1971): Insecticide residues in s
soils on 16 farms in South Western Ontario
between 1964-1969. Pest. Monit. J. 5:
259-267.

- Harris C.R. ; H.J. Svec and W.W. Sans (1973): Toxicological studies on cutworms; X. Laboratory and field microplot studies on effectiveness and persistence of some experimental insecticides used to control the back cutworm in organic soil. J. Econ. Ent . 66(1): 203-208.
- , R.A. Chapman and J. R. V. Miles (1977): Insecticide residues in soils on fifteen farms in south Western Ontario, 1964-1974. J. Environ. Sci. Health, Part B, B₁₂(3), 163-191.
- Hassan, M.A. (1979): Cytological and physiological studies of the effect of herbicide Dinitramine on roots of Allium cepa and Vicia faba. (M.Sc. Botany), Ain Shams University.
- Hassan, S.M.; A.S. Saad and M.H. Mansour (1975): Effect of certain insecticides on some cotton pests and on cotton plants. Bull. Entomol. Sec. Egypt. Econ. Ser. 8: 221-226.
- Heywood D.L. (1975): Degradation of carbamate insecticides in soil. Environ. Qual-Saf. 4: 128-133.
- Hinreiner, E. and M. Simone (1956); Effect of soil insecticides on flavor of vegetable crop. Hilgardia 26: 76-85.
- Hopkins, H.T. (1952): Inhibition of growth by benzene hexachloride isomers and protective effect of glucose as measured by cell counting technique. Plant physiol. 27: 526-540.

John, E. (1975): Monitoring of selected ecological components of the environment in four Alabama Counties (1972-1974). Environ. Chem.: Hum. Anim. Health, Proc. Ann.Conf. 4:233-279.

Jardon, B.M. and Baker J.R. (1955): Q.J.M. Sc. 96(2) PP.177-179. (C.F. Gurr, G.T., 1963).

Kansouh, A.S.H. and T.L. Hopkins (1968): Diazinon absor translocation and metabolism in bean plants. J. Agric. Food Chem. 16(3):446-450.

Keul, M.; R. Vintila and C. Qchesanu (1976): Dynamics of carbohydrates and respiration in corn, following treatment with Duplitox, aldrin and heptachlor. Stnd. Cercet. Biol. Ser. Biol. Veg. 28(2); 127-133.

-----, ----- and A. Fabian (1977): Modification of the carbohydrate content of corn after lindane, heptachlor and aldrin treatment. Stud. Univ. Babes. Bolyai, Ser. Biol. 22(1): 28-33.

Kitamura, M.; T. Konishi and S. Nagata (1978): Organochlorine residues of pesticides in crops. Kyoto. Fu Eisei Kogai Kenkyu sho Nemp., 22:119-120.

- Korte, F.; I. Scheunert and H. Parlar (1978): Texaphene, A special report comission on Terminal pesticide residues international union of pure and Applied chemistry. Pure and Appl. Chem. 51: 1583-1601.
- Kosteff, D. (1949): Induction of cytogenetic changes and atypical growth by hexachloro cyclohexane. Science 109: 467-468.
- Kozlova, E.N. (1950): Penetration of organic insecticides into tissues. Doklady Vsesoyuz. Ordenz Lenina Akad-Sel. SKO-Khoz. Nauk ison. V.I Lenina 15(3): 30-32.
- Krzymanska, J. and S. Mackiewicz (1969): Aldrin and lindane residues in the soil when used in form of superphosphate mixture. Buletyn Instytutu Ochrony Roslin 45:109-114.
- Kumarson, D. and P.Baskaran (1976): Persistence of certain systemics in brinjal (Solanum melongena L.) Plants. Pesticides 10(1): 45-47.
- Lezer-Keul G.; V. Soran; R. Vintila and M. Keul (1979): Effect of Lindane and Methylchlor on cell nucleus DNA content of Wheat (Triticum Vulgare) and broad bean (Vicia faba) root meristem. Rev. Roum. Biol. Ser. Biol. Veg. 24(1): 69-75.
- Leahey, J.P. and F.K. Carpenter (1980): The up take of metabolites of permethrin by plants grown in soil treated with C¹⁴ permethrin Pestic. Sci. 11(2): 279-289.

Lichtenstein, E.P.; W.F. Millington and G.T. Cowley (1962):
Effect of various insecticides on growth
and respiration of plants. J. Agric. Food
Chem. 10(3): 251-256.

-----; G.R. Myrdal and K.R. Schulz (1964):
Effect of formation and mode of application
of aldrin on the loss of aldrin and its
epoxide from soils and their translocation
into carrots. J. Econ. Ent . 57(1): 133-136.

-----, ----- (1965): Adsorption of insecticidal
residues from contaminated soils into five
carrot varieties. J. Agric. Food Chem. 13(1):
57-63.

-----, K.R. Schulz and G.T. Cowley (1963): Inhibition
of the conversion of aldrin to dieldrin
soils with methylenedioxy phenyl synergists.
J. Econ. Ent . 56(4): 485-489.

-----; C.H. Mueller; G.R. Myrdal and K.P. Schulz (1962):
Vertical distribution and persistence of
insecticidal residues in soils as influenced
by mode of application and cover crop. J.
Econ. Ent . 55(2): 215-219.

Lilly, J.H. and J.E. Fahey (1956): Translocation of BHC from
high dosage soil treatments applied before
planting. J. Econ. Ent . 49(6): 815-818.

Lindquist, D.A.; J. Hacksayle and T.B. Davich (1961):
Laboratory and field investigations with
phorate. treated cotton seeds. J. Econ.
Ent . 54: 379-382.

- Lindquist, R.K.; H.R. Krugger; R.R. Spadafora and Mason, J.E. (1972): Application of aldicarb to green house tomatoes: plant growth, fruit yields, greenhouse whitefly control and residues in fruits. J. Econ. Ent . 65(3): 862-864.
- Lefreth, G. (1970): Alkylation of DNA by dichloroaves. Naturwissenschaften 57: 393-394.
- Lord, K.A.; M.M. De-Andrea; C.G. Helene and E.F. Ruegg (1972): Laboratory tests of the persistence of pesticides in two Barazilian soils. Arq. Inst. Biol. Saopaulo: 45: 197-199.
- Mean, J.J.; G.G. Patchett and G.H. Batchelder (1960): The persistence of Trithion, an organophosphorus insecticide in soil. J. Econ. Ent . 53(6): 1080-1082.
- Metcalf, R.L. (1955): Advanced in pest control Vol. (3) Interscience, Pub. N-Y London.
- and R.B. March (1952): Behavior of octamethyl pyrephosphoramide in citrus plants. J. Econ. Ent . 45 (6); 988-997.
- ; E.M. Stafford; T.R. fukute and R.B. March (1957): The systemic behavior of O,O-diethyl S-2-(Diethylamino) ethyl phosphorothiolate and its salts. J.Econ. Ent . 50(2): 205-210.
- Miles, J.R.W. and C.R. Harris (1978): Insecticide residues in organic soils of six vegetable growing areas in southwestern Antario, 1976 J. Environ. Sci. Health. Part B, B₁₃; 199-209.

- Mishra, G.M. and S.P. Sinha (1979): Effect of malathion on mitotically dividing Onion (Allium cepa) root-tip cells. India J. Exp. Biol. 17(7): 716-717.
- Mitchell, L.W.; B.C. Smale and R.L. Metcalf (1960): Advances in pest control. Vol.(3). Interscience, Pub. INC. N-Y.
- Morrison, H.E.; D.C. Moto and W.B. Rasmussen (1945): DDT to control Scytigerella immaculata. J. Econ. Ent . 38(3): 410.
- ; H.H. Crowell; S.E. Grumb and R.W. Lauderdale Jr. (1948): The effect of certain new soil insecticides on plants. J. Econ. Ent . 41(3): 374-378.
- Note, U.N. (1978): Effect of systemic insecticides on the germination and subsequent growth of pea (Pisum sativum L.) seed. Seed Res. 6(1): 62-66.
- Mulla, M.S. (1960): Loss of activity of chlorinated hydrocarbon insecticides in soil as measured against the Eye Gnat, Hippelates collusar. J. Econ. Ent . 53(5): 785-787.
- Mullins, D.E.; R.E. Johnson and R.I. Starr (1971): Persistence of organochlorine insecticide residues in agricultural soils of Colorado. Pestic Monit. J. 5: 268-271.
- Nash, R.G. and E.A. Woolson (1967): Persistence of chlorinated hydrocarbon insecticides in soil. Science 157 (3791): 924.

- Nash, R.G. and E.A. Woolson (1968): Distribution of chlordane insecticides in cultivated soil. Soil. Sci. Soc. Amer. Proc. 32(4): 525-527.
- Neel, P.L. and J.A. Reinert (1976): Phytotoxicity evaluations of ten insecticides on twenty-three species of ornamental plants under glass shed conditions. Proc. Fla. State. Hort. Soc. 88: 586-590.
- Nethery, A.; G.B. Wilson and R. Hoopingarner (1965): Cytological and genetic studies on the effect of Dieldrin. J. Econ. Ent. 58(3): 511-513.
- Nyholm, N. and B. Knutsson (1947): Investigations on C-mitosis in Allium cepa. 1- The cytological effect of hexachlorocyclohexane. Hereditas 33: 220-234.
- Oetting, R.D.; F.S. Merishita; A.L. Helmkamp and W.R. Bowen (1980): Phytotoxicity of eight insecticides to some Nursery grown ornamentals. J. Econ. Ent. 77(1): 29-31.
- Oliver, I.S. (1957): Control of the plum curculio with soil insecticides. J. Econ. Ent. 50(4): 457-459.
- Orsager, J.A. and H.W. Rusk (1967): Absorption and translocation of diazinon and stauffer N-2790 in sugar beet seedlings. J. Econ. Ent. 60(2): 586-588.

- Parker, B.L. and J.E. Dewey (1965): Decline of phorate and dimethoate residues in treated soils based on toxicity to Drosophila melanogaster. J. Econ. Ent. 58(1): 106-111.
- Perencia, C.R.; J.W. Davis and C.B. Gwan (1957): Further field tests with systemic insecticides Employed as seed treatment. J. Econ. Ent. 50(5): 614-617.
- Petrova, T.M.; K.V. Novozhilov; T.A. Evstigneyeva and F.I. Kopytova (1978): Studies of the behavior of organophosphorus insecticides in soil and in soil-plant system. U.S. Environ-Prot-Agency off Res. Dev.; (Rep.) EPA. 1978, EAA 600/9-78-003, 714, 151-162.
- Pielou, D.P. (1962): Note on the control of the apple aphid by new systemic insecticides translocated from bark of foliage. Can. J. Plant Sci. 42(2): 374-377.
- Pool, R.A.F. (1977): A rapid bioassay for pesticide phytotoxicity J. Agric food chem. 25(5): 1216-1318.
- Quraishi, M.S. (1972): Edaphic and water relationships of aldicarb and its metabolites. Can. Ent. 108: 1191-1196.
- Rafic, M.S. and E. El-Hennawi (1961): Physiological studies on the effect of certain organophosphorous systemics on cotton plants. Bull. Soc. Ent. Egypt. 45: 387-399.

- Rajanna, B. and A.A.Dela Cruz (1977): Stands establishment and early growth of field crops as influenced by seed vigor and pesticide residues. Seed Sci. Technol. 5(1): 71-85.
- Rajukkannu, K.; K. Saiveraj; P. Vasudevan and M. Balasubramanian (1978): Insecticides residues in sweet potato tubers (Ipomoea batatas). Pesticides, 12(8):21-22.
- ; -----; K.A. Ali; T.R. Subramaniam and K.K. Krishnamoorthy (1976): Residues of granular and foliar insecticides. Madras Agric. J. 63 (5-7): 369-371.
- Reddy, M.V. and B.V. Rao (1969): Cytological effects of insecticides (Dimecron-100 and Reger-40) on Vicia faba. Cytologia 34: 408
- Renolds, H.T.; T.R. Fukute; R.L. Metcalf and R.B. March (1957): seed treatment of field crops with systemic insecticides. J.Econ. Ent .50(5): 527-439.
- Richardson, H. (1975): Monitoring of agricultural insecticides into the cooperative cotton pest management program in Arizona, 1971. Environ. Chem. Hum. Health, Proc. Annu. Conf. 4: 139-166.

- Ridgeway, R.L.; S.L. Jones; T.R. Coppedge and D.A. Lindquist (1968): Systemic activity of 2-methyl -2- (methyl thio) propionaldehyde O-(methyl carbonyl) oxime (UC -21149) in the cotton plant with special reference to the Boll weevil. J. Econ. Ent . 61(6): 1705-1712
- Pipper, W.E. (1957): Advances pest cont. Res. Vol(I), Interscience publisher N.Y. London.
- Roberts, T.R. and M.E. Standen (1977): Degredation of the pyrethroid cypermethrin NRDC 149 (+)- α - Cyano -3- phenoxybenzyl (+) Sis, trans -3- (2,2 - Dichlorovinyl) -2,2- dimethyl cyclopropane carboxylate and the Respective cis-(NRDC 160) and trans- (NRDC 159) isomats in soils. Pestic. Sci. 8(6): 305-319.
- Roberts, J.E.; R.D. Chishelm and L. Kobletsky (1962): Persistence of insecticides in soil and their effects on cotton in Gorgia. J. Econ. Ent . 55(2). 153-155.
- Redriques, J.G. and W.A. Gould (1950): Effect of technical benzene hexachloride and lindane on the flavor of tomatoes and potatoes. J. Econ. Ent . 43(4): 498-503.
- , D.E. Maynard and W.T. Smith Jr.(1960) Effect of soil insecticides and their effects on plant sugars and resulting effect on mite nutrition. J. Econ. Ent . 53(4) 491-495.



Scopes, N.E.A. (1969): Some quantitative effects of soil applied organophosphorus insecticides on crop growth. Pl. Path. 18(1): 10-15.

Seiber, J.N.; S.C. Madden; McChesney and W.L. Witerlin (1979): Texaphene dissipation from treated cotton field environments: Component residual behavior on leaves, air, soils and sediment determined by capillary Gas chromatography. J. Agric. Food Chem. 27(2): 284-290.

Sharimov, Kh. I. and M.M. Isin (1977): Effect of insecticides on apple tree development. Khim- selsk. Khoz 15(5): 61-63.

Sidney, D. (1975): Diazinon and Carbaryl effects on the vegetation of soybean ecosystem. Bull., N.Y. Acad. Sci. 20(1), 1-4.

Simkover, M.G. and R.D. Shenefelt (1952): Phytotoxicity of some insecticides to coniferous seedlings with particular reference to benzenehexachloride. J. Econ. Ent . 45(1): 11-15.

Simon, M and M. Guinechat (1939): Anomalies morphologiques et caryologiques provoquées sur les Jeunes plantules, par les dérivés halogénés des carbures cycliques. C.R. Acad. Sci. Seances Mean. Soc. Biol. 131: 222-229.

- Scopes, N.E.A. (1969): Some quantitative effects of soil applied organophosphorus insecticides on crop growth. Pl. Path. 18(1): 10-15.
- Seiber, J.N.; S.C. Madden; McChesney and W.L. Witerlin (1979): Toxaphene dissipation from treated cotton field environments: Component residual behavior on leaves, air, soils and sediment determined by capillary Gas chromatography. J. Agric. Food Chem. 27(2): 284-290.
- Sharimov, Kh. I. and M.M. Isin (1977): Effect of insecticides on apple tree development. Khim- selsk. Khoz 15(5): 61-63.
- Sidney, D. (1975): DDT and Carbaryl effects on the vegetation of soybean ecosystem. Bull., N.Y. Acad. Sci. 20(1), 1-4.
- Simkever, M.G. and R.D. Shenefelt (1952): Phytotoxicity of some insecticides to coniferous seedlings with particular reference to benzenehexachloride. J. Econ. Ent. 45(1): 11-15.
- Simon, M and M. Guinechat (1939): Anomalies morphologiques et caryologiques provoquées sur les Jeunes plantules, par les dérivés halogénés des carbures cycliques. C.R. Acad. Sci. Paris. 208: 222-229.

- Singh, B.D.; R.B. Singh; R.M. Singh and J. Sing (1979):
Effect of insecticides on germination,
early growth and cytogenetic behavior of
barley (Hordeum vulgare) Environ. Exp.
Bot. 19(3): 127-132.
- ; Y. Singh; R.B. Singh; R.M. Singh; N.D.
R.K. Sarma and J. Singh (1977): Cylogenetic
aberrations and morphological changes
induced by insecticide treatments of barley
seeds. Indian, J. Exp. Biol. 15(8): 688-691.
- Sing, O.P.; S.M. Mathar and G.A. Gangrade (1974): Granular
insecticides on soy bean stem fly, Melanagromyza
phasedli, Pesticides 8(10): 31-32.
- Starnes, O. (1950): Absorption and translocation of insect-
icides through the root systems of plants. J.
Econ. Ent. 43(3): 338-342.
- Stein, E.R.; C.M. Beald and A.T. Jacobson (1980): Residual
of fensulfothion in selected vegetable crops.
J. Agric. Food chem. 28(1): 164-167.
- Stewart, D.K.; R.Chisholm and C.J.S. Fox (1965): Insecticides
residues in potatoes and soil after consecutive
soil treatments of aldrin and heptachlor. Soil
and Fertilizers 28:390(2702).
- Strelkova, E.A. (1975): Effectiveness of treating barley
seeds with insecto-fungi-cides under the condit-
ions of the northeastern part of Belorussia.
Tr. Beloruss. S.Kh. Akad. 140: 10-14.
- Swamiappan, M.; S. Jayoraj and T.R. Subramaniam (1976);
Influence of two systemic granular insecticides
on growth of cotton. Madras Agric. J. 63(5-7):
334-337.

- Talekar, N.S. and E.R. Lichtenstein (1971): Influence of plant nutrition on lindane penetration and its translocation with pea plants. J. Agr. Food-Chem. 19(5): 846-850.
- Tietz; H. (1954): Hofchen-Brief, 7:1-55. (C.F. Talekar and lichtenstein, 1971).
- Tranto, C.M.; C.G. Fraga and O.S. Naves (1960); Effect of application of insecticides to the soil on growth of cotton. Soil and fertilizers 24 (306), 2,148.
- Terranova, A.C. and G.W. Ware (1963): Studies of endesulfan in bean plants by paper and Gas chromatography. J. Econ. Ent. 50(5): 596-599.
- Terriere, L.C. and D.W. Inglasbe (1953): Translocation and residual action of soil insecticides. J; Econ. Ento. 46(5): 751-753.
- Vasrama, A. (1947): The influence of DDT pesticide upon plant mitosis. Hereditas 33:191-219.
- Volpi, M. (1951): Cytological and lethal action of some phosphoric esters used as insecticides. Ann Sper. agrar. 5: 1511-1525.
- Wallace, C.R. (1947): Small-Scale tests with DDT and Benzene Hexachloride incorporated in the soil. J. Australian Inst. Agric. Sci. 13: 132-137.

- Weaver, J.B.; J.N. All; D.B. Weaver and E.P. Hornyak (1979): Influence of various insecticides on yield parameters of two cotton Genotypes. J. Econ. Ent. 77(1), 119-122.
- Wedzisz, A.; T. Sloczynska and J., Szwejda (1977): Effect of the preparation gardona 24 E.C. on some components of vegetables. Bromatol. Chem. Toksykol 10(1): 29-34.
- Wheatley, G.A. and J.A. Hardman (1962): Residues of Chlorinated hydrocarbon insecticides in some farm soils in England. Pl. Path. 11 (2): 81-90.
- Williams, I.H. and M.J. Brown (1979): Persistence of permethrin and WL 43775 in soil. J. Agric. Food Chem. 27(1):130-132.
- Wiresma, G.B.; W.C. Mitchell and C.L. Stanford (1972): Pesticide residues in onions and soil. Pestic. Monit. J. 5:345-347.
- Woodwell, G.M. and F.T. Martin (1964): Persistence of DDT in soils of heavily sprayed forest stands. Science 145(3631): 481-483.

- Woodwell, G.M.; P.P. Craig and H.A. Johnson (1971): DDT in the Biosphere, where does it go. Science 174:1101-1107.
- Wuu, K.D. and W.F. Grant (1967): Chromosomal aberrations induced by pesticides in Mitotic cells of Barley. Cytologia 32: 31-41.
- Yaron, B.; B. Heuer and Y. Birk (1974): Kinetics of Azinphos methyl losses in the soil environment. J. Agric. Food Chem. 22(3): 439-441.
- Yarovenko, G.I.; I.N. Kir and K. Kh. Mannanova (1975): Effect of the mineral nutrition level, Pesticides and the soil moisture regime on the water status and productive capacity of Tushkent-Cotton. Tr. Vseses-Nauchno, Issled. Inst. Khopkovod, 29: 35-40.
- Yu. S.J. and F.O. Morrison (1969): Mevinphos and phosphamidon: influence of plant nutrition on up take and effectiveness. J. Econ. Ent . 62(6): 1296-1304.
- Zaki, M. and H.T.Reynolds (1961): Effect of various soil types and methods of application upon up take of three systemic insecticides by cotton plants in the green house. J.Econ. Ent . 54(3): 568-573.
- Zeller, F.J. and H. Hauser (1974): Experientia 30(4):345.
(C.F. Anderegg, B.N. et al 1977).