

LITERATURE CITED

VI. LITERATURE CITED

Abbas, H. H., (1993): Heavy metals and trace elements in soils and plants as affected by irrigation with sewage and industrial wastewater *Annals of Agric. Sc. Moshtohor*, Vol. 31 (1): 653 - 666.

Abd El-Aal, R. S.; H. H. Abbas; M. H. Rabie and M. E. A. Khalil, (1991): Accumulation of micronutrients and heavy metals in sandy soils irrigated with sewage water. *Annals of Agric. Sc. Moshtohor*, 29(4):1811-1822.

Abd El-Naim, E. M. and R. M. El-Awady, (1989) : Studies on heavy metal removal from sewage water used in sandy soils. *Toxic Substances in Agricultural Water Supply and Drainage, 2nd Pan-American ICID. Regional Conference*, 219- 230.

————— ; **M.M . Selem; R. M. El-Awady and R. L. Faltas, (1986):** Chnges in physical properties of sandy soil due to sewage water utilizatiopn in cultivation for five successive years. II. Pore size distributurion and infiltration rate. *Annals of Agric. Sc. . Moshtohor*, vol. 24 (3):1615-1626.

- Abd El-Naim, E. M.; M. S. Omran ;T. M. Waly and B. M. B. El - Nashar,(1987):** Effect of prolonged sewage irrigation on some physical properties of sandy soil. *Biological Wastes*, 22:4, 269 – 274; 3 tab.; 14 ref.
- Abd El-Sabour, M. F.; A. S. Ismail and H. Abou-Naga , (1995) :**Environmental impact of Cairo sewage effluent in El-Gabal El-Asfer Farm. *Egyptian Journal of Soil Science* , 35: 2, 225-237; 13 ref.
- Abo El-Komsan,E. O., (1978):** Evaluation studies of some citrus varieties grown in middle Egypt.Msc Thesis, Faculty of Agriculture Al-Azhar University.
- Aboulroos, S.A. ; Sh. Sh. Holah and S. H. Badawy , (1989):** Influence of prolonged use of sewage effluent in irrigation on heavy metal accumulation in soils and plants. *Zeitschrift fur pflanzenernahrung und Bodenkunde* 152:1, 51-55; 6 tab. ; 18 ref.
- Ahmed, F. F.; M. A. Ragab ; A. E. M. Mansour and ; A. A. Gobara, (1998):** Fruiting of Anna apples in response to application of sewage sludge. *Egyptian Journal of Horticulture*, Vol. 25, No. 3, pp. 371- 376, 8 ref.
- Allam, S. E. M. , (1986):** Effect of irrigation with sewage water on some physical and chemical properties of some Egyptian soils. M.Sc. thesis Moshtohor , pp. 87-90.

- Allan, A. I. and J.P.Hollis,(1972):** Sulphide inhibition of oxidse in rice roots. *Phytopathology*.62:634-639.
- Alva, A. K. and E. Q. Chen, (1995):** Effects of external copper concentrations on uptake of trace elements by Citrus seedlings. *Soil Science*, Vol. 159, No. 1: 59- 64.
- A. O. A. C., (1960):** Official Methods of Analysis of the Association of Oficial Agricultural Chemist Washington. D. C. U. S. A PP. 832
- Araujo, J. R. G.; A. A. Salibe and H. F. Grassi, (1998):** Macronutrient concentrations in leaves of scions of citrus (*Citrus spp.*) as affected by different rootstocks. *Revista Brasileira de Fruticultura*,Vol.20, No.1, pp.7-14, 17 ref.
- Assadian, N. W.; L. B. Fenn; M.A. Flores-Ortiz and A .S. Ali, (1999):** Spatial variability of solutes in a pecan orchard surface irrigated with untreated effluents in the upper Rio Grand River basin. *Agricultural Water Management*, Vol. 42, No. 2, pp. 143 - 156.
- Assal, A. S.; Salem, S. E.; Guindy, L. F. (1994):** Effect of calcareous soils on growth and leaf mineral content of some citrus rootstock seedlings. *Bulletin of Faculty of Agriculture, University of Cairo, , Vol.45, No.2, pp.453-467, 15 ref.*

Attalla, A.M.,(1987): Testing ssome new introduced citrus rrotstocks for salt tolerance in Egypt. Alexandria journal of Agricultural research,32(3): 219-230.

Aucejo, A.; J. Ferrer; C. Gabaldon; P. Marzal and A. Seco, (1997): Diagnosis of Boron, Fluorine, Lead, Nickel and Zinc toxicity in Citrus plantations in Villarreal, Spain. Water, Air, and Soil Pollution 91: 3-4, 349-360; 18 ref.

Badawy, S. H.,(1987): Effect of irrigation with sewage effluent on heavy metal contents in soils and plants grown thereon. M. Sc. Soil Science Department, Cairo University, pp. 100-106.

————— ; and **M. I. D. Helal,(1997):** Impacts of heavy metals of sewage effluent on soils and plants of Helwan area.J.Agric.Sci. Mansoura Univ., 22(12): 4737- 4754.

Baddesha, H.S. ; R. Chhabra and B. S. Ghuman, (1997): Changes in soil chemical properties and plant nutrient content under Eucalyptus irrigated with sewage water. Journal of the Indian Society of Soil Science, Vol. 45, No. 2, pp. 358-362.

Banuls, J; F. Legaz, F. and E. Primo-Millo,(1990): Effect of salinity on uptake and distribution of chloride and sodium in some citrus scion-rootstock combinations. Journal of Horticultural Science. 65(6): 715-724.

- Basiouny, F. M., (1984):** The use of municipal treated effluent for peach tree irrigation. Proc. Fla. State Hort. Soc. 97: 345-347.
- Belligno, A. ; S. M. Melly ; G. Sambuco ; M. Porto ; A. Hamdy (ed.); H. Leith (ed.) ; M. Todorovic (ed.) and M. Moschenko , (1999):** Lagooned urban wastewaters: detection of their aptitude for irrigation purposes in Sicily. Progress in Biometeorology, Volume 14.
- Berry, W. L.; A. Wallace and O. R. Lunt,(1980):** Utilization of municipal wastewater for the culture of horticultural crops. HortScience, Vol. 15(2): 169-171.
- Berti, W. R. and L. W. Jacobs, (1996):** Heavy metals in the environment: Chemistry and phytotoxicity of soil trace elements from repeated sewage sludge applications. Journal of Environmental Quality, 25:1025 - 1032.
- Brar, M. S. and C. L. Arora, (1997):** Concentration of micro elements and pollutant elements in cauliflower (*Brassica oleracea* var botrytis). Indian Journal of Agricultural Sciences, Vol. 67 No. 4, pp. 141-143.
- Brister, G. H. and R. C. Schultz, (1981):** The response of southern Appalachian Forest to wastewater irrigation. Journal of Environmental Quality, Vol. 10 No. 2:148 - 153.

Brown, J. D. and O. Lilliland, (1964): Rapid determination of potassium and sodium in plant material and soil extracts by flame photometer. Proc. Amer. Soc. Hort. Sci., 48: 341-346.

Chapman, H. D. and P. F. Pratt, (1961): Methods of analysis for soils, plant and waters "Div. Of Agric.. Univ. of Calif., pp. 309.

Charfi, D.; A. Trigui and K. Medhioub, (1999): Effects of irrigation with treated wastewater on olive trees cv. Chemlali of Sfax at the station of El Hajeb (Sfax-Tunisia). Acta Horticulturae, No. 474, pp. 385-389.

Chou, G. J., (1966): A new method of measuring the leaf area of citrus trees. Acta Hort. Sci., 5: 17-20.

Claassen, N. ; K. Padeken, (1999): Heavy metal uptake and distribution in plants with special reference to cadmium. Pflnzenbelastung auf Kontaminierten Standorten: Plant impact at contaminated sites. Internationaler Workshop am 1. und 2. Dezember 1997 am Fraunhofer-Institut für Umweltchemie und Ökotoxikologie Schmallenberg, 40-42.

Dahdoh, M. S. A. and F. A. Hassan, (1997): Combined effect of sewage sludge and saline water irrigation on growth and elements composition of broad bean. Egypt. J. Soil Sci., 37 No. 2, pp. 189-204.

Darwish, O. H. ; F. F. Ahmed and G. A. Mohamed,
(1997): Fate of heavy elements in sludge when applied
to fruit trees. Alexandria Journal of Agricultural
Research , Vol. 42, No. 1, pp. 159-169.

Davies,F.S. and M.A. Maurer, (1993): Reclaimed
wastewater for irrigation of Citrus in Florida.
HortTechnology, Vol. 3 (2): 163-167.

Dominguez, M A. ; (1996): Effect of treated sewage effluent
on banana (1991-1993) . Ciclo De Seminarios: VII.
Curso Internacional de Riego Localizado ,pp.149-162.

Duncan, D. B. , (1955): Multibel range and multible F test.
Biometrics,11.1

EL-Bordini, M. M. A., (2001): Quality of irrigation water
and its impact on the environment in Qalubia
Governorate. Ph.D. Thesis, Department of Soil
Science, Faculty of Agric., Ain Shams University , pp.
187-199.

**El-Gala, A. M.; M. A. O. El-Shebrawy and M. M. A. El
Bordini, (2003):**Impact of sewage water used for
irrigation on soil characteristics and heavy metal
composition of some grown crops. Egyptian Journal of
Soil Science, 43(3): 405-419.

El-Gazzar, A. M. ;E. M. El Azab and M. Shehata, (1979):

Effect of irrigation with fraction of sea water and drainage water on growth and mineral composition of young grapes, guavas , oranges and olives. Alex. J. Agric. Res., 27(1): 207-219.

El-Hammady,-A-M; Abou-Rawash,-M; Abou-Aziz,-A;

Abdel-Hamid,-N; Abdel-Moneim,-E(1995) : Impact of irrigation with salinized water on growth and mineral content of some citrus rootstock seedlings. Annals of Agricultural Science Cairo. 40 (1): 327-341

El-Mardi, M. O. ; S. B. Salama ;E. C. Consolacion and M.

S. El Shabibi, (1995): Effect of treated sewage water on vegetative and reproductive growth of date palm. Communications in Soil Science and Plant Analysis, Vol. 26, No. 11 / 12, pp. 1895-1904.

————— ; —————; —————;

and M. Al-Solomi, (1998): Effect of treated sewage water on the concentration of certain nutrient elements in date palm leaves and fruits. Communications in Soil Science and Plant Analysis, Vol. 29, No. 5 / 6, pp. 763 -776.

El-Motaium, R. A. and S. H. Badawy, (2000): Effect of

irrigation using sewage water on the distribution of some heavy metals in bulk and rhizosphere soils and different plant species : Cabbage plants (Brassica oleracea L.) and orange trees (Citrus sinensis L.) . Egypt. Journal of soil Science. Soil Sci., Vol. 40, No. 1/2, pp. 285- 303

El-Nashar, B. M. B. (1985): Effect of sewage water on soil properties of the Egyptian Soils. Ph. D. Thesis, Dept. of Agricultural Soil, Faculty of Agriculture, Menoufiya Univ, pp. 99-104.

El-Said, O. M. ., (1999) Irrigation with different sewage water and its effect on productivity and quality of Egyptian mandarin(Citrus reticulata)under vewly reclaimed areas. Ph. D thesis , Department of Agricultural science, Institiute of Environmental Studies&Resesrch , AinShams Univresity.

Esteller, M. V.; A. Duran; I. Morell; A. P. Garcia; L. Lapena; C. Reeve (ed.) and J. Watts, (1994): Experimental Citrus irrigation with reclaimed wastewater on a Spanish coastal aquifer. Proceedings of an international conference, Brighton, UK, 1-3 Feb. 1994, 55-63; 1 fig., 1 map; 19 ref.

Faltas, R. L.; R. M. El-Awady; M. M. Selem and A. Abd El-Reheem, (1986): Changes in physical properties of sandy soil due to sewage water utilization in cultivation for five successive years: I- Particle size distribution, bulk density, total porosity and soil moisture characteristics curve. Annals of Agric. Sc. Moshtohor, Vol. 24(3): 1601-1613.

FAO , (1967): Soil survey investigation for irrigation. Soil Bull. 42, Rome.

Fitzpatrick, G.; H. Donselman and N. S. Carter, (1986):

Interactive effects of sewage effluent irrigation and supplemental fertilization on container - grown trees. HortScience, 21(1): 92 -93.

Garcia-Lidon, A.; J. M. Ortiz; M. F. Garcia-Legaz and A.

Cedra, (1998): Role of rootstock and scion on root and leaf ion accumulation in lemon trees grown under saline conditions. Fruits (Paris), Vol.53, No.2, pp.89-97, 25 ref.

Gaspar, T.; C. Penel; T. Thoripse and H. Greppin, (eds)

(1982): Peroxidase 1970 – 1980. A survey of their biochemical and physiological roles in higher plants .University of Geneva, Switzerland.

Hamad, T. M. H., (1993): Sewage effluent used for irrigation

and its impact on soil environment in some developing African countries. Ph.D. Thesis, Institute of African Research and Studies, Department of Natural Resources, Cairo University, pp.107-115.

Hassan, M. M. and M.A. Galal,(1989): Salt tolerance among

some citrus rootstocks.. Journal of King Saud University, Agricultural Sciences, Vol.1, No.1-2, pp.87-93, 13 ref.

- Hazell, P. and D. R. Murray, (1982):** Peroxidase isoenzymes and leaf senescence in sunflower, *Helianthus annuus* L. Zeitschrift fur pflanzenphysiologie, 108, 87 – 92. C.F. Van Assche. F. and Clijsters. H. (1990)
- Hogg, T. J.; G. Weiterman and L. C. Tollefson, (1997):** Effluent irrigation: the Saskatchewan perspective. Canadian Water Resources Journal, Vol. 22, No. 4: 445-455.
- Hossni, Y.A. and A. El-Tarras, (1997):** Safety of sewage water in the irrigation of plants. Egypt. J. Hort. 24,2, pp.261 – 270.
- Hussein, L. A.; S. M. Abd-Elaziz and M. A. Abd El-Mottaleb, (1988):** Chemical composition of plants grown on soil amended with sewage effluent. Annals of Agric. Sc. Moshtohor, Vol. 26(4): 2753-2762.
- ; **E.I. Bakr and S. M. Osman, (1999):** Effect of sewage irrigation water on chemical contents of date palm fruit. Zagazig J. Agric. Res., Vol. 26(4): 1147-1158.
- Ibrahim, A.; Sh. Gawish and U. Elsedfy, (1992):** Heavy metals accumulation in soil and plant as influenced by prolonged irrigation with sewage water. Annals Agric. Sci., Ain Shams Univ., Cairo, 37(1): 283-291.

Johns, G. G. and D. M. McConchie, (1994-a): Irrigation of bananas with secondary treated sewage effluent. I. Field evaluation of effect on plant nutrition and additional elements in leaf, pulp and soil. Australian Journal of Agricultural Research, Vol. 45, pp.1601-1617.

Johns, G. G. and D. M. McConchie, (1994-b): Irrigation of bananas with secondary treated sewage effluent. II. Effect on plant nutrients, additional elements and pesticide residues in plant, soil and leachate using drainage lysimeters. Australian Journal of Agricultural Research, Vol. 45, pp. 1619 -1638.

Khan, A. A. and S. S. Malhotra, (1982): Peroxidase activity as an indicator of SO₂ injury in jack pine and white birch. Biochemie und physiologie der pflanzen, 17, 643- 650.

Khan ,G ;A. Talat and ; F. Ud-Din,(1999): Some heavy and toxic metallic constituents in citrus fruits. Hamdard Medicus , Vol.42, No.4, pp.77-79, 13 ref..

Kim, B. Y. ; K. S. Kim;C. S. Lee and S. H. Yoo , (1993): Survey on the natural heavy metal contents in fruits and orchard soils in Korea.. Journal of Agricultural Science, Soil & Fertilizer, Vol. 35, No. 2, pp .280-290, 21 ref.

- Kojima, K.; Takahara, T.; Ogata, T.; Muramatsu, N. (1995):** Relationships between growth characteristics and endogenous ABA, IAA and GA levels in citrus rootstocks. *Journal of the Japanese Society for Horticultural Science*, 1995, Vol.63, No.4, pp.753-760, 28 ref.
- Koo, R. C. J. and M. Zekri , (1989):** Citrus irrigation with reclaimed municipal wastewater. *Proc. Fla. State Hort. Soc.*, 102: 51-56.
- Krauss, M. and T. Diez, (1997):** Uptake of heavy metals by plants from highly contaminated soils. *SO: Agribiological Research*, Vol.50, No.4, pp.343-349, 5 ref.
- Kromer, J. P. and T. Kozlowski, (1960):** Physiology of trees. PP. 368-371. McGraw-Hill Book Comp., Inc., Boca Florida.
- Lapena, L. ; M. Cerezo and P. Garcia-Augustin ,(1995):** Possible reuse of treated municipal wastewater for *Citrus* spp. plant irrigation. *Bull. Environ. Contam. Toxicol.* , 55:697-703.
- Larson, P. ; A. Harbo; , S. Klungsour and T. Asheim, (1962):** On the bioenesis of some indole compounds in *Acetobacter xylinum*. *Physiol. Plant* ., 15: 552- 505. (Sholah)

Lurie, S.; S. Zilkah; I. David; Z. Lapsker and R. Ben Arie, (1996): Quality of " Flamekist" nectarine fruits from an orchard irrigated with reclaimed sewage water. Journal of Horticultural Science , Vol. 71, No. 2, pp. 313-319.

Maksoud, M. A. and L. F. Haggag , (2000) : Influence of calcium additions on heavy metals content and yield of navel orange trees irrigated with sewage water. Egyptian Journal of Horticulture, Vol. 27, No. 4, pp. 525 - 534.

Marathe, R.A;S. Singh; L. Ram and R.K. Sonaker, (2000):Rootstock behaviour in relation to leaf nutrient composition of acid lime(citrus aurantifolis). Indian Journl of Horticulture , Vol.57, No 2, pp:95-101

Maurer, M. A. and F. S. Davies , (1993- a): Microsprinkler irrigation of young 'Redblush' grapefruit trees using reclaimed water. HortScience, 28 (12):1157 - 1161.

—————, **(1993 - b):** Use of reclaimed water for irrigation and fertigation of young 'Redblush' grapefruit trees. Proc. Fla. State Hort. Soc., 106: 22-30.

—————; —————, **and D. A. Graetz, (1995-a):** Reclaimed wastewater irrigation and fertilization of mature 'Redblush' grapefruit trees on spodosols in Florida. J. Amer. Soc. Hort. Sci. , 120(3): 394 -402.

- Maurer, M. A. and F. S. Davies and D. A. Graetz, (1995 - b):** Reclaimed wastewater irrigation of reset "Marsh " grapefruit trees. Proc. Fla. State Hort. Soc., 108 : 93 - 99.
- Maxwell, D. P. and Bateman,D. F., (1967):** Changes in the activities of some oxidases in extracts of rhizoctonia-infected bean hypocotyls in relation to lesion maturation. Phytopathology, 57:132-136.
- Mays, D. A.; G. L. Terman and J.C. Duggan, (1973):** Municipal compost : effecet on crop yields and soil properties. J.Water Poll. Contam.Fed. 45,1851.(from Haggag ,2000)
- Meheriuk, M. and G. H. Neilsen, (1991):** fruit quality of McIntosh apples irrigated with well or municipal wastewater. Canadian Journal of Plant Science, Vol. 71, No. 4 , pp .1267-1269.
- Moeen-Ud-Din; I. Muhammad and A. Khan, A. S.(2001):** Effect of traditional and hybrid rootstocks on leaf mineral composition and reproductive characteristics of kinnow mandarin (Citrus reticulata Blanco).International Journal of Agriculture and Biology, Vol.3, No.4, pp.491-493, 14 ref.

- Moore, S. and W. H. Stein, (1954).** A modified ninhydrin reagent for the photometric determination of amino acids and related compounds. *J. Biol. Chem.*, 211:907-913
- Mordogan, N. and B. Okur, (2000):** Heavy metal contents of satsuma mandarin orchards in Izmir and its surroundings. *Ege Universitesi Ziraat Fakultesi Dergisi*, Vol. 37, No. 1, pp. 129-136, 17 ref.
- Mosalem, T. M. (1997):** Heavy metals pollution in sandy soil subjected to irrigation with sewage effluent. *J. Agric. Sci. Mansoura Univ.*, 22 (1): 295- 300.
- Mukherji, S. and D. B. Gupta, (1972):** Characteristics of copper toxicity in lettuce seedlings. *Physiologia plantarum*, 27, 126 – 129.
- Munzuroglu, O. and N. Gur, (2000):** The effects of heavy metals on the pollen germination and pollen tube growth of apples (*Malus sylvestris* Miller cv. Golden). *Turkish Journal of Biology*, Vol. 24, No. 3, pp.677-684.
- Murphy, J. and J. P. Riely , (1962):** A modified single solution method for the determination of phosphate in natural waters. *Anal. Chem. Acta*, 27.31-36.

- Narwal, R. P.; Y. P. Mahendra-Singh and M. Singh, (1990):**Effect of cadmium enriched sewage effluent on yield and some biochemical characteristics of corn(*Zea maize* L.). *Crop. Research Hisar.*, 3:2, 162-168.
- Nornai, R., (1982):** Formula for determination of chlorophyll pigments extrated with N. N. dimethyl formamide. *Plant . Physiol.*,69:1371-1381.
- Omran, M. S.; T.M. Waly; E. M. Abd-Elnaïm and B.M.B. El-Nashar, (1988) :** Effect of sewage irrigation on yield, tree components and heavy metals accumulation in navel orange trees. *Biological Wastes*, 23: 17-24.
- Paliwal, K.; K. S. T. K. Karunaichamy and M. Ananthavalli, (1998):** Effect of sewage water irrigation on growth performance, biomass and nutrient accumulation in *Hardwickia binata* under nursery conditions. *Bioresource Technology* , 66 : 105 - 111
- Paranichianakis,N.V.; A. N. Angelakis-; K.S. Chartzoulakis; M.I. Ferreira (ed.) and H.G. Jones (2000):** Growth and mineral uptake of Sultanina grapevines irrigated with reclaimed wastewater and the potential for using such water in Crete, Greece. . *Acta-Horticulturae*. Vol. 2, No. 537, 725-730; 18 ref .

Parsons, L. R. ; T. A. Wheaton ; P. Cross and F. R. Lamm,(1995): Reclaimed municipal water for citrus irrigation in Florida. Proceedings of the Fifth International Microirrigation Congress, Orlando, Florida, USA, 2-6 April, 262-268; 9 ref.

Parsons, L. R.; K. T. Morgan; T. A. Wheaton and W. S. Castle, (2001-a): Wastewater and reclaimed water-disposal problem or potential resource? Proc. Fla. State Hort. Soc., 114,pp.97-100.

————— ; **T. A. Wheaton and W. S. Castle, (2001-b):** High Application rates of reclaimed water benefit *Citrus* tree growth and fruit production. HortScience, 36(7): 1273 - 1277.

Pescod, M. B,(1992): Wastewater treatment and use in agriculture. FAO, Irrigation and Drainage Paer 47. Food and Agriculture Organization of the United Nations ,Rome.

Pregl, F., (1945): Quantitaive inorganic microanalysis. 4 th ed., J. & A Churcehill, Ltd., London

Reboll, V. ; M. Cerezo; A. Roig ; V. Flors; L. Lapena and P. Garcia- Agustin, (2000): Influence of wastewater vs. groundwater on young *Citrus* trees. Journal of the Science of Food and Agriculture, 80: 1441-1446. (Online 2000).

- Reuther, W., 1973):**The Citrus industry , vol III, University of Californis , division of Agricultural Science pp. 200-205.
- Salem, S. E.; S. S. Moustafa; A. M. Abdel-Rahman and L. F. Guindy, (1994):** Evaluation of Vlencai orange trees on sour orange and Vlkamer lemon under sand soil conditions. Bulletin of Faculty of Agriculture, University of Cairo, , Vol.45, N^o.4, pp.827-838, 23 ref.
- Selem, M. M.; S. El - Amir; S. M. Abdel Aziz ; M. F. Kandil and S. F. Mansour, (2000) :** Effect of irrigation with sewage water on some chemical characteristics of soils and plants. Egyptian Journal of Soil Science, Vol. 40, No. 1/2, pp. 49 - 59.
- Shindy, W. W. and O. E. Smith, (1975):** Identifaication of plant hormones from cotton ovules. Plant Physiol., 55: 550-554.
- Sloan, J. J.; R. H. Dowdy and M. S. Dolan D. R. Linden,(1997):** Long-term effects of biosolids applications on heavy metal bioavailability in agricultural soils.Journal of Environmental Quality, Vol. 26, No. 4, pp. 966- 975, 28 ref.
- Snedecor,G.W. and W.G. Cochran,(1972):** Statistical Methods,6th ed., Iowa State Univ. Press. Amers, Iowa, U.S.A., pp 593..

Swain , T and Hillis, W. T.(1959) The quantitative analysis of phenolic constituent . J. Sci., Food Agric, 10:63-69.

Turell,F.M. (1965):Comparative Cocturnal thermal budgets of large and small citrus trees.Ecology,46:25-34.

U. S. Environmental Protection Agency, (1993): Clean water act. Section 503 / 58 (32) USEPA, Washington. D. C.

Van Assche, F and H. Clijsters, (1990): Efcts of metals on enzyme activity in plant. Plant, Cell and environment,13, 195 – 206.

—————; **C. Cardinales and H. Clijsters,(1988):** Induction of enzyme capacity in plants as a result of heavy metals toxicity: dose-response relations in Phaseolus vulgaris L., treated with zinc and cadmium. Environmental pollution, 52, 103- 115.

Van Loon, L. c., (1986): The significance of changes in peroxidase in diseased plants. In molecular and physiological aspects of plant peroxidase (eds H. Greeppin, C. Penel and T. H. Gaspar),pp. 405 – 418 University of Geneva.

Wally, T. M. ; E. M. Abd-Elnaim ; M. S. Omran ; B. M. B. El-Nashar, (1987): Effect of sewage water on chemical properties and heavy metals content of El-Gabal El-Asfar sandy soils. Biological Wastes , 22:4, 275 – 284; 5 tab.; 29 ref.

- Wu Z. X.; L. Z.Yi; C. X. Nian; L. Bin and F. K.Yong,** (1998): Effect of rootstock on mineral nutrient concentration in the leaf of Xianfeng orange. *Journal of Fruit Science*, Vol.15, No.1, pp.34-38, 10 ref.
- Yadav, R. K. ; B. Goyal; R. K. Sharma; S. K. Dubey and P. S. Minhas ,** (2002): Post-irrigation impact of domestic sewage effluent on composition of soils, crops and ground water- A case study. *Environmental International* , Volume 28, Issue 6, December, pages 481- 486.
- Zekri, M., and R. C. J. Koo ,**(1990): Effects of reclaimed wastewater on leaf and soil mineral composition and fruit quality of *Citrus*. *Proc. Fla. State Hort. Soc.*, 103: 38- 41.
- and —————, (1993): A reclaimed water *Citrus* irrigation project. *Proc. Fla. State Hort. Soc.*, 106: 30-35.
- and —————, (1994): Treated municipal wastewater for *Citrus* irrigation. *Journal of Plant Nutrition*, 17 (5): 693-708.
- Zhao DaZhong; Chen Min; Luo XianShi** (1998): The relationship between seedling growth potential and leaf peroxidase activity, content of GAs and ABA in different citrus species. *Journal of Fruit Science*, Vol.15, No.3, pp.267-269, 13 refs.