

VI. LITERATURE CITED

- Abdalla, D. A. and Sefick, H. J. (1965):** Influence of nitrogen phosphorus and potassium levels on yield, petiole nutrient composition and Juice quality of newly established Concord grapes in south Clifornia. Proc. Amer. Soc. Hort. Sci. 87: 253 -258.
- Antalya-Turkiya, (1993):** Syrian Paper for The 2nd Pecan Sub-network Meeting (Antaliya, Turkey, 2-4 November 1993).
- A. O. A. C. (1985):** Official Methods of Analysis of Association of official analysis chemists. Washington, D. C. U S
- Arnold, C. E, and Lawrence, P. (1973):** Pecan Production in Florida. Florida cooperative extension service. Institute of Food and Agricultural sciences, University of Florida, Gainesville.
- Awasthi, R. P. and Singh, A. (1973):** Studies on the nut and leaf characters of some Pecan cultivars. Indi. J. Hort. 30: 516 - 519.
- Bakr, E. I. (1965):** Studies on growth, flowering and fruiting of Pecan under Giza conditions. M. Sc. Thesis, Fac. Of Agric., Cairo univ.
- Brison, F. R. (1974):** Pecan culture. Capital Printing Austin., Texas PP. 293.

- Brown, I. D.; and Lilleland, O. (1946):**Rapid determination of Potassium and Sodium in plant material and soil extracts by flamephotometry Proc. Amer. Soc. Hort. Sci., 48: 341-346.
- Fardossi, A., Hepp, T., Mayer, C., and Kalchgruber, R. (1993):**Comparative studies on the nutritional status of the grape cultivar Traminer in relation to rootstock cultivar and scion clone (Hort. Abst. 65 : 1141).
- Guillen, M. G., Fernandez, F. G. and Caro, M. (1966):** Seasonal variation in the nutrient content of the leaves of fruit trees. Hort. Abs. 36 : No. 543.
- Gutierrez, L. E., Nery, H. and Fonsec, H. (1973):** Determination of oil content in different varieties of Pecan. Plant. Breeding. Abst., 43 : (1971).
- Gray, O. S. (1974):** Pecan growing by prescription. O. S. Gray Pecan nursery. Arlington, Texas. PP.23.
- Hammar, H. E. and Hunter, J. H. (1946):** Some physical and chemical changes in the composition of Pecan nuts during kernel filling. Plant physiol., 21: 476-491. (chem. Abst., 41: 1285).
- Hamoda, A. M. (1978) :** Evaluation of some Pecan varieties. M. Sc. Thesis, Fac. of Agric., Al-Azhar university.

- Hamoda, A. M. (1982):** Studies on growth, flowering and fruiting in some Pecan varieties. Ph. D. Thesis, Fac. of Agric., Al-Azhar University.
- Hinrichs, H. V. (1973):** Close spacing of western Pecan trees. Proc. Western Pecan Conf.
- Ibrahim, A. A. (1970):** Studies concerning the changes in some chemical constituents in the leaves and canes of some grape varieties. M. Sc. Thesis, Fac. Agr., Ain Shams Uni.
- Ikramova, M. M. (1970):** On the chemical composition of Pecan nut (*Carya Pecan*) and different species of the genus *guglans* Plant. Breeding. Abst., 40 : 189.
- Isbell, C. L. (1928):** Growth studies of the Pecan. Ale. Agr. Expt. Sta. Bul. 226.
- Joubert, A. J. (1983):** Climatic requirements for Pecan nut cultivation. Farming in South Africa. Pecan B. 3 / 1983.
- Kaplankiran, M. and Faraclar, E. (1993):** Second Pecan. subnetwork, Antalya - Turkiya 1993.
- Kaplankiran, M., Tuzcu, O. and Yesiloglu, T. (1993):** Mineral element contents of the leaves of some Pecan (*carya illinoensis* koch.) varieties. Doga, Turk. Tarim. ve. Orman Cilik-Dergisi, 17: 4, 1025 - 1035.
- Kolsenekov, B. A. (1973):** Fruit Science "Pladovodstva in Russian" Moskova "Kolos" 1973.

- Lavedrine, F.; Ravel, A.; Villet, A.; Ducros, V.; and Alary, J. (2000):** Mineral composition of two Walnut cultivars originating in France and California. Food-Chemistry, 68: 3, 347 - 351.
- Malstrom, H. L.; and Mc Means, J. L. (1982):** Shoot length and previous fruiting affect subsequent growth and nut production of Monymaker Pecan. Horti-Science, 17: 970 – 972.
- Mc Eachern, G. R. (1995):** Evaluating Pecan problems. Pecan Problems Journal.
- Meridita, F. L. (1976):** Amino acid composition and quality in selected varieties of Pecan *carya illinoesic*. Hort. Abst. 46: 7457.
- Michael, W.; Smith, L.; Carroll, S.; and Cheary (2000):** Mulch improves Pecan tree growth during orchard establishment. Hort-Science 35 (2): 192-195.
- Montel; William; D. and N. R. Mcdaniel. (1997):** Performance of 14 Pecan Genotypes in South Alabama. Fruit varieties Journal, 51 (3): 176 - 182.
- Moreira, S. and Gurgel, J. A. (1941):** Pollen fertility and its correlation with number of seeds in species and forms of the genus Citrus. Brogantia, Sao Paulo. 1:669-711.(Plant breeding Abst. 14 : 976).

- Muhammed Ayaz (1999):** Evaluation of Exotic Pecan nut varieties for low altitude zones of Molak and Division. Sarhad Journal of Agriculture., 15 : 4, 295 - 296.
- Mullenax, R. G., and Young, W. A. (1972):** Development stages, stigma receptivity and pollen dehiscing characters of certain Pecan cultivars. Plant Breeding Abst., 42: P. 728 (6135).
- Nakayama, R. M. (1967):** Pecan variety characteristics. Bull. N. Mex. Agric., Exp. Station. 520: 141. (Hort. Abst., 36: 634.
- Norman, F. (1976):** Modern Fruit Horticultural Publications Rutgers University. The State University, Nichol Avenue. New Brunswick, New Jersey, 8903.
- Rawe, G. J. (1973):** "Food analysis by atomic Absorption spectroscopy" Vatiem. Techiron. Australia, USA, Switzerland P. 89.
- Robinson, J. (1979):** Rhodesian Pecan nut quality survey. Plant. Breeding Abst. 49: P. 424 (5182).
- Sharaf, M. M. (1979):** Dynamic and changes of nitrogen and other mineral nutrients content in the different organs of vines as influenced by soil type and age of grape plant. Ph. D. Thesis, Bulgaria.
- Sari El-Deen, S. A. (1993):** Pecan varieties in Egypt. Second Pecan sub-network, Antalya, Turkiye, 1993.

- Shoab, M. M. A. (1990):** Studies on nutritional elements states of Thompson seedless (Banaty grape vines in some different regions in (A. R. E). M.S.c. thesis Fac. Of Agriculture; Moshtohor, Zagazig Univ.
- Shuhart, D. V. (1927):** The morphological differentiation of the pistillate flowers of the Pecan. J. Agr. Res., 35: 687-696.
- Smith, C. L. and Romberg, L. D. (1940):** Stigma receptivity and pollen shedding in some Pecan Varieties. Jour. Agric., Res., 60: 551-564.
- Snedecor, G. W.; and Cochran, W. G. (1980):** Statistical Methods. 7th ed. Iowa State Univ. Press. Amer, Iowa, U.S.A. PP. 507.
- Sparks, D. (1994):** Return fruit set following a record Pecan crop. Annual Report-Northern Nut Growers Association, No. 85, 85 - 86.
- (1996): "Sumner" Pecan. Fruit varieties Journal, 50 (1) 2-5.
- Storey, J. B., Madden, G. D. and Flacon, G. G. (1970):** Influence of pruning and growth regulators on Pecan. Tex. Agr. Expt. Sta. Bul. P. 2709-2722.
- Tommy, E.; and Grauke, L. J. (2000):** 'Hopi' Pecan. Hort-Science 35 (2) 308-309.

- Williams, L. E. (1987):** Growth of Thompson seedless grape vines II. Nitrogen distribution. Journal of the American Society for Horticultural Science 112 (2) 330 - 333 "En, 23 ref." California University, Davis, CA 95616, USA.
- Woodroof, J. G. and Heaston, E. K. (1961):** Pecan for processing Bull. Ga. Agric., Exp. Stat., 80: 461-491 (Hort. Abst., 32: 596).
- Worley (1994):** Pecan cultivars differ greatly in susceptibility to June drop. Annual Report- Northern Nut Growers Association, No. 85, 68 - 69.
- ; **Harmon, S. A.; and Carter, R. L. (1972):** Correlation among growth, yield and nutritional factors for Pecan (*carya illinoensis* Wicv. Stuart) correlation with yield, quality, and terminal shoot growth. J. Amer. Soc. Hort. Sci., 97: 511-514.
- , **and Mullinix, B. (1993):** Nutrient element concentration in leaves for 40 Pecan cultivars. Communications in soil science and plant Analysis, 24 (17-18) 2333 -2341.
- Young, W. A.; Meadows, W. A. and Constantin, R. J. (1980):** 'Molrose' a new Pecan cultivar. Hort. Abst. 50: (6941).

◆◆◆◆