

LITERATURE CITED

LITERATURE CITED

- Abbas, W. A., (1999):** Effect of some additives on to tolerance of olive plants to salinity. M.SC. thesis, Faculty of Agriculture, Cairo University.
- Abd El-Aziz, A; M. Salem and H. El-Kholi, (1988):**Effect of Ancyimidol on salt tolerance of Guava seedlings. Leaf chemical contituets. Egypt .J. Appl. Sci. 3 (I): 71-83.
- Abd El-Aziz, A.Z.; Youssef , E. Y.; Kamis, M. A. ; Sharaf, M. M. and El-Ashram, M. A., (1985):** Effect of salinity, sodium absorpion ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stook seedlings. Effect on vegetative growth . Annals of Agric. Sci. Moshtohor, 23.
- Abd El- Ghani. N . A ., (1990):** Effect of salt stress on peach plants. Ph. D. Thesis, Fac. Agric. Ain Shams Univ., Cairo. Egypt.
- Abd El-Karim, M. A. ,(1997):** Studies on tolerance of some grapevine cultivars to stress. Ph.D, thesis, Faculty of Agriculture, Cairo University.
- Abd El- Messih. M . N .; Rokba, A.M. and Mohamed, M.A., (1984):** Effect of salinity levels on growth and leaf mineral composition of Washington Navel orange budded on different rootstocks. J. Agric. Sci., Mansura Univ., 9:92-99.

- Abd El-Karim, N. Y. ,(1991):** Studies on the effect of salinity on mango seedling Ph.D. thesis, Fac. Agric., Ain Shams Univ., Egypt.
- Abd El-Messih, M. N; A. M. Rokba; M .A. El-Shourbagy and M. A. El-Nokrashy ,(1979):**Effect of different Salinity levels on leaf minerals composition of some citrus rootstock seedlings. Egypt. J. Hort. 6 (1):81-89.
- Abd El-Moneim, E. A., (1994):** A comparative study on salt tolerance of some citrus rootstocks. M.Sc. thesis, Fac. Agric., Ain Shams Univ., Egypt.
- Abd El-Rahman, A. A. and Sharkawi, M. h., (1968):** Effect of salinity and water supply on olive. Plant and soil, 28:280-290.
- Abd El-Rahman, A. M (1999):** Effect of saline water irrigation and cycocel on growth and uptake of some elements of Annona seedlings .Hort ,Inst. Agriculture Research Center, Giza, Egypt.
- Abd-El-Mageid, (1998):**Physiological studies on salinity tolerance of almond seedlings. M.SC.Thesis Fac. Agric. Mashtohor, Zagazig Univ., Egypt.
- Abo-El Khashab, A. M., (1997):** Amelioration of salt stress in peach and olive seedlings by means of paclobutrazol. Ph.D. thesis, faculty of Agriculture at Kafr El-Sheikh University of Tanta.
- Ahmed, F.F. and El-Dawwey, G.M., (1992):** What type of saline water could Red Roomy grapevine seedlings tolerate and at which concentration. I-Growth and leaf

chemical composition. Minia J. of Agric. Res. Dev. Vol. 14: 65-81.

Ahmed, R. ,(1968): The Mechanism of salt tolerance in *Sueda Fruticosa* and *Haloxylon recurvum* plant soil 18:357-362

Ahmed, R.B., (1982): Studies on physioloical and histological responses of *Ficus carica* L., transplants to salinity. M.Sc. Thesis, Hort. Dept., Fac. Agric., Zagazig Univ., Egypt.

—————, (2000): Salt tolerance responses and enhancement of some Banana genotypes in vitro. M.SC. Department of pomology, Faculty of Agriculture, Cairo University.

Ali-Dinar, H. M., Ebert, G. and Ludders, P., (1999): Growth, chlorophyll content, photosynthesis and water relations in guava (*Psidium guajava* L.) under salinity and different nitrogen supply. Gartenbau- wissenschaft, 64: 54-59. (Hort. Abst, 69: 7382).

Aliza, B.; Ilia, G. and Vaadia, Y., (1967): Water and salt stresses, kinetin and protein synthesis in tobacco leaves. Plant Physiol 42:361-365.

Allan, A . I . and Hollis, J.P., (1972): Sulfide inhibition of oxidases in rice roots. Phytopathology. 62:634-639.

Al-Saket I. A. and Aesheh, I. A., (1987): Effect of saline water on the growth of young olive trees. Dirasat, 14:7-17 Univ. Jordan, Amman, Jordan. (Hort. Abst., 59 : 4384).

- Aly, H . K ., (1985):** Physiological studies on salt tolerance of some deciduous fruit species. M.Sc. Thesis on Horticulture Faculty of Agriculture Moshtohor Zagazig University. Egypt.
- Aly, M. M., (1979):** Effect of salinity on growth of some fruit species. Ph.D.Thesis in Horticulture Faculty of Agriculture Ain Shams University. Egypt.
- ; **El-Hamady, M. M. and salama, M. A., (1986a):** Plant nutrients of some citrus rootstock as affected by salinity proc. 1st hort. Sci. Conf., Tanta Unive., 11:804-829..
- Androulakis, I . I.; Loupassaki, M.H; Beidoun, F. and Tzombanakis, I., (1994):** the effect of NPK Fertilizers on the yield and Mineral contents of grapefruit leaves and. Proc. Intern. Soci. Citricul., 2:624-627. Annals of Agri.Sci.Cairo, 34:2,1123-1137(Hort.Abst 1990.60.7692).
- Antipov, I. N., (1958):** Water relations of some cultured grasses grwon on salinized soils. Fiziol. Rast., 5 : 282-285 (In Russian).
- Asma, M. T. S., (1981):** "The mutual effect of the soil properties on pears and orange trees in some soil types". M.Sc. Thesis, Cairo University. Institute of African Research and Studies Department of Natural Resources.
- Attia, S . A ., (2002):** Studies on growth of olive plants under salt stress. Ph. D. Thesis, Fac. Agric. Cairo, Univ. Egypt.

LITERATURE CITED

- Attalla, A. M., (1987):** Testing some new introduced citrus rootstocks for salt tolerance in Egypt. Alexandria journal of Agricultural research., 32 219-230.
- Ayres, A. L., (1950):** Salt tolerance of avocado trees grown in culture solution. Cal. Avocado Year Book, pp. 139-148.
- Badawi, A. M.; M. R. Barakat; A. F. El-Kholi and M. A. Ragab, (1979):** Effect of the combined micro elements (Fe, Mn or B) and sodium chloride salt treatments on Sour orange seedlings. Res. Bul. 1107 Fac. of Agric., Ain Shams Univ.
- Balba, A. M., (1984):** Salinity and crop production Reuse of drainage water. Proceeding of the reuse workshop. Held in Cairo Egypt. March, 1984.
- Barakat, M. R. and M. Ragab, (1983):** Effect of irrigation water of different sodium adsorption ratio (SAR) and osmotic pressure values on growth and development of Sour Orange seedlings. Zagazig Journal of Agricultural Research .(Unpublished).
- Bartolini, G.; Mazuelos, C.; Troncoso, A., (1991):** Influence of Na_2SO_4 and NaCl salts on survival, growth and mineral composition of young olive plants in inert sand culture. Advances in Horticultural Science 5 (2) 73-76 [En, 15 ref.]. (Hort. Abst. 62: 1653).
- Bates, L.S. waldren, R. P. and Teare, I. D. ,(1973):** Rapid determination of free proline for water stress studies. Plant and soil 939: 205-707.

Behairy, Z . H.; Khamis, M.A; Abd El- Aziz, A.Z and Ibrahim, M.M., (1984): Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances. 1- Effect of salinity on growth of American and European grape seedlings. 3rd Arabic congress for Horticulture 7-10 October (1984). (un published).

—————; **Sharaf, M. M. and Abd El-Aziz, A. Z. ,(1985):** Salt tolerance of guava and olive seedlings as affected by some growth regulators. The 10th international congress for social and demographic research, Ain Shams Unives. 5 : 99-127.

Behl, R. and W. D. Jeschke, (1979):On the action of abscisic acid on transport, accumulation and uptake of K⁺ and Na⁺ in excised barley root; effects of the accompanying anions. A. Pflanzenphysiol. 95:335.

Benlloch , M.; Arboleda, F.; Barranco, D. and Fernandez Escobar. R., (1991): Response of young olive trees on sodium and boron excess in irrigation water. Hort. Sci., 26:867-870.

————— ; **Martin, L.; Fernandez Escobar, R.; Lavee, S. and Klein, I., (1994):** Salt tolerance of various olive varieties acta Horticulture, 356: 215 – 217.

Bernstein G. F. L. and Hayward, H. E., (1958): Physilogy of salt tolerance. Ann. Rev. Plant physiol, 9:25-46.

Bernstein G. F. L. -; Ehlig and R. A. Clark, (1969):Effect of grape rootstocks on chloride accumulation in leaves. J. Amer. Soc. Hort. Sci. 94:584-590.

LITERATURE CITED

- Bernstein, L .C., Brown, J.W. and H.E. Hayward ,(1956):** the influence of rootstock on growth and salt accumulation in stone fruit trees and almonds. Proc. Amer . Soc. Hort . Sci., 68:86-95.
- , **(1961):** Osmotic adjustment of plants to saline media. I. Steady state. Am. J. Bot. 48: 909-918.
- , **(1965):** Salt tolerance of fruit crops. USDA, Agric. info, Bull. 292,8pp.
- , **(1980):** Salt tolerance of fruit crops. Agriculture information Bulletin.United States Department of Agriculture No. 292; 8 pp. (En, 2 Pl. Col) U.S. Salinity Laboratory, Riverside, California 92501, U.S.A. [c.f Hort. bst.,52(4):1989].
- ; **Francois, L. E. and clark, R. A., (1972):** Salt tolerance ornamental shrubs and ground covers. J. Amer. Soc. Hort. Sci., 97: 550-556.
- Beshir, R. A. ,(1982):** Studies on physiological and histological responses of Ficus carica L. transplants to salinity. M.Sc. Thesis, Hort. Depart. Fac. of Agriculture, Zagazig Univ. Egypt.
- Bhambota, I. R. & Kanwar, I. S. ,(1970):** Effect of different salt concentrations on sweet orange (Citrus sinensis). Indian J. Agric. Sci., 40: 485-494.
- Bhambota, I. R.& Singh, P. P. and Gupta, M. R., (1963):**Studies on salt tolerance of mango plant. Panjab Hort. J., 3: 164-170.

- Bingham, F.T; Fenn, L. B. and Oerthi, J. J., (1968):** A sand-culture study of chloride toxicity to mature avocado trees. Soil Sci. Soc. Amer. Proc., 32: 249-252.
- Bolus, S. T., El-Shourbagy, M. N., and Miasak, N. L., (1972)** : Studies on the effect of salinity on the epidermis and the mesophyll tissue of some *Ricinus communis* varieties. Desert. Inst. Bull. Vol. 22 (2) ; 421-432.
- Bouat, A.; Reneva, P. and J. Dulac, (1954):** "Study on the physiology of olive nutrition". (Third report), Ann. Agron., 5 : 549-489. (Hort., Abst., 38 : 4263).
- Bourgeais, C. P.; Perez, A. I.; Focsa, F. and Guerrier, G., (1992):** Ontogenetic development of NaCl tolerance in soyabeans. Canadian Journal of Botany, 70:1345-1346.
- Bower, C . A. and Wadleigh, C.H., (1949):** Growth and cationic accumulation by four species of plants as influenced by various levels of exchangeable sodium soil. Sci. Soc. Amer. Proc., 13:218-223.
- Briccoli, B. C.; Rinaldi, R.; Tocci, C.; Sirianni, T.; Lannotta, N.; Lavee, S.; and Klein, I. ,(1994):** influence of salty water irrigation on mycorrhizae of young olive trees in containers . Acta Horticulture, 356: 218-220.
- Brougham, R . W ., (1960):** The relation between critical leaf area, total chlorophyll and maximum growth rate of some pastures and crop plants. Ann. Of Bot., vol. (24) : P. 463-474.

- Brown, J . D . and Lilleland, O.,(1946):** Rapid determination of potassium and sodium in plant material and soil extract by Flame photometry. Proc. Amer. Soc. Hort. Sci. 73:813.
- **& Wadleigh and H. E. Hayward ,(1953):**
Foliar analysis of stone fruit and almond trees on Saline substrates. Proc Amer. Soc. Hort. Sci 61:49-55
- Carpena, O.; M. Caro; F. G. Fernandez and A. Cerda, (1974):** The relationships between chlorides and sulphates in irrigation water and the leaves of the lemon cultivar verna.Murcia ,Spain ,Ministerio de Agriculture, 307-311(Hort.Abst.47:1581
- Carter, D. L. and Myers, V. G., (1963):** Light on chlorophyll and carotene contents of Grapefruit leaves as affected by Na₂ So₄, Nacl and Ca Cl₂ Proc. Amer Soc. Hort. Sci., 82:217-221.
- Caster, D . L . and Myers, V.I., (1963):** Light reflectance and chlorophyll. and carotene contents of grape fruit leaves as affected by NaSO₄, NaCl, and CaCl₂ Proc. Amer. Soc. Hort. Sci., 1963, 82: 217-221.
- Chapman, H. D. and Partt, P. E.,(1961) :** "Methods of analysis for soil, plants and water". Univ. Calif. Div. Agric. Sci.
- Chen, Y. Z. and Wang, Y. G., (1992):** The reaction of soybean callus tissues and regenerated plant lets to salt stress. Soybean Science, 11: 70-73.

Chu, T. M ; Aspinall, D. and Paleg, L.G., (1976): Salinity and proline accumulation in muskmelon. Aust. J. Plant Physiol ., 3:219-28.

Copper, W. C., (1961): Toxicity and accumulation of salts in citrus trees on various rootstocks in Texas. Proceed . of the Florida state Hort. Soc. 74:75-104.

————— ; **Gorton, B. S. and Obson, E. O. ,(1952):** Ionic accumulation in citrus as influenced by Rootstock and scion and concentration of salt and boron in the substrate. plant physiol., 27: 191-303.

————— ; **Gorton, and C. Edwards,(1951):** Salt tolerance of various citrus rootstocks. proceed. Of the Rio Grand Valley Hort. Inst. 5:46-52. `.

Cusido, R.M.; Palazon J.; Altabella T. and Moraees C. ,(1987): Effect of salinity on soluble protein, free amino acids and nicotine contents in Nicotiana rustical. Plant and Soil 102, 55-60.

Dasberg, S.; Bielorai, H.; Erner, J.; Brum, M.; Cohen, S. and Nadler, A., (1985): The effect of saline irrigation water on Shamouti oranges Alon Hanotea., 40 (1) : 35-42. [c.f. hort. Abst. 56: 2049].

Dawh A.K., (1982): Physiological and. anatomical studies on growth, regulators and. salinity treatments as affecting growth and chemical contents of datura plant. Ph. D. Thesis. Fac. of Agric. Zagazig Univ. Egypt.

Delane, R., H. Greenway, R. Munns, and J. Gibbs ,(1982): Ion concentration and carbohydrate status of the

LITERATURE CITED

elongating leaf tissues of *Hordeum vulgare* growing at NaCl. J. Exp Bot. 33:557-573.

Dilley, D. R., (1958): Growth and nutrient absorption of apple, cherry, peach and grape as influenced by various levels of chloride and sulfate. Proc. Amer. Soc. Hort. Sci. 72: 64-73.

Divate, M. R. and Pandey R. M., (1979): Salt tolerance in grapes. Iv. Effect of salinity on internal water deficit. Indian journal of plant physiology. 22 (1) 81-83 (hort. Abst. , 50:6142).

—————, and Pandey, R. M., (1981b): Salt tolerance in grapes. II. Effect of salinity on chlorophyll, photosynthesis and respiration. Indian journal of plant physiology, 24: 74-79 (Hort. Abst. 52: 3709).

Downton, W . J . S.,(1977): Salinity effects on the ion composition of fruiting cabernet sauvignon vines. American Journal of Enology and viticulture. 28 (4) 210-214.

Downton, W. J . S . ,(1978): Growth and flowering in salt stressed avocado trees Aust. J. Agr. Res., 29:523-534.

—————, and Loveys, B. R., (1981): Abscissic acid content and osmotic relations of salt – stressed grapevine leaves. Australian journal of plant physiology 8 (4/5) 443-52 (Hort . Abst., 52:5348).

Draz, M. Y., (1986):Response of bitter almond seedlings to different water regimes. Ph.D.Thesis ,Hort. Fac.of Agric, Cairo Univ., Egypt

- Dubois, M . Gilles, K. Hamiton, G.K. repers, P.A Smiks, F., (1956):** Acolorietric Method for determination of sugars and related subststance anal. Cem., 28:350.
- Duncan, D . B., (1955):** Multiple range and Multiple "F" tests. Biometric, II:1-42.
- Ehlig, C. F., (1960):**Effects of salinity on four varieties of table grapes grown in sand culture. Proc. Amer. Soc. Hort. Sci. 76:323-331.
- El-Demerdash, A. M., (1988):** Effect salinity and mineral nutrients on growth and mineral content of banana plants. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt
- El-Kholi, A. F. Barakat, M. R., Badawi, A. M. and Ragab, M. A., (1979):** Sour orange seedling as affected by Saline water. Res. Bull. 1108. Fac. Agri., Ain Shams Univ., Egypt.
- El- Azab. E.M. ,(1978):** Effect of salinity on two fig varieties grown in calcareous soils. Alex. J. Agric. Res. 26 (1):199-206.
- , and **Minessy, F.A., (1975):** Effect of salinity on Thompson seedless and Roumi Red grape vines in calcareous soils. Alex. J. Agric. Res. 23(2): 565-74.
- El- Azab. E.M ; F. A. Minessy and A. Ismail, (1976):** Effect of salt source on the nutritional atatus of Cleopatra mandarin and Sour orange seedlings. In Idem. 317-320.College of Agric, Alex. Univ., Egypt. (Hort. Apst. 46: 6174)

- El- Gabaly, M. M. ,(1958):** Specific affects on absorbed ions of calcium, magnesium and sodium of barley seedlings. Soil SCI. 85 (3): 161-166.
- El- Hammady, A.; A Montaser W.H. Wanas and N.Y, Abdel –Karim,(1993):**Organic constituents Mango scedings as affected by salinized irrigation water Egypt. J. AppL. Sci., 8 (4): 1-18.
- El-Ashram, M., Sharaf, M. M. Abd-El-Aziz, A. Z. and Khamis M. A. ,(1985):** Effect of salinity sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. Moshtohr, Annals of Agriculture Science, 23: 1-18.
- El-Baghdadi, G. A., (1977):** Drought effect on some grape varieties M.Sc. Thesis, Fac. Agric., Al-Azhar University.
- El-Deen S. A.; Wassif, M. M. and fadl, M. S., (1979):** Effect of salinity on olive seedling growth. Agricultural research review., 57 (3): 259-268.
- El-Din, I. S.; El-Said, M. E.; Osman, L. H. and Sari El-Deen, S. A., (1992):** Effect of salinity levels on , growth of two olive seedling cvs: Zagazig, J. Agric. Res. Vol. 19: 2541-2553.
- El-Gazzar, A. M., EM. El-Azab and M. Shehata ,(1979):** Effect of irrigation with fractions of sea water and drainage water on growth and mineral composition of young grapes, guava, oranges and olives. Alex. J. Agr. Res. 27:207-217.

El-Gazzar, A. M., Wallace and N. Hemaïdan, (1965): Sodium distribution in Rough lemon and Trifoliate orange seedlings. *Soil Sci.*, 99:389-391.

EL-Gizawy, A., (1973): "Genetical and physiological studies on the nature of salt tolerance in some strawberry cultivars". M.Sc. Thesis Ain-Shams Univ., Egypt.

El-Hammady, M. M.; Aly, M. M.; AboEl-tta, O. K. and Salama, I., (1986): Anatomical changes in the roots of some citrus rootstocks as affected by salinity. 1st Hort. Sci. Conf., Tanta Univ., 830-47.

El-Hawary, A. I., (1987): Studies on propagation of grape rootstocks and their tolerance to Salinity. Ph.D. Thesis, Fac. of Agric. Cairo University

El-Hefnawi, S. M. O., (1986): Physiological studies on guava. Ph.D. Thesis, (Pomology) Hort. Depart., Fac. Of Agriculture Zagazig Univ. Egypt.

El-Khateeb, A. F., (1989): Effect of water salinity on Plant growth of some fig varieties. M.Sc. Thesis, Fac. of Agric., Moshtohor Zagazig University.

El-Kobbia, T.; Hamdy, H. and Mostafa, F. B., (1971): The effect of high salts concentrations on the growth of barley plants. *U.A.R. J. soil Sci.*, 11:61-76.

—————; **Habib, S. A. and Abel El- Aziz, S. M., (1981):** Effect of salinity on the internal structure of sunflower and cotton plants. *Res. Bull.* No.1562; Fac. Agric., Ain Shams Univ., Cairo Egypt.

- Elmiston, C . W . and J.C Hillyer ,(1937):** Relative turgidity and soluble solids in leaves. Proc. Amer. Soc. Hort. Sci., 86: 569-574.
- El-Nimr, H. M. A. ,(1986):** Response of some vegetable crops to salinity levels and growth regulators. Ph. D. thesis , Fac. Of Agric. Minufiya university, Shebin El-Kom, Egypt.
- El-Said, M. E.; Emtithal, H. E.; Hamoda, A. and Sari El-Deen, S. A. ,(1995):** Studies on the susceptibility of some olive cultivar to salinity. Zagazig J. Agric. Res.,vol,22 No.(2)505-520.
- El-Sayed, E . H ., El-Said, M.E., EL-Sherif, A.H. and Sari EL-Deen, S.A., (1995):** Chemical studies on salt tolerance on some olive cultivars. Zagazig J. Agric. Res., 22:491-504.
- Embleton. T. W.; W. W. Jones and L. Page ,(1966):** "Potassium and phosphorus effects on deficient "Eureka" Lemon trees and some salinity problems". Proc. Am. Soc. Hort. Vol. 91:120-127.
- Emtithal, E. H.; El-said, M. E.; El- Sherif, A. H. and Sari El-Deen, S. A., (1995):** Chemical studies on salt tolerance on some olive cultivars. Zagazig J. Agric. Res., 22:491-504.
- Esptein, E. and Jefferies, R. L., (1964):** The genetic basis of selective ion trasport in plants. Ann. Rev. plant physiol., 15: 169-184.

- Fadl, M. S. and Sari El-Deen, S. A. ,(1979):** Effect of N6 Benzyl adnine on photosynthetic pigments and total soluble sugars of olive seedlings grown under saline condition. Egypt. J. Hort., 6 (2) : 169-183.
- Fathi, M.A., (1989):** Effect of Salinity of water irrigation on some apple rootstocks. Ph. D. Thesis, Faculty of Agric., Cairo Univ.
- Fenn; L. B. Oertli, J. J. and Bingham, F.T., (1970):** Specific chloride injury in perseas Americana. Soil Sci. Soc. Amer. Proc., 34:617-620.
- Ferguson, L., Sibbett, G. S. and Martin, G. C., (1994):** Olive production manual, Univ. Calif., Division of Agriculture and Natural Resources, Pbl.(3353).
- Flowers, P. F. Troke, and A. R. Yeo, (1977):** The mechanism of salt tolerance in halophytes. Ann. Rev. plant physiol. 28:89-121.
- Fouad. M. M. M. R. Barakat and S. E. Salem ,(1984):** Growth rate and leaf minerals content of some citrus rootstocks as affected by irrigation with saline water Zagazig journal of Agricultural Research. (Unpublished).
- Gale. T., Kohl, H.C. and Hagan, R. M.,(1967) :** Changes in the water balance and photosynthesis of onion, bean and cotton plants under saline conditions. Phsiol. Plant, 20 : 408-20.

- Gasser, A. A., (1986):** Physiochemical studies on tolerance of avocado seedlings to salinity. M.Sc. thesis, Fac. Agric. Cairo Univ. Giza, Egypt.
- , (1992) : Salt tolerance of some grapevine rootstocks. Ph.D. thesis, Fac. Of Agric. Cairo University.
- Gobran, Y. N., (1989):** Selection of some citrus rootstocks tolerant to salinity. Ph.D. Thesis, Moshtoh, Zagazig Univ. pp:137.
- Greenway, H. ,(1963):** Plant response to saline substrates. III- Effect of nutrient concentration on the growth and ion uptake of *Hordeum vulgare* during NaCl stress. Aust. J. Biol. Sci., 16(3) : 616-628.
- Greenway, H.,(1965):** Plant response to saline substrates. Growth and ion uptake throughout plant development in two varieties of *Hordeum vulgare*. Aust. J. Biol. Sci. 18:763-779.
- Greenway ; Gunn, M. G. Pitman, and D. A. Thomas, (1965):** Plant response to saline substrates.. Chloride sodium and potassium uptake and distribution within the plant during ontogenesis of *Hordeum vulgare*. Aust. J. Biol. Sci. 18:525-540.
- Grieve, H. and R. R. Walker, (1983):** Uptake and distribution of chloride, sodium and potassium ions in salt-treated citrus plants. Aust. J. Agric. Res. 34 : 133-143.
- Guiffen, M. C.; M. Caro; F. G. Fernandez and A. Cerda, (1979):** Foliar composition of citrus seedlings irrigated

with saline waters. Soil Science and plants Analysis, 9 (7): 595-606 (Hort. Abst. 49:796).

Gusov, N . A ., (1960): Some methods in studying Plant water relations. Leningrad Acad. Of Sci., USSR.

Halma, F . F ., (1934): Trunk growth and water relations in the leaves of citrus. Proc. Ame. Soc. Hort. Sci., 32:273-276.

Hasegawa, P. M., R. A. Bressan and A. K. Handa, (1986): Cellular mechanisms of salinity tolerance. hortscience, 21: 1317-1323.

Hassan, A . A., (1998): Effect of drought on fruit seedlings. M.S.c. Al-Azahar Univ., Cairo, Egypt.

Hassan, M. M. and M. A. Galal (1986): Salt tolerance among some citrus rootstocks Proc. 1st Hort Sci conf. Tanta Univ. September. 1986. Vol. (11): 407 – 416.

Hassan, N. A.; Drew, J.V.i Knudsen, D. and. Oslon R. A., (1970): influence of soil salinity or production of dry matter and uptake and distribution of nutrients in barley and corn. II corn (*Zea mays* L.). Agron, Jour. 62 : 46-48.

Hayward, H . E . and Spur, W.B. ,(1943): Effect of osmotic concentration of substrate on the entry of water into corn roots. Bot. Gaz., 105-164.

————— **and Bernstein, L., (1958):** Plant growth relationships on salt affected soils. Bot. Rev., 24:584-635.

LITERATURE CITED

- Hayward, H. E. and long, E. M., (1941):** Anatomical and physiological responses of tomato to varying concentrations of NaCl , Na₂SO₄, and nutrient-solution. Bot. Gaz.. 102 (3): 437-462.
- and ————— , (1943) : Some effects of sodium salts on the growth of the tomato. Plant physiol., 18(4) : 556-569.
- Hellebust, J. A., (1976):** Effect of salinity on photosynthesis and manitol synthesis in the green flgellate *Platymonas suecica*. Can. J. Bot. 54: 1735-1741.
- Hewitt, A. A. and J. R. Furr, (1965):** Influence of salt source on the uptake of chlorides by selected citrus seedlings. Proc.Amer.Soc. Hort. Sci. 86:201-204.
- ; Fure, J. R. and carpenter, J. B. ,(1964): Uptake and distribution of chloride by cutting during a shortern salt test. Proc. Amer. Soc. Hort Sc., 84 : 165-169.
- Hoad, G. V. and A. J. Peel ,(1965):** Studies on the movement of solutes between the sieve tubes and surrounding tissues in willow. I. Interference between solutes and rate of translocation measurements. J. Exp. Bot. 16 : 305-312.
- Huffaker, R . C . and A. W allace ,(1959).** Effect of potassium and sodium levels on sodium distribution in some plants species .Soil Sci., 1959,88: 80-2, B ibl.7. (Hort .Abst., 30: 1152).

- Huffaker, R . C . and Wallace, A., (1966):** Effect of potassium and sodium levels on sodium distribution in some plant specie. Soil sci., 88:80-82.
- Ibrahim, M. A ., (2001):** The effect of different water regimes on morphological, Physiological and anatomical characteristics of some citrus rootstocks. Ph. D. Thesis., Fac. Of Agric. Cairo, Egypt.
- Ikram, S.; El-Said, M. E.; Osman L. H. and Sari El-Deen, A. S. ,(1992):** Effect of salinity levels on growth of two olive seedlings Cvs. Zagazig J. Agric. Res. 19:2541-2553.
- Ismail, M . A., (1996):** Studies on tolerance of some grapevine cultivars to stress. Ph. D. Thesis, Fac. Of Agric., Cairo Univ., Egypt.
- Israelsen, O .W . and V.E. Hansen,(1962):** Irrigation Principles and practices. Utah State Univ. Utah, 3rd Ed . USA., PP. 231-265 and 279.
- Jackson, M . L ., (1967):** Soil Chemical Analysis. Hall. Of India Private, New Delhi, India.
- Jacopy, B., (1964):** Function of bean roots and stems in sodium retention. Plant Physiol. 39: 445-449.
- Janes, B. E. ,(1966):** Adjustment mechanisms of plants subjected to varied osmotic pressures of nutrient solution. Soil Sci. Vol. 101 : (3) : 180-188.
- Jeschke,W.D.,(1979):**Univalent cation selectivity and compartmentation of in cereals. pp. 37-61. In D.L. Laidman and R.G. Wyn Jones (eds). Recent advances

in the biochemistry of cereals. Academic, London/ New York /San Francisco.

Jeschke, W.D., (1984): K^+ - N^+ exchange at cellular membranes, intercellular compartmentation of cations, and salt tolerance. pp. 37-66. In C.S. Richard, and H.T. Gary (eds). Salinity tolerance in plants. John Wiley & Sons, Inc. Canada.

Jindal, P. C. and Makhija, M. ,(1983): Salt accumulation in different mango cultivars. Dept. Hort. Haryana Agric. University Hissar 125004, India. Progressive horticulture, 15(3) : 226-228.

————— **and Gupta, O. P., (1976):** Salt tolerance of mango. Bangladesh Hort., 4 (1): 34-36. [c.f. ESA information Retrivel Service].

————— ; **Singh, J.P. and Gupta, O.P., (1979):** Effect of salinity on the mineral nutrients in mango seedlings. Indian. J. Agric. Sci. Vol. 49; No. 2: 105-109. (c.f. ESA information retrival service).

Joham, H. E., (1971): The nfluence of low substrate sodium levels upon the free amino acids content of cotton leaves. Plant Physiol. 49, 502-505.

Johanson, D . A ., (1940): Plant microntechnique. Mc. Grow-Hill Book Company, New York, London. PP. 523.

Jordao, P . V.; Dias, J.CS.; Calouro, F.; Duarte, M.L.; Lavee, S. and Klein, I., (1993): Effect of fertilization on the leaf micronutrient concentrations of olive tree. Acta Horticulture, 356:315-324.

LITERATURE CITED

- Kabeel, H . I .A., (1985):** Physiological studies on salt tolerance of some deciduous fruit species. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Kadman, A.; Gazil, S. and Zir, G., (1978):** Experiments with the selection of mango rootstocks for the southern Arava Israel J. Botany, 27 (1) : 1978. [c.f. ESA information Retrieval Service.]
- Kanwar, I. S. and Bhambota, J. A., (1968):** Effect of different water table and salinity levels on the chlorophyll content and chemical composition of leaves of sweet orange. Indian J. Agric. Sci., 38: 238-243. (hort Abst., 40:2090).
- Kashiral, A .; Bassiri, A, and Kheradnam, M., (1978):** Response of cowpeas to applications of P and Fe in calcareous soils.J. Agronomy, 70:67-70.
- Kaul, M. K., (1981):** Studies on salt tolerance in guava. Thesis Absts, (4): 325-326 Haryana Agric.Univ .Hissar India (Hort. Abst., 53-(2):1372).
- Kaur, P. and Gupta, U.S., (1970):** Studies on the effect of three sodium salts on germination, early growth and physiology of *Pisum sativum* L.var.T. 163 and Perfection. J. Res., Ludhiana, India, 7 (3):321-327.(Hort Abst., 41:1299).
- Kessler, B. and Smir, I. ,(1968):** Salt effects on nucleic acid and protein metabolism in citrus seedlings. Proc. citrus Symp., Riverside, Vol. 1:381-386. (Hort. Abst. 40: 7173).

- Khadr, A. A., (1979):** "Nitrogen influence on salt tolerance of broad bean, barley and pea seedlings grown in sand culture". Annals of Agric. Sc., Moshtohor, 12:159-169.
- Khamis M . A.; Sharaf, M.M and Behairy, Z.H., (1984.b):** Salt tolerance in Thompson and American grape plants as affected by some macro elements. Moshtohor, Ann. Of Agric. Sci., 23:1371-1380.
- ; **Behairy Z. H.; Ibrahim M. M. and El-Aziz A. Z., (1984, a):** Studies on the response of guava and olive seedlings to saline conditions. Moshtohor, Ann. Of Agric. Sci. 23:1224-1232.
- ; **Sharaf, M. M. and Behairy Z., (1985):** Salt tolerance in Thompson and American grape plants as affected by some macro elements. Moshtohor, Annals of Agric. Sci., 23:18.
- Khamis M . A; Z . H . Behairy, M.M Ibrahim, and A.Z. Abd El- Aziz,(1984):** Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances Studies on the response of guava and olive seedlings to saline condition, 3rd Arabic Congress for Horticulture, 7-10 October, 1984.
- ; **M. M. S. Sharaf, (1981):** "Effect of some growth regulators, nutrients and chelating agents on growth and mineral composition of citrus biosalinity". Annals of Agric. Sc., Moshtohor. Vol.17. (Unpublish).

- Khelil, A ., (1979):** The action of NaCl on the growth and mineral composition of clementines in hydroponic culture. Fruits, 34(2): 116-122 (Fr, 22 ref). Institut National Agronomique, Algar, Algaria. (c.f Hort. Abst. 50(1): 579).
- Kim , Y. H., Chung, T. Y. and Chai, W. Y. ,(1988):** Increased regeneration from Nacl-Tolerant callus in rice. Euphytica, 39:207-212.
- Kiritsakis, A. K., (1993):** Olive oil ,school of food technology and nutrition of thessaloniki, Greece.
- Kishore, D. K., (1978):** Physiological studies on salt tolerance in grapes C.V. perlette. A thesis submitted to I.A.R.I for Ph. D. degree (C.F. Ahmed 1979).
- Kocsy, G.; Galiba, G. and Sutka, J., (1991):** Study salt and drought tolerance of wheat. Acta Horticulture, 289:235-236.
- Lapina, L. P.; Popove, B. A. and strogonov, B. P., (1968):** Effect of iso osmotic concentration of NaCl, Na₂SO₄ and dextran on the structure of chloroplasts. Sov. Plant Physiol., 15 (16): 890-894. [c.f. Annals Agric. Sci., 30(2) , 1985].
- Lapina, L.P.; Bismukametova, S.A. and Muraskov, I.N. (1976):** The effect of NaSO₄ and NaCl on the activity of photosynthetic phosphorylation in plant with different salt resistance. fiziologia Rastenii, 23 (2): 279-282. (Hort. Abst., 46 : 11315).

- Laz. ,(1999):** Anatomical studies on Leaves of two olive seedling cultivars as affected by Different levels of water irrigation . Zagazig J. Agric. Res. Vol. 26No (6) 1999 (1731- 1749).
- Lea-Cox, J. D.; J. P. Syvertsen,(1993):** Salinity reduces water use and nitrate N use efficiency of citrus .Citrus Research and Education Centre, IFAS, Univ.of Florida ,USA Annals of Botany .1993,72:1, 47-54 (Hort.Abst. 1994.64:722.)
- Leonova, T. C. and Shevyalova, N. I., (1970):** Incorporation of S35 methionine into free S-amino acids in plant leaves under salinization of the medium. Sov. Plant physiol. 17: 689-693. (C.F. Annals Agric. Sci., 30 (2) : 1985).
- Levi, Y and Smith. S ., (1992):** Effect of foliar diseases on gas exchange processes A Comparative study. American hytopathological society, 82:760-765.
- Levitt, J., (1972):** Responses of plants to environmental stresses. pp. 489. Academic press, Inc. New York, USA.
- Lloyd, J. and Howie, H., (1989):** Response of orchard "Washington Navel" orange, (*Citrus sinensis* (L.) Osbeck), to saline irrigation water. 1. Canopy characteristics and seasonal patterns in leaf osmotic potential, carbohydrates and ion concentrations. (Hort Abst 61: 11543).
- MacRobbie, E. A. C.,(1971):** Phloem translocation facts and A comparativ survey. Biol. Rev. 46:429.

LITERATURE CITED

- Makhija, M.; Dhankhar, O. P. and Singhrot, R. S., (1980):**
Effect of salinity on growth and leaf mineral content of guava. Haryana J. Hort. Sci., 9:21-25. [c.f. Hort. Abst., 51 (10) : 8164].
- Maksoud, M. A., (1988):** Physiological and anatomical studies on tolerance of mango seedlings to salinity, Ph.D.Thesis, Fac.Agric. Cairo Univ., Giza, Egypt .
- Manning, C . E .; Miller, D.G. and Teare, T.D., (1977):**
Effect of moisture stress on leaf anatomy water use efficiency of peas. Jour. Amer. Soc. Hort. Sci., 102, (6): 756-260.
- Marcelo, M . E.; Jordao, P.V. ; Lavee, S. and Klien, I., (1994):** Effect of nitrogen and potassium on yield and some fruit quality parameters of olive tree. Acta Horticulture, 356:202-204.
- Mass, E. V., (1986):** Salt tolerance of Plants. Appl. Agr. 1:12-26.
- Matikhin, G. R. and L. A. Boyko, (1957):** Chlorine content in plants adapting to salination of soil. Uch. Zap. Rostovsk. Na Dony Gos. Univ. 28: 79-84.
- Maxwell, D . P. and Bateman, D.P., (1967):** Changes in the activities of some oxidases in extracts of Rhizocotina-infected bean hypocotyls in relation to lesion maturation .Phytopathology. 57:132-136.
- Meiri A, A. and PolJakoff-Meyber, A. , (1967):** The effect of chlorine salinity on growth of bean leaves in thickness and in area. Israel J Bot 16: 115-123.

- Meiri A, A. and Poljokoff-Meyber, A. ,(1970):** Effect of various salinity regimes on growth , leaf expansion and traspiration rate of bean plants soil Sci., 109 : 26-34.
- Miella, A. and P. Deidda,(1975):** "Mineral nutrition of olives in artificial cultivation". Italia. Agricola, 112 (11).
- Minessy, F. A.; E. M . El-Azab and M. A. Barakat ,(1973):** Effect of salinity and depth of water table on the minerals content of washington Navel orange and Balady mandarin. Abstracts International citrus Congres, Murcia Valencia, Spain.
- Mobayen, R . G . and Milthorpe , F.L., (1980):** Response of seedlings of 3 citrus rootstock cultivars to salinity. Aust. J. Agric . Res . 31 (1) : 117-24, (c.f. Hort. Abstr., 1980; 50; (12) : 9538).
- Mohamed, E . C .,(1993):** Studies on irrigation of Banana, Ph.D. Thesis, Hort. Fac. Agric. Zagazig Univ. Egypt.
- Mohamed, G. M.; Kamh, R. N. and Gobran, Y. N., (1991):** Effect of salinity and SAR on growth and chemical composition of Washington navel orange budded on different rootstock Egypt. J. Appl. Sci., 6 (9) 19-30.
- Mohamed, N. El . A., (1997):** Response of almond transplants to some salt stress treatment. M. Sc. Thesis in Hort. Faculty of Agriculture. Ain Shamis Univ.
- Mohsen, A . M ., (1975):** Studies on factors affecting water movement and closure of stomata in some citrus varieties in different seasons of the year. Ph. D. Thesis Fac. Agric. Cairo Univ, Egypt.

- Mohsen, A . M .; El-Mosallamy, H. M. and El-Hefnawy, S. M., (1987):** Some anatomical features of guava seedlings in response to soil moisture and soil salinity. I. Leaf structure. Zagazig jour. Agric. Res., 14:1-22.
- Montaser, A.; A. El-Hammady, W. H. Wanasand N. Y. Abd El-Karim, (1993):** Effect of salinity irrigation water on growth and mineral content of Mango seedlings. Egypt J. Appl. Sci., 8(3):840-862.
- Moore, S. and W. H . Stein, (1948):** Photometric ninhydrin method for use in the chromatography of amino acids. Jour. Biol. Chem.. 176: 367-388.
- Moskaleva., G. L.; Sinelneko, V. N., (1976) :** Anatomical structure of the roots and. stem of young tomato plants grown under normal and saline conditions. Trudy P; prikladnoi Botanik, Ganetike elektzii 57 (2) 148-.155 (Ru, en 14 ref.)VIA, Leningrad. USSR. Hort. Abst. Vol. 48 (1) No. 561. (1978).
- Motosugi, H.; Sugiura, A. and Tomana, T.,(1987):** Salt tolerance of various apple rootstock cultivars. J. JPN Soc. Hort. Sci., 56(2) : 135-141 . Dialog file 50 : CAB Abst. P. 128.
- Motskobili, N . A ., (1984):** Assimilation area of Satsuma in relation to mineral nutrition and its. Effect on productivity. Subtropicheskie Kultry No. 5, 83-90 VNILL chayaisk, Makharadze, Georgian SSR (Hort. Abst. 55:2979).

- Moustafa, A . H . A ., (2002):** Studies on the irrigation of olive trees grown in new reclaimed soils. Ph.D. Thesis Fac. Agric. Zagazig Univ., Egypt.
- Murphy, J . and Riley, J.P., (1962):** A modified single solution method for the determination of phosphate in natural waters. Anal. Chem. Acta, 27:31-36.
- Nasr. T . A El- Azab, E.M. and El- Shurafa. M.Y., (1977):** Effect of salinity and water table on the mineral content of plum and peach. Scientia. Hort., 7:347-57.
- Nassar M . A . and El-Sahhar K.F. ,(1998):** Botanical Preparations and Microscopy (Microtechnique) Academic Bookshop, Dokki. Giza, Egypt, 219pp.(In Arabic).
- Nason, A. (1950):** Effect of Zn- deficiency on the synthesis of tryptophan by *Newrospora* extracts". Science, 111-12.
- Nieves, M.; Cerda, A. and Botella, M. ,(1991):** Salt tolerance of two lemon scions measured by leaf chloride and sodium accumulation. J. of plant Nutrition , 14:623-636 (Hort. Abst. 62:5221).
- Nomir, S. A. E., (1994):** Physiological studies on kaki (*Diospyras kaki. L*) Ph. D. Thesis, Fac. Of Agric. Zagazig. Zag. Univ., Egypt.
- Omar, T . A . M .,(1996):** Physiological studies tolerance of apricot and mango seedlings to salinity. M.Sc. Thesis, Fac. Agric. Moshtohor., Zagazig University.
- Osman,S. M.,(1986):**Physiolgical studies on guava.Ph.D.Thesis Zag.Univ.

- Owais, M. H. ,(1976): Effect of some cultural and soil treatments on the growth and flowering of *Gerbera Jamesonii* plant. Ph. D. Thesis. Fac. Agric. Ain Shams Univ. Egypt.
- Pandy, R . M . and Divate, M.R., (1976): Salt tolerance in grapes. I. Effect of sodium salts singly and in combination on some of the morphological characters of grape varieties. *Indian Journal of Plant Physiology* 19 (2) 230-39 (*Hort. Abstr.*, 48:2214).
- Patil, P. K . and Potil, V. K., (1982): Effect of soil E.S.P. on the growth and chemical composition of pomegranate (*Punica granatum*). *Progressive Hort.*, 14(1):1-5.
- ; ————— and Ghonsikar, C. P., (1984): Salinity studies on growth and nutritional status of guava (*psidium gujava*). *Int. J. Trop. Agric.*, 2(4) : 334-337.
- ; J. R. Bhambota, (1980): Salinity studies in Citrus.Effect of various Salinity on the micronutrient status of seedling rootstock of citrus.*Journal of the Society of Soil Science*,28:72-79.
- Pearson, G . A . and H.E Hayward, (1957): The influence of salinity and water table on the growth and mineral composition of young grapefruit plants. *Proc. Amer. Soc. Hort. Sci.* 69:197-203.
- Perica, A .; Androulakis, I.I.; Loupassaki, M.H. and Lavee, S., (1994): Effect of summer application of nitrogen and potassium on mineral composition of olive leaves. *Acta Horticulture*, 356:221-224.

- Petrosyan, G . P.; Tarverdyon, V.I. and melikyan, A.M., (1976):** Effect of Soil Salinity on nitrogen metabolism in apple leaves. Trudy tashk. In ., 65:125-9 (Hort. Abst., 48:3140).
- ; ————— and ————— (1977): The effect of excessive soil salinity on nitrogen metabolism in apple leaves. Referativny, Zhurnal 10.55, 822. (Hort. Abstr. 48:3140).
- ; **Saakyan, R. G. and Sakunta. L.E. ,(1979):** Pigment content in leaves and berries in relation to the amount of sodium absorbed by grapevines of ameliorated solonchak soil. (Hort. Abst., 49:9319).
- Peyando, A . and Young, R.H., (1963):** Toxicity of three salts to greenhouse-grown grape fruit trees and their effects on ion accumulation and cold hardness" J. Rio Grande Valley Hort. Soc., 17:60. (Hort. Abst., 34:3595).
- Peynado A . And Young, R.H., (1968):** Moisture changes in intact citrus leaves monitored by a guage technique. Proc. Amer. Soc. Hort. Sc., 92:211-220.
- Picchioni, G. A.; S. Mayamoto, and J. B. Storey, (1990):** Salt effects on growth and ion uptake of pistachio rootstock seedlings. J. Amer. Soc. Sci. 115: 647-653.
- Pokroveskey, E. L., (1957):** Some data on the oxido-reductive processes in halphytes pamgati. Akad. N.A. Maksimova Izdatedl. Stov. Akad. Nauk, SSSR (Ca. 1972).

- Poljakoff, M. A., (1975):** Morphological and anatomical changes in plant as a response to Salinity stress. In A Poljakoff-Mayber. J. Gale. Eds, Plants in Saline Environment (Ecological studies 15). Springer-Veriag. New York, pp 97-117.
- Ponomareva, S. A. and Kabuzenka, S. M. ,(1978):** Anatomical structure of tomato leaves in conditions of chloride salinity. UKR. Botanichnli, Zhurnal.35 (3):237-240. (c.f.Hort.Abstr. 1979;49;(7):5086).
- Pregl, F., (1945):** Quantitative organic Micro- Analysis, 4th Ed. J. & A. Churchill, Ltd., London.
- Prisco, J. T. and O'leary, J. W., (1973):** The effect of humidity and cytokinin on growth and water relations of salt – stressed bean plants. Plant and soil 39:263-276.
- Prisco, J. T. and T. W. O. Leary, (1972):** Enhancement- of intact leaf sence. NaCl salinity plant Physiol., 27:95-100.
- Ragab, M. A. (1979):**The effect of saline water and radiation on treatments mineral contents and growth of citrus seedlings. P.h.D.Thesis.Fac.of Agric., Cairo Univ., Egypt. pp:124.
- Rains, D . W.,(1972):** Salt transport by plants in relation to salinity. Ann. Rev. Plant physiol. 23:367-388.
- Rajasekaran, L. R. and Shanmugavelu, K. G., (1983):** Effect of different types of soil and quantity of water on certain physiological factors in tomato (*Lycopersicon*

esculentum Mill.) In Proceeding of National Seminar on the production Tecknology of Tomato and Chillies Coimbatore, India, (Hort.Abst.53:514).

Rejput, C . B .; singh, B.P .; singh, S.B., (1976): Effect of foliar application of zinc sulphate on vegetative growth of mango (*Mangifera indica* .L.). Hort. 4(2): 32-24, (En, 4 ref.) Benars Hindu University. Varanasi, India. (Hort., Abst. 48:6910).

Ravikovitchs S. and Porath, A., (1967): The effect of Nutrients on the salt tolerance of crops. Plant and Soil, 26: 49-71.

Reddy, M . S.,(1967): Metabolism of chloroplasts isolated from leaves of ground nut plant (*Arachis hyopgacal*) grown in normal, salinized and alkanized soils Ph.D. Thesis, S.V. Univ, Firupati.

Richard, C. S. and Gary, H. T., (1984): Salinity tolerance in plants. PP. 442. Eds. John Wiley & Sons, Inc. Canada.

Robinson, S. P.; W. J. S. Downton, and J. A. Millhouse, (1983): Photosynthesis and ion content of leaves and isolated chloroplasts of salt-stressed spinach. Plant physiol. 73: 238-242.

Rodrigues, M . L ., Chaves, M.M., Wendler, R., David, M.M., Quick, W.P., Leegool, R.C., Stitt, M. and Pereira, J.S., (1993): Osmotic adjustment in water stressed grapevine leaves in relation to carbon assimilation. Australian Journal of Plant Physiology. 3:309-321.(Hort. Abst., 64:4404).

LITERATURE CITED

- Rokba, A . M.; M. N. Abdel – Messih and M.A. Mohamed,(1979):** Breeding and screening some citrus rootstock for salt tolerance in Egypt .J. Hort ., 6 (1) : 69-79.
- Russell, R. S., (1961):** Soil Conditions and plant growth. 9th ED. Longman, London,p. 603-13.
- Saad El-Deen, I. A.; El-Said, M. E.; Osman, L. H. and Sari El-Deen, A. S., (1992):** Effect of salinity levels on growth of two olive seedlings Cvs. Zagazig J. Agric. Res., 19: 2541-2553.
- Salem, A. T., (1981):** Effect of treatments by saline water on mineral content and growth of grape seedlings. Ph. D. thesis, Fac. Agric. Cairo University.
- ; **Guirguis, N. S.; Khalil, M. A. and Fathi, M. A., (1990):** Effect of high salinity on the histology of roots of some apple stocks. Agri. Res. Rev.
- Samra, J. S., (1985):** Comparative sodium accumulation and its toxicity in mango, Guava and ber. (*Ziziphus mauritiana*). Central soil salinity research institute. Karnal 132001, India ; Indian J. of hort. 42(3/4) : 178-183.
- Sari El-Deen, S. A.; Wassif, M. M. and Fadl, M. S., (1979) :** Effect of salinity on olive seeding growth. Agric. Res. Review vol. 57 No. 3 : 258-268.
- ; **Wassif, M. M. and Fadl, M. S. ,(1982) :** Effect of salinity on olive seedling growth , Agric. Res. Rev., 57:259-269.

LITERATURE CITED

- Shahin, B. A., (1989):** Growth of some plum rootstocks as affected by saline water irrigation Ph. D., Thesis Fac. Agric. Cairo University.
- Shannon, M. C., (1984):** Breeding, selection, and the genetics of salt tolerance. In : Staples, R:C. and Toenniessen G.H. (Eds.) salinity tolerance in plants "chap. 13, pp. 231-254.
- Sharaf, M . M.; Khamis M. A . and Z. H. Behairy ,(1984):** Salt tolerance in guava and olive seedlings as affected by some macro elements. Moshtohor, Annals Agric. Sci., 23:1543-1549.
- ; ————— and Behairy, Z., (1985): Effect of different salinity levels on leaf mineral composition European and American grape plants. Moshtohor, Annals of Agric. Sci., 23:1-19.
- Shehata, M . M ., (1989):** Physiological studies on the tolerance of some sugar beet varieties to salinity. Ph. D. Thesis, Fac. of Agrlc, Cairo University.
- Sherif, S. E., (1985):**Growth of citrus rootstock seedlings as affected by irrigation with saline water .PH.D:Thesis,Faculty of Agric. Cairo Univ.pp:121.
- Sherin, A. S. , (2002):** Studies on growth of olive plants under salt stress. Department of pomology faculty of agriculture Cairo university.
- Sinelnikova, V. N.; Romanova, L.V. and Udoenko, G. V., (1972):** Effect of salinization and physiologically active substances on growth and level of endogenous growth

- regulators in potato, Sov. Plant physiol, 19(1) : 50-55.
(c.f. Annals Agric. Sci, 30:2, 1985).
- Singh, A. K. and Pathak, R. K., (1994):** Effect of salinity levels on nutrient status and chlorophyll content in guava leaves. Orissa Journal of Horticulture. 22:31-35.
- Singh, S . B .; Chabra, R. and Abrol, I.P., (1983):** Effect of salinity on growth and mineral content of jujuba and guava. Indian J. Agric. , Sci. 53:446-50.
- Slatyer, R . O . ,(1961):** Effects of several osmotic substrates on the internal water relations of tomato. Aust . T. Biol. Sci., 41.,519-540.
- Snedecor, G . W. and Cochran, W.G.,(1972):** Statistical method 6th ed. The Iowa state Univ. Press, Amer. Low, USA PP. 593.
- Soliman, M.F. and Farah, M.A. ,(1986):** Interactive effects of saline irrigation water and N-P applications on wheat plants grown on calcaroums soil. Agriochimica, 30: 181-191.
- Sourial, G . E .; Meligi, M.A.; Tawfik , A.A and El-Demerdash, A.M.,(1985):** Effect of saline irrigation on chemical constituents of one-year-old rooted vines: sugars and NPK content, Acta Horticul. No. 158,169-185(Hort. Abst.56:919).
- ; **Meligi, M. A., Mohsen, A. M. and El-Hanafway, S. M.,(1978):** Effect of saline irrigation on I-mango seedlings vegetative growth. II-chemical

constituents. III- Anatomical structure. Zagazig.
J.Agric. Res., 4:17.

Stevens, R. M. and Harvey, G. C., (1990): Grapevine responses to transient soil salinization. Canberra, Australia; society of soil science Inc. 211-219 ISBN0-9587460-2-8. (Hort. Abst. 61: 6788).

Stewart, G. R. and Lee, J. A., (1974): The role of proline accumulation in halophytes planta, 120:279-289.

Stoddard, E. M., (1965): Identifying plants by leaf epidermal characters. Conn. Agr. Expt. Sta. Cir. 227 (C.F.J.Amer. Soc. Hor. Sci.; 102: 756-760).

Storey, R. and R. G. Jones,(1978): Salt stress and comparative physiology in gramineae. I. Ion relaions of two salt and water – stressed barley cultivars, California Mariout and Arimar. Aust. J. Plant physiol. 5: 831-851

Strogonov, B.P. (1962): Physiological basis of salt tolerance of plants. Academy of Science of USSR. Institute of Plant Physiology. English Translation by Israel Program for Scientific translation, 1964.

—————, (1964): Physicological basis of salt tolerance of plants (as affected by various types of salinity). Akad Nauk SSSR. Translated from Russian. Israel Prog Sci transl. Jerusalem, pp 73-97.

—————, (1984): Physilological basis of salt tolerance (Moscow). [c.f. Annals Agric. Sci., P. 1496, 30:2, 1985].

LITERATURE CITED

Sweidan, A. M. Salem, A. T. and Fathi, M. A. ,(1992): Salt tolerance of three apple rootstocks. Egypt . J. Apple. Sci., 7 (4) : 710-730.

————— ; ————— and **Gomaa, A. H., (1982):** Selection of almond and Peach rootstocks high tolerant to salinity. Ministry of Agric. USA IDUCD. Agric. Develop. Sys. Proj. Hort. Sub-project. Decidious trees Activity Annual Scientific Report III.

Sykes, S. R., (1987): Apparent variation in chloride accumulation between vines of cultivars Italia and Mataro grown under furrow irrigation. Australian salinity Newsletter (1987). No. 15, 71 CSIRO, Div. Hort. Res.; PMB, Merbein, Vic. 3505, Australia.

Taha, M . W .,(1972): Salt tolerance of grape, guava and olive plants. Alex. J. Agric. Res., 20:123-135.

Taher, H. M., (1983): Effect of salinity on growth and leaf mineral composition of some citrus rootstock seedlings. M.Sc. Thesis, fac. of Agric. El-Azhar Univ., Egypt.pp:97.

Tal, M., (1971): Salt tolerance in the wild relatives of the cultivated, tomatos responses of *Lycopersicom esculentum*, *L. Peruvianum*, and. *L. esculentum* minor to sodium chloride solution. Australian. J- of Agric. Res. 22 (4) 631 •-638. Hort- Abst. Vol. 42 (1) No. 1397 (1972).

Tattini- M.; and Beusichem-ML- van, (1989): Effect of increasing nutrient concentration on growth and

LITERATURE CITED

nitrogen uptake of container- grown peach and olive.
Plant and soil Sci., 41:515-518.

**Tattini- M.; Gucci, R.; Coradeschi, M. A.; Ponzio, C. and
Everard, J. D., (1995):** Growth, gas exchange and ion
content in *olea europaea* plants during salinity stress
and subsequent relief. *Physiologia Plantarum* 95: 203-
210.

—————; **Ponzio, C.; Coradeschi, M. A.; Tafani, R.;
Traversi, M. L.; Lavee, S. and Klein, L., (1994):**
Mechanisms of salt tolerance in olive plants. *Acta
Horticulture*, 356:181-184. The medium. *Sov. Plant
Physiol.*, 17:689-693. [c.f. *Annals Agric. Sci.*, 30(2),
1985].

**Traczynski, M. C.; R. G. Jensen, and H. J. Bohnert,
(1993):** Stress protection of transgenic tobacco by
production of the osmolyte mannitol. *Science* 259 :
508-510.

Valia, R. Z. and Potiel, F. M.,(1997): Growth, Physiological
Parameters and nutritional status as influenced by soil
salinity in cashew. *J.of plantation crops*, 25:1,62-67.

Walker, R. R. ,(1986): Sodium exclusion and potassium
sodium selectivity in salt treated trifoliate orange
(*Poncirus trifoliata*) and *Cleopatra Mandarin (Citrus
reticulata)* plants. *Aust. J. Plant Physiol.* 13:293-303.

————— **and Douglas, T. J. ,(1983):** Effect of salinity
level on Uptake and distribution of chloride, sodium
and potassium ions in citrus plants. *J. Agric. Res.*,
34:145-153.

LITERATURE CITED

Walker, R. R.; Kredmann, P. E. and Maggs, D. H., (1979):

Growth , leaf physiology and fruit development in salt stressed guavas. Australian Journal of Agricultural Research 30 (3) 477-488. (Hort. Abst. 50: 610).

—————; **Torokfalvy, A. M. Grive and L. D. prior, (1983):** Water relations and ion concentrations of leaves on salt stressed citrus plants Australian journal of plant physiology 10 (3) : 265 – 277.

Wallace, A ; Navde, C.N.; Mucler, R.T. and Zidan, ZI, (1952): the rootstock- scion influence on the inorganic composition of citrus. Proc. Amer. Soc. Hort. Sci., 59:133-142.

Walter, E.; Wedin and Struckmeyer, B. E., (1958): Effects on chloride and sulfabe ions on the growth leaf burn composition and anatomical structure of tobacco (*Nicotiana tabacum L.*). Plant Physio. Vol. 33 (2) 133-139 (1958).

Wadleigh, C.H. and Gaush, H.G. (1944): The influence of high concentrations of sodium sulphate, sodium chloride, and magnesium chloride on the growth of Guyak in sand culture Soil., 85 (4).

Wilcox, L. V. and others (Ac 9 EN staff), (1951): Symposium on water for irrigation use. Chemical and Engineering news, 29(11) : 990-993.

—————, **(1985):** Water quality from the stand point of irrigation J. Amer. Water Assoc., 5.

LITERATURE CITED

- Wilson, C . C .; Burgess, W.R. and Kramei, P.J., (1953):**
Diurnal fluctuation in water contents of some herbaceous Plants Amer. J. Bt., 40:97-100.
- Winter, E ., (1982):** Salt tolerance of *Trifolium alexandrinum* L
II. Ion balance in relation to its salt tolerance. Aust. J. Plant Physiol, 9:227-37.
- Wright. G .C ., K, D., and M.C. Drew. ,(1993):** Gas exchange and chlorophyll content of, "Tifblue" rabiteye and "Sharpblue" southern highbush blueberry exposed to salinity and supplemental calcium. J. Amer. Soc. Hort. Sci. 118:546-563.
- Yermanos, D. M.; Francois, L. E. and Tammadoni, T., (1967):** Effects of soil salinity on the development of jojoba. Econ. Bot., 21:69-80 (bible. 9, illus). Hort. Abst. Vol. 37 No. 7654 (1967).
- Youssef, A.M.,(1990):** Physiological and morphological studies on some new citrus rootstocks. Ph. D. Thesis, Hort. Dept., Fac Agric., Al- Azher Univ, Cairo.
- Youssef, N . F.; Fatma, A.K and Sari El- din, A.S., (1991):**
Effect of salinity levels and phosphorus applications on growth of guava seedlings. Egyptian. J. Appl. Sci., 6:239-251.
- Zekri, M., (1987):** Effect of sodium chloride and polyethylene glycol on the water relations, growth and morphology of citrus rootstock seedlings. Ph.D. Thesis, Faculty of Agric., Florida University.

Zekri, M., (1993): Salinity and calcium effect on emergence, growth and mineral composition of seedlings of eight citrus rootstocks .J.Hort.Sci. 68(1):53-62.

————— and Parsons, L. R., (1990): Calcium influences growth and leaf mineral concentration of citrus under saline conditions. Hort.science.1990, 25:7, 784-786 (Hort.Abst.1991.61:5411)

Ziska, L. H.; T. M. Dejong and G. F. Hoffman and R. M.,(1991): Sodium and chloride distribution in salt stressed *Prunes salicina*, a deciduous tree species. Tree Physiol. 8 : 47-57.

Zul, J.L. V. and Kennedy, C.S.,(1983): Vine response to water stress induced by polyethylene glycol. South Africa. J. for Enol. and Viticulture 4, 1-5.