

VII-LITERATURE CITED

- Alfnes, A.T. (1977):** Uptake, distribution and metabolism of glyphosate N-(phosphonomethyl) glycine in couch grass *Agropyron repens* (L) Beauv and the effect on couch grass and rye grass (*Lolium perenne*, L.) at different temperature. Dissertation for the licentiate of Agriculture, University of Norwag, 51 pp. (CAB Intr. Abstracts).
- Allen, O.N. (1950):** Experiments of Soil Bacteriology. Burgess publishing Co. Minnesota, U.S.A.
- Badran, Nadia, M. (1983):** Organic manuring and its effect on some chemical and microbiological properties of some Egyptian soils. M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.
- Barida, D. and Mialhe, H. (1990):** Herbicide tests on *Andropogon saccharoides*. *Progress Agricole et Viticole* 107(21): 476 - 477 (Hort. Abst., 61: 8895).
- Baxter, P. (1970):** Orchard soil management trials. I. Effect of a weed free or straw-mulched strip on the growth and yield of young fruit trees. *J. Exp. Agric. Anim. Husb.*, 10 (45) (Weed Abst., 20 : 1136)
- Beljaeva, T.V. and U.I. Zavarzine (1967):** Results of trials with herbicides in a peach orchard. *Himija Sel. Hoz.*, 5 (a) :43-70 (Hort. Abst., 38: 1968).
- Belobrov, A.V. and K.L. Yanchik (1976):** The yield and chemical composition of apples from simazine treated orchards. *Sadovodstvo Vinogradarstvo, Vinodelie Moldavil*, No. 3,49-51. (Hort Abst., 47: 4259).
- Bhutani, V.P.; Raina, S.S. and Khokar, U.U. (1994):** Effect of herbicides, mulching and clean cultivation on weed population, growth and cropping of apple trees. *Hort. J.* 7(1): 7-13.
-

- Biochev, A.; Milousheva, I.; Spirov, N. and Andonova, G. (1989):** Effect of some herbicides on the quantity and quality of grapes and wines. *Rasteniev' dni-Nauki*. 26(8): 75-79 (Hort. Abst., 60:5052).
- Bootsma, J. (1979):** Improving the growing conditions of apple replants. verbetering van de groeivoor waarden bij herinplant van apple. *Fruitteelt* 69 (45):1308- 1311. CAD Fruitteelt, Proefluin Kraggenburg, Nertherlands (Hort. Abst., 50: 2378)
- Bootsma, J. (1988):** Are alternatives for weed control possible? *Fruitteelt*. 78(8): 23-24; 2pl (Hort. Abst., 59: 3604).
- Bristol, P. (1980):** A comparative trial of several soil cultivation technique with two year pear cultivars. In complete rendu du symposium culture du poirer 4-8 Angers, France (Hort. Abst., 44:3729).
- Brown, J.D. and O. Lilleland (1946):** Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. *Proc. Amer. Soc. Hort. Sci.*, 48: 341-346.
- Carter, J. and Johnson, C. (1988):** Influence of different types of mulches on eggplant production. *HortScience*, 23(1): 143 - 145.
- Challa, P.; Prakash, J. (ed) and Pierik, R.L.M. (1991):** Chemical weeding as a labour saving device in management of fruit nurseries. Horticulture new technologies and applications; Proceedings of the International Seminar on New Frontiers in Hort., Organized by Indo- American Hybrid Seeds, Bangalore, India, November 25 - 28, 1990 - 1991, 69 - 72. (CAB Intr. Abstracts).
- Chapman, H.D. and P.P. Pratt (1961):** Methods of analysis for soil, plants and waters. Univ. of Calif. Division of Agric. Sci.
- Chiba, T.; Suzuki, K.; Sekiya, K.; Aoba, K.; Shimura, L. and Ogiwara, K. (1975):** Studies on orchard soil management. Part 9 the leaf nutrient contents, growth, yield and fruit qualities of peach tree under different soil management

systems. Bulletin of Fruit Tree Research Station Series A, Hiratsuka No 2, 19-41; 3 PL. (1COL). (CAB Intr. Abstracts).

Clanet, H.B. Schmitlin and R. Laurent (1970): New possibilities for pre-emergence weed control in stone fruit orchards. *pomol. Franc.*, 12(7):13-16. (Hort. Abst., 14:559).

Clegg, B.S. (1987): Gas chromatographic analysis of fluazitop-butyl (Fusilade) in potatoes, soybeans and soil. *J. Agric. Food Chem.*, 35: 269 - 273.

Costa-Vilamajo, J. (1986): Efficient use of herbicides to reduce cultivation costs. *Universidad Politecnica de Madrid* 63-74; (Weed Abst., 36 : 3413).

Crisp, C.M. and Atkinson, D. (1984): The effect on number of grominicides on young apple and plum trees. *Aspects of Applied Biology*, No. 8, 69-74.

Demeyere, A.; Temmerman, L. de; Flusu, F.; Weskx, A. (1988): Results of weed control trials 1988. *Fruittelt Den Hag.*, 2(3): 11 - 20 (Weed Abst., 40 : 1481)

Devine, M.D. and I.D. Bandeen (1993): Fate of glyphosate in *Agropyron repens* growing under low temperature conditions. *Weed Research* 23, 69- 75.

Dietz, H.J. (1985): Nitrate in fruit growing results and recommendations. *Obstbau* 10(5):220 - 222 (Hort. Abst., 55 : 9195).

Donaldson, D. (1961): Weed control in orchard crops. *Proc. 13th Annu. California Weed Conf.*, 58-60 *Agric. Res. Council W.R.O.*

Duncan, D.B. (1955): Multiple Range and Multiple F. Tests. *Biometrics*, 11: 1 - 42.

Egger, E. (1989): Weed control and weed cover in vineyards. *Enformatore Agrario*, 45(18):109-119. (Weed Abst., 39:1854).

- El-Kassas, S.E.; Ahmed, K.L.; El-Sonbaty, M.R. and Badawy, M. (1993):** The effect of weed control on flowering and fruit setting of Manfalouty pomegranate trees. *Assiut J. Agric Sci*; 24(2):111-118.
- El-Kassas, S.E.; Amen, K.L.A.; Hussein, A.A. and Osman, S.M. (1992):** Effect of certain methods of weed control and nitrogen fertilization on the yield, fruit quality and some nutrient contents of Manfalouty pomegranate trees: 1- Flowering and fruit setting. *Assiut J. Agric. Sci.* 23(3): 183 - 198.
- Engel, G. (1992):** Comparison of integrated weed control and herbicide treatment in fruit crops. *Zeitschrift Für Pflanzenkrankheiten und Pflanzenschutz Sonderheft* 13, 505 - 511; 10th German Conference on Weed Biology and Control, held at Stuttgart Hohenheim, Germany, on 10 - 12 March. (CAB Intr. Abstracts).
- Fideghelli, C.; F. Monastra, A. Nicotra and L. Moser (1973):** Effect of non-cultivation on the development, production and mineral nutrition of peach trees. *International Congress on the Control of Weeds and Algae in Mediterranean Countries Sardinia*, No .92/93, 331-341 (*Weed Abst.*, 27:1268).
- Frimanslund, E. (1984):** Young pear trees in soil with black plastic mulching compared to grass. *Frasking Ogforsok I Land Bruket*, 35(1): 35-40 (*Hort. Abst.*, 45:8933).
- Gaziev, M.T. and Veovoding, A.V. (1985):** Efficiency of herbicides applied to grapevines. *Zashchita Rastenii* No3,24. (*Weed Abst.*, 36:1317).
- Giulivo, C.; Lannini, B.; Lavezzi, A. and Nuzzo, V. (1988):** Effects of the method of soil management on the nutrient status and root system of the vine. *Rivista di Viticoltura e di Enologia*, 41(8-9):335-350. (*Hort. Abst.*, 59: 1923).
- Gortlevskij, A.A.B.B.S.; Sidel-Nikov, and N.I. Matreeva (1964):** Dalapon on effective herbicide for vineyards vinodelie I vinograder stve, 24(5): 30-1 (R) (*Hort. Abst.*, 35:652).

- Grkovic, A. (1987):** Economic effect of weed control in vineyards of PIRO "orahac" by the use of herbicides. *Fragmenta Herbologica Jugoslavica* 16:1-2,277-287.
- Guh, J.O.; Cho, Y.S.; Chon, S.U. and Pyon, J.Y. (1989):** Successive weed emergence and changing pattern of weed population by the use of differently action herbicides. *Proceedings, 12th Asian- Pacific Weed Science Society Conference No.2,555 -564.* (CAB Intr. Abstracts).
- Gut, W.; F. Weibel and W. Jaggi (1991):** Effect of mulching materials on soil fertility. *Schweizrische Zeilschrift für Obst und Weibau* 126(25): 685 -691.
- Gysi, C.; F.F. Fankhauser and R. Schumacher (1987):** Nitrogen fertilization and availability of major nutrients to plants in an experiment over several years using large pots. *Schweizershe Zeitscherlt für Obst und Weinbaw* 23(26):705-715 (*Soil and Fertilizers*, 47: 5936).
- Harrington, K.C.; Berry, S.B.; Sims, R.E.H. and Popay, A.S. (1992):** A survey of weed control practices in New Zealand pipfruit orchards. *Proceedings of the Forty Fifty New Zealand Plant Protection Conference, Wellington, New Zealand 11-13 August 285-288.* (CAB Intr. Abstracts).
- Harvey, J. (1977):** Long term study favourt chemical control of vegetation. *Citrus Industry* 58 (6): 8-10 (*Hort.Abst.*, 27:1859).
- Hasegawa, L.S.; J. Kuma Moto and L.S. Jordan (1977):** Degradation of glyphosatl in avocado fruit. *Proceedings of the Western Society of Weed Science*, 30,55-57.
- Haynes, R.J. and Goh, K.M. (1980):** Some effects of orchard soil management on sward composition, levels of available nutrients in the soil, and leaf nutrient contents of mature

"Golden Delicious" apple trees. *Scientia Horticulturee* 13(1):15-25.

He, X.R. and Yu, F.Z. (1992): Studies on the effects of different soil management practices on the growth and development of young starkrimson apple trees under mountain slope conditions. *China Fruits* No .4 ,5-7. (CAB Abstracts)

Helail, B.M. (1981): Effect of the system of soil management on vegetative growth, yield and fruit quality of Washington navel orange trees. M.Sc.Thesis, Fac. of Agric Moshtohor, Zagazig Univ.

Helail, B.M. (1993): A comparative study of some weed control treatments in "Le Conte" pear orchard. *Minia J. Agric. Res. and Development*, 15:571-585.

Helail, B.M. (1994): Response of Balady mandarin transplants to some weed control treatments. *Egypt. J. Appl. Sci.*, 9(2):737-750.

Helail, B.M. and A.A.R. Atawia (1993): Effect of some weed control treatments on Washington navel orange trees. *Egypt. J. Appl. Sci.*, 8(3): 667-683.

Helail, B.M. and M.D. El-Deeb (1993): Response of Balady lime transplants to some weed control treatments. *Egypt. J. Appl. Sci.*, 8(12):990-1006.

Himmelsback, J.; S. Kleisinger and H. Link (1995): Orchard soil managment: 1- Experiences and economics: *Erwebsobstaw*, 37 (3):66-72. (CAB Intr. Abstracts).

Hogue, E.J. and Nelisen, G.H. (1988): Effect of excessive annual applications of terbacil, diuron, simazine and dichloben: Lon vigor, yield and cation nutrition of young apple tress. *Canadian J. Plant Science*: 68 (3):843-850 (Weed Abst., 37: 4336)

Horwiz, W.(ed) (1970): Official Methods Analysis. Association of Official Analytical Chemists 11th ed., Washington D.C.

- Hudska, G. (1990):** Determination of standard values of elements in the leaves of fruit species and their relation of the productivity of trees and soil management. Act Hort Wageningen: International Society for Horticultural Science. May (274):195-199. (CAB Intr. Abstracts).
- Ibrahim, A.N. (1964):** Microorganisms and their activities in relation to soil fertility. Ph. D. Thesis, Fac. Agric. Ain-Shams Univ., A.R.E.
- Ivascenko, A.L. (1974):** The effect of herbicides on the establishment, growth and development of apple seedling. Khimiya Vselskom Khozyaystve, 12(12):24-55 (Hort. Abst., 44:7306).
- Jardan, L.S. and Russell, R.C. (1979):** Glyphosate (Round up): a new herbicide for citrus. Citrograph, 64(6):131-133.
- Jawanda, J.S.; Munshi, S.K.; Vij, V.K. and Sharma, J.N. (1977):** Chemical weed control in citrus. V- Effect of post emergence herbicides on pre-harvest fruit drop, fruit quality and mineral composition of leaves in sweet orange. Punjab Hort. J., 17 (3-4): 91-98.
- Jazbec, M. (1977):** Effect of soil management on the start of productivity and on growth of the apple cultivar Golden Delicious on M9 rootstock. Yugoslovensko Vocartvo 110(39-40): 595-600. (Hort. Abst., 49:3137).
- Jedrzejewska, A. (1955):** The microflora of soil in the Williams rotation. Ann. Univ. M. Curie Sklodwska 7E, 221-246 (Soils and Fert. Abst., 20 (3): 150).
- Johnson, D.S. and Samuelson, T.J. (1990):** Short-term effects of changes in soil management and nitrogen fertilizer application on "Bramley's" seedling apple trees. II-Effects on mineral composition and storage quality of fruit. J. Hort. Sci., 65(5): 495-502.
- Kolbe, W. (1983):** Long-term herbicide-strip treatment treats with ustinx KR and ustinx GL in pome and stone fruit plantains

(1967-1982). Pflanzenschutz Nachrichten Bayer 36 (1):73-93.(Hort. Abst., 54:8825).

Kongsrud, K.L. (1992): Effect of fertigation and soil covering with brown plastic for three apple cultivars. Morsk-land Bruksforsking .6:4,401-412. (CAB Intr. Abstracts).

Lavin, A.A. and A.A. Kogan (1984): Study of control alternatives for annual weeds and bind weed (*Convolvulus arvensis* L.) in dry land vineyards. Agricultural Tecnica, 44(3):245-251 (Weed Abst.,35:885).

Lenz, F. and Bunemann, G. (1975): The influence of soil management practices and different N and K supplies on the growth and yield of black currants. Erwerbsobstbau 17(11):161-164. (CAB Intr. Abstracts).

Lifshitz, N., Z. Arenstein and A. Yaum (1968): An evaluation of herbicides for apple orchard. Proc. 3rd Israel Weed Control Conf. pp 42 (Weed Abst.,19:643).

Lindhard, H. (1992): Weed control in apples without herbicides. Tidsskrift for Lanteavl's Specialserie, No.52178:77-84; 9th Danish Plant Protection Conference. (CAB Intr. Abstracts).

Lockett, J.L. (1937): Microbiological aspects of decomposition clover and rye plants at different growth stages. J. Soil Sci.,44:425.

✓ **Luchkov, P.G.; Ponomarenko, G.A. and Kudaev, R.K.H. (1989):** Mulching the soil in young orchards on slopes. Sadovodstva I Vinogradarstvo, No.4: 11-12 (Hort. Abst., 59:8066).

Lund-Hole, K. (1976): The correlation between the tolerance of Norway spruce (*Picea abies*) to glyphosate N-phosphonomethyl glycine and the uptake distribution and metabolism of the herbicide in the spruce plants. Meldinger fra Norges Landbrukshoiskole, 55(1): 26. (CAB Intr. Abstracts).

- Mage, F. and Skogerbo, G. (1992):** Orchard soil management systems. Effects on growth and fertility of apple trees. Norwegian J. Agric. Sci., 6 (2):121-132. (CAB Intr. Abstracts).
- Marks, M.J. (1993):** Preliminary results of an evaluation of alternatives to the use of herbicides in orchards. Brighton Crop Protection Conference Weeds Proceedings of a Conference held in Brighton, UK 22-25 Novemeber, 1:461-466.
- Martin, J.P. (1950):** Use of acid rosebengal and streptomycin in the plate method for estimating soil fungi. Soil Science, 69(3):215.
- Maslov, S.P. (1979):** Possibility of grassing down the internows in pome fruit orchards. Sbornik Statei Orlovskaga Plodovoyagodnaya Optnaya Standsija, 9 (1): 88-97 (Hort. Abst., 50:5997).
- Merino, H.R.; B. J.E. Tecevers; M.C.; L. Pena and M.O. Navea (1979):** Effect of soil management systems on soil erosion and production of non-irrigated vineyards. Agricultura Tecnica, 39(2):35-40 (Hort.Abst., 50:6137).
- Merwin, I.A. and Stiles, W.C.L. (1994):** Orchard ground cover management impacts on apple tree growth and yield and nutrient availability and uptake. J. American Society for Horticultural Science, 119 (2):209-215.
- Merwin, I.A.; Rosenbeger, D.A.; Engle, C.A.; Rise, D.L. and Fargione, M. (1995):** Comparing mulches herbicides, and cultivation as orchard ground covers management systems. Hort Technology, 5(2):151-158.
- Michelop, P.P. (1992):** Chemical weed control in fruit nurseries. Horticulture Francaise No.241:38-39.(Hort. Abst., 62:8894).
- Misra, L.P. and H.S. Dhuria (1978):** Effect of herbicides on the control of weeds in apple orchards. Pesticides, 12 (3): 27-28. (Hort. Abst., 49:4778).
-

- Mitchell, R.B.; Adams, J.E. and Thom, C. (1941):** Microbiological responses to organic amendments in Hausten black clay soils. J. Agric. Res., 63:527-534.
- Mondeshka, P.; Petrov, P.I.; Petrov, P.N. and Bakalivanov, D. (1987):** Effect of some system of soil surface management on the number of microorganisms in a plum orchard soils. Pochvoznanie Agrokhimiya I Rastitelna Zashchita. 22(1):93-98 (Weed Abst., 39:340).
- Monib, M., Abd El-Malek, Y., Hosny, I.; El-Hadidy Tomader, T. and Ragab, M. (1974b):** Microbial Activities in North Eastern desert soil of Egypt as affected by moisture and organic matter. 261-Bakt .Abst .II.,Bb .129:448.
- Moubarak, M.S.M. (1960):** Addition of organic manures to Tahreer soil and their effect on microflora and some plant nutrients. M.Sc. Thesis, Fac. Agric.Ain-Shams Univ A.R.E.
- Murphy, J. and J.P. Riely (1962):** A modified single solution for the determination of phosphate in natural water. Anal. Chem. Acta, 27:31-36.
- Murray, T.J. (1921):** The effect of straw on the biological soil processes. Soil Sci., 12: 233-261.
- Mustaffa, M.M. (1988):** Effect of orchard management practices on yield, quality and leaf nutrient contents of coorg mandarin. J. Hort. Sci., 63(4):711-716.
- Nemec, S. and Tucker, D. (1983):** Effect of herbicides on endomycorrhizal fungi in Florida citrus (*Citrus* spp.) soils. Weed Science, 31(4):427-431.
- Niggli, U.; Weibel, F.P. and Potter, C.A. (1988):** Weed control in a perennial crop using organic mulch. Zeitschrlt für

Pflanzenkraheiten und Pflanzenschulz Sonderhelt, 11,357-365
(Weed Abst., 37:2887).

Nikolaeva, N.G. and A.T. Shutkina (1977): Herbicides in Moldavian apple orchards. Khimya Vselskon Khozyaistvais, (3): 59-63. (Hort. Abst., 37:9084).

Nilson, P.E. (1957): Influence of crop on biological activities in soil. Kvantitativ Hogsk. Ann., 23,175-218.(Soils and Fert. Abst., 20(5):270).

Noke, G. (1978): Weed control trials in apple orchards. Tidsskrift for Planteavt, 82(5):587-598 (Hort. Abst., 49:65-66).

Orudzhev, O.A. and Semochkina, L.G. (1984): Soil management in intensive orchards. Sadovodstvo Vinogradarstvo I Vinodelie Moldavil, No ,4: 16-17 (Hort. Abst., 55:5847).

Pathak, A.N. (1953): Nitrification in Kampur soils. Allahabad FMR.27:81.(Soils and Fert. Abst.,17(2).597).

Pathak, A.N. (1954): Effect of manural treatments on microbiological population of the soil. J. Soil Water Conserv. India 2 : 69. (Soils and Fert. Abst., 17 (7): 1483)

Pregel, E. (1945): Quantitative Organic Micro Analysis 4th Ed. J. Chundril. London.

Putnam, A.R. (1976): Fate of glyphosate in deciduous fruit trees. Weed Science. 24: 525 - 430.

Quast, P. (1987): Herbicide usage in tree rows. Mitteilungen des Obstbauversuchsrings des Alten Landes, 42(4):149-156 (Hort. Abst., 57:5248).

Rahovic, D. and Petrovic, M. (1974): The use of polyethylene film in pear growing. Jugosovensko Vocarstvo, 8(29-30):65-72. (CAB Intr. Abstracts).

Rahovic, D. and Petrovic, M. (1977): The effect of black polyethylene film on vegetative growth, yield and fruit quality

in pears and peaches at high planting densities. *Jugoslovensko Vocarstvo*, 10(39-40):553-559. (CAB Intr. Abstracts).

Richard, A.; Guinivan, Neal P. Thomson and Willis B. Wheeler (1982): Verification of structures of chloroethy N-Hepta fluorobutyryl derivatives of glyphosate and (Aminomethyl) phosphonic acid by chemical ionization and electron Impact Mass spectrometry. *J. Agric. Food Chem.*, 30,977-982.

Robinson, D.W. and N.D. Kennedy (1978): The effect of overall herbicide system of soil management on the growth and yield of apple trees Golden Delicious. *Scientia Horticulturae*, 2: 127-136 (*Hort. Abst.*, 49:1005).

Robinson, J.B.D. and J.M. Singh (1973): Effect and economics of weed control in bananas. *Fig Agricultural J.*, 35(2). (*Weed Abst.*, 24:973).

Rom, R.C. and R.E. Talbert (1971): Field evaluation of herbicides in fruit crops. University of Arkansas Agricultural Experiment Station No.191,23 pp. (*Weed Abst.*, 22:1254).

Ruger, H. (1991): Experiments on reducing herbicide use in fruit growing. *Obstbav Bonn*, 16(7):346-350. (CAB Intr. Abstracts).

Rupp, L.A. and Anderson, J.L. (1985): Growth and fruiting responses of young apple and tart cherry trees to weed control. *HortScience*, 20(4):727-729.

Saber, M.S.M. (1966): Studies on the effect of sewage effluent on the microbial activities in soil. M.Sc. Thesis, Fac. Agric., Cairo Univ., A.R.E.

Schuricht, R.; G. Schonberg and W. Fielder (1983): Effect of mechanical soil cultivation and weed control on apple trees and soil properties. *Archive für Gartenbau*, 31(4):199-213 (*Hort. Abst.*, 45:521).

Shady, M.A.M. (1970): Microbiological studies on Kharge oasis soils. M.Sc. Thesis, Fac. Agric., Cairo Univ., A.R.E.

- Sharma, Y.P.L. and Bhutani, V.P. (1989):** Effect of nitrogen levels and weed control treatment on nutrient status of peach (*Prunus persica*). Indian J. Agric. Sci., 59(4): 235 -259. (CAB Intr. Abstracts).
- Shergill, T.S. (1993):** Effect of herbicides on leaf nutrient (NPK) content, fruit yield and quality of kinnow mandarins. J. Maharashtra Agric. Univ., 18(3):367-369. (CAB Intr. Abstracts).
- Shergill, T.S.; Bajwa, G.S. and Sidhu, M.S. (1990):** A note on the effect of herbicides on nutrient status yield and quality of mandarin cv. Kinnow Haryana. J. Hort. Sci., 19(3-4):302-304.
- Skinner, F.A.; P.G. Jones and J.E. Mollison (1952):** A comparison of direct and plate counting technique for quantitative counts of soil microorganisms. J. Gen. Microbiol, 6:261-271.
- Smith, F.M.; A. Gilles; J.K. Hamilton and P.A. Godess (1956):** Colormetric methods for determination of sugars and related substances. Anal. Chem, 28:350-356.
- Smith, N.R. and H. Humfield (1930):** Effect of rye and vetch green measures on the microflora, nitrates and hydrogen ion concentration of two acid and neutralized soils. J. Agric. Res., 41:97-124.
- Spasov, V. and Gurnevski, V. (1980):** Chemical weed control in apple orchards on leached cinnamon forest soil. Gradinska I Lozarska, 17(5):56-61. (CAB Intr. Abstracts).
- Spring, J.L. (1993):** Trials on soil management along the line of trees: intermediate results. Reuue Suisse de Viticulture d' Arboriculture et d Horticulture, 25(6):353 -361. (CAB Intr. Abstracts).
- Stanek, J. (1983):** The effect of soil management on apple yield and growth. Holovousy, Czechoslovakis; Vyzkumny a Slechtitelsky Ustav Ovocnarky, 259-266. (Hort. Abst., 53:5675).

Stino, G.R. (1987): Is growing temperate-zone-fruits profitable in the tropics and subtropics? Hort. Sci., 22 (6): 1243-1246.

Stojanowska, J. (1987): The influence of mulching with perforated black foil on growth and bearing of apple trees. Fruit Science Reports, 14(2):79-84 (Hort. Abst., 58:5450).

Thakur, G.C.; Chadha, T.R.; Verma, H.S.; Jayant Kumar and Kumar, J. (1993): Effect of soil management systems on bearing and fruit quality of apple cv. Red Delicious. Indian J. Hort., 50(1):10-13. (CAB Intr. Abstracts).

Thomas, W. and Dutcher, R.A. (1929): Picric acid method for carbohydrate. J. Amer. Chem. Soc., 46: 1662-1665.

Tolhurst, J.A.H. (1973): The influence of mulch on the nutrient content of tea leaf. Tea in East Africa, No.2, 14-19.

Tomac, M. and Srekais, A. (1986): Resistance of *Cynodon dactylon* to low volume glyphosate applications. Fragmenta Herbologica Jugoslavica, 15(1):65-69. (Hort. Abst., 59:3605).

Van Staaldvine (1968): Some results of weed control trials with sinbar under apple trees. Fruitteelt, 60 (1):200-203 (Hort. Abst., 40:2425).

Voinova, Z.; Doichev, K.; Iliev, S. and Tasseva, V. (1986): The effect of the management of a fruit bearing apple orchard and the rate of nitrogen application on the microbiological processes occurring in the soil. Pochvozanie Agrokhimiya i Rastitelna Zashchita, 21(2):55-62. (Soil and Fert. Abst, 52:9036).

Waksman, S.A. (1931): Principles of soil microbiology. Bailliere, Tindall & Cox (London).

Walkley, A. and I.R. Black (1965): An examination of methods for determining organic carbon and nitrogen in soil. J. Agric. Sci., 25:598-609.

- Wessels, H.J. (1968):** Herbicides keeps orchards clean and production higher. South Africa Citrus J., (418),11-13.(Hort. Abst., 39:3554).
- Winogradsky, S.A. (1924):** Influence of organic matter up on the soil population. C.R.A Cad Sci., 178:1236. (Waksman S.A .1931).
- Worobey, B. L. (1987):** Analytical method for the simultaneous Determination of Diquate and paraquat residues in potatoes by high-pressure liquid chromatography. Pestic. Sci. 18, 245-257.
- Xu, M.X.; Li, B.Z.; Wang, Y.Z.; I DU, L.M. and Zhang H. (1983):** Effect of plastic films mulching on the shoot growth of young apple trees. Shanxi Fruit Trees Shanxi Guoshu, No.3:2-4 (Hort. Abst., 54:8857).
- Yankovoi, M.L. (1983):** Effect of herbicide application and plastic mulching on growth and cropping in a young apple orchard. Sadovodstvo Vinogradarstvo I Vinodelie Moldavii, No.12,50. (CAB Intr. Abstracts).
- Young, R.S. (1983):** Glyphosate plus adjuvants. Proceeding of the 37th Annual Meeting of the Northeastern Weed Science Society, 250-254 (Hort. Abst.,54:3157).
- Young, R.S. (1989):** Virginia creeper response from systemic herbicides. Proceedings, 43rd Annual of the Northeastern Weed Science Society 133-137.(Weed Abst., 39: 2233).
- Zaki, H.A. (1979):** Studies on the effect of certain herbicides on some fruit trees and fruit characteristics. Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Zyl, H.S. Van; Jolly, P.R. and Allison, E. (1977):** The use of plastic mulch and herbicides in nurseries and young apple orchards. Deciduous Fruit Grower, 27(1):30-33. (CAB Intr. Abstracts).

