

VII-LITERATURE CITED

- Abd EL-Kareim, A.H.I. (1997):** Studies on *in vitro* micropropagation of *Yucca elephantipes* and *Magbolia grandiflora* plants M. Sc. Thesis Faculty of Agriculture, Cairo University.
- Afify, A.M.R. and Y. Ghali (1987):** Effect of different methods of extraction on the protein patterns of stored and fresh onion seeds by polyacrylamide gel electrophoresis. *Annals of Agric. Moshtohor*, 25: 267-275.
- Al-Jibouri, A. J. M.; R. M. Salman and M. S. Omar (1988):** "Transfer of *in vitro* regenerated date palms to the soil". *Date Palm Journal*, 6(2): 390-400.
- Allan, P.; M. O. Brutsch; I. E. Smith and B. N. Wolstenholme (1980):** Improved techniques for pecan propagation by hardwood cuttings. *Pecan Quarterly* 14 (7-9): 11-14.
- Al-Maarri, K. W. (1995):** "Date palm propagation by embryogenesis." In: *Date palm propagation Through Tissue culture Techniques*, pp.97-132.
- Amoatey, H.M.; G. Klu and P. Gyp (1997):** Improvement of plantain, *Musa* spp. using mutation breeding techniques. Reports of the 3rd Research

Coordination of FAO/IAEA Co-Ordinated
Research Programme, 89: 26-28.

- Awad, A. E.; T. M. Nasr El-Din; I. A. Ibrahim; A.A. Meawad and A. Emara (1991):** Effect of growth regulators on the *in vitro* establishment and development of carnation shoot tips. Zagazig. J. Agric. Res. 18 (5) 1521- 1548.
- Baaziz, M.; F. Aissam; Z. Brakez; K. Bendiab; I. El-Hadrami and R. Cheikh (1994):** Electrophoretic patterns of acid soluble protein and active isoforms of peroxidase and polyphenoloxidase typifying calli and somatic embryos of two reputed date palm cultivars in Morocco. Euphytica, 76: 159-168.
- Barrett, H.C. and A.M. Rhodes (1976):** American taxonomic study of affinity relationships in cultivated citrus and its close relative. Systematic Botany, 1(2); 105-136.
- Bekheet, C. A. (1992):** Studies on propagation of Globe artichoke through tissue culture technique. M. Sc. Thesis Faculty of Agriculture Ain Shams University.
- Ben-Hayym, G.; Y. Vaadia and B.G. Williams (1989):** Proteins associated with salt adaptation in citrus and tomato cells: involvement of 26 KDa

polypeptides. *Physiologia Plantarum*, 77(3): 332-340.

Bertazza, G.; R. Baraldi and S. Predieri (1995): Light effects on *in vitro* rooting of pear cultivars of different rhizogenic ability. *Plant Cell, Tissue and Organ Culture*, 41:139-143.

Blenda, V. F. and L.D. Radilova (1991): Clonal micropropagation of stone fruit rootstocks. *Sadovodstvo-l- Vinogradarstvo*. No. 3, 21-24.

Bolar, J. P.; J. L. Norellt; H.S. Al dwinckle; V. Hanke (1998): An efficient method for rooting and acclimation of micropropagation Apple cultivars. *HortScience*, 33 (7): 1251-1252.

Bradford, M.M. (1976): A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of proteindye binding. *Anal. Biochem.*, 72: 248-254.

Bravo, C.; G. Yormann and B. Liorente (1999): Micropropagation of *Aristolochia fimbriata* Cham. *Acta Horticulture* No. 502, 339-346.

Caboni, E. and C. Damiano (1994): Rooting in two almond genotypes. *Plant Science (Limerick)*, 96(1/2): 163-165.

Cavalcante-Alves, J.M.; M. Allot; S. Tizroutines; I. Mussio; A. Servaes and G. Ducreus (1994):

Isozyme modification and plant regeneration through somatic embryogenesis in sweet potato (*Ipomoea batatas* (L.) Lam.). Plant Cell Reports, 13: 437-441.

Cotee, F.; D. Alvard; R. Domergue; Novarro, L. Mastache and C. Teisson, (1990): *In vitro* micropropagation of banana plants. Fruits Paris Special Tissue, 112-118.

Derrick, K.S.; R.F. Lee; R.H. Brlansky; L.W. Timmer; B.G. Hewiti; and G.A. Barthe (1990): Proteins associated with citrus blight. Plant Disease, 74(2): 168-170.

Domingues, E.T.; A. Tulmann-Neto; B. M. Mendes and A. Ando (1994): Effect of gamma ray doses on shoot apex of banana (*Musa* sp.) plants developed *in vitro* aiming at mutation induction. Pesquisa Agropecuaria Brasileira, 29(7): 1091-1098 [Plant Breeding Abstr., 1994: 11210].

Duncan, D.B. (1955): Multiple range and multiple F-tests. Biometrics, II: 1-42.

Eliasson, M.K.; C.A. Beyl and P.A. Barker (1994): *In vitro* responses and acclimatization of prunus with paclobutrazol. Journal of Plant Growth Regulation, 13(3): 137-142.

El-Kazzaz, A. A.; G.E. Fahmy; M.K. El-Bahr; M.S. Hanafy and S.H. Moemen (1997): Propagation

of mulberry (*Morus alba* L.) via tissue culture.
Bull. NRC, Egypt. 22 (2): 175-188.

Gabryszewska, E.; D. Warabieda (1992): Rooting of *ex vitro* derived microcuttings of Lilac (*Syringa vulgaris* L.) cv. Prace-Institutn-Sadownictwa-I-Kwiaciarnstwa-W-Sierniewicach-Seria-B-Rosliny-Ozdozn. 17: 189- 202.

Gannoun, S.; SM. Lionakis and D. Gerasopoulos (1996): Effect of light intensity on sucker proliferation and rooting *in vitro* of *Musa acuminata*, Grand Nain clone. Agricultura, Mediterranea, 126 (4): 405-407.

Garcia-Rodriguez, A.; J.R. Lorenzo-Martinez, and M.Z. Rodriguez-Enriquez (1987): *In vitro* propagation of canary Island banana (*Musa acuminata* colla AAA var Dwarf Cavendish). Studies of factors affecting culture attention, preservation and conformity of the plants. Acta Horticulturae, 212 (11): 557-583.

Gautam, D.R. and J.S. Chauhan (1988): Rooting and establishment of juvenile pecan stem cutting as influenced by planting season and IBA concentrations. Progressive Horticulture 20: 299-304.

Glab, D.M. and I.P. Gordzievskaya (1987): Propagation of *Platy cerium bifurcatum* (cav)

chr. In *in vitro* culture. Introduktsiya Akklimatizatsiya Raslenii, 7: 59-61 (Hort. Abst. 58: 2257).

Grosser, J. and Ji. Chandler (1986): *In vitro* multiplication of *Swingle citrumelo* rootstock with coumarin. HortScience. 21:3(1): 518-520.

Gruselle, R. and P. Boxus (1990): Walnut micropropagation. Acta Horticulturae No. 284, 45-52.

Gruselle, R.; N. Badia and Ph. Boxus (1987): *In vitro* problems related to Mass propagation. Station des cultures fruitieres et maraicheres chaussee de charleroi, 234 (Acta Horticulturae 212).

Hammed, H.H. and M. El-Zanaty (1999): Effectiveness of Dri water product as a supplementary irrigation system for tree seedlings. The regional symposium on Agro-technologies based on biological nitrogen fixation for Desert Agriculture, April 14-16.

Hammerschlag, F.A. (1982): "Factors influencing *in vitro* multiplication and rooting of the plum rootstock Myrobalan (*Prunus cerasifera* Ehrh.)". J. Amer. Soc. Hort. Sci., 107(1): 44-47.

Hammerschlag, F.A.; G.R. Bouchan, and R. Scorza (1987): "Factors influencing *in vitro*

multiplication and rooting of peach cultivars".
Plant Cell, Tissue and Organ Culture, 8: 235-242.

Harada, H.; Y. Yumigeta and T. Hosoi (1988): These of rockwool and polyester fibra blocks as supporting materials for rooting and acclimatization of apple shoots cultured *in vitro*. Bulletin of the Faculty of Agriculture, Shizuoka University No. 38, 15-19.

Hasegawa, P. M. (1980): Factors affecting shoot and root initiation from cultured Rose shoot tips. J. Amer. Soc. Hort. Sci. 105: 216-220.

Hasegawa, P.M.; Y. Takigawa; A. Tokuzumi; Y. Sato and N. Soichi (1995): Propagation of *Eucharis grandiflora* Planch by tissue culture. Technical Bulletin of the Faculty of Agriculture, Kogawa University 47(1): 7-86.

Hegde, S. and L. D'Souza (1995): *In vitro* propagation of an ornamental tree *Millingtonia hortensis* L.F. Gartenbauwissenschaft, 60 (6). S. 258-261.

Jasral, Y.T.; Y. Mudgll; A. Remakanthan and V. Kannav (1999): Direct shoot regeneration from cultured leaves of *Passiflora caeruleal* and field performance of regenerated plants. Phytomorphology, 49(3) 289-293.

Jyoth-Bhaskar.; M. Aravinda-Ksham; P.K. Valsala-Kumari;; P.K. Rajeevan and J. Bhaskar

- (1993): Micropropagation studies in banana. South Indian Horticulture, 41 (4): 186-191.
- Khosh-Khui, M. and K.C. Sink (1982):** Rooting enhancement of *Rosa hybrida* for tissue culture propagation. HortScience, 17: 371-376.
- Klessner, P.J. and D.D. Nel (1976):** Virus diseases and Tissue culture of some South African bulbs. Acta Hort., 59:71-76.
- Kuhne, V.; S. Gennerich; B. Henning and V. Hanke (1988):** Possibilities of improving *in vitro* rooting in pome and stone fruits. Gartenbau, 35(6): 180-182.
- Laemmli, U.K. (1970):** Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature, (London), 227: 680-685. [HortScience, 26(7):]
- Madhuri, S. and P.C. Shankar (1998):** "Somatic embryogenesis and plant regeneration from leaf primordia of *Phoenix_dactylifera* cv. Tokubi". Indian Journal of Experimental Biology; 36(5): 526-529. (Hort. Abst. 68, No. 10).
- Maena, L. and P. Debergh (1985):** Liquid medium additions to established tissue cultures to improve elongation and rooting *in vivo*. Plant Cell, Tissue and Organ Culture 5:23-33.

- Makarem, M.M.S. (1985):** Physiological and histological studies on the propagation of pear. Ph. D. Thesis. Fac. Agric. Ain Shams Univ. Egypt.
- Mante, S.; R. Scorza and J.M. Cordth (1989):** Plant regeneration from cotyledons of *Prunus persica*, *Prunus domestica* and *Prunus cerasus*. Plant Cell, Tissue and Organ Culture, 19 (1): 1-11.
- Marchal J. (1990):** Physiologic of nutrition of banana plants *in vitro* and during the hardening period. Fruits Paris, Special Issue, 123-126.
- Mater, A.A. (1986):** "In vitro propagation of *Phoenix dactylifera* L.", Date palm J., 4(2): 137-152.
- Mohamed, A.M. (1997):** Physiological studies on the effect of medium components on the growth and metabolic response of banana plants grown *in vitro*. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Mohan, N.K. and V.N.M. Rao (1984):** The effect of plant density on the banana root system. South Indian Horticulture Abst., 68: 4687.
- Moreira, M. A.; M. Pasqual; G.R. Carvalho; M. B. Maver (1998):** Effect of indolobutyric acid and incubation time on acclimation of sprouts obtained *in vitro* from *Citrus sunki* Hort ex Tan root-stock. Revista ceres, 45:258,153-160.

- Moreno, J. and J.L. Garcia-Martinez (1984):** Nitrogen accumulation and mobilization in citrus leaves through the annual cycle. Hort. Abst., 54 No., 10.
- Morimoto, J. (1977):** Identification of Citrus species by phytoserological methods. Proc. Int. Soc. Citriculture, 2: 625-631.
- Morini, S.; Fortuna, P.; Sciutti, R. and Muleo, R. (1990):** Effect of different light-dark cycles on growth of fruit tree-shoots cultured *in vitro*. Plant Physiology, 4: 163-166.
- Murashige, T. and F. Skoog (1962):** A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant, 15: 473-497.
- Nagatomi, S.; K. Degi and H. Ijemiya (1996):** Development of a radiation breeding method using *in vitro* culture in banana. Technical News Institute of Radiation Breeding, 55(2):
- Navatel, J.C. and L. Bourrain (1994):** Influence of the physical structure on the medium on *in vitro* rooting. Advances in Horticultural Science 8(1): 57-59.
- Noc, N.; and T. Eccher (1994):** Influence of irradiance on *in vitro* growth and proliferation of *Vaccinium cereum* (high bush blueberry) and subsequent rooting *in vitro*. Physiologie Plantarum, 91 (2):273-275.

- Novak, F.J.; R. Afza; M. Van-Duren and M.S. Omar (1990):** Mutation induction by gamma irradiation of *in vitro* cultured shoot tips of banana and plantain (*Musa* cvs.). Tropical Agriculture, 67(1): 21-28.
- Novak, F.J.; R. Bruuer; R. Afza and M. Van-Duren (1995):** Mutation breeding of *Musa* sp. (banana and plantain). Mutation Breeding Newsletter, 36(1): 2-4.
- Nower, A.F. (1998):** “*In vitro* propagation of some ornamental plants.”, M. Sc. Thesis, Dept. of Flori., Fac. of Agric., Cairo Univ., Egypt. pp. 49.
- Ognjonov, V. and V. Vujanic (1989):** Vegetative propagation of peach *in vitro*. J. of Korean Soc. For Hort. Sci., 23(2): 479-483 (Hort. Abst., 60 : 5047).
- Omar, M. S. (1988):** “*In vitro* response of various date palm explants”. Date Palm Journal, 2(2): 371-389.
- Paek, K.Y; C.H. Lee; J.K. Choi and B.H. Kwack (1984):** Mass propagation of *Nephrolepis exaltata* by runner Tips *in vitro*. Journal of the Korean Society for Hort. Sci., 25(4) 313-321. (Hort. Abst. 56:1831).
- Pottino, B.G. (1981):** Methods in plant tissue culture. Dept. of Hort. Agric. College, Maryland Univ., USA, pp. 8-29.

- Prasad, J.A.; A. Rabbani and R.A. Ram (1988):** Rooting of hardwood cuttings of guava through bottom heat. Hort. Abst. 61: 10536
- Raman, H.; S.S. Gosal and D.S. Brar (1992):** Plant regeneration from callus cultures of *Citrus limon* and *C. jambhiri*. Crop Improvement. 19 (2): 100-103.
- Rana, H.S. and T.R. Chadha (1992):** Studies on the clonal propagation of prunus species and their relationship with some biochemical characters. Progressive Horticulture. 21(3-4): 329-335.
- Raymond, S. and L. Weintraub (1959):** Electrophoretic techniques for protein separation. Science, 130:711.
- Reeves, D.W.; B.D. Horton and G.A. Couvillon (1983):** Effect of media and media pH on *in vitro* propagation of "Nemaguard" peach rootstock. Scientia Hort., 21: 353-357.
- Reeves, D.W.; G.A. Couvillon and B.D. Horton (1985):** Effect of gibberellic acid (GA₃) on elongation and rooting of St-Juliena rootstock *in vitro*. Plant Physiol. & Biochemistry, 26(3): 252-259.
- Rehedar, A. (1967):** Manual of Cultivated Trees and Shrubs. 2nd Edt. McMillan, New York, USA.

- Reuveni, O. (1988):** Methods for detecting somaclonal variation in William's banana INIBAP. International workshop: Identification of genetic diversity in the genus *Musa*. Los Banos, Philippines, Sept., pp. 108-113.
- Rossi, C.; G. de Paoli; P. dal Pozzo; G. Depaoli and P. Dal Pozzo (1992):** Propagation of *Pyrus calleryana* sel. D6 by *in vitro* culture. Acta Horticulturac. No. 300, 145-148.
- Rouseff, R.L.; S.F. Martin and C.O. Youtsey (1987):** Quantitative survey of naringin, hesperidin and neohesperidin in citrus. J. Agric. Food Chem., 35: 1027-1030.
- Ruzic, D. (1996):** Effect of paclobutrazol on *in vitro* rooting of sour cherry cv. Sumad in Ka (*Prunus cerasus* L.). Journal of Fruit and Ornamental Plant Research 4(1): 11-20.
- Sanyat-Misra and Ranvir-Singh (1999):** *In vitro* propagation of gladiolus cv. American Beauty Journal of Ornamental Horticulture (New Series) 2(2) 67-70.
- Sawarsan, M.R. (1996):** Studies on rooting of stem cuttings in some fruit species. M. Sc. Thesis, Faculty of Agric. Moshtohor. Zagazig Univ. Egypt. pp. 134-159.

- Saya, A. and P.G. Schach (1992):** Effect of gas exchange on photosynthesis and growth *in vitro* of banana (*Musa accuminata* AAA). Cahiers, Agriculture, 1(3): 163-172.
- Scandalios, J.C. and S.A. Baum (1982):** Tissue specific isozyme variations in maize. J. of Heredity, 55: 281-285.
- Sciulti, R. and S. Morini (1993):** Effect of relative humidity in *in vitro* culture on some growth characteristics of a plum rootstock during shoot proliferation and rooting and on plantlet survival. Advances in Horticultural. Science 7 (4): 153-156.
- Shakib, A.M. S. Khashkam and E. Hervan (1994):** Plant regeneration of date palm variety Estamaran by tissue culture. Seed and Plant, 9(3/4): 8-11.
- Sharma, S.K. and R.C. Dhiman (1998):** *In vitro* clonal propagation of hybrid of Raulownid (*P. fortunei* X *P. tomentosa*). Phytomorphology, 48 (2): 167-17.
- Shibli, R.A.; M.M. Ajlouni; A. Jarodat S. Aljanabi and M. Shataw (1997):** Micropropagation in wild pear (*Pyrus Syrica*). Screntia Rborti Culture, 68 (1-4): 237-242.
- Siliayoi, B.; K. Wanichkul; S. Keawsompong and P. Saradulthat (1995):** Study of mutation breeding

- "Kluai Khai". Final Report of FAO/IAEA co-ordinated Research Programme from 1988 to 1993, 86: 65-77.
- Skirvin, R.M. and S. Sriskandarajah (1993):** The use of fogging and ohototron units to acclimatize *in vitro* derived apple shoots. Hort. technology, 3 (2): 208-210.
- Snedecor, W.G. and G.W. Cochran (1989): **"Statistical Methods" 8th Ed. Iowa State College. Press Amer., Iowa, U.S.A.**
- Starrantino, A. and A. Caruso (1988):** The *in vitro* culture technique for the micropropagation of citranges and trifoliate orange cv. Flying Dragon. Annali dell' Istituto sperimentale per Agrumicoltura, Italy (1984 / 1985, Publ. 1988). 17-18, 259-271. [Hort. Abst. 59, 10405].
- Stegmann, H.; W. Purgermeister; A. Shah; H. Franckssen and R.C.E. Krogerrecklenfo (1987):** Gel electrophoresis between glass plates in polyacrylamide or other gel. Manual of Institute fur Biochemi., pp. 31-37.
- Stover, R.H. (1987):** Somaclonal variation in Grand Nain and Saba banana in nursery and field. In: Banana and Plantain Breeding Strategies: Proceeding of an International Workshop Held at Cairns,

Australia, 1985 ACIAR Producing, No. 12; 136-190.

- Telgen, H.J.; A. Mil and B. Kunneman (1992):** Effect of propagation and rooting conditions on acclimatization of micropropagated plants. *Acta Botanica Neerlandica* 41(4): 453-459.
- Tisserat, B. (1981a):** "Date palm tissue culture". USDA/ARS Advances in Agricultural Technology, Western series, No. 17. Agricultural Res. Ser., Oakland, California.
- Tisserat, B. (1981b):** "Production of free-living palms through tissue culture". *Date Palm J.*, 1: 43-54.
- Tisserat, B. (1982):** "Factors involved in the production of plantlets from date palm callus cultures". *Euphytica*, 31(1): 201-214.
- Tisserat, B. (1984):** "Date palm". In: Sharp, W. R.; Evans, D. A.; Ammirato, P. V. and Yamada, Y. (eds) *Handbook of Plant Cell Culture*, vol. 2, McMillan, New York, pp. 505-545.
- Tsay, H.S.; T.G. Gau and C.C. Chen (1989):** "Rapid Clonal propagation of *Pinellia ternata* by tissue culture". *Plant Cell Reports*; 8 (8): 450-454.
- Turovskaya, N.I. (1987):** Micropropagation of pears: *Sadovodstvo*, Moscow, No. 6, 22-24.

- Tusa, N.; G. Geraci (1988):** *In vitro* propagation of some citrus rootstocks. Acta Horticulturae. No. 227, 464-466. [Hort. Abst. 59(7): 6091].
- Velickovic, W. and M. Jovanovic (1986):** Effect of IBA on rhizogenic properties of M26 hardwood cuttings. Jugoslovenko Vocartsvo 20: (77178 c3/4): 141-144 (Hort. Abst., 56: 9397).
- Voyiatzis, D.G. and G.H. McGranahan (1994):** An improved method for acclimatizing tissue cultured walnut plantlets using an antitranspirant. HortScience 29 (1): 42.
- Vysnotskii, V.A. and E.V. Olesko (1988):** Use of micrografts in the clonal micropropagation of stone fruits. Plant Breeding, No. 4: 75-77.
- Wang, Q.C. (1992):** The effect of light, darkness and temperature on micropropagation of the pear rootstock BP 10030. Journal of Horticultural science, 67: 6, 869 – 878.
- Wang-Aloin; H.E. Longfel; Zhouqiong and Sheng-yuping (1999):** Comparative study on transplanting of lily plantlets. Journal of Guangxi Agricultural and Biological Science 18(3): 187-189.
- Wattanawikkitt, P.; S. Tantiwiwat; S. Surawa-Tananon and S. Sangthongprow (1999):** *In vitro* culture of Malay apple (*Eugenia malaccensis* Linn). In the

37th Kasetsart University Annual Conference, 3-5 February edited by Oates, C.G.L. Bangkok, Thailand; Text and Journal publication Co, Ltd 235-240 ISBN 974-553-634-2 (9 ref) Department of Botany, Faculty of Science, Kasetsart Univ., Thailand.

Witt, W.; C.S. Mauk and G. Yelenosky (1989): Glycoproteins in citrus foliage and callus tissue as affected by cold-hardening temperature and Absciscic acid. *Journal of Plant Physiology*, 134(6): 716-721.

Youssef, N. F. (1978): Studies on pecan propagation. M. Sc. Thesis Fac. Agric. Ain Shams Univ.

