




VII- LITERATURE CITED

- Acuna, J.R.; Pena-M-de; De-Pena-M (1991):** Plant regeneration from protoplasts of embryogenic cell suspensions of *Coffea arabica* L. cv. Caturra. Plant-Cell-Reports. 10: (6-7): 345-348.
- Arya, I.D.; S. Arya and T. Eriksson (1993):** Protoplast isolation and culture from six embryogenic cell lines of picea abies (L.). Indian Journal of Experimental Biology. 31 (5): 463-467.
- Assani, A.; R. Haicour; G. Wenzel; B.W. Foroughi; F. Bakry; Fx. Cote; G. Ducreux; A. Ambroise and A. Grapin (2002):** Influence of donor material and genotype on protoplast regeneration in banana and plantain cultivars (*Musa* spp.). Plant Science. 162 (3): 355-362.
- Assani, A.; R. Haicour; G. Wenzel; F. Cote; F. Bakry; B.W. Foroughi; G. Ducreux; M.E. Aguillar and A. Grapin (2001):** Plant regeneration from protoplasts of dessert banana cv. Grand Naine (*Musa* spp.) Cavendish sub. group AAA) via somatic embryogenesis. Plant Cell. Report. 20 (6): 482-488.
- Bakry, F. (1984):** Choice of the material to use in protoplast isolation from banana (*Musa* sp.) fruits. 39 (7-8): 449-452.

- Baophan, H.; L. Landi; L. Taruschio; D. Mott; B. Mezzetti and P. Rosati (1997):** Protoplast isolation, culture, and cell differentiation in raspberry and blackberry cultivars (*Tubus* spp.). *Angewandte Botanik*. 71(3 /4): 131-137.
- Barbier, M and R. Bessis (1988):** Effects of different factors contributing to the improvement of protoplast isolation from vine (*Vitis vinifera* L.) leaves. *Bulletin-de-la-Societe-Botanique-de-France,-Lettres-Botaniques*. 135:(3): 251-261.
- Barbier, M and R. Bessis (1990):** Isolation and culture of grape vine cv. Chardonnay leaf protoplasts. *Euphytica*. 47: (1): 39-44.
- Benedito, V.A.; F. Mourao-Filho and B.M.J. Mendes (2000):** Callus induction, somatic embryogenesis and protoplast isolation from sweet orange varieties. *Scientia-Agricola*. 57: (1): 33-38.
- Blackhall, N.W.; M.R. Davey and J.B. Power (2002):** Isolation, culture and regeneration of protoplasts. *Plant Cell Culture "Book"*: 27-39.
- Brezeanu, A. and A. Rosu (1984):** Isolation and culture of cell protoplasts from the mesophyll callus of *Vitis vinifera* L.: *Revue-Roumaine-de-Biologie,-Biologie-Vegétale*. 29: (1): 33-37.
- Brisset, M.N.; S.J. Ochatt and J.P. Paulin (1990):** Evidence for quantitative responses during co-culture of *Pyrus*

communis protoplasts and *Erwinia amylovora*. Plant-Cell-Reports. 9 (5): 272-275.

Budiani, A.; J.S. Tahardi and C. Mollerc (1998): Oil palm protoplast isolation and culture. Proceedings of the Fourth Workshop on Oil Palm Improvement through Biotechnology, Bogor, 16-17 April 1997. Biotechnology Research Unit for Estate Crops, Bogor, Indonesia. 33-41.

Buensuceso, C.S.; V. Gruezo; N.E. Go and S.C. Halos (1991): Protoplast isolation form calli of *pinus caribaea* morelet. Physiologia Plantarum. 82 (1): 1-12.

Chai, Q.G.; Y.Q. Qian; S.Q. Ke and Z.C. He (1993): Regeneration of plant from protoplasts of kiwi fruit (*Actinidia deliciosa*). Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (23): 3-17.

Chen, M.H and C.C. Chen (1992): Plant regeneration from *Carica* protoplasts. Plant-Cell-Reports. 11:(8) 404-407.

Chen, M.H. (1994): Regeneration of plants from protoplasts of carcia species (*Papaya*). Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (29): 52-60.

Chen, W.H. and Z.C. Ku (1985): Isolation of mesophyll cells and protoplasts and protoplast fusion and culture in banana. Journal-of-the-Agricultural-Association-of-China., No (129). 56-67.

- Chiariotti, A. (1991):** Protoplast isolation from leaf-mesophyll and cell suspension cultures of fruit trees. *Physiologia Plantarum*. 82 (1): Alb; Also eighth international protoplast symposium.
- D' Onofrio, C.; S. Morini and C. Vitagliano (1999):** Isolation of protoplasts from in vitro-grown quince BA29 leaves. *In-Vitro-Cellular-and-Developmental-Biology-Plant*. 35 (5): 421-423.
- D' Utra, V.F.; A.D. Santos; G. Manders; E. Cocking; M. Davey; J. Power and S.D. Santos (1993):** Plant regeneration from leaf mesophyll protoplasts of the tropical woody plant, passionfruit (*Passiflora edulis* var. *flavicarpa* Degener.): The importance of the antibiotic cefotaxime in the culture medium. *Plant-Cell-reports*. 12: (4): 220-225.
- Deng, X.X and W.C. Zhang (1990):** Isolation of protoplasts from citrus tetraspores. *China-Citrus*. 19:(1): 7-8.
- Ding, A.P.; H.F. Wang and Y.F. Cao (1994):** Protoplast culture and plant regeneration of *Malus pumila*. *Acta-Botanica-Sinica*. 36: (4) 271-277.
- Dornelas, M.C. and M.L.C. Vieira (1993):** Plant regeneration from protoplast cultures of *Passiflora edulis* var. *flavicarpa* Deg., *P. amethystina* Mikan. and *P. cincinnata* Mast. *Plant-Cell-Reports*. 13 (2): 103-106.

- Dornelas, M.C.; F.C.A Tavares; J.C. Oliveira; M.L.C. Vieira and J.C. De-Oliveira. (1995):** Plant regeneration from protoplast fusion in *Passiflora* spp. Plant-Cell-Reports. 15 (1-2): 106-110.
- Dovzhenko, A.; U. Bergen and H.U. Koop (1988):** Thin-alginate-layer technique for protoplast culture of *tobacco* leaf protoplasts: shoot formation in less than two weeks. Protoplasma. (204): 114-118.
- Duval, M.F.; J.L. Noyer; X. Perrier; G. Coppens d'Eckenbrugge and P. Hamon (2001):** Molecular diversity in *pineapple* assessed by RFLP markers. Theor Appl. Genet. 102: 83-90.
- El-Miniawy, S.M.; S.A. Bekheet and M.K. El-Bahr (2002):** Protoplast isolation and culture in strawberry (*fragaria x ananassa*). Bulletin of the National Research Centre (Cairo). National Information and Documetation Centre (NiDoc), Cairo, Egypt. 27 (3): 375-384.
- Ferraiolo, G. (1997):** Isolation and culture of fruit tree protoplasts. Itolus-Hortus. 4 (1): 31-41.
- Fotouhi. G.R and Y.O. Hamid (1998):** Cell suspension culture, isolation and protoplasts fusion of two seedless species of Citrus (*Citrus sinensis* L. Obs. cv. *Washington navel* orange and *C. unshiu* Marc.). Iranian-Journal-of-Agricultural-Sciences. 29 (2): 267-274.

- Gamborg, O.L.; R.A. Miller; K. Ojima (1968):** Nutrient requirements of suspension cultures of soybean root cells. *Exp. Cell Res.* 50: 151-158.
- Gan, L.; X. Deng; W. Zhang; C. Fideghelli and F. Grassi (1996):** Callus formation from protoplast culture of *peach*. *Acta-Horticulturae.* (374): 185-189.
- Gloria, F.J.M.; F. Mourao-Filho; B. Mendes and F. da-Gloria (2000):** Plant regeneration from protoplast of *Brazilian citrus* cultivars. *Pesquisa-Agropecuaria-Brasileira.* 35: (4): 727-732.
- Goldman, M.H.S and A. Ando (1990):** Radiosensitivity of protoplasts of orange (*Citrus sinensis*). *Mutation-Breeding-Newsletter*, 36, (11).
- Grezes, J.; D. Thomas and B. Thomasset (1994):** Factors influencing protoplast isolation from *coffea arabica* cells. *Plant cell, tissue and organ culture.* 36 (1): 91-97.
- Grosser, J.W. and J.L. Chandler (1987):** Aseptic isolation of leaf protoplasts from *Citrus*, *Poncirus*, *Citrus X Poncirus* hybrids and *Severinia* for use in somatic hybridization experiments. *Scientia-Horticulturae.* 31: (3-4): 253-257.
- Grosser, J.W. and F.G. Gmitter (1990):** Somatic hybridization of *Citrus* with wild relatives for germplasm enhancement and cultivar development. *Hort. Science*, 25 (2): 147-151.

- Grosser, J.W.; F.G.N. Tusa and J.L. Chandler (1990):** Somatic hybrid plants from sexually incompatible woody species: *Citrus reticulata* and *Citropsis gilletiana*. Plant-Cell-Reports. 8 (11): 656-659.
- Guedes, N.M.; L. Zambolim and A.V. Jose (1997):** Protoplast isolation of *Ananas Comosus* (L.) Merr. Cv. PEROLERA. Act. Hort. I. (64): 259-266.
- Gunasekare, M.T.K. and P.K. Evans (1998):** Isolation of protoplasts from leaf tissue of tea [*Camellia sinensis* (L.) O. Kuntz.]: factors affecting protoplast yield and viability. Tropical-Agricultural-Research. 10: 1-11.
- Guo, W.W and J.W. Grosser (2004):** Transfer of a potential canker resistance gene into *Citrus* protoplasts using GFP as the selectable marker Acta-Horticulturae. 632: 255-258.
- Guo, W.W.; X.X. Deng and H.L. Yi (2000):** Somatic hybrids between Navel orange (*Citrus sinensis*) and grapefruit (*C. paradisi*) for seedless triploid breeding. Euphytica. 116 (3): 281-285.
- Haicour, R; A. Assani; K. Matsumoto; A. Guedira (2004):** *Banana* protoplasts. *Banana-improvement-cellular,-molecular-biology,-and-induced-mutations-Proceedings-of-a-meeting held in Leuven,-Belgium,-24-28-September-2001*. 2004; 111-125.

Hu, J.; X. Xiong; Q. Zhang and L. Gan (1998): Studies on technology of protoplast culture and plant regeneration of *Actinidia deliciosa*. Journal of Hunan. Agricultural University. 24 (3): 184-190.

Hu, J.; L. Gan; X. Xiong; L. Xiao and Q. Zhang (2000): A study on the selection of callus for protoplast isolation of *Actinidia deliciosa*. Journal-of-Hunan-Agricultural-University. 26:(2): 105-107.

Huancaruna-Perales, E. and O. Schieder (1993): Plant regeneration from leaf protoplasts of *apple*. Plant Cell Tissue and Organ Culture, 34 (1): 71-76.

Huang, I.C. and C.T. Shii (2000): Culture and early embryogenesis of suspension-cell-derived protoplasts of banana AAA Cavendish subgroup cv. *Robusta* and *Pei Chiou* [sic. Journal-of-the- Chinese- Society- for- Horticultural- Science. 46 (1): 65-72.

Huang, L.C.; W.L. Chen and B.L. Huang (1989): Tissue culture investigations of bamboo.III. A method for viable protoplast isolation from *Bambusa* cells of liquid suspension culture. Botanical Bulletin of Academia Sinica. 30 (1): 49-57.

Hurwitz, C.D and G.N. Agrios (1984): Isolation and culture of protoplasts from *apple* callus and cell suspension cultures. Journal-of-the-American-Society-for-Horticultural-Science. 109 (3): 348-350.

- Huy, B.; L. Landi; L. Taruschio; D. Mott; B. Mezzetti and P. Rosati (1997):** Protoplast isolation, culture, and cell differentiation in raspberry and blackberry cultivars (*Rubus* spp.). *Angewandte-Botanik*. 71: (3-4): 131-137.
- Iasi, L.; R. Infante.; P. Rosati and J.S Ochatt (1994):** Protoplast isolation and culture of blackberry and raspberry cultivars (*Rubus* spp.). *Journal-of-Genetics-and-Breeding*. 48 (2): 149-154.
- Infante, R.; L. Iasi; G. Berardi; P. Rosati; K. Smolarz and K. Zmarlicki (1993):** Isolation and culture of blackberry protoplasts (*Rubus* sp.) var. "*Hull Thornless*". Sixth international symposium on *Rubus* and *Ribes*, Skierniewice, Poland. *Acta-Horticulturae*. 352, 345-351.
- Janeckova, M.; J. Mysliveckova and D. Capkova (1993):** Protoplast isolation from strawberry (*Fragaria*), cherry (*Prunus avium* L.) and plum (*P. domestica* L.) leaves. *Zahradnictvi*. 20: (3) 163-167.
- Jumin, H.B and N. Nito (1996):** Plant regeneration via somatic embryogenesis from protoplasts of Uganda cherry orange (*Citropsis schweinfurthii*). *Plant-Cell-Reports*. 15: (10): 754-757.
- Kanchanapoom, K.; J. Saowarath and R. Duangkae (2001):** Isolation and fusion of protoplasts from mesophyll cells of *dendrobiom pompadour*. *Science Asia*. (27): 29-34.

- Kao, K.N. and Michayluk, M.R. (1975):** Nutritional requirements for growth of *vicia hajastana* cells and protoplasts at a very low population density in liquid media. *Planta (Berl)*. (126): 105-110.
- Kobayashi, S. (1987):** *Citrus* protoplast technology: protoplast culture and somatic cell fusion. The breeding of horticultural crops. Proceedings of an international symposium National Chung Hsing University, Taiwan, FFTC Book Series. (35): 123-135.
- Kobayashi, S. and T. Ohgawara (1988):** Production of somatic hybrid plants through protoplast fusion in *citrus*. *Jarq Japan. Agricultural Research Quarterly*. 22 (3): 181-188.
- Kobayashi, S.; K. Fujiwara; I. Oiyama; T. Ohgawara and S. Ishii (1988):** Somatic hybridization between navel orange and 'Murcott' tangor. *Citriculture*. Sixth International Citrus Congress, Middle-East, Tel Aviv, Israel, (1): 135-140.
- Kobayashi, S.; T. Ohgawara.; W. Saito.; Y. Nakamura and M. Omura (1997):** Production of triploid somatic hybrids in *Citrus*. *Journal- of- the- Japanese- Society- for- Horticultural-Science*. 66 (3-4): 453-458.
- Koc, N.K.; M. Kayim; A. Cinar and M. Kusek (1999):** Investigations on the possibility to obtain mal secco (*Phoma tracheiphila* *Kanc. et Ghik.*) resistant varieties via protoplast fusion (somatic hybridization) in lemon.

Turkish-Journal-of-Agriculture-and-Forestry. (23): 157-168.

Kondakova, V. (1999): Isolation of mesophyll protoplasts from *Prunus domestica* cv. Quetche. Bulgarian-Journal-of-Agricultural- Science. 5 (3): 411-414.

Kouider, M.; R. Hauptmann; J.M. Widholm; R.M. Skirvin and S.S. Korban (1984): Callus formation from *Malus X domestica* cv. 'Jonathan' protoplasts. Plant-Cell-Reports. 3 (4): 142-145.

Kuboi, T.; M. Suda and S. Konishi (1991): Preparation of protoplasts from *tea* leaves. Proceeding of the International Symposium on tea Science, August 26-29, 1991, Shizuoka, Japan, 427-431.

Kuehnle, A.R and G.L. Nan (1991): Isolation and culture of protoplasts from two tropical monocots, *Anthurium* and *Dendrobium orchid*. Physiologia-Plantarum. 82: (1) A7; also Eighth international protoplast symposium.

Latado, R.R.; F.B.D. Vaz and A. Tulmann Neto (1999): Plant regeneration of Rangpur lime (*citrus limonia* osbeck) and Cleopatra mandarin (*Citrus reshni* Hort.) from cell suspension protoplasts. Scientia Agricola. 56 (2): 421-428.

Lee, N. and H.Y.L Wetzstein (1988): Protoplast isolation and callus production from leaves of tissue-cultured *Vitis* spp. Plant-Cell-Reports. 7 (7): 531-534.

- Li, Z.; R.L. Jarret and J.W. Demski (1995):** Regeneration of plant from protoplasts of *Arachis* species (*peanut*). *Biotechnology in Agriculture and Forestry plant protoplasts and Genetic Engineering*. (34): 3-13.
- Lin, S. and Z.G. Chen (1997):** Effects of sorbitol on isolation and culture of protoplasts in *loquat*. *Journal-of-Fujian-Agricultural-University*. 26: (4): 401-406.
- Ling, J.T and M. Iwamasa (1994):** Somatic hybridization between *Citrus reticulata* and *Citropsis gabunensis* through electrofusion. *Plant-Cell-Reports*. 13 (9): 493-497.
- Ling, J.T.; N. Nito and M. Iwamasa (1989):** Plant regeneration from protoplasts of calamondin (*Citrus madurensis* Lour.). *Scientia-Horticulturae*. 40 (4): 325-333.
- Liu, C.S.; H.T. Chow and C.Y. Chen (1984):** Isolation and culture of *papaya* protoplasts. Studies on culture conditions and supplemented media. *Journal of the college of science and engineering*. National Chunghsing University. 31: 89-98.
- Louzada, E.S; J.W. Grosser; F.G. Gmitter (1993):** Intergeneric somatic hybridization of sexually incompatible parents: *Citrus sinensis* and *Atalantia ceylanica*. *Plant-Cell-Reports*. 12 (12): 687-690.
- Marino, G. (1990):** Isolation and culture of mesophyll protoplasts of grape (*vitis vinifera* L.) cv. Trebbiano di Romagna. *Acta Horticulturae*. (280): 281-284.

- Matsumoto, K.; A.D. Vilarinhos and S. Ok (2002):** Somatic hybridization by electro fusion of *banana* protoplasts. Euphytica Kluwer Academic Publishers, Dordrecht, Netherlands. 125 (3): 317-324.
- Matsumoto, K.; S. Oka and V.S. Galan (1998):** Plant regeneration from protoplasts of a Brazilian dessert banana (*Musa spp.*, AAB group). Proceedings of the first international symposium on banana in the subtropic f. s, Puerto de la Cruz, Tenerife, Spain, 10-14 Acta-Horticulturae. 490: 455-462.
- Matsuta, N.; T. Hirabayashi; T. Akihama and I. Kozaki (1986):** Callus formation from protoplasts of *peach* cell suspension culture. Scientia-Horticulturae, 28 (1-2): 59-64.
- Matsuta, N. (1992):** Factors affecting protoplast isolation and culture from suspension cells of peach (*Prunus persicals* Batsch). Bulletin of the fruit. Tree Research Station. (22): 59-66.
- Megia, R.; R. Haicour; L. Rossignol (1991):** Callus formation from cultured protoplasts of banana (*Musa sp.*). Physiologia-Plantarum. 82 (1): A17; also Eighth international protoplast symposium.
- Megia, R.; R. Haicour; L. Rossignol; S. Darasinh; D. Sihachakr (1992):** Callus formation from cultured protoplasts of

banana (*Musa* sp.). Plant-Science-Limerick. 85:(1): 91-98.

Mii, M and H. Ohashi (1988): Plantlet regeneration from protoplasts of kiwifruit, *Actinidia chinensis* Planch. Acta-Horticulturae. 230, 167-170.

Mii, M.; Y.M. Zou; T. Sugiyama; S. Yanagihara and M. Iizuka (1991): High-frequency callus formation from protoplasts of *Vitis labruscana* Bailey and *Vitis thunbergii* Sieb. et Zucc. by embedding in gellan gum. Scientia-Horticulturae. (46) (2): 253-260.

Millam, S.; A. Craig and I. Tierney (1995): Protoplast isolation and preliminary fusion studies using *lunaria annua*. Cruci ferae newsletter. (17): 36-37.

Mills, D and F.A. Hammerschlag (1994): Isolation of cells and protoplasts from leaves of in vitro propagated peach (*Prunus persica*) plants. Plant-Cell,-Tissue-and-Organ-Culture. 36 (1): 99-105.

Murashige, T. and F. Skoog (1962): A revised medium for rapid growth and bioassays with *tobacco* tissue cultures, Physiol. Plant. 15: 473-497.

Nakamura, M. and M. Maeda (1995): Gametophytes derived from sporophytic tissues in a fern, *Lygodium japonicum* L. 1. Induction of the gametophytes and their protoplast isolation. Journal-of-Plant-Physiology. 145 (1-2): 185-188.

- Nyman, M. and P. Wallin (1993):** Regerenation of plants from protoplasts of cultivated strawberry (*Fragaria ananassa*) and wild strawberry (*Fragaria vesca*). Biotechnology in Agriculture and Forestry and Plant Protoplasts and Genetic Engineering. (23): 32-42.
- Ochatt, E.M.P. (1994):** Regeneration of plant from protoplasts of *Malus X domestica* Borkh. (*Apple*). Biotechnology in Agriculture and Forestry and Plant Protoplasts and Genetic Engineering. (29): 83-101.
- Ochatt, E.M.P.; J. Boccon-Gibod; M. Duron and S.J. Ochatt (1993):** Organogenesis of stem and leaf protoplast of haploid golden delicious apple clone *Malus x domestica* Borkh. Plant-Cell-Reports, 12 (2): 118-120.
- Ochatt, E.M.P.; S.J. Ochatt and J.B. Power (1988):** Plant regeneration from protoplasts of apple rootstocks and scion varieties (*Malus X domestica* Borkh. Journal-of-Plant-Physiology. 133 (4): 460-465.
- Ochatt, S.J and O.H. Caso (1986):** Shoot regeneration from leaf mesophyll protoplasts of wild pear (*Pyrus communis* var. *pyraster* L.). Journal-of-Plant-Physiology. 122:(3):243-249.
- Ochatt, S.J. (1991):** Strategies for plant regeneration from mesophyll protoplasts of the recalcitrant fruit and farmwoodland species *Prunus avium* L. (sweet:wild cherry), Rosaceae. Physiologia-Plantarum. 82 (1): 1-15.

- Ohgawara, T.; S. Kobayashi; S. Ishii; K. Yoshinaga and I. Oiyama (1989):** Somatic hybridization in Citrus Navel orange (*C. sinensis* Osb.) and grapefruit (*C. paradisi* Macf.). Theoretical-and-Applied-Genetics. 78 (5): 609-612.
- Oliveira, R.P.; B.M.J. Mendes; F.B.; D' Utra; A. Tulmann and R.P. De-Oliveira (1995):** Isolation and culture of *citrus* rootstock protoplasts. Scientia-Agricola. 52 (2): 244-248.
- Otoni, W.C.; V.W.D. Casali; P.R. Cecon.; J. Maria.; J.B. Power and M.R. Davey (1995):** Influence of the antibiotic cefotaxime on the culture of mesophyll-derived protoplasts of *Passiflora incarnata* L. Revista-Ceres. 42 (243): 507-515.
- Pais, M.S.S.; M.M. Oliveira and J. Barroso (1987):** Use of petiole segments of *Actinidia chinensis* (*kiwi*) for plant differentiation and production of friable calli for protoplast isolation. Acta-Horticulturae. 212: 687-690.
- Panis, B and R. Swennen (1993):** Embryogenic *Musa* plant cell cultures: current and future applications. Infomusa. 2 (1): 3-6.
- Panis, B.; L. Sagi and R. Swennen (1994):** Regeneration of plants protoplasts of *Musa* species (*Banana*). Biotechnology in Agriculture and Forestry, 29: 102-114.

- Perri, E.; M. Parlati; E. Rugini; S. Lavee and I. Klein (1994):** Isolation and culture of olive (*Olea europaea* L.) cultivar protoplasts. *Acta-Horticulturae*. (356): 51-53.
- Phosang, T.; N. Matsuta; H. Iketani; T. Hayashi and R. Ogata (1994):** Effect of several enzyme solutions on the isolation and culture of *grape* mesophyll protoplasts. *Journal of the Japanese. Society for Horticultural. Science*. 63 (3): 523-528.
- Ping, L.C.; H.X. Shi; Y. Xu and Y. Ye (2005):** Protoplast Isolation of *vitis davidii* foex. *Journal of Hunan Agricultural University, Changsha, China*. 31 (4): 392-395.
- Pottino, B.G. (1981):** Methods in plant tissue culture. Dept. of Hort. Agric. College, Maryland University, College Park, Maryland USA, pp. 8-29.
- Reustle, G.; M. Harst and G. Alleweldt (1994):** Plant regeneration of grapevine (*Vitis* sp.) protoplasts isolated from embryogenic tissue. *Plant-Cell-Reports*. 15: (3-4): 238-241.
- Revilla, M.A.; S.J. Ochatt; S. Doughty and J.B. Power (1987):** A general strategy for the isolation of mesophyll protoplasts from deciduous fruit and nut tree species. *Plant-Science,-Irish-Republic*. 50:(2): 133-137.
- Saito, A. and M. Suzuki (1999):** Plant regeneration from meristem driven callus protoplasts of apple (*Malus domestica* cv. Fuji). *Plant cell reports*. (18): 549-553.

- Saito, A.; M. Niizeki and K. Saito (1989):** Organ formation from calli and protoplast isolation, culture, and fusion in apple, *Malus pumila* Mill. Journal-of-the-Japanese-Society-for-Horticultural-Science. 58 (3): 483-490.
- Sambanthamurthi, R.; S.H. Paraman and M.R.M. Noor (1996):** Oil palm (*Elaeis guineensis*) protoplast isolation culture and micro callus formation. Plant Cell, Tissue and Organ Culture. 46 (1): 35-41.
- SAS (1996):** Statistical Analysis System. SAS User's Guide: statistics. SAS Institute Inc. Editors. Cary NC, USA.
- Sim, G.E and C.S. Goh (1988):** Direct somatic embryogenesis from protoplasts of *Citrus mitis* Blanco. Plant-Cell-Reports. 7 (6): 418-420.
- Srisawat, T. and K. Kamnoon (2005):** The influence of physical conditions on embryo and protoplast culture in oil palm (*Elaeis guineensis* Jacq.). Science Asia. (31): 23-28.
- Tao, R.; K. Yonemori and A. Sugiura (1992):** High frequency plant regeneration from callus cultures derived from primordial leaves of adult Japanese persimmon and protoplast isolation from those callus lines. Acta Horticulturae. (300): 251-254.
- Tewary, P.K.; H.Y.M. Ram and N.S. Rangaswamy (1995):** Isolation and culture of mulberry (*Morus alba* L.) protoplasts from callus tissues. Indian-Journal-of-Plant-Physiology. 38 (2): 114-117.

- Theodoropoulos, P.A. and K.A. Roubelakis (1990):** Progress in leaf protoplast isolation and culture from virus-free axenic shoot cultures of *Vitis vinifera* L. Plant-Cell,-Tissue-and-Organ-Culture. 20 (1): 15-23.
- Valat, L.; S. Toutain, N. Courtois; F. Gaire; E. Decout; L. Pincky; M.C. Mauro and M. Burrus (2000):** GFLV replication in electroporated grapevine protoplasts. Plant Science Limerick. 155 (2): 203-212.
- Vardi, A. and G. Esra (1989):** Isolation and culture of *citrus* protoplasts. Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (8): 147-159.
- Viera, M.L.C. and M.C. Dornelas (1996):** Regeneration of plants from protoplasts of passiflora species (*passion fruit*). Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (38): 108-119.
- Wang, H.M.; A.S. Menuhr and G.M. Wagner (1993):** Protoplast isolation, culture and shoot regeneration of broccoli (*Brassica oleracea* var. *italica*). Acta Agriculturae Boreali-Sinica. (8): 28-34.
- Witjaksono, R.E. and J.W. Grosser (1998):** Isolation culture and regeneration of Avocado (*persea Americana* Mill.) Protoplasts. Plant Cell Reports. (18): 235-242.
- Wright, D.C. (1985):** Factors affecting isolation of protoplasts from leaves of grape (*Vitis vinifera*). Plant-Cell,-Tissue-and-Organ-Culture. 4 (2): 95-100.

- Xie, B.G. and H. Zhu (2003):** Isolation and optimization of regeneration condition of *Tremella fuciformis* protoplasts. *Mycosystema*. 22 (4): 574-578
- Zeng, G.P.; Xiu, X. Deng and Z. Wncai (1997):** Callus formation from protoplast of Hepan crab apple (*Malus hypehensis*) *Plant Physiology-Communications*, 33 (6): 429-431.
- Zhou, C.; W. Li and H. Ge (2003):** Regeneration of callus from protoplasts of suspension cells in strawberry. *Journal-of-Fruit-Science*. 20: (4): 319-321.