

- Ebadi, R. and Gary, N.E. (1980):**
Acceptance by honeybee colonies of larvae in artificial queen cells. *Journal of Apicultural Research* 19 (2) 127-132.
- El-Berry, A.A. (1963):**
Queen rearing honey bee. M.Sc. Thesis Facult. of Agric. Cairo University.
- Es'kov, E.K. and Toroptysev, A.I. (1979):**
The thermo-factor in queen rearing. *Pchelo-vodstvo* No. 2, 9-10.
- Es'kov, E.K. and Toroptysev, A.I. (1979):**
Optimum microclimate for development of queen honeybees. *V.L. Lenina* No. 5, 34-35.
- Fell, R.D. and Morse, R.A. (1984):**
Emergency queen cell production in the honey bee colony. *Insectes Sociaux* 31 (3) 221-237.
- Forster, I.W. (1972):**
Requeening honey bee colonies without dequeening. *New Zealand Journal of Agricultural Research* 15 (2) 413-419.
- Free, J.B.; Ferguson, A.W. and Simpkins, J.R. (1984):**
Influence of immature queen honeybees (*Apis mellifera*) on queen rearing and foraging. *Physiological Entomology* 9 (4) 387-394.
- Fries, I. (1981):**
Swarm prevention by requeening honeybee colonies. Report, Institution for Husdjuren's Utfoeding och Vard, Sveriges Lantbruksuniversitet No. 86, 11+27 pp.
- Goodwin, R.M. (1986):**
Increased kiwifruit pollen collection after feeding sugar syrup to honey bees within their hive. *New Zealand Journal of Experimental Agriculture* 14 (1) 57-61.
- Gromisz, M. (1975):**
Replacement of queen honeybees in polish apiaries. *Pszczelnicze Zeszyty Naukowe* 19, 151-179.
- Goncalves, L.S. and Kerr, W.E. (1970):**
Thoughts on genetics and the improvement of honeybees by breeding. *Nocoes sobre genetica emelhoramen to emabelhas. Brazil; DEMA, Sc and ACA* 8-36.

Grooters, H.J. (1987):

Influences of queen piping and worker behaviour on the timing of emergence of honeybee queens. *Insectes Sociaux* 34 (3) 181-193.

Harp, E.R. (1973):

A specialized system for multiple rearing of quality honeybee queens *American Bee Journal* 113 (7) 256-258, 261

Harry, H. and Laidlaw, Jr. (1979):

Contemporary queen rearing. Dadent and Sons Aamilton, illinois.

Hassanien, M.H. and El-Banby (1956):

Studies on the biometrics of the Egyptian honeybee *Apis mellifera fasciata* Latr. *Bull. Soc. Ent. Egpte* 40: 127-130.

Herbert, E.W.Jr. and Shimanuki, H. (1978):

Mineral requirements for brood-rearing by honeybees fed a synthetic diet. *Journal of Apicultural Research* 17 (3) 118-122.

Herbert, E.W., Jr. and Shimanuki, H. (1978):

Consumption and brood rearing by caged honeybees fed pollen substitutes fortified with various sugars. *Journal of Apicultural Research* 17 (1) 27-31.

Howe, S.R. Binick, P.S. and Benton, A.W. (1985):

Composition of freshly harvested and commercial Royal Jelly, *Journal of Apicultural Research* 24 (1) 52-61.

Huang Wen-Cheng and Zhi Chong-Yuan (1985):

The relationship between the weight of the queen honeybee at various stages and the number of ovarioles, eggs laid and sealed brood produced. *Honeybee Science* 6 (3) 113-116.

Ivanov, C.; Stolamenov, V. and Kunchev, K.D. (1975):

Physicochemical properties of natural and paraffin-adulterated beeswax. *Zhivotnovudni Nauki* 12 (3) 98-103.

Jaks, V. (1968):

Test of queen rearing entirely in the environment of hive bees. *Vedecké Práce Vyzkumneho Ustavu Vcelarskeho V Dole* 5, 29-37.

Jay, S.C. (1981):

Requeening queenright honeybee colonies with queen cells or virgin queens. *Journal of Apicultural Research* 20 (2) 79-83.

Johansson, T.S.K. and Johansson, M.P. (1971):

Queen introduction. *American Bee Journal* 111, 98-99; 146; 183-185; 226-227; 264-265; 306-349; 384, 387.

Johansson, T.S.K. and Johansson, M.P. (1973):

Methods for rearing queens. *Bee World* 54 (4) 149-175.

Kevan, P.G.; Eisikowitch, D.; Fowle, S. and Thomas, K. (1988):

Yeast-contaminated nectar and its effects on bee forging. *Journal of Apicultural Research* 27 (1) 26-229.

Khattab, M.M. (1976):

Effect of ecological factors on honeybee activities. M.Sc. Apiculture, Fac. of Agric. Cairo University.

Khattab, M.M. (1981):

Ecological and physiological studies on royal jelly of honeybees. Ph.D. in Apiculture, Fac. of Agric. Moshtohor, Zagazig University.

Khmara, P. Ya. (1979):

Rearing queens from artificially fertilized eggs. *Santedl'Abeille* No. 49, 9-11.

Kither, G.Y. and Pickard, R.S. (1983):

Increasing the acceptance of transplanted honeybee worker larvae by queen-cell starter colonies with the use of partially drawn artificial queen cups. *Journal of Apicultural Research* 22 (3) 175-183.

Kombrove, P.M. and Alpatov (1933):

Variation of honey bees. 1-variation of the body weight and of the reproductive system of the Queen as Racial characteristics. *Zoologicheskii zhurnal (zool. Jour. Ussr.* 12 (4): 87-85 [Bid. Abs. 1234/36].

Krol, A. (1974):

Effects of race of nurse bees and race of grafted larvae on the results of queen rearing. *Pszczelnictwo Zeszyty Naukowe* 18, 135-143.

- Kumbhojkar, M.S. (1981):**
New taxt of Indian osmophilic yeasts. Biovigyanam 7, 97-105 + 2 PL.
- Kyuregyan, S.M. (1965):**
Early spring queen rearing in the megriregion. Izv. sel-khoz. Nauk Arm. SSR (3); 111-115. In Armenian; Russian Sumary.
- Laidlaw, Harvy H. Jr. and J.E. Eckert (1962):**
Queen rearing, univer sity of california press Berkeley. 2nd ed.
- Laidlaw, H.H. (1975):**
Queen rearing. American Bee jour. 115 (10) 384-387.
- Laidlaw, H.H., Jr. (1979):**
Contemporary queen rearing. Hamilton, Il, USA; Dadant and Sons. x + 199 pp + 1 PI.
- Lihle, T.M. and Hills, F.J. (1975):**
Statistical methods in Agricultural Research University of California, Davis U.S.A. (pp. 242).
- Manino, A. and Marletto, F. (1981):**
Comparison of wax and plastic queen cell cups for queen rearing and royal jelly production. Apiculture Moderno 72 (6) 217-222.
- Marshenkulov, Z.M. (1964):**
Problems concerning the possibility of rearing honeybee queens in colonies with queens, and the so-called "queen substance". Uchen, Zap, kabardino-balkars. Gos. Univ. (20): 161-165. In russian.
- Martynov, A.G. (1978):**
The timing of [physiological] changes in bees fed sugar in preparation for winter. V.I. Lenina No. 2, 42-44.
- Mccutcheon, D.M. (1984):**
Indoor wintering of hives Bee World 65 (1) 19-37.
- Mitev, B. and Stoilov, N. (1977):**
Methods for rearing queen honeybees from larvae and eggs. Zhivotmovudni Nauki 14 (4) 124-131.

- Naehle Walter (1957):**
Raising your own queens. *Gleanings in bee culture*. 85 (5) 281.
- Nelson, D.L. (1987):**
The effect of short-term storage methods on the weight of queen honeybees. *Journal of Apicultural Research* 26 (4) 240-242.
- Nobusawa, C. (1970):**
Artificial rearing of queen honeybees in an incubator. *Saisyu to Siiku* 32 (8) 269-271.
- Okumura, T.; Watanabe, K. and Miyama, K. (1986):**
A study of pollen substitutes for honeybees: the applicability of a formula consisting mainly of chlorella and casein as a pollen substitute. *Nagoya, Japan; Apimondia* 321-324.
- Orosipal (1958a):**
Comparison of hanging workers cells and artificial cell cups. *Meheszet*. 6 (5): 71-73 (Abs, in bee world 213/59).
- Page, R.E., Jr. and Erickson, E.H. Jr. (1984):**
Selective rearing of queens by worker honey bees: Kin or nestmate recognition. *Annals of the entomological Society of America* 77 (5) 578-580.
- Peng, Y.S. and Jay, S.C. (1976):**
The effect of diet on queen rearing by caged worker honeybees. *Canadian Journal of Zoology* 54 (7) 1156-1160.
- Phillips, Geo. W. (1948):**
Problems and Experimentes of a Queen Breeder. *Gleanings in bee culture*. 76 (5): 273-281.
- Pickard, R.S. and Kither, G.Y. (1983):**
Acceptance of transplanted worker larvae by queen-cell starter colonies. *Journal of Apicultural Research* 22 (3) 169-174.
- Punnett, E.N. and Winston, M.L. (1983):**
Events following queen removal in colonies of European-derived honey bee races (*Apis mellifera*). *Insectes Sociaux* 30 (4) 376-383.
- Radoev, L. (1976):**
Testing ways of requeening by adding queen cells to multistorey [Langstroth hives and Dadant-Blatt hives]. *Zhivotnovudni Nauki* 13 (1) 101-106.

- Rawash, I.A.; El-Gayar, F.H.; El-Helaly, M.S. and Ibrahim, S.M.A. (1983):**
Effects of larval age and number of queen cell cups on the quality of the Carnio-Egyptian F_1 -hybrid of honeybee queens. In proceedings¹ of the Second International Conference on Apiculture in Tropical Climates. New Delhi, February 29-March 4. 320-326 Div. Entomology, Fac. Agric. El-Shatby, Alexandria. Egypt.
- Razmadze, I.L. (1976):**
Rearing queens in various artificial cells. *Pchelovodstvo* 96 (4) 5.
- Regard, A. (1987):**
Selection and rearing of queens. Selection et élevage des reines. Saint-Mammes, France; Andre Regard 181 pp.
- Reid, G.M. (1977):**
Requeening honey bee colonies without dequeening using protected queen cells. Apimondia Publishing House. 249-253.
- Rinderer, T.E. (1986):**
Bee genetics and breeding. London. UK; Academic Press xvi + 426 pp. ISBN 0-12 588920-8.
- Robinson, C.E. (1984):**
Worker and queen honey bee behavior during foreign queen introduction. *Insectes Socioux* 31 (3) 254-263.
- Root, A.I. (1978):**
How to keep extra queens almost any length of time. *Glean. Bee Cults.* 6: 288-290.
- Rosser, John, H. (1934):**
Queen Rearing. *Bee world.* xv (70): 111.
- Rothenbuhler, W.C.; Kulinovic, J.M. and Thompson, V.C. (1979):**
Successful selection of honeybees for fast and slow hoarding of sugar syrup in the laboratory. *Journal of Apicultural Research* 18 (4) 272-278.
- Sandhu, D.K. and Waraich, M.K. (1985):**
Yeasts associated with pollinating bees and flower nectar. *Microbial Ecology.* 11, 51-58.

Schirach, A.G. (1771):

Historie Naturelle de la reine des Abeilles, avec l'Art de Former des Essaims. The Hague (cited in Huber 1814).

Selivanova, N.M. (1982):

[Synthetic pheromones in carbohydrate foods]. Pchelovodstvo No. 3, 12-13.

Shakirov, D.T. (1963):

Directed change in honeybee characteristics, Trudy bashkir. Sel. Khoz. Inst. 11 (2): 69-72 in russian.

Shuel, R.W. and Dixon, S.E. (1986):

An artificial diet for laboratory rearing of honeybees. Journal of Apicultural Research 25 (1) 35-43.

Simpson, J. (1973):

Influence of hive-space restriction on the tendency of honeybee colonies to rear queens, Journal of Apicultural Research 12 (3) 183-186.

Skrobal, D. (1968):

The effect of the hive environment on queens reared in "sections", nuclei, brood chambers and hives (bee breeding). Vedecke Prace Vuzkumneho Ustavu Vcelarskeho V Dole 5, 77-100.

Snedecor, G.W. and Cochran, W.G. (1967):

Statistical methods. Iowa state Univ. Press, Ames. Iowa U.S.A. Sixth Edition, 4th printing.

Snelgrove, L.E. (1946):

Queen Rearing. Bleadon, Somerset, England.

Snodgrass's, R.E. (1925):

Anatomy and physiology of the Honey bee.

Snodgrass's, R.E. (1956):

Anatomy of the Honey bee.

Soares, A.E.E. (1984):

[The effect of food (consumed by honeybee larvae) on differences in the frequency of the character "split sting"]. Universidade Federal de vicoso 119-124.

- Soczek, Z. (1971):**
[Investigation of methods for obtaining valuable honeybee queens from emergency queen cells]. *Paszczelnicze Zeszyty Naukowe* 15 (1/2) 53-59.
- Spangler, H.G. (1972):**
Daily activity rhythm of individual worker and drone honey bee. *Am. Ent. Soc. Am.* 65 (5): 1073-1076.
- Sultanov, R.L. (1976):**
On food for grafting larvae. *Pchelovodstvo*: 96 (3) 9-10. [A.A 1277/73].
- Szabo, T.I. (1973):**
Relationship between weight of honey bee queens (*Apis mellifera* L.) at emergence and at the cessation of egg laying. *American Bee Journal*, 113 (7) 250-251.
- Szabo, T.I. (1973):**
Comparison of the behavioral response of queenless caged workers and nuclei of *Apis mellifera* L. towards introduced queens. *American Bee Journal* 113 (4) 136, 138.
- Szabo, T.I. and Smith, M.V. (1973):**
Behavioural studies on queen introduction in honey bees (*Apis mellifera* L.) V. Behavioural relationship between pairs of queens without worker attendants. *Proceedings of the Entomological society of Ontario* 103, 87-96.
- Szabo, T.I.; Mills, P.F. and Heikel, D.T. (1987):**
Effects of honeybee queen weight and air temperature on the initiation of oviposition. *Journal of Apicultural Research* 26 (2) 73-78.
- Szymas, B. and Torgowski, J. (1979):**
[Investigation of some protein diets for use as pollen substitutes in honeybee nutrition]. *Roczniki Akademii Rolniczej w Poznaniu* 111, 169-175.
- Szymas, B. and Torgowski, J. (1980):**
[The effects of artificial protein diets on the development of certain organs [pharyngeal glands, fat body and ovaries] of the honeybee. *Roczniki Akademii Rolniczej W Poznaniu* 120, 127-133.

- Taber, S., III and Poole, H.K. (1973):**
Caste determination in honeybees; the production of queen worker intermediates. *Journal of Apicultural Research* 12: (2) 111-116.
- Takeuchi, K.; Watabe, N. and Matsuka, M. (1972):**
Rearing drone honeybees in an incubator. *Journal of Apicultural Research* 11 (3) 147-151.
- Taranov, G.F.; Delianidi, L.K. and Bodotanova, E.YA (1974):**
[Queen rearing on a three-day cycle]. *Pchelovodstvo* 94: (9) 21-22.
- Taylor, T. (1977):**
Requeening by two queening. *Beelines* No. 51, 9-11.
- Tew, J. (1987):**
the developmental effects of inverting queen cells, *American Bee Journal* 127 (3) 201-202.
- Timbers, G.E.; Robertson, G.D. and Gochnauer, T.A. (1977):**
Thermal properties of beeswax and beeswax-paraffin mixtures. *Journal of Apicultural Research* 16 (1) 49-55.
- Townsend, O.H. (1880):**
Notes from the north shade apiary. How to get plenty of choice queen cells. *Glean. Bee cult.* 8 (7): 322-323.
- Trishina, A.S. and Shmeleva, N.D. (1974):**
[Body size and egg-laying capacity of queens]. *Pchelovodstvo* 94 (12) 10-11.
- Tsao, W. (1973):**
Effect of dietary sugars on tissue lipid and carbohydrate in developing honeybee larvae. *Canadian Journal of Zoology* 51 (10) 1101-1108.
- Vuillaume, M. (1956):**
Les stimuli qui regissent l'acceptation des cellules royales artificielles. *C.R. hebdomadaire. Acad. Sci. Paris* 242: 185-187, 562-564.
- Vuillaume, M. (1958):**
Les substances inhibitrices de la construction des cellules royales chez les abeilles. *C.R. hebdomadaire. Seances. Acad. Sci., Paris* 246: 1298-1299.

- Wahl, D. (1932):**
Neue untersuchungen wber das zeitgedachtnis der Bienen. Zvergl. Physiol. 16: 529-589.
- Watson, Lloyd, R. (1927):**
Controlled nating of queen bees. American bee journal Hamilton, Jllionis.
- Weiss, K. (1967):**
Must artificial queen cups be made from virgin wax, and is prior conditioning of the nurse colony to the queen cups worthwhile? Imkerfreund 22 (6): 177-179. In German.
- Weiss (1967):**
Influence of different types of queen cell cups on acceptance and queen weight in artificial queen rearing Z. Bienenforsch. 9 (3) 121-134.
- Weiss, K. (1972):**
Rearing several batches of queens without renewing the been in the nurse colonies. Apiacta 7 (3) 110-114, 140.
- Weiss, K. (1974):**
[Weight of the queen in relation to larval age at grafting and to larval food]. 5 (2) 127-147.
- Weiss, K. (1975):**
[The caste specific nutrition of female honeybee larvael. Apidologie 6 (2) 95-120.
- Weiss, K. (1986):**
[Bee breeding/ for beekeepers (described) in question and answer from]. Munich, German Federal Republic; Ehrenwirth verlag 232 pp.
- Weiss, K. (1986):**
[Deposition of royal jelly and development of queen larvae during consecutive experiments in queenless colonies of Apis mellifera] Apidologie 17 (2) 175-191.
- Wille, H. (1967):**
Influence of the ambient temperature on the development of colonies in spring. Bieanenztg 90: 455-457, 519-524 in German.

Winston, M.L. (1986):

Can package bees and nuclei be produced commercially in British Columbia, Canada? American Bee Journal 126 (1) 36-38.

Woyke, J. (1980):

International aspects of queen rearing around the world, Bee World 61 (4) 132-137.

Woyke, J. (1971):

Correlations between the age at which honey bee brood was grafted, results of in semination. J. Apic. Res. 10 (1): 45-55.

Yaacovlensky (1971):

Rearing Queen honey bee larvae in queenright colonies, journal of Apicultural Research 10 (2): 99-101.

Yoshida, T.; Sasaki, M. and Ohnishi, T. (1984):

[Effect of lipid content in royal jelly on the queen differentiation of the honeybee, (*Apis mellifera*) Bulletin of the Faculty of Agriculture, Tamagawa University No. 24, 43-52.

Zhu, Y.Y. (1981):

[Production of high quality queens]. Zhongguo Yangfeng No. 3, 17-18.