

VII- LITERATURE CITED

- Achard-R. (1993):** Weed control in banana plantations in
Cameron . Fruits - Paris 48: 2, 101- 105;
- Americanos, P. G. (1991):** Chemical control of olive trees.
Technical Bulletin - Cyperus Agricultural Research
Instructor No. 133. 6 pp
- Bajwa- G.S.; Bal – J.S.; Brar –S.S. and Minhas – P.P.S.**
(1993): Chemical weed control in bear orchards,
integrated weed management for sustainable
agriculture proceedings of an Indian Society of Weed
Science International symposium, Haisar , India , 18 –
20 November. 1993, vol . III , 225 – 227 ; ref. (CAB
Intr . Abstracts).
- Baxter, P. (1970) :** Orchard soil management trials . 1. Effect
of a weed free or straw - mulched strip on the growth
and yield of young fruit trees. J. Exp. Agric, Anim .
Husb. ; 10 (45) (weed Abst. , 20 : 1136) .
- Bhutani, V.P. ; Raina, S.S. and khokhar, U. U. (1995) :**
A note on the effect of different floor management
systems on cropping and quality of Apple . Haryana
journal Horticulture science (1995) 24 (1) 35 –38
(Hort . Abst . 67 : 2648) .
- Black, C. A. ; Deveans and Ensminger L. E. (1965) :** Methods
of soil analysis Published by Amer . Soc , Agronomic
Mandision , Wisconsin , U.S.A. .
- Bootsma, J. (1988) :** Are alternatives for weed control possible?
Fruittelt, 78 (8): 23 –24 ; 2pl (Hort. Abst . , 59 :
3604).

- Borthakur – P. K. and Bhattacharyya – R.K. (1993) :** Effect of mulches on controlling weeds in guava orchard . Integrated weed management for sustainable agriculture proceedings of an Indian society of weed science international
- Bristol, P. (1980) :** Comparative trial of several soil cultivation technique with two year pear cultivars . In complete rendu du symposium culture du poirer 4 – 8 Angers, France (Hort . Abst. 44 : 3729) .
- Buban, T.; Helmeczi, B. ;Papp, J. ; Dörgö, E. ; Jakab, E. ; kaiati, I. and Merwin, I. (1995) :** I F P . compatible ground - cover management systems in a new-planted apple orchard in international conference on integrated fruit production, Cedzyna, Poland, 28 August – 2 September 1995 [edited by Polesly , F. ; MÜller, W.; Olszak, R. W.] . Bulletin OILB/SROP (1996) 19 (4) 263 – 267 IS BN 92 – 9067 – 078 – 9 [En] Research station for fruitgrowing, H. – 4244 .Ujfeherto , PO Box 38, Hungary . (Hort . Abst , 67 : 2649) .
- Challa, P. ; Prakash , J. (ed) and Pierik, R. I. M . (1991) :** Chemical weeding as a labour saving device in management of fruit nurseries Horticulture new technologies and applications ; Proceeding of the international seminar on new frontiers in Hort.; organized by indo–Americon Hybird seeds Bangalore India , November 25 – 28 , 1990 – 1991, 69 – 72 (CAB intr. Abstracts) .

- Chapman, H. D. and P. P. Pratt (1961) :** Methods of analysis for soil, plants and waters . Univ. of Calif. Division of Agric. Sci .
- Chiba, T.; Suzuki, K.; Sekiya, K. ; Shimura, L. and Ogiwara, K. (1975):** Studies on orchard soil management. Part 9 the leaf nutrient contents , growth , yield and fruit qualities of peach tree under different soil management. Systems Bulletin of fruit tree research station series A, Hirastuka No 2 ,. 19- 41; 3 pl. (ICOL) . (CAB Intr. Abstracts) .
- Clegg, B. S. (1987):** Gas chromatographic analysis of fluazitopbutyl (fusillade) in potatoes, soybeans and soil. J. Agric. Food Chem., 35: 269-273.
- Crisp, C. M. and Atkinson, D. (1984) :** The effect of number of grominicides on young apple and plum trees. Aspects of Applied Biology No , 8 , 69 – 74 .
- Demeyere, A.; Temmerman , I. de. ; Flusu , F. and Weskx , A. (1988):** Results of weed control trials 1988 fruitteelt Den Hag., 2 (3) : 11-20 (weed Abst. 40 : 1481) .
- Duncan, D.B, (1955) :** Multiple Range and Multiple F Tests . Biometrics. 11: 1 –42.
- Duncan-RA; Stapleton – J.J and Mckenry– M. V. (1992) :** Establishment of orchards with black polyethylene film mulching: Effect on nematode and fungal pathogens, water conservation and tree growth .Journal of Nematology 1992, 24: 4 supplement , 681 – 687 ; 16 ref . (CAB intr. Abstracts) .

- Egger, E.** (1989) : Weed control and weed cover in vineyards
Enformator Agraio 45 (18) : 109 – 119 (weed Abst ,
39 : 1834) .
- El-Kassas, S. E. ; Amen , K . L . A.; Hussiein A.A . and
Osmain S. M.** (1992) : Effect of certain methods of
weed control and nutrient fertitization on the yield ,
fruit quality and some nutrient contents of
Manfalouty Pomegranate tree folwering and fruit
setting Assiut J. Agric ., Sci ., 23 (3) : 183 – 198 .
- Engel, G,** (1992): Comparison of intergated weed control and
herbicide treatment in fruit crops. Zeitschrift fur
flanzenkrankheiten und pflanzenschutz Sonderheet
13,505–511; 10th German conference on weed
Biology and control, held at stuttgart Hohenheim,
Germany, on 10 –12 March
- Fatemah I. I, G** (1999) the effect of some cultural treatments on
Growth and fruiting of bearing Anna apple . trees M.
sc, thesis Fac . of , Agric , Moshtohor , zagazig univ.
- Foy, G. L , Harrison . S. B . ; W II , H. L.** (1994) : Herbicide
effect on weed control and shoot growth of young
apple (*malus sylverstries*) and peach (*prunes
persica*) trees weed technology (1994) 8: (4) 840-
Dep. Plant pathol. phsiol and weed sci., Virginia
polytech, inst state Univ. Blacksburg vA 24061 . USA
(Hort . Abst . 65 : 8592) .
- Giulivo, C. ; Lanninal, B. ; Lavezzi A. and Nuzzo, V.** (1988) :
Effect of the method of soil management on the
nutrient status and root system of the 4vine. Rivesta di

Viticultura e di Enologia, 41 (8-9) : 335 –350 (Hort Abst 59 : 1923).

Gut, W.; F. Weibel and W. Jaggi (1991): Effect of mulching materials on soil fertility. Schweizrische Zeilschrft fur Obst. Und Weibau 126 (25): 685-691.

Harrington, K.C.; Berry, S. B.; Sims , R. E. H. and Opay, A. S. (1992): A survey of weed control parctices in New Zealand pipruit orched .Proceedings of the forty, fifty new Zealand. plant protection Conference, Wellington , New zealand 11 –13 August 285 – 288 (CAB Inter . Abstracts).

Hashim–K and Hia –T.C. (1992) Evalvation of new herbicides for general weed control in oil palm. Planter. 1992 , 68 : 794 , 257 – 269 ; 4 ref .

Haynes R, J. and Goh, K. M (1980) : some effect of orchard soil mangament on sward composition levels of available nutrients in the soil and leaf nutrient contents of mature “Golden Dellicious” apple tree Scientia Horticulturee 13 (1) : 15 –25 .

He, X. R. and YU., F.Z. (1992) : Studies on the effects of different soil mangment practices on the growth and development of young Starkrimson apple trees under mountain slope condition China fruits No . 4, 5 –7 (C AB Abstracts)

Helail B.M. (1993): A compartive study of some weed control treatments in “ Le conte” pear orchard .Minia J. Agric . Res . and development , 15 : 571 –585 .

Helail, B.M. (1981): Effect of the system of soil management on vegetative growth , yield and fruit quality of

- washington navel orange tree M. Sc. Thesis, Fac. of Agric. Moschtoher , Zagazig univ.
- Helail, B.M. and Atawia, A.R. (1993)** : Effect of some weed control treatments on Washington navel organe trees . Egypt. J.Appl . Sci., 8(3):667 –683 .
- Hilkenbaumer, F. and W. Kolbe (1974)**: The influence of various soil management methods and herbicide strip treatment on the yield, fruit quality and disease incidence of apple cultivars in long trials at Hofohen during full bearing. Erwerbsobstbau (1974) 16 (3) 37-42. Rheinisch friedrich whelms Univ. Bonn, German federal Republic.
- Hogue, E. J. and Nelson, G. H (1988)** : Effect of excessive annual applications of terbacil . diuron , simazine and dichloben : Lon vigor , yield and cation nutrition of young apple trees . Canadian J. plant science: 68 (3) : 843 – 850 (weed Abst . 37 : 4336) .
- Horwitz, W. (ed) (1970)**: Official Methods of Analysis. Association of Official Analytical Chemists 11th ed., Washington D. C.
- Hudska, G (1990)**: Determination of standard values of elements in the leaves of fruit species and their relation of the productivity of trees and soil management, Acta , Hort Wagmingen; International Society for Horticultural . Science . May (274) : 195 –199
- Ivascenko, A.L. (1974)**: The effect of herbicides on the establishment, growth and development of Apple seedling Khimiga Vselskom Khozyaystve, 12 (12): 24 –55 (Hort . Abst. 44: 7306).

- Jakson, M. A. (1970):** Soil Chemical Analysis Published by originally Prentice – Hall inc . Englewood cliffs .N. J. Now published by the author , 1970, 6 the printing .
- Jordan, I. S. and Russell, R. C. (1979):** Glyphosate (Round up): a new herbicide for citrus. Citrograph, 64 (6): 131-133.
- Johanson, D. C. and Samuelson, T. J. (1990):** Short-term effects of changes in soil management and nitrogen fertilizer application on Bramley's seedling apple trees II- effects on mineral composition and storage quality of fruit. J. Hort. Sci. Sci., 65 (5): 495-502.
- Kalyan , D.S. Davit. B. S; Malik, R, K (1993):** Weed control in pearl mandarin. Agricultural science Digest (1993) 13 (1) 13 – 16 college of Agriculture, Harhand Agricultural university Hisar – 125 004, India. (Hort. Abst 65 : 11080) .
- Kaundal G. S .; Stbir, S, Chanana , Y . K .and Growl, S.S (1995) :** Effect of glyphosate and plastic mulch on weed control in peach orchard. Journal of Research Punjab Agricultural university (1995) 32 (1) 32 –38 Department of Horticulture, Punjab Agricultural university . Luahiana , India (Hort . Abst. 67 : 1913) .
- Legris – J (1989) :** Results of environmental monitoning after sparying of glyphosate in frosest on public land in Quebec . 1989 , 27 PP.; 12 ref.
- Legris–J; Couture–G. (1990):** Glyhosate residues in forest ecosystem after spraying in Quebec in 1987 . 1990, 35 PP.; 28 ref ,.

- Liverani – A; Cobiauchi – D; Corociani – A; Missere – D (1992):** Effect of soil management systems on hillside peach orchards. Acta- Horticulturae m N.o. 315, 123–127; international. Horticultural congress, florence, Italy , 27 Aug. – 1 Sep . 1990; 7 ref . (CAB. Intr . Abstracts) .
- Luchkov, P. G.; Ponomarenko, G. A. and Kudaev, R. K. H. (1989):** Mulching the soil young orchards on slopes. Sadovodstva I Vinogradarstvo, No. 4: 11-12 (Hort. Abst., 59: 8066).
- Mage-F and Skogerbo-G. (1992):** Orchard soil management systems. Effects on growth and fertility of apple trees Norvegia – journal – of Agricultural – sciences , 1992 , 6: 2 , 121 - 132 35 ref (CAB inter Abstracts).
- Mantineger-H. and Gasser-H (1993):** Further experiences with different treatments of tree strips in young apple orchards. Erwerbsobstbau. 1993, 35: 7, 188 –193, 4 pl, ref (CAB intr, Abstracts) .
- Marks, M.J. (1993):** Preliminary results of an evaluation of alternatives to the use of herbicides in orchards. Brighton Crop Protection Conference Weeds Proceedings of a Conference held in Brighton, UK 22–25 November, 1: 461-466.
- Maslov, S. P. (1979):** Possibility of grassing down the interrows in pome fruit orchards. Sbornik statei, orlovskaya plodvo-yagodnaya opytnaya stantsiya g (1) 88-97 (Rv, 2 ref.) opytnaya stantsiya orel. USSR. (Hort. Abst. (50: 5997).

- Merwin, I. A.; Rosenbeger, D. A.; Engle, C. A.; Rise, D. L. and Fargione, M. (1995):** Comparing herbicides, and cultivation as orchard ground covers management systems. Hort Technology, 5 (2): 151-158.
- Merwin, I.A. and Stiles, W.C.L. (1994):** Orchard ground cover management impacts on apple tree growth and yield and nutrient availability and uptake . J. American Society for Science, 119 (2) : 209-215
- Miarnou-Domenech-FX and Miarnou-D-FX. (1992):** Analysis of the action of various contacts and translocated herbicides in autumn treatments in pome fruit orchards. Proceedings of the 1992 Congress of the Spanish Weed Science Society. 1992, 411 – 415. (CAB Intr Arstracts).
- Minhas P.P.S. ; Darshan Singh ;Sandhu , A.S. ; Mann, S.S. (1994) :** Chemical weed control in pear orchards of northen India . Acta Horticulturae No. 367,331-341 ISBN 90-6605-226-0 [En. 10 ref.] (Hort. Abst. 66:5675).
- Minnessy, F. A. (1985):** Citriculture, In Arabic new Publishing Press, Egypt. P. 403-405.
- Misra, L.P. and Dhuria H.S. (1978) :** Effect of herbicides on the control of weeds in apple orchards . Pesticides , 12 (3) :27-28 . (Hort. Abst., 49:4778) .
- Mustaffa, M. M. (1988):** Effect of orchard management practices on yield, quality and leaf nutrient contents of coarg mandarin. J. Hort. Sci., 63 (4): 711-716
- Nath-Jc and Sarma-R. (1992)** Effect of organic mulches on growth and yield of Assam Lemon (*Citrus Lemon*

- Burm*). Horticultural – Journal .,5:1,19-23; 9 ref. **mec**,
S. and Tucker, D. (1983) : Effect of herbicides on
 endomycorrhizal fungi in Florida citrus (Citrus spp.)
 soils . Weed Science , 31(4):427-431 .
- Niggli, U. ; Weibel, F.P. and Potter , C.A. (1988)**: Weed
 control in a perennial crop using organic mulch .
 Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz
 Sonderheft, 11,357-365 (Weed Abst. , 37:2887) .
- Noke, G. (1978)** : weed control trials in apple orchards .
 Tidsskrift for Planteavet, 82(5):587-598 (Hort. Abst. ,
 49:65-66).
- Obminskaya-Tk (1991)**: Strawberry cultivars for intensive
 methods of cultivation. Sadovods tvo-I-
 vinogradarstvo. 1991,No. 4, 22-23. (CAB intr
 Abstracts) .
- Parkinson, j.A. and S.E. Allen, (1975)** A wet oxidation
 Procedure suitable for the determination of nitrogen
 and mineral nutrients in biological material . Commun
 Soil Sci . and Plant Analysis , 6 (1):1-11,1975 .
- Platon , I. (1993)** : Experimental results concerning the chemical
 control of weeds in fruit trees plantations . Seria
 Agriculturae Si. Horticultura (1993) 47(1) 407-411
 [Ro, en, 6 ref.] Statiunea de Cercetare Si. Productie
 Pomicola, Bistrita Romania (Hort. Abst. 65;10433) .
- Putnam, A. R. (1976)**: Fate of glyphosate in deciduous fruit
 trees. Weed Science. 24: 525-430.
- Rahovic, D. and Petrovic, M. (1974)**: The use of polyethylene
 film in pear growing. Jugosovensko Vocarstvo, 8
 (29-30): 65-72. (CAB Intr. Abstracts).

- Rahovic, D. and Petrovic, M. (1977):** The effect of black polyethylene film on vegetative growth, yield and fruit quality in pears and peaches at high planting densities. *Jugoslovensko Vocarstvo*, 10 (39-40): 553-559. (CAB Intr. Abstracts).
- Ranvir-S; Misra-KK; Jaiswal-HR and Singh-r. (1993) :** Effect of weed density , survival and growth of stem cuttings of Lemon (*Citrus limon* Burm.) . *Annals- of – Agricultural-research* 1993, 14:3,353-354;4 ref. (CAB intr. Abstracts) .
- Richard, A.; Guinivan, Neal P. Thomson and Willis B. Wheeler (1982):** Veyification of Structures of chloroethy N- Hepta fluoroputyryl derivatives of glyphosate and (Aminomethyl) phosphonic acid by chemical ionozation and electron Impact Mass spectrometry. *J. Agric. Food chem.*, 30, 977-982.
- Rodrigriuez , R,. Fiores, K. ; Prado , R. , DE (1994-a):** Effects of diuron and chlorsufuron on olive trees . *Acta Horticulturae* No . 356 . 422 – 425 . (Hort. Abst. 66:7244) .
- Rodriguez , R .; Fiores, K. ; Prado, R. DE (1994-b)** Effects of simazine and glyphoseate on olive trees . *Acta horticulture* No 356 , 418 – 421 (Hort . Abst . 66: 72 43).
- Ruger, H. (1991) :** Experiments on reducing herbicide use in fruit growing . *obstbaw* 16 (7) : 346 – 350 Bonn,
- Rupp, L.A. and Anderson , J.L. (1985) :** Growth and fruiting responses of young apple and Tart cherry trees to weed control . *Hortscience*, 20 (4) : 727 – 729 .

- Schupp, J. R. Mocue, E. J . J (1996) :** Effect of olive weed control methods on growth and fruiting of , McIntosh M . 7 apple trees , Journal of tree fruit production (1996) 1 (1) 1 – 14
- Shergill, T.S. (1993):** Effect of herbicides on leaf nutrient (NPK) content, fruit yield and quality of kinnow mandarins. J. Maharashtra Agric. Univ., 18(3): 367-369.
- Singh – DB and Bajwa – Gs (1990) :** Effect of herbicide treatment on weed control and fruit quality in apatharnaka (*pyres perihelia*) orchard , Journal of – the Andamant – Science . Association. 1995, 6: 2, 160 – 162, 5 red (cABmtr – Abstracts) .
- Spring J. L, (1993) :** Trial on soil management along the ten of trees . Intermediate results. Revue suiss de Viticulture d, Arboriculture et d Horticulture, 25 (6) : 353 – 361 (CAB Inter Abstracts) .
- Stino, G.R. (1987):** Is growing temperate- zone- fruits profitable in the topics and subtropics? Hort. Sci., 22(6): 1243-1246.
- Stojanowska, J. (1987):** The influence of mulching with perforated black foil on growth and bearing of apple trees. Fruit Science Reports, 14 (2):79-84
- Thakur, G.C.; Chadha, T.R.; Verma, H.S.; Jayant, K. and Kumar, J. (1993):** Effect of soil management systems on bearing and fruit quality of apple cv. Red Delicious. Indian J. Hort., 50(1): 10-13.
- Thomas, W, and Dutcher, R, A. (1929) :** Picric acid method for carbohydrate , J. Amer , Chem , Soc. , 46 : 1662 – 1665 .

- Tolhurst, J.A.H. (1973):** The influence of mulch on the nutrient content of tea leaf. Tea in East Africa, No. 2, 14-19.
- Tomac, M, and Serkais, A (1986):** Resistance of cynodon dactylon to low volume glyphosate applications. Fragment Heruologice jugoslavica, 15 (1): 65 – 69
- Wessels, H.J. (1968):** Herbicides keeps orchards clean and production higher. South Africa Citrus J., (418), 11-13
- Worobey, B.L. (1982):** Analytical method for the Simoltaneous Determination of Diquate and paraquate residues in potatoes by high–pressure liquid chromatography. Pestic. Sci. 18, 245-257
- Young, R. S. (1983) :** Glyphosate plus agjuvants. Proceeding of the 37th Annul Meeting of the Northeastern weed science society , 250 – 254
- Zaki, H. A. (1979):** Studies on the effect of certain herbicides on some fruit trees and fruit characteristics. Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Zang, Q, Q , axing Q , M, liv L, y, (1991) :** Study on the effect of straw mulching in the sloping apple orchard. China Fruits No. 4. 11–14 (ch) fulansham Horticultural station jiuxion, shandong, china,
- Zaragoza, C, Moya, S and Martinez, G, (1995):** Effects of mulches based on pine bark and pruning residues in fruit orchard, In Proceeding of Apple orchards in the arid region , J of Fruit Sienna 12 (1) 32–34 (ch) chunhua Horticultural Service Station, chunhua, Shaanxi. Shina
- Zhao, J. M. and Zhao, F. (1995):** Study on the soil management system for apple orchards in the arid

region. Journal of fruit science 12 (1) 32-34 [ch]
Chunhua Horticultural Service Station, Chunhua,
Shaanxi, China

Zyl, H, S, Van, Jolly P, R, and Allison, E (1977): The use of
plastic mulch and herbicides in, nurseries and young
apple orchards. Deciduous fruit Grower, 27(1): 30-33