

REFERENCES

REFERENCES

- Abd-Allah, F.H. (1974):** Intercropping of maize and soybean. Assiut J. Agric. Sci., (5) 5-15.
- Abdel- Daïem, M.A. and Hamdi, Y, A.(1986) :**Preliminary study of the interaction between cowpea Rhizobia and *Brady rhizobium japonicum* to form nodules on soybean and cowpea pleats. In:The role of biological nitrogen fixation for Development of Rural Africa (Proc. 2nd Conf. of Africa Association for Biological Nitrogen Fixation. Held in Cairo, Egypt. Dec., 15-19, 1986).
- Abdel-Gaffar, S.A.M.(1976):** Some factors affecting nodulation and N₂-fixation of soybean M.Sc. Thesis, Fac. of Agric., Alex. Univ.
- Abdel-Gawad, A.A.; Edris, A.S. and Abo-Shetaia, A.M.A. (1985):** Effect of intercropping soybean with maize on growth, yield and yield components of soybean. Ann. Agric. Sci., Fac. of Agric., Ain Shams Univ., 30 (1) 207-221.
- Abdel-Gawad, A.A.; Saad, A.O.M.; Edris A.S.A. and El-Khdy, M. E. (1995 a):** Effect of stimulative dose of some forms of nitrogen fertilizers and bacterium inoculation on growth characters and photosynthetic pigments content of maize plants. Fac. of Agric., Ain Shams Univ., Agron. Depart. Bull NRC,. Egypt. 20, (4) :477-491.
- Abdel-Gawad, A.A.; Saad, A.O.M.; Edris A.S.A. and El-Khdy, M. E. (1995 b) :** Effect of the stimulative dose of some forms of nitrogen fertilizers and bacterium inoculation on

yield, its components and grain quality of maize plants. Fac. of Agric., Ain Shams Univ., Agron. Depart. Bull NRC., Egypt 20, (4) : 493 – 506.

Abdel-Nasser, M.; Moharram, T.M.M.; Safwat, M.S.A.; Ali, M.Z. H. and Zayed, G.(1990): Biological nitrogen fixation of cowpea as affected by inoculation as well as low and high N fertilization using N isotops dilution technique. Minia J. Agric. Res. & P, ev., 12 (1): 273 –282.

Abo-Shetaia, A.M.A. (1981): Inter and intra specific competition among maize and soybean plants. Ph. D. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.

Abo-Taleb H.H.Y. (1991): The effect of inoculation with specific Rhizobia on N-fixation, nodulation and yield of beans. M.Sc. Thesis Fac. of Agric, Cairo Univ.

Ahmed, H.S.S. (1983): Intercropping maize with soybean as affected by some cultural treatments. M. Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ. Egypt.

Ahmed, S. and Gunasena, H.P.M. (1979): Utilization and economics of some intercropped systems in tropical countries. Tropical Agric. (56) 115-123.

Amer, H.A.(1982): Studies on asymbiotic N₂- fixing bacteria in the rhizosphere of some magor crops. M.Sc. Thesis, Fac.,Agric, Cairo Univ.

Anita-Pandey; Eklabya-Sharma; Palni, L.M.S.; Pandey,A. and Sharma, E. (1998): Influence of bacterial inoculation on maize in upland farming systems of the Sikkim Himalaya. Soil Biology and Biochemistry 30 (3) 379-384.

REFERENCES

- Anwarhan, H.(1984):** Effect of population density and nitrogen application on the growth of corn and soybean planted as monoculture and intercrop . Contribution Central Research Institute for food crops. No. (37): 21- 28 (c.f. Field Crop Abst., 40 (1): 104, 1987).
- A.O.A.C. (1975):** Official Methods of Analysis. 12th Ed., Association Official Agric. Chem. Washington, D.C.
- Arsac, J.F.; Lamothe, C.; Mulard, D. and Fages, J. (1990):** Growth enhancement of maize (*Zea mays* L.) through *Azospirillum lipoferum* inoculation: Effect of plant genotype and bacterial concentration. Agronomie. 10 (8) 640-654.
- Attia, M.A.M. and El-Bially, M.E. (1990):** Interspecific competition and yield advantage of some summer crops as affected by some intercropping patterns and nitrogen rates. Proc. 4th Conf. Agron., Cairo, Vol. II, 613-625.
- Badr El-Din, S.I.M.; Maawad, H. and Safwat, M. (1998):** Evaluation of the effect of high soil nitrogen on the performance of three legumes/ Rhizobia symbiotic system using ¹⁵N. Egypt. J. Micro biol., 33 (1) 17 -24.
- Barsoum ,M.S. and Abdel-Gawad, M. A.(1990):** Effect of Rhizobium inoculation and N-fertilization and plant population on growth and yield of soybean in Calcareous Soil. Desert Institute. Bull., A.R.E., 40 (1) 83 -102.
- Bashan, Y.; Harrison, S.K. and Whitmoyer, R.E. (1990) :** Enhanced growth of wheat and soybean plants inoculated with *Azospirillum brasilense* is not necessarily due to general

- enhancement of mineral uptake. *Applied- and Environmental-Microbiology.*, 56 (3) 769 –775.
- Bassiem, M.M. (1983)** :Physiology studies on nitrogen of soybean plants (*Glycin max* L. Merr) Ph.D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Beaty, K.D.; Eldridge, I.L. and Simpson, A.M. (1982)**: Soybean response to different planting patterns and dates. *Agron. J.*, 74: 859-862.
- Berge, O.; Fages, J.; Mulard, D. and Balandrean, J. (1990)**: Effects of inoculation with *Bacillus circulans* and *Azospirillum lipoferum* on crop yield in field grown maize. *Symbiosis – Rehovot.* 9: 1-3, 259 – 266.
- Bishnoi and Ram Dutt (1980)**: Effect of rhizobium isolates inoculation methods and nitrogen levels on nodulation and quality of soybean. *Indian. J. Agron.* 25(3) 544-545.
- Brockhaus (1962)**: Brockhous ABC der Landwirtschaft. Band I (A.K), 2nd . Edition, VEB, F.A. Brockhous Verlag, Leipzing, Germany, pp. 489. (In German).
- Brophy, L.S. ; Heichel, G.H. and Russel, M.P. (1987)**: Nitrogen transfer from forage legume to grass in a systematic planting design. *Crop. Sci.*, 27: 753-758.
- Brawn, M.E. (1976)**: The role of defects in the decomposition, of soils. *J. Bact.*, 140 : 341.
- Chandel, A.S.; Pandeg, K.N.; Saxena, S.C. and Tiwari, S.K. (1988)**: Symbiotic nitrogen contribution by nodulated soybean to non-nodulated soybean and regi. *Indian J. Agron.*, (33) 393 –395 .

REFERENCES

- Chandel, A.S.; Singh, V.K. and Saxenai, S.C. (1993):** Canopy characters, net assimilation rate, competitive indices and grain yield of soybean (*Glycine max*) intercropped with maize (*Zea mays*) in north India. Indian J. of Agric. sci, 63 (4), 220-224 .
- Chela, G.S.; Tiwana, M.S.; Thind, I.S.; Puri. K.P. and Kaur, K. (1993):** Effect of bacterial cultures and nitrogen fertility on the yield and quality of maize fodder (*Zea mays*). Ann. of – Biology- Ludhiana 9 (1) 83 –86.
- Chouksey, V.P.; Vaishya, U.K.; Tembhare, B.R.; Rathore, G.S. and Johar, M.S. (1993):** Effect of continuous cropping and manuring in a soybean- wheat- maize fodder sequence on microbial population, nodulation and nitrogen fixation by soybean. JNKVV, Research Journal. 27(1) 45-48.
- Cordero, A. and Mc. Collum, R.E. (1979) :** Yield potential of interplant annual food crops in southern U.S.A. Agron. J., 71 : 832-842.
- Dadson, R.B. and Acquah, G. (1984):** *Rhizobium japonicum*, nitrogen and phosphorus effects on nodulation symbiotic nitrogen fixation and yield of soybean [*Glycine max* (L.) Merr.] in the Southern Savanna of Ghana. Field Crop Res., 9: 101-108.
- Dalal, R.C. (1977):** Effect of intercropping on maize with soybean on grain yield. Tropical Agric., 54 (20) 189-191.
- De-Wit, C.T. (1960):** On competition. Verslag Landbau Kindige onder zoek 66: 1- 82. (c. a. Willy, R.W., (1979).

- Dhillon, G.S.; Kler, D.S.; Walla, A.S. and Chahal, V.P.S. (1980):** Effect of *Azotobacter chroococcum* and seed size on the growth and yield of maize. Indian J. Agron. 25 (2) 244 –249.
- El-Boray, M.A.M. (1978):** Studies on intercropping soybean with maize. M. Sc. Thesis, Fac.Agric., Kafr El-Sheikh, Tanta Univ., Egypt.
- El-Boray, M.A.M.; Amer, M.I. and Hammouda, F.M. (1988):** Effect of inoculation and N- fertilization on nodulation, N-fixation and yield of two soybean [*Glycine max* (L.) Merr.] cultivars. Proc. 3rd Conf. Agron. Kafr El-shaekh, Tanta Univ. (2) 185- 192 .
- El-Borollosy, M.; Ishac, Y.Z.; El-Haddad, M.E.; Saleh, E.A. and Demerdash, M. (1986):**Response of maize plant to inoculation with asymbiotic N₂. fixers in the presence of different nitrogen levels and organic amendment with maize stalks. Proc. 2nd A ABNF Conf., Cairo, Egypt (15 – 19 Dec., 1986).
- El-Demerdash, M.E. (1994):** Growth and yield of maize plants as affected by becterization with diazotrophs and supplementation with half the dose of N-fertilizer. Ann. of Agric. Sci., Moshtohor. 32 (2) 889 –898.
- El-Douby, K.A.A. (1992):** Responses of maize grain yield to different intercropping patterns. Ph. D. Tesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.
- El-Douby, K.A.; El-Habbak, K.E.; Khalil, H.E. and Attia, Z.M. (1996):** Effect of some intercropping patterns on growth

and yield of maize and soybean. Ann. of Agric. Sci. Moshtohor, 34 (3) 915 – 933.

El-Essawi, T.M.; Faizy, S.E.D.; Abadi, D. and Hammouda, F.M. (1988): Response of soybean yield to inoculation at different levels of nitrogen fertilization Proc. 2nd ABNF Conf., Cairo, Egypt. (15 –19 Dec., 1986).

El-Ganbeehy, M.M. (1994):Response of field grown wheat to biofertilizer and nitrogen fertilization. Egypt. Com. In Sci. and Dev. Res., 48 (724) 25-42.

El-Gizawy, N. Kh. B. (1996): The effect of nitrogen fertilizer and agrispon on yield of some maize varieties (*Zea mays*,L.). M.Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ.

El-Gizawy, N. Kh. B. (2000): Response of maize (*Zea mays*,L.) to nitrogen and manganese fertilization. Ph. D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ.

El-Haddad, M.E.; Ishac, Y.Z.; Hamdi, Y.A. and Abdel Daiem, M. A.(1984): Competition for nodule sites between strains of *Rhizobium Japonicum* in Egyptian soil – 2nd Conference of Agric. Res. Center, Egypt, April, 9-11 .

El-Hosieny, M.M. and Rabie, M.R. (1979):Effect of bacterization of maize (*Zea mays* L.). seedlings with *Azotobacter chroococcum* their growth . Egypt. J. Microbiol. 14 (1-2) 45 – 57 .

El-Katatny, M.S.; El-Komy, H.M. and Attia, A.M. (1997): Pectin decomposition by mixed lu ltutures of *Azospirillum spp.* and *penicillium corylophillum* and its role in

REFERENCES

Azospirillum host plant association. Microbiological Research, 152 (2) 143-149.

El-Kholy, M.E. A. (1993): Effect of the stimulative dose of some forms of nitrogen fertilizers on growth and yield of maize plants. Ph. D. Thesis Fac. of Agric. Ain Shams Univ.

El-Sheikh, F. T. Z. M. (1993): Response of maize (*Zea mays*,L.) to nitrogen fertilizer and foliar application with zinc. Ann. of Agric. Sci., Moshtohor, 31 (4) : 1999 – 2008.

El-Sheikh, F. T. Z. M. (1998): Effect of plant population densities on nitrogen use efficiency of some maize varieties. Ann. of Agric. Sci., Moshtohor, 36 (1) : 143 – 162.

Ewies, E.O. (1987): Some agronomic practices on intercropped corn. The influence of nitrogen and phosphorus fertilization on the performance of solid and intercropping soybean with maize. Ph. D. Thesis, Fac. Agric., Cairo, Univ.

Fallik, E. and Okon, Y. (1996): The response of maize (*Zea mays*) to Azospirillum inoculation in various types of soils in the field. J. of Microbiol. and Biotechnol. 12 (5) 511 – 515.

Fayez, M.; N.F. Eman and H.E. Makboul (1985): The possible use of nitrogen fixing Azospirillum as biofertilizer for wheat plants. Egypt. J. Microbiol., 20 (2): 199 – 206.

Fedrov, M.V. (1940): Effect of Azotobacters on the nitrogen balance of the soil and yield of farm plants when the soil is fertilized with straw Mikrobiologiya, 9-541 .

REFERENCES

- Fisher, N.M. (1977):** Studies in mixed cropping 2-population pressures in maize - bean mixtures. *Exp. Agric.*, 13 : 185-191. (c.f. *Field Crop Abst.*, 3 (2) : 1046, 1978).
- Fortell, R.F. (1968):** Recent advances in biological nitrogen fixation, *Sci., Prog., Lond.* 56, 541-555.
- Francis, C.A.; Flor, C.A. and Prager, M. (1978):** Effect of been association on yields and yield components of maize. *Crop Sci.*, 18 (5) : 760 -764.
- Fulchieri, M. and Frioni, L. (1994):** *Azospirillum* inoculation on maize (*Zea mays* L.) : effect on yield in a field experiment in central Argentina. *Soil-Biology and Biochemistry.* 26 (7) 921 -923.
- Fulchieri, M.; Lucangeli, C. and Bottini, R. (1993):** Inoculation with *Azospirillum Lipofecum* affects growth and gibberellin status of corn seedling roots. *Plant and cell - physiology* 34 (8) 1305 -1309.
- Galal, S.G. (Jr) and Metwally, A.A. (1982):** The variability in intercropping tolerance of 18 soybean varieties when grown with a newly developed corn stock "Cairo 1" Res. Bull. No. 2102: 1-15 Fac. Agric., Ain Shams Univ. Egypt.
- Garcia-de - Salomone I. and Dobereiner, J. (1996):** Maize genotype effect on the response to *Azospirillum* inoculation. *Biology and Fertility of Soils* 21 (3) 193- 196 .
- Gill, M.S.; Rana, D.S and Narang, R.S. (1993):** Response of maize (*Zea mays*), Wheat (*Triticum aestivum*) and gobhi sarson (*Brassica napus subsp - olerifera var. annua*) to

balanced fertilization and azotobacter inoculation in subhumid Punjab. Indian.J. Agron. 38 (3) 463 –465.

Gray, T.R.G. and Parkson, D. (1968): The ecology of soil bacteria. Liverpool Univ. Press, PP. 535-551.

Gunanseva, H.P.M.; Sangakkara, R. and wicker emasinghe P. (1979): Studies on cereal – legume intercrop systems. J. of the Nat. Sci. Council of srilanka 7 (2) : 85 – 93 (c.f. Field Crop Abst. 34 (3) : 1749, 1981).

Hamdi, Y. A. (1982): Nitrogen fixation under grain legumes. The first OAU/STBC Intern. African Conference on biofertilizers. Cairo, Egypt. 22 – 26 March .

Hamdi, Y.A.; Abdel-Samea, M.E. and Lotfi, M. (1974): Nodulation of soybean under field conditions Zent. Bakt. Paras. In fek., II. 120: 576-578.

Hamdi, Y.A.; Gaffar, Z. and Lotfi, M. (1968): Response of soybean varieties to single and composite strains of *Rhizobium japonicum* . Agric. Res. Rev., Arab Republic of Egypt. 46 : 11 – 16.

Hammam, G.Y. (1986): Effect of inoculation and nitrogen fertilization on soybean yield. Proc. 2nd Conf. Agron., Alex., Univ., 2 : 583 –595 .

Hardy, R.W. F. and Havelka, U.D. (1976) : Photosynthate as a major factor limiting nitrogen fixation by field grown legumes with emphasis on soybeans, PP. 421 – 439 . In Symbiotic Nitrogen in plants, Ed. PS. Nutman, Cambridge Univ. Press.

REFERENCES

- Hassan, M.Z. (1981):** Effect of rhizobial inoculation and nitrogen fertilization on growth , yield components and seed quality of some soybean varieties. Ph. D. Thesis, Fac. of Agric. Cairo Univ.
- Hassanein, M.S. El. S. (1987):** Effect of some macro-nutrients on soybean. M. Sc., Fac. of Agric. Moshtohor, Zagazig Univ.
- Hassanein, M.S. ; El-Hariri, D.M. and Ahmed, M.A. (1997):** Effect of nitrogen fertilizer levels and bacterium inoculation on yield and its components of maize. Field Crop Res. Dept., National Research Center, Dokki, Giza, Egypt. J . Agric. Sci. Mansoura Univ., 22 (1) : 63 – 72 .
- Hegazi, N. A.; Monib, M.; Amer, H. and Shoker, E.S. (1982):** Inoculation of *Zea mays* with nitrogen fixing *Azospirilla* under Egyptian conditions. The first International Conference on biofertilizers (Egypt) 22 – 26 March (Abst.).
- Hegazi, N. A.; Monib, M.; Amer, H. and Shoker, E.S. (1983):** Response of maize plants to inoculation with *Azospirilla* and (or) straw amendent in Egypt. Microbiol., Dept. Fac. of Agric. Cairo. Univ. Giza, Egypt. Can. J. Microbiol. (29) 888 – 894.
- Hiebsch, C.K. (1978):** Comparing intercrops with monocultures. p. 187- 200. In Agronomic economic research on soils of the tropics, 1976- 77 Annual Report. North Carolina State Univ., Raleigh, N.C.

- Hiebsch, C.K. and McCollum, R.E. (1987- a):* Area- x- Time Equivalency Ratio: A method for evaluating the productivity of intercrops. Agron. J., 79: 15- 22.
- Hiebsch, C.K. and McCollum, R.E. (1987- b):* Area -x- Time Equivalency Ratio: A method for evaluating the productivity of intercrops. Agron. J. 79: 945- 946.
- Hiremath, S.M.; Chittapur, B.M. and kamar, B.N.A. (1994):* Performance of maize and soybean in intercropping. India Farming systems 10 : 3-4, 73 -75 .
- Hussain, A.; Arshad, M. and Hussain, F. (1987) :* Response of maize (*Zea mays*) to Azotobacter inoculation under fertilized and unfertilized conditions Biol. and Fert. of Soils, 4 (1-2) : 73 - 77.
- Ibrahim, A.F., El-Rawi, K.M. and Salem, A.A. (1977):* Performance of corn (*Zea mays* L.) and soybean (*Glycine max* (L.) Merr.) under intercropping in alternative rows and different plant populations. Z. Acker.U. Pflanzenbu, 145: 224-237. (c.f. Field Crop. Abst., 32: 370, 1979).
- Ionvacichus, A.; Masevichene, A. and Tarvides, N. (1970):*Effect of synthetic conditions on the distribution of the soil micro organisms. Shornik Trudoy Po Agronomi cheskoi Fizike. 22 : 113 - 118 .
- Ismail, A.S., El-Haddad, M.E.; Abdel Wahab, S.M. and Abo El-Soud, A.A. (1997) :* Effect of soil characteristics, inoculation and N fertilization on N fixation by faba bean and cowpea. African Crop Science Confrence Proceedings, 3 : 349 - 357.

REFERENCES

- Jeyaraman, S.; Ramiah, S. and Reddy, D. (1988):** Studies on nitrogen management in maize based intercropping systems. Indian Agron. J., (33) 98 –99 .
- Kage, H. (1995):** Interaction of nitrate uptake and nitrogen fixation in faba beans. Plant and Soil, 176 (2) : 189 – 196.
- Kaloyanova, N.; Dimitrova, A. and Kostov, O. (1990):** Effect of Azospirillum inoculation on the yield of maize. Agrokemia- es- Talajtan 39 : 3-4, 395 –398.
- Kamel, A.S.; Sherif, M. N.; El- Masry, M. A.; Badr. S.K. and Abd- El-Aziz., M. A. (1990) :** Intercropping maize with soybean as influenced by different patterns Agric. Rev. 28:1-19.
- Kamel, M. S.; Shabana, R.; El-Firgani, A.; Abdel-Hafeez, A.A. and El- Sayed, A. A. (1983) :** Progress in protein and oil of developing soybean seeds and productivity under inoculation and foliar application of micronutrients Proc. 1st Conf. Agron. Ain Shams Univ. 2 : 229 – 308.
- Khalil, H.E. (1994):** Evaluation of some intercropping patterns in relation to land equivalent ratio and competitive relationships. Ph. D. Thiesis, Fac. of Agric., at Moshtohor, Zagazig Univ., Benha Branch, Egypt.
- Khedr, E. A.F. (1982) :** Studies on intercropping of soybean in maize field. M. Sc. Thesis, Fac. Agric, Moshtohor, Zagazig Univ.
- Koreish, E. A.; El-Fayoumy, M. E.; El-Maddah, H. I. and Ramadan, H. M. (1998):** Response of maize (*Zea mays*) to inoculation with Azotobacter and Azospirillum under

various Mineral nitrogen levels. Alex. Sci.Exch., 19 (1) 165-176 .

- Kulhari , R.K.; sharma, G.L.; Jain, G.L. and Bansal, K.N. (1996)** Effect of nitrogen, Azotobacter inoculation and growth stimulants on yield, nitrogen content and uptake by maize (*Zea mays*). Ann. of Biology Ludhiana 12 (2) 299-301.
- Kumar, S. (1976):** Studies on mixed cropping of soybean with selected kharif crops. Pantanagar J. of Res. , 2: 251. (c.f. Field Crop Abst., 31 (8) : 4697 , 1978).
- Kushwaha, H.S. and Chandel, A.S. (1997):**Effect of nitrogen on yield, yield attributes and quality of soybean (*Glycine max*) intercropped with cereals in foot-hills of Uttar Pradesh. Indian J. of plant Agron. 42 (3) 409 – 413.
- Lippmann, B.; Leinhos,V. and Bergmann, H. (1995):** Influence of auxin producing of rhizobacteria on root morphology and nutrient allumulation of crops. I- Changes in root morphology and nutrient accumulation in maize (*Zea mays* L.) caused by inoculation with indole-3- acetic acid (IAA) producing psendomonas and Acinetobacter strains or IAA applied exogenously. Germany Angewandte- Botanik. 69: 1-2, 31-36.
- Liu, Z.L. and Sinclair, J.B. (1993):** Colonization soybean roots by *Bacillus megaterium* B 153 – 2-2. Soil Biology- and Biochemistry 25 (7) 845 –855.
- Mahgoub, G.M.A.; Essad, H.; Bedaiwi, H.; Younis, M.A. and El-Sherbieny, H.Y.Sh.(1991) :** Effect of baicteria inocula

REFERENCES

and nitrogen fertilizer on maize plants. Ann. of Agric. Sci., Moshtohor, 29 (2) : 645 – 655.

Mahmoud, E.A. and Khalifa, M.A. (1983): Effect of some intercropping patterns on growth and yield of maize and soybean. Proc. First Conf. Of Agron., Cereal Crops (A): 204-224.

Mahmoud, S.A.Z. (1988): Practical Applied Microbiology. Press, Egyptian Anglo Library.

Mahmoud, S.A.Z.; Kakawi, A.A.; Abdel-Nasser, M. and Ali, F.S. (1978): Studies on nodulation of soybean in Egypt. III- Inoculation and application of fertilizers. Egypt. J. Microbiol., 13 (1-2): 91- 97.

Marchiol, L.; Miceli, F.; Pinosa, M. and Zerbi, G. (1992): Intercropping of soybean and maize for silage in Northern Italy: Effect of nitrogen level and plant density on growth, yield and yield protein content. European J. of Agron. 1 (3) 207 – 211 .

Martin, R.C.; Eaglesham, A.R.J.; Voldeng H.D. and Smith , D.L. (1995): Factor affecting nitrogen benefit from soybean (*Glycine max* (L.) Merr. cv. Lee) to inter planted corn (*Zea mays* L. cv. Canada Environmental and Experimental – Botany, 35 (4) 497 – 505.

Martin, R.C.; Voldeng, H.A. and Smith, D.L. (1991): Nitrogen transfer from nodulating soybean to maize or to non nodulating soybean in intercrops: The 15 N dilution method-plant science. Plant- and Soil 132 (1) 53-63.

REFERENCES

- Mc Gilchrist, C.A. (1960)*: Analysis of competition experiments. Biometrics, 21: 975- 985.
- Mehasen, S.A.S. (1994)* : Effect of some irrigation treatments, bacterial inoculation and nitrogen fertilization on soybean productivity. Ph.D. Thesis Fac. of Agric. Moshtohor, Zagazig Univ. (Benha branch).
- Mehasen, S.A.S. (1999)*: Grain sorghum response to bacterial inoculation and nitrogen fertilization. Ann. of Agric. Sc., Moshtohor, Vol. 37(2) 839-851.
- Metwally, A.A. (1973)*: The study of some companionships between corn and other crops. M.Sc. Thesis Fac. Agric., Cairo Univ.
- Metwally, A. A. (1978)*: solid and intercropping soybean and corn. Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Metwally, A.A.; Abd- Alla, M. M. F.; Shaban,A.Sh.; Abd El-Hafez, A.A. and Ewies, E.O.(1988a)* : Effect of nitrogen and phosphorus fertilization for corn and corn- soybean intercrops. Assuit J. Agric. Sci. 19 (1) 323 –337.
- Metwally, A.A.; Abd- Alla, M. M. F.; Shaban,A.Sh.; Abd El-Hafez, A.A. and Ewies, E.O. (1988b)* : Land equivalent ratio and several competitive relationships of intercropping soybean with corn. Assuit J. Agric. Sci., 19 (1) 339 –349.
- Miele, S.; Gaetani, M.; Grossi, N.; Volterani, M. and Pardini, G. (1997)*: Effect of wheat and corn inoculation with *Azospirillum brasilense* on crop yield and quality. Agricoltura. Mediterranea 127 (4) 313-318.

REFERENCES

- Mishustin, F.N. and Shilnikova, E.K. (1969):** The biological fixation of atmospheric nitrogen by free living bacteria UNESCO Pub. Soil Biol., PP bs-109
- Monib, M.; Hegazi, H.A.; Eid, M. and Shokr, E. (1982):** Yield increase of grain sorghum (*Sorghum vulgares*) after inoculation with nitrogen fixing azospirilla. The first International – African Conference on biofertilizers Cairo, 22 – 26 March. (Abst.).
- Monib, M.; Hegazi, H.A.; Shokr, E. and Khawas, H.M. (1981)** : Response of field grown wheat to inoculation with Azospirilla (*A. barsilense*). Res. Bull. No. 1535, July – In Annotated Bibliography of Biological Nitrogen Fixation Research in Egypt 1976-1986.
- Morandini, P.; Vignola, R.; Vittorioso, P. and Bensichem, M.L. (1990):** Efficiency of Azospirillum inocula in peat for mulations: Maize (*Zea mays* L.) root colonization and effects on initial plant growth. Agrobiotechnoloical Research Area, Enichem Agricoltura, Via E. Ramarini 32, (I)15 Monterotondo (RM) Italy. Plant – nutrition physiology – and applications. 127–131.
- Moursi, M.A.; Assey, A.A.; Eraky, A.G. and Attia, M.A.M. (1983):** Land Equivalent Ratio when intercropping corn and soybean. Proc. First Conf. Agron. Egyptian Soc. Crop Sci., 1: 243-256.
- Muller, S.H. and Pereira, P.A.A. (1995):** Nitrogen fixation of common bean (*Phaseolus vulgaris* L.) as affected by

- mineral nitrogen supply at different growth stages. *Plant and Soil*, 177 (1): 55 – 61.
- Munzo-Garcia, A.A. and Valdes, M. (1995)*:The population dynamics of maize rhizoplane inoculated with pseudomonas and Azospirillum. *Latino americana -de-Microbiologia* 37 (4) 305- 313.
- Nanda, S.S.; Swain, K.C.; Panda, S.C.; Mohanty, A.k. and Alim,M.A. (1995)*:Effect of nitrogen and biofertilizers in fodder maize under rainfed upland couditions of Orissa. *Current Agricultural Research* 8: supplement, 45 –47 .
- Nangiu, D. (1980)*: Soybean response to indigenou Rhizobia as influenced by cultivar origin *Agron. J.*, 72: 403-406.
- Nieto, K.F. and Frankenbeger, W.T. (1991)*: Influence of adenine isopentyl alchol and *Azotobacter chroococcum* on the vegetative growth of *Zea mays*. *Plant- and - Soil* 135 (2) 213 – 221.
- Nutman, P.S. (1976)*: *Fd. Symbiotic Nitrogen fixation in plants*, Cambridge Univ. Press, Cambridge.
- Odongo, J.C.W.; Veresoglou, D.S.; Papakosta, D.and Sficas, A.G. (1990)*: Effects of population density, nitrogen fertilization and inoculation on the yields of intercropped maize and soybeans in Greece. *Agricultura- Mediterranea*. 120 (1) 3-12.
- Pal, U.R., Kalu, B.A., Norman, J.C. and Adedzwa, D.K. (1988)*: N and P fertilizer use in soybean maize mixture. *Agron. J.*, 160: 132-140.

REFERENCES

- Palissa, A.A. and Koepke (1970):** Biological effect of some synthetic soil conditions Zbl- Bakt. II- Abst. 125 : 273 – 288.
- Patil, S.k.; Pisal, A.A. and Desale, J.S. (1992):** Response of fodder maize (*Zea mays*) to biofertilizers. Indian. J. of Agron. 37: (2) 357–358.
- Pineda, P.; Kipe-Nolt, J.A. and Rogas, E. (1994):** Rhizobium inoculation increases of bean and maize yields in intercrops on farms in the peruvian sierra. Experimental- Agriculture. 30 (3) 311- 318.
- Postage, J.R.(1971):** Ed- The chemistry and Biochemistry of nitrogen fixation, plenum Press, London.
- Postage, J.R.(1974):** Prerequisites for biological nitrogen fixation in free-living heterotrophic bacteria, P.P. 663-686. In biology of nitrogen fixation, Ed., A. Quispel, North Holland, Publishing Co., Amsterdam.
- Pregl, F. (1945):** Quantitative organic micro-analysis, 4th Ed. J. & A. Churchill, Ltd., London.
- Purcino, A.A.C.; Paiva, E.; Silva, M.R.E. and Andrade, S.R.M. (1996):** Influence of Azospirillum inoculation and nitrogen supply on grain yield, Carbon and nitrogen assimilating enzymes in maize. J. of plant Nutrition. 19 (7) 1045 - 1060.
- Raitshewa, L. (1967):** Role of *Rhizobium japonicum* in the N-nutrition of soybean grown under different soil conditions in Bulgaria. Zentbl. Bakt. Parasit. Kde., 121. Abst. II, 731-735 [(c.f. Soil and Fert., 31, (1969)].

- Reiad, M. S.; Abdrabou, R. T. and Hamada, M.A. (1987):* Response of maize plant to inoculation with Azotobacter and Azopirillum, nitrogen and organic fertilization rates. Annels. of Agric. Sci. Moshtohor, 25 (1) 1 –12.
- Remison, S.U. (1978):* Neighbor effects between maize and cowpea at various levels of nitrogen and phosphorus. Exp. Agric., 14 : 205- 212 . (c.f. Field Crop Abst. 32 (2) 726, 1979).
- Rohitashav-Singh; Sood, B.R.; Sharma, V.K. and Singh, R. (1993):* Response of forage maize (*Zea mays*) to Azotobacter inoculation and nitrogen. Indian, J. of Agron. 38 (4) 555 – 558.
- Rosas, J.I.O.M. and Ortiz Manasterio Rosas, J.I. (1988):* Intercropping studies with soybean [*Glycin max* (L.) Merr.] and maize (*Zea mays* L.) or ryegrass (*Lolium perennel*). Dessertation, Abst, International, B. Sci. and Engineering. 49: IB-2B.
- Saad, A. O.M.; Thalooth, A. T.; Ashour, N.I. and shehab, A.F. (1983):*Effect of seed inoculation and fertilization with different forms of nitrogen on growth, nitrogen uptake and yield of soybean. Proc. 1st Conf. Agron. Ain Shams Univ., 2: 451 – 464 .
- Safwat, M.S.A.; Moharnam, T.M.M.; Abdel-Moneim, M.Z.H. Ali and Zayed, G. (1990):* The use of N15 enriched fertilizers for estimating N fixation in soybean. Minia J. Agric. Res. & Dev. 12 (1) 259 – 272 .

- Sahar-Sherif, A.M. (1993):** Studies on nitrogen fertilizer requirements for different patterns of soybean - maize intercropping under some African environmental condition M.Sc. Thesis, Cairo Univ.
- Saleh, E.A.; Ishac Y.Z.; El-Haddad, M.E.; Eid, M.; El-Borollosy, M. and El-Demerdash, M.E. (1986):** Effect of seed bacterization and organic amendment with garbage compost on the growth of maize plants. Proc. 2nd AABNF Conf., Cairo, Egypt Dec. 15 -19: 517 – 527.
- Salmeron, V.; Martinez – Toledo, M.V. and Gonzalez- Lopez- J. (1990):** Nitrogen fixation and production of auxins, gibberellins and cytokinins by an *Azotobacter chroococcum* strain isolated from the root of *Zea mays* in the presence of insoluble phosphate. Chemosphere . 20 : 3-4 , 417- 422.
- Salwau, M.I.M. (1989):**Response of soybean to nitrogen levels, molybdenum and inoculation. Ann. of Agric. Sci, Moshtohor, 27 (2) 771 –781.
- Saric, Z.; Saric, M.; Goverdarica, M. and staukovic, Z. (1987):** The effect of maize genotype and nitrogen level on the effeciency of different *Azotobacter* strains. J. of plant nutrition 10 (9–10) : 1779- 1786 (c.f. Field Crop Abst., 41 (11) 929, 1988).
- Saxena, B.;Desai, A. and Modi, V.V. (1990):** External adsorption of *Azospirillum lipoferum* strain D-2 to plant roots and its effect on plant growth. Current- Science. 59 (8) 424–427.

REFERENCES

- Sayed Galal, J. R.; Abdalla, M. M. F. and Metwally, A. A. (1983):* Intercropping corn and soybean under different patterns of intercropping. The first Conf. of Agric. Botany Sci., PP. 170 –185. Mansoura Univ.
- Sekhon, H.S.; Kaul, J.N. and Dhiugva, K.K.(1984):* Effect of Rhizobium inoculation, mulch and nitrogen and phosphorus fertilizers on soybean [*Glycine max* (L.) Merr.] Indian J. Agric. Sci., 102 : 475 – 478.
- Sharaf, A.E. and Salwau, M. I.M. (1992):* Effect of Rhizobium inoculation and nitrogen fertilization on yield and its components of two soybean cultivars Proc. 5th Conf. Agron. Zagazig Univ, 2; 851 – 861.
- Shrivastava, U.K. and Sinha, N.K. (1992):* Response of maize (*Zea mays*) and wheat (*Triticum aestivum*) to Azotobacter inoculation and feartilizer application . Indian J. of Agron. 37 (2) 356-357 .
- Singh, C.M. and Guleria, W.S. (1979):* Effect of intercropping and fertility level on growth and yield of maize. Farming and Agriculture, 10 (7): 242-244. (c.f. Field Crop Abst., 34: 5286, 1980).
- Singh, J.; Negi, P.S. and Triptti, S.K. (1973):*Study on Intercropping soybean with maize and Jowar. Indian-J. Agron. 18: 75 –78.
- Singh, R.P. and Kaushik, U.K. (1987):* Nitrogen economy in maize legume intercropping system . Ann. of Agric. Res., 8: 101 –109 .

REFERENCES

- Singh, R.P.; Kaushik, M.K. and Sharma, K.C. (1988)*: Studies on maize- legumes intercropping systems under tarai conditions. Indian J. Agron. 33 (4) 385 – 388.
- Singh, R.P.; Nair, K.P.P. and Singh, P.P. (1986)*: Biological yield and nitrogen uptake in maize. Ann. of Agric. Res. 7(2): 275- 281 (c.f. Field Crop Abst.) 41 (1) 21-1988).
- Sison, L.C. and Pava, H.M. (1990)*: Inoculation, nitrogen and phosphorus fertilization on peanut (*Arachis hypogaea* L.) with and without corn intercrop. J. of Science 3 (1) 25-62.
- Snedecor, G. W. and Cochran, W.G. (1967)*: Statistical methods, 6th Ed. the Iowa State Univ. press, Ames Iowa, USA: 325-330.
- Soliman, S. and Monem, M.A. (1995)*: Influence of N-15 labelled urea and Azotobacter on corn and nitrogen budget as affected by organic matter. Egyptian J. of Soil Science, 35 (4) 415 – 426.
- Sood, R.D.; Mano, J.; Bhargava; Thakar, R.C. and Bhargava, M. (1995)*: Economic response of N, P,K and Zn application on the yield of rainfed maize in Himachal Pradesh. India. Farming systems 11 : 3 – 4, 7 – 11.
- Stancheva, I.; Dimitrov, I.; Kaloganova, N.; Dimitroua, A. and Angelov, M. (1992)*: Effect of inoculation with Azospirillum brasilense on photosynthetic enzyme activities and grain yield in maize. Agronomie 12 (4) 319 – 324.
- Stancheva, I.; Dimitrov, I.; Kaloyanova, N.; Dinev, N. and Poush karov, N. (1995)*: Improvement of the nitrogen

REFERENCES

uptake and nitrogen content in maize (*Zea mays* L.) by inoculation with *Azospirillum brasilense*. *Agrochimica* 39: 5-6. 299–306.

Stancheva, I. and Dinev, N. (1992) : Effects of inoculation of maize and species of tribe. Triticeae with *Azospirillum brasilense*. N-Poush karov Institute of Soil Science and Agroecology, Sofia 1080, Bulgaria Journal of plant – physiology 140 (5) 550 –552.

Subba Rao, N.S. (1984): Biofertilizers in Agriculture Oxford & I BH Publishing Co.

Subba Rao, N.S. and Balasundaram, V.R. (1971): Rhizobium inoculants for soybean. *Indian Farming*, 21, 22 – 23.

Tripathi, R.D.; Srivastava, G.P.; Misra, M.S. and Pandey, S.C. (1971): Protein content in some varieties of legumes. *The Allah Abad Farmer.*, 16:291-294.

Vyas, M.D.; Billore, S.D.; Mridula – Bargale and Bargale, M. (1995): Competition functions of maize + soybean intercropping under various spatial arrangements. *India Crop-Res.Hisar* 10 (2) 122 –125.

Willey, R.W. (1979): Intercropping. Its importance and research needs. Part I: Competition and yield advantages.,(c.f. *Field Crop Abstr.*, 32 (1) 10).

Willey, R.W. and Rao, M.R. (1980): A competitive ratio for quantifying competition between intercrops. *Exp. Agric.*, (16) : 117- 125.

- Wu, M.H.; Lee, S.T. and Chaing, M.H. (1968):* Effect of submergence on soybean- rhizobia. J. Agric. Ass. China, 64 : 13-17 [c.f. Soils and Fert., 32 (2866)].
- Yadav, K.; Prasad, V.; Ahmad, N.; Mandal, K. (1992):* Response of maize genotypes to *Azospirillum lipoferum* in calcareous soils. J. of the Indian Society of Soil Science. 40 (1) 195 – 197.
- Zada, K. and Ahmed, S. (1988):* Yield and yield components of intercropped maize and soybean in relation to inorganic nitrogen. Pakistan J. of Agric. Res, 9 (4): 473-477.
- Zada, K. and Ahmed, S. (1992):* Biologic and intercrop studies on yield and nitrogen fixation of soybean and maize. Sarhad-J. of Agric. 8 : 6, 613 – 622.
- Zaghloul, R.A., Moustafa, M.A., and Amer, A. A. (1996):* Influence of wheat inoculation with mycorrhizal fungi, phosphate solubilizing bacteria and *Azospirillum* on its growth and soil fertility. Ann. of Agric. Sci. Moshtohr, 34 (2) 611 –626 .
- Zahran, M. (1970):* The use of soybean overlapping or as a companion crop with forage or grain crops. Ph. D. Thesis, Fac. Agric. Cairo, Univ.
- Zohry, A. H. A. (1994):* Effect of intercropping soybean with sugar cane. M.Sc. Thesis (Agric. Agron.) Al- Azhar Univ. Cairo. Egypt.

REFERENCES