




REFERENCES

6. REFERENCES

- Abdalla, K. M.; A.T. El-Wakeel and H.H. El-Masiry. 1978. Effect of gibberellic acid on seed germination of some citrus rootstocks. Res. Bull. Fac. Agric. Univ. Ain Shams (944) 25 pp. (Hort. Abst. 50: 2115).
- Abou-Rawash, M.; A.M. El-Hammady; A. Abou-Aziz; N. Abdel-Hamid and E. Abdel-Moneim. 1995. Growth and mineral composition of four *Citrus* rootstocks seedlings grown under two different soil types. Ann. Agric. Sci., Cairo, (40): 307-325.
- Atawia, A.A.R. 1992. A comparative study on some citrus seedling rootstocks. Ann. Agric. Sci., Moshtohor. 30 (3): 1405-1423.
- Aubert, B. and G. Vullin. 1997. Citrus Nursery Techniques and Agricultural Technologies. Proceedings of the V ISCN Congress, March 1997, Montpellier, France, Cirad ed.
- Azab, S.A. and A.K. Hegazy. 1995. Growth performance and plant water relations of seven *Citrus* rootstocks under the arid environment of Qatar. Arab Gulf J. Scientific Res. 13 (3): 605-620. (Hort. Abst. 67: 3491).
- A.O.A.C. 1965. Official Method of Analysis of the Association of Official Agriculture Chemist, 10th edition. Washington, D.C. 20044.
- Badr, S.A.; G.C. Martin and M.H. Hartmann. 1971. A modified method for extraction and identification of abscisic acid and gibberellin-like substances from the olive (*Olea europaea*). Physiol. Plant. 24: 191-198.

- Balasubramaniam, K.; T.M.S. Atukopala; S.Wijesundera and A.A. Hoover. 1973.** Biochemical changes during germination of coconut (*Cocos nucifera*). Ann. Botany, 37: 439-445.
- Bartellet, M.S. 1937.** Some examples of statistical methods of research in Agriculture and applied biology. II. R. Statist. Soc. (4): 137-183.
- Barthlott, W. 1984.** Microstructural features of seed surfaces. In (concept in plant taxonomy).(ed. V.H. Heywood and D.M. Moore), PP. 95, Academic Press, London.
- , 1990. Scanning Electron Microscopy in Taxonomy and Functional Morphology. (ed. D. Claugher), pp. 69, Clarendon Press, London.
- Blanco, A.S.; J.L. Foquet; J.L. Gonzalez and L. Foquet. 1998.** Polyemryony and seed number in hybrid *Citrus* progenies used as rootstocks. Revista Industrial Y Agricola de Tucman, 75 (1-2): 41-44.
- Brown, J.D. and O. Lilleland. 1946.** Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort. Sci. 48: 346.
- Caruso, A. and G. Terranova. 1988.** Observation on the germinative energy of several citrus rootstocks and on their growth in various types of peat container. Annali dell' Istituto Sperimental per l'Agrumicoltura, (21-22): 197-206. (Hort. Abst. 62: 3437).
- Carvalho, Mrt, de; R. Bordignon; Rml, Ballve; Caf, Pinto, Maglio; H.P, Medina, Fliho and Mrt. De. Carvalho. 1997.** Biological aspects of reduce seed numbers in "Sunki" tangerine. Bragantia, 56 (1): 69-77.

- Chang and L.R. Heckard. 1983.** Seed coat morphology in *Cordylanthus* (*Scrophulariaceae*) and its taxonomic significance. Amer. J. Bot. 59: 258-265
- Chapman, H.D. and P.F. Pratt. 1961.** Methods of analysis for soils, plants and waters, Calif, Univ., Division of Agric Sci., 94-136 pp.
- Chapot, H. 1955.** Remarks on the germination of seeds of *Poncirus trifoliata*. Fruits d' outer mer. (10): 465-468. (Hort. Abst. 26: 2078).
- Chou, K.H. and W.E. Splittstoesser. 1970.** Changes in nitrogenous components of *Pumpkin cotyledon* during germination. Plant Physiol. 46: 35-39.
- Chrispeals, M.J. and J.E. Varner. 1967.** Hormonal control of enzyme synthesis on the mode of action of gibberellic acid and abscisic in aleurone layers of barley. Plant Physiol. (42): 1008-1016.
- Corner, E.J. 1976.** The seed of *Dicotyledons*. Cambridge Univ. Press. Cambridge.
- Daniel, H.D. and C.M. George. 1972.** Peach seed dormancy in relation to endogenous inhibitors and applied growth substances. J. Amer. Soc. Hort. Sci. 97: 651-654.
- Devlin, R.M. 1972.** Plant Physiology. 2nd edition. Press PVT. LTD New Delhi, pp. 446.
- Duncan, D.B. 1955.** Multiple range and multiple F. tests. Biometrics, 11: 1-42.
- El-Dosouky, S.A. and A.A. R. Atawia. 1998.** Growth performance of some citrus rootstocks under saline conditions. Alexandria J. Agric. Res. 43 (3): 231-254.

- El-Halawany, S.F. 1995.** Taxonomical studies on *Caryophyllaceae*.
Ph.D. Thesis. Fac. of Sci. Mansoura Univ.
- El-Magly, U.I. 1998.** Morphcharacter of the seed coat of some
Resedaceae and their possible contribution to the taxonomy of the
family. M.Sc. Thesis. Fac. of Sci. Ain Shams Univ.
- El-Shazly, S.M. 1996.** Comparative study among certain local and
introduced citrus rootstocks grown in Egypt. VIII. Congress of the
Inter. Soc. Citriculture. South Africa. 12-17 May. Abst 172 pp.
63.
- Eshuys, W.A. 1985.** Germination of citrus seeds. Information Bull.
Citrus and Subtropical Fruit Res. Inst. (155): 8-9. (Hort. Abst. 56:
2841).
- Evenhuis, B. and W. De-Waard. 1980.** Principles and Practices in Plant
Analysis. F.A.O. Soil Bull., 38: 152-163.
- Fatta del Bosco, S; G. Matranga and G. Geraci. 1994.** Isoenzyme
analysis of citrus rootstocks populations to identify zygotic
seedlings. Advances in Horticultural Science, Vol. 8, No. 2: 71-
74.
- Fayek, M.A.; H.H. Selim; F.A. Ibrahim and O.A. Kilany. 1981.**
Studies on the use of growth regulators in germination of citrus
rootstock seeds. Bull. Fac. Agric. Univ. Cairo. (32): 159-175.
- Frankland, B. and P.F. Waring. 1960.** Effect of GA and hypocotyl
growth of Lettuce seedlings. Nature, 185: 255-256.
- Gamal;, N.M. 1979.** Studies on the effect of stratification and growth
regulators on germination of grape seeds. Ph. D. Thesis. Fac.
Agric. Cairo Univ.

- Chang and L.R. Heckard. 1983.** Seed coat morphology in *Cordylanthus* (*Scrophulariaceae*) and its taxonomic significance. Amer. J. Bot. 59: 258-265
- Chapman, H.D. and P.F. Pratt. 1961.** Methods of analysis for soils, plants and waters, Calif, Univ., Division of Agric Sci., 94-136 pp.
- Chapot, H. 1955.** Remarks on the germination of seeds of *Poncirus trifoliata*. Fruits d' outer mer. (10): 465-468. (Hort. Abst. 26: 2078).
- Chou, K.H. and W.E. Splittstoesser. 1970.** Changes in nitrogenous components of *Pumpkin cotyledon* during germination. Plant Physiol. 46: 35-39.
- Chrispeals, M.J. and J.E. Varner. 1967.** Hormonal control of enzyme synthesis on the mode of action of gibberellic acid and abscisic in aleurone layers of barley. Plant Physiol. (42): 1008-1016.
- Corner, E.J. 1976.** The seed of *Dicotyledons*. Cambridge Univ. Press. Cambridge.
- Daniel, H.D. and C.M. George. 1972.** Peach seed dormancy in relation to endogenous inhibitors and applied growth substances. J. Amer. Soc. Hort. Sci. 97: 651-654.
- Devlin, R.M. 1972.** Plant Physiology. 2nd edition. Press PVT. LTD New Delhi, pp. 446.
- Duncan, D.B. 1955.** Multiple range and multiple F. tests. Biometrics, 11: 1-42.
- El-Dosouky, S.A. and A.A. R. Atawia. 1998.** Growth performance of some citrus rootstocks under saline conditions. Alexandria J. Agric. Res. 43 (3): 231-254.

- El-Halawany, S.F. 1995.** Taxonomical studies on *Caryophyllaceae*.
Ph.D. Thesis. Fac. of Sci. Mansoura Univ.
- El-Magly, U.I. 1998.** Morphcharacter of the seed coat of some
Resedaceae and their possible contribution to the taxonomy of the
family. M.Sc. Thesis. Fac. of Sci. Ain Shams Univ.
- El-Shazly, S.M. 1996.** Comparative study among certain local and
introduced citrus rootstocks grown in Egypt. VIII. Congress of the
Inter. Soc. Citriculture. South Africa. 12-17 May. Abst 172 pp.
63.
- Eshuys, W.A. 1985.** Germination of citrus seeds. Information Bull.
Citrus and Subtropical Fruit Res. Inst. (155): 8-9. (Hort. Abst. 56:
2841).
- Evenhuis, B. and W. De-Waard. 1980.** Principles and Practices in Plant
Analysis. F.A.O. Soil Bull., 38: 152-163.
- Fatta del Bosco, S; G. Matranga and G. Geraci. 1994.** Isoenzyme
analysis of citrus rootstocks populations to identify zygotic
seedlings. Advances in Horticultural Science, Vol. 8, No. 2: 71-
74.
- Fayek, M.A.; H.H. Selim; F.A. Ibrahim and O.A. Kilany. 1981.**
Studies on the use of growth regulators in germination of citrus
rootstock seeds. Bull. Fac. Agric. Univ. Cairo. (32): 159-175.
- Frankland, B. and P.F. Waring. 1960.** Effect of GA and hypocotyl
growth of Lettuce seedlings. Nature, 185: 255-256.
- Gamal, N.M. 1979.** Studies on the effect of stratification and growth
regulators on germination of grape seeds. Ph. D. Thesis. Fac.
Agric. Cairo Univ.

- Mourad, M.M. 1988.** Morphological and taxonomical studies on the seed of the *Solanceae*. Ph.D. Thesis, Fac Sci. Ain Shams Univ, Egypt.
- Murphy, J. and P. Riely. 1962.** A modified single solution for the determination of phosphate in natural water Anal. Chem. Acta. 27: 31-36.
- Noda, K.; H. Okuda and I. Iwagaki. 2001.** Relationship between growth and IAA and ABA levels in *Citrus* rootstock seedlings. J. Jap. Soci. Hort. Sci. 70 (2): 258-260.
- Obsborne, D. 1965.** Physiological effects of gibberellic acid. Plant Physiol. 35: 293-302.
- One, E.O.; S. Leonel and J.D. Rodrigues. 1995.** Effect of growth regulators on seed germination in Swingle citrumelo. Semina (Londrina), 16 (1): 47-50. (Hort. Abst. 67: 7246).
- Oseni, T.O. 1985.** Effect of root cation exchange capacity (CEC) and root weight on leaf cation content of three *Citrus* rootstock seedlings. Indian J. Plant Physiol. 28 (4): 337-343.
- Platt, R.G. and K.W. Opitz. 1973.** Propagation of citrus. Citrus industry (3) Reuther W (ed.) Univ. California Publ. P. 1647.
- Poerwanto, R.; H. Inoue and I. Kataoka. 1987.** Observation on the root hairs of three *Citrus* rootstocks. Kagawa Daigaku Nogakubu Gakuzyutu Hokoku (Tech. Bull. Fac. Agric. Kagawa Univ.) 39 (1): 5-9. (Hort. Abst. 59: 3399).
- Pregl, E. 1945.** Quantitative organic micro analysis 4th Ed. J. Chundril, London.

- Rabie, S.H. 1999.** Taxonomic studies on seed morphology of the family *Leguminosae-Papilionoideae*. Ph.D. Thesis. Botany Dept. Fac. Women Ain Shams Univ. Egypt.
- Radford, A.E.; W.C.Dickson; J.E. Massey and C.R. Bell. 1974.** Vascular Plant Systematic. Harber & Row Publishers.
- Rakhonde, B.M. and G.S. Tayde. 1987.** Citrus rootstocks seedling growth and budtake in different season. PKV, Res. J. 11 (2): 176-177.
- Rosein. H. 1957.** A modified ninhydrin coloremtric analysis for amino acids. Arch. Biochemistry and Biophysics, 67: 10-15.
- Rouse, R.E. 1997.** Optimum temperatures for germination citrus seeds. 43th Annual meeting, Guatemala City, Guatemala, 1-4 September, 1997. Proceedings of the Interamerican Society for Tropical Horticulture, vol. 41: 136-139.
- Salem, S.E.; S.S. Mostafa and M.H. Edris. 1990.** Effect of some cirus rootstocks on the growth and mineral content of Washington Navel Orange. Bull. Fac. Agric. Univ. Cario. 41 (1) : 87 – 96.
- Selim, H.H.; M.A. Fayek and A.M. Sweidan. 1978.** Reproduction of Bricher apple cultivar by layering. Ann. Agric. Sci., Moshtohor, 18 (1): 157-166.
- ;-----; **F.A. Ibrahim; S.A. Sari El-Den and N.M. Gamal. 1981.** The role of some endogenous components in termination of dormancy in Romi Red grape seeds. Res. Bull. No. 1527 Fac. Agric. Ain Shams Univ.
- Shawki, I.; I. Desouky; A.El-Tomi and M.A. Mohamed. 1980.** Effect of pH on the growth and mineral content of some citrus rootstock seedling. Egypt. J. Hort. 7 (1): 19-31.

- Simbolon, H. and G. Panggabean. 1986.** Some aspects of citrus with special reference to Indonesia. Buletin Penelitian Hortikultura, 14 (1): 32-40. (Hort. Abst.59: 3398).
- Singh, D and A.S. Dathan. 1969.** Structure and development of seed coat in *Cucurabitaceae*. 5. Seeds of *Melothria*. L. Proc. 56 th London Sci. Congr. 3 (4): 393-400.
- Smith, F.; M.A. Gilles; J.K. Hamilton and P.A. Godess. 1956.** Coloremtric method for determination of sugar related substances. Anal. Chem. 28: 350-356.
- Snedecor, G.W. and W.C. Cochran. 1972.** Statistical Methods 6th Ed. Iowa State Univ. Press, Ames, Iowa, USA pp. 593.
- Stace, C.A. 1980.** Plant Taxomnomy and Biosystemetis. Edward Arnold Limited, London.
- Tantawy, M.E. and S.H. Rabie. 2000.** Scanning Electronic Microscopy of the seed coat of some species of *Polygnum* L.S. LAT (*Polygonaceae*) Bulletin of the Fac. Sci. Assuit Univ. (D.) Botany 29 (2-D) pp. 365-376.
- Tayed, G.S. 1985.** Studies on root system of different citrus rootstocks as influenced by kinnow mandarin scion in nursery. P.K.V. Res. J. 9 (2): 74-76.
- Thomson, P.A. 1981.** Variations in seed size within population of silene dioica Claiv. In relation to habitat. Ann. Bot. 47 (5): 623-634.
- Tillberg, E. 1977.** Indole acetic acid levels in *Phaseolus*, *Zea* and *Pinus* during germination. Plant Physiol. 60: 317-319.

- Tim, G.T. 1989.** Effect of pre-treatment on the field germination rate of some tree seed. J. Korean Forestry Soc. 78 (1): 26-29. (Hort. Abst. 61: 4548).
- Wiltbank, W.J.; R.E. Rouse and L.N. Khoi. 1995.** Influence of temperature on citrus rootstocks seed emergence. 108th Annual Meeting of the Fla. Sta. Hort. Soc. Orlando, Fla. USA, 22-24 October, 1995. Proc. Fla. Sta. Hort. Soc. (108): 137-139.
- Yousif, Y.H.; K. Hassan and H.S. Al-Saadoon. 1989.** Effect of gibberellic acid on germination of sour orange seed and their growth in ten soil mixes. Ann. Agr. Sci. Cairo, 34 (2): 1139-1149. (Hort. Abst. 60: 7669).