





LITERATURE

CITED



6. LITERATURE CITED

Abou-El-Ez, A.T. (1994): Studies on vegetative propagation of some tropical fruit tree species. Ph.D. Thesis Fac. of Agric. Cairo Univ. Egypt.

Abou-Shanab, I.S. (1982): Comparative studies on easy – to – root and hard – to – root cuttings of olives. Ph.D. Diss., Fac. of Agric. Ain Shams Univ.

Abul-Azayem, A.I. (1982): Physiological studies on regeneration of guava trees by root cuttings. Ph.D. Thesis, Fac. Agric. Cairo Univ. Egypt.

A.O.A.C. (1970): Association of Official Agricultural Chemists, Official Methods of Analysis. Washington D. C., U.S.A., PP. 832.

Avidan, B. and S. Lavee (1978): Physiological aspects of the rooting ability of olive cultivars . Acta Horticulture 79, 93-101.

Bakr, E.I.M.; H.H.A. Selim; G.M. Nour and M.F. Gabr (1977): Developmental anatomy of adventitious roots on stem cuttings of Wetaken olive cultivars. Egypt J. Hort. 4 (1).

Bakry, E.A.K. (1998): Physiological and histological studies on vegetative propagation of mango and pecan. Ph.D. Thesis, Fac. of Agric. Moshtohor Zagazig, University.

- Barrientos-Priego, A.; M.W. Borys and F. Barrientos – Perez (1988):** Rooting of avocado cuttings (*Persea Americana Mill.*) cvs. Fuerte and Colin V-33. California Avocado society year book 70, 157 – 163 {En, 12 Ref. 2 Pl.} CICTAMEX , palacio Municipal, Coatepec Harinas , Mexico. (Hort. Abst. 58:5250).
- Bartolini, G.; P. Fiorino and M. Bouzar (1977):** Studies on the effect of immersing cuttings in water. The effect of steeping in water of differing pH on the rooting of olive cuttings cv. Frantoio. Rivist lella ortofloro frutticoltura Italiana., 61(6) : 409 – 417. (Hort. Abst. 48:10125).
- Bartolini, G. and M. Del. Ministro (1981):** The effects and interactions of various growth regulators on the rooting and growth of olives in the nursery. Rivista della ortoflorofrutticoltura Italiana (1981) 65 (6) 451-462 (Hort. Abst., 52: 5796).
- Battaglini, M.; J. Humanes and P. Preziosi (1975):** Observations on the rooting capacity of 34 cultivars of *Olea europea* treated with B. Indole butyric acid (IBA) under mist in a glasshouse under controlled conditions. Olea No. 1:11-25 (Hort. Abst. 47:6899).
- Bid, N.N. and S.K. Mukherjee (1972):** Studies into the effect of forced cuttings . Acta Horticulture (1972) No. 24, 77- 81 (c.f. Hort . Abst. 43 (5:3220).

- Bini, G. (1981):** Variation in the rooting potential during annual cycle of development in the olive. *Informatore Agrario* 37 (2) 13587 – 13592. (Hort. Abst. 51:8133).
- Bora, A. and R.P. Das (1998):** Role of indolebutyric acid (IBA) on vegetative growth of rooted cuttings of some minor fruits of Assam. *Journal of the Agricultural science society of North East India*. 11:2, 197 –201; 9 ref.
- Briccoli-Bati, C. (1988):** Rooting trials with the cultivar Cassanese. *Annali – dell, Istituto sperimentale – per l'olivicultura* – 1988, Publ. 1990, 10:69-75; Presented at international symposium on olive Growing, Cordoba, Spain, 26–29 Sep. 1989, 7 ref.
- Caballero, J.M. (1979):** Endogenous promoters and inhibitors of root initiation in olive (*olea europaea*). *An. I.N.I.A. Ser. Prod. Veg. No. 11*, 201–217. (Hort. Abst. 51: 6573).
- Caballero, J.M. (1981):** Propagation of Semi – hard wood olive cuttings under mist. *comunicaciones INIA, Produccion Vegetal No. 31*, 39 (Hort. Abst. 52:1830).
- Caballero, J.M. and L. Rallo (1977):** Duration of the rooting period in olive semi-hard wood cutting under mist. *Olea*, December, 29-39 (Hort. Abst. 50:1976).
- Casini, E. and M. Falusi (1966):** Studies on the mist propagation of olive cuttings. *Atti . Giorn stud. Prop. Spec. Legn. Pisa*, 48-64 (Hort. Abst. 36:7384).

- Castiglione, C. and K.L.J. Blommaert (1969):** Rooting olive soft wood cuttings under water mist – Dec. Fruit. Gr., 19:60-2 (Hort. Abst. 40:2291).
- Celik, M.; M.T. Ozkaya; H. Dumanoglu; S. (ed.) Lavee and I. Klein (1994):** The research on possibilities of using the shaded polyethylene tunnels (SPT) for the rooting of olive (*olea europaea* L.). Second international symposium on olive growing, Jerusalem, Israel 6–10 Sep. 1993. Acta – Horticulturae. 1994, No. 356, 21-23:7 ref.
- Chaari-Rkhiss, A. and A. Trigui (1996):** Propagation of the “Chemlali de sfax “ by leafy stem cuttings: constraints and possibilities of improvement. Olivae. 1996, No. 61, 46-52; 4 col-Pl.; 18 ref.
- Ciampi, C. and R. Gellini (1958):** Anatomical study of the relationship between structure and rooting capacity in olive cuttings. Nuovo G. bot. Ital., 65:417-24. (Hort. Abst. 30:1197).
- Ciampi, C. and R. Gellini (1963):** The origin and development of adventitious roots in *Olea europaea*: The importance of anatomical structure in root let development. G. bot. Ital., 70: 62-74, bibl. 19. Illus. (Hort. Abst. 35:4422).

- Daniel, H.D. and C.M. George (1972):** Peach seed dormancy in relation to endogenous inhibitors and applied growth substance J. Amer., Soc. Hort. Sci. 97:651-54.
- Daoud, D.A.; J.T. Agha; K.H. Abu- Lebda and M.S. Al-khaiat (1989):** Influence of IBA on rooting of leafy olive cuttings . Olivae. 1989 6: 27, 28-30; 1Col- Pl.; 20 ref.
- Diana, G. (1987):** The transmission of Agrobacterium rhizogenes plasmids in the propagation of olive cuttings. Annali dell, Istituto Sperimentale per l'Olivicoltura. 7, 1-11 (It, en, 25 ref.) Cosenza, Italy. (Hort. Abst. 57:2998).
- Dimassi, K.; I.T. Metzidakis and D.G. Voyiatzis (1999):** Micropropagation studies of cv. Kalamon olives (*Olea europaea sativa L.*). Proceedings of the Third International Symposium on Olive Growing, Chania, Crete, Greece, 22-26 September 1997, Volume 1. Acta-Horticulturae. 1999, No. 474, 83-86; 10 ref.
- Edris, M.H.; S.E. Salem and S.S. Moustafa (1990):** Studies on rooting ability of sweet lime hard wood cuttings. Bull. Fac. of Agric., Univ. of Cairo, 41:97-106.
- El-Iraqy, M.A. (1994):** Physiological studies on the propagation of guava M.Sc. Thesis Faculty of Agric., Zagazig Univ. Egypt.

- El-Mahdy, T.K. and A.Y. Abdalla (1996):** Shading as a management system for improving the productivity of some cultivars of nectarines under Assiut climatic conditions. Assiut Journal of Agricultural Sciences. 1996, 27: 1, 133-145; 27 ref.
- EL-Nabawy, S.; A. Bondok and I.S. El-Din (1985 a):** Studies on some factors affecting rooting in olive leafy cuttings. Annals-of-Agricultural-Science,-Ain-Shams-University. 28: 3, 1649-1662; 16 ref.
- EL-Nabawy, S.; A. Bondok and I.S. El-Din (1985 b):** Comparative studies on rooting ability of hard wood cuttings of some olive varieties. Annals of Agricultural Science, Ain Shams University. 28: 3, 1663-1675; 12 ref.
- El-Nabawy, S.; A. Bondok; O.K. AboEl- Atta; M. Salama and I. Saad El-Din. (1983):** Histological studies on the stem cuttings rooting of some olive varieties. Annals Agricultural science, Ain Shams Univ., Egypt 28(1) 261-272.
- El-Rawi, A.K. (1976):** Influence of IBA on rooting of soft wood cuttings of *Olea europaea* cv. Ashrasy. Mesopotamia. Journal of Agriculture 11 (1): 37-43.(Hort. Abst. 47:7876).

El-Said, M. (1986): Comparative studies on some factors affecting rooting of olive cuttings. Ph.D. Diss., Fac. of Agric. Cairo University.

Ezzat, A.H. and M. Neguib (1969): Vegetative propagation of some olive varieties Agric. Res. Rev. Cairo, 47, (4): 51-58 .

Fadl, M.S. and H.T. Hartmann (1967): Isolation, purification and characterization of an endogenous root promoting factor obtained from the basal section of pear hard wood cuttings. Plant Physiol . 24:541-49.

Fayek, M.A. and A.M. Sweidan (1981 a): Propagation of Meet Ghamr peach by hardwood cuttings. Res. Bull. No. 337. Zagazig Univ.

Fayek, M.A. and A.M. Sweidan (1981 b): Some aspects on propagation of six plum cuttings by hardwood cultivars. Res. Bull. No. 572, Zagazig Univ.

Fayek, M. A.; A. H. Gomaa; F.A. Khalifa and E.H. El sayed (1994): Anatomical studies on adventitious root of pecan stem cuttings. Zagazigj. Agric. Res., Egypt, 21(2):487-500.

Fontanazza, G. and E. Rugini (1977): Effect of leaves and buds removal on rooting ability of olive tree cuttings. Olea, December, 9-28. (Hort. Abst. 50: 1475).

- Fontanazza, G. and E. Rugini (1981):** The rooting of olive cultivars in heated boxes. III. Frutticoltura (1981) 43 (2) 39-44 (It, 8 ref., 2col. Pl., 1 fig.). (Hort. Abst. 52:1201).
- Gabr, M.F. (1976):** Studies on the possibility of vegetative propagation of olives. M.Sc. , Thesis, Fac. of Agric, Cairo Univ.
- Gautam, D.R. and J.S. Chauhan (1991):** Standardization of IBA concentration and the season of rooting of semi-hard-wood leafy cuttings of olive (*Olea europaea*) under intermittent mist. Haryana – Journal – of - Horticultural - Sciences. 1991, 20:1-2, 12-19; 22 ref.
- Gellini, R. (1965):** Seasonal variation in the rooting of olive cuttings. Atti Giorn. Stud. Prop. Spec. Legn. Pisa. 76-86.(Hort. Abst. 36:7387).
- Gorter, C.J. (1969):** Auxin synergists in the rooting of cuttings. Physiol. Plant. 22: 497-502.
- Hartmann, H.T. and D.E. Kester (1978):** Plant propagation principle and practices, third edition–chap. 9 page, 211-257.
- Hartmann, H.T. and F. Loreti (1965 a):** Attempts to determine the most suitable time for mist propagation of olives. Atti Giorn. Stud. Prop. Spec. Legn. Pisa., 87-93.(Hort. Abst. 36:7386).

- Hartmann, H.T. and F. Loreti (1965 b):** Seasonal variation in rooting leafy olive cuttings under mist. Proc. Amer. Soc. Hort. Sci., 87:194-98 (Hort. Abst. 36:5482).
- Hussein, I.A.; R.A. Sakr and E.B. Ashoush (1999):** Morphological and productive characters of some olive cultivars under the conditions of south Sinai. Zagazig J. Agric. Res., Egypt, Vol. 26 No. (3A): 673-688.
- Ibrahim, I.A. (1997):** Physiological studies on vegetative propagation of some citrus rootstocks. M.Sc. Thesis, Fac. of Agric. Moshtohor Zagazig University.
- Jacoboni, N. and G. Fontanazza (1976):** A new method of olive prapagation. Italiana Agricolo, 113(1):104-11 (c.f. Hort. Abst. 47:6000).
- Jawanda, J.S.; S. Arvinder; S. Sukhdev; J.S. Bal; A. Singh and S. Singh (1990):** Effect of indolebutyric acid and shoot portion on the rooting of cuttings in Japanese plum. Acta Horticulturae 1990, No. 283, 189-197; IVth international symposium on plum and prune genetics, breeding and pomology, Bordeaux, France, 24-28 July 1989; 8 ref.
- Johanson, D.A. (1940):** " Plant Microtechnique" , 5th ed . Mc. Grow- Hill Book company, Inc. New York, pp. 523.

- Khabou, W. and No. Drira (2000):** Variation in the rooting of leafy stem cutting of olive varieties and clones (*Olea europaea* L.) cultivated in Tunisia. *Olivae*. 2000, No. 84, 47-49; 12 ref.
- Khabou, W.; A. Trigui, I.T. (ed.) Metzidakis and D.G. Voyiatzis (1999):** Optimisation of the hard wood – cutting as a method of olive tree multiplication. Proceeding of the third international symposium on olive growing, Chania, Crete, Greece, 22-26 September 1997, volume 1. *Acta-Horticulturae*. 1999, No. 474, 55-58; 6 ref.
- Khan, I. and R. khalidy (1967):** Effect of root promoting substances and date of planting on rooting of olive cuttings. *Agric. Pakist*, 18:11-16 (c.f. *Hort. Abst.* 39:3656).
- Khattak, M.S.; K. Jehangir; J. Ayub; H. Ihsanul and M.A. Rauf (1999):** Propagation of olive (*Olea europaea* L.) from hard wood cuttings by the use of growth regulators. *Sarhad Journal of Agriculture*. 1999,15:1, 15-16; 10 ref. (CAB Abst. 1998/08-2000/07).
- Kim, D. S.; D.Y. Moon; D.Y. Moon; H.Y. Kim and J.H. Baik (1990):** Studies of the propagation of Citrus junos by soft-wood cuttings under mist. *Research-Reports of the Rural Development Administration, Horticulture*. 1990, 32: 2, 16-29; 6 col. Pl.; 45 ref.

- Konarli, G. (1968):** Studies on the propagation of native varieties by the mist propagation method. YOLOVA Dooce kult. Arast. Egot. Mork. Degr., 1(4): 30-4 (c.f. Hort. Abst. 39:7443) .
- Koukourikou-Petridou, M.; D. Voyiatzis; I.C. Porlingis; I.T. Metzidakis and D.G. Voyiatzis (1999):** The effect of inorganic nutrients and etiolation on the propagation of olive with an improved method of mound layering. Proceedings of the Third international symposium on olive growing, Chania, Crete, Greece, 22-26 September 1997, volume 1. Acta- Horticulturae. 1999, No. 474, 47-50; 5 ref.
- Larsen, P.; A. Harbo; S. Klungsour and T. Aasheim (1962):** On the biogenesis of some indole compounds in *Acetobacter xylinum*. *Physiol. Plant.*, 15:552-65.
- Laz, I.S. (1986):** Mist propagation of some olive cultivars. M.Sc. Thesis, Fac. of Agric. Cairo. University .
- Nahlawi, N.; J. Humanes and J.M. Philippe (1975 a):** Factors affecting the rooting of olive soft wood cuttings . *Anales del Instituto Nacional de Investigaciones Agrarias, Produccion vegetal* No. 5 :145-166 (Hort. Abst. 46:11795).
- Nahlawi, N.; J. Humanes and J.M. Philippe (1975 b):** Propagation of olive soft wood cuttings under mist in relation to duration of dipping in IBA and to cutting water content. *Anales del Instituto Nacional de Investigaciones Agrarias, production vegetal* No. 5, 183-196 (Hort. Abst. 46: 11797).

- Nahlawi, N.; L. Rallo and J. M. Caballero (1975 c):** Rooting ability of olive cultivars as soft wood cuttings under mist. Olea, December, 11-25 (Hort. Abst. 47:3047).
- Nouman, V. F. (1982):** Studies on propagation of olive trees. M.Sc. Thesis, Fac. of Agric. Zagazig Univ. Egypt.
- Nussbaum, J.J. and A.T. Leister (1972):** Rooting of "Swan Hill" fruitless olive. California Agriculture 10:4.
- Odom, R.E. and W.J. Carpenter (1965):** The relationship between endogenous indole auxins and the rooting of herbaceous cuttings. Proc. Amer. Soc. Hort. Sci. 87:494-501.
- Ono, S. and I. Iwagaki (1987):** Effects of shade treatment on the productivity of Satsuma mandarin trees. Bulletin of the Fruit Tree Research Station, Dkuchinotsu, Japan. 1987, No. 9, 13-24; 27 ref.
- Ozkaya, M.T; M. Celik, S. (ed.) Lavee and I. Klein (1995):** The effect of rooting environment and combination of auxin polyamine on the rooting ability of Turkish olive cultivars Gemlik and Domat. Second international symposium on olive growing, Jerusalem, Israel, 6-10 Sep. 1993. Acta-Horticulturae. 1994, No. 356, 31-34; 9ref.

- Ozkaya, M.T; M. Celik; I.T.(ed.) Metzidakis and D.G. Voyiatzis (1999):** Qualitative analysis of phenolic compounds in olive cuttings. proceedings of the third International symposium on olive Growing, Chaina, Crete, Greece, 22-26 September 1997, volume 2. Acta- Horticulturae. 1999, No. 474, 477-480; 9ref.
- Pandey, D. and M.M. Sinha (1989):** A note on the propagation of olive through cutting. Progressive Horticulture. 21: 1-2, 182-183 ; 2 ref (HORTCD 1989-6/98).
- Pannelli, G. and B. Filippucci (1982):** The effects of shading the mother plants on the rooting of olive cuttings, cv. Frantoio. Informatore – Agrario. 1982, 38: 26, 21613-21615; 1 col. Pl.; 4ref.
- Pannelli, G.; B. Filippucci and P. Daddi (1979/80 a):** Rhizogenesis and the vegetative cycle in the *olea europea* cultivars Frantoio, Leccino and Moraiolo. 1. The effect of foliar and basal treatments with growth regulartors at various concentrations Annali dell Istituto Spermentale perL'Olivicoltura 6,107-133 (Hort. Abst. 53:3731).
- Pannelli, G.; B. Filippucci and P. Daddi (1979/80 b):** Rhizogenesis and the vegetative cycle in the *Olea europea* cultivars Frantoio and Leccino. 2. The effect of the numbers of nodes, leaves and buds on rooting. Annalli dell Istituto Sperimentale per L'olivicoltura 6, 135-150 (Hort. Abst. 53:3732).

- Pannelli, G.; B. Filippucci and P. Daddi (1979 / 80 c) :**
Rhizogenesis and the vegetative cycle in the *olea europea* cultivars Frantoio, Leccino and Moraiolo. 5-
Effects of treatments with growth regulators at
different concentration in successive years. Annali
dell' Istituto Sperimentale per l'olivicoltura 6, 183-
199.(Hort. Abst. 53: 3735).
- Peng Y.; E. Rabe and Y.H. Peng (1998):** Influence of shading
on growth and microenvironment of container - grown
citrus nursery trees. Journal of Fruit Science. 1998, 15:
4, 306-310; 8 ref.
- Porlingis, I.C. and F. Sfariolakies (1969):** Effect of several
factors on the rooting of leafy olive cuttings under
mist .Annals of the Agricultural and Forestry school,
Aristotelian Univeristy of Thessaloniri, 12, 115- 50-
(c.f.J. Hort. Sci. , 51:31-39).
- Porlingis, I.C. and I. Therios (1976):** Rooting response of
juvenile and adult leafy olive cuttings to various
factors. Jour. Hort.Sci., 51:31-9.
- Preziosi, P.(1967):** The growth substance content of olive
cuttings Ital. Agric., 104:1195-1200 (Hort. Abst.
38:6502).
- Rathere, D.S. (1985):** Effect of indole butyric acid on the
rooting of pecan cuttings under mist. Indian Journal of
Horticulture (1985) 42 (1/2) 61-62. (Hort. Abst. 57
(10) 6501).

- Reddy, Y.N.; P.K. Majumder; R.M. Pandey and R.V. Singh (1975):** Phytochrome mediated root regeneration in mung (*Phaseolus aureus* Roxb.) and mango (*Mangifera indica* L.) cuttings. Current science, 44 (140) 509-510 (En, 1P) Indian Agricultural Research institute, New Delhi, India. (Hort. Abst. 46:7212).
- Rio, C. del; J.M. Caballero and L. Rallo (1986 a):** Effect of cutting type and IBA on the seasonal variation in rooting of olive cultivars Picual and Gordal sevillana. Olea. 1986, No. 17,23-26;18 ref.
- Rio, C. del; J.M. Caballero and L. Rallo (1986 b):** Influence of basal incisions on the seasonal variation in rooting of cultivars picual and Gordal sevillana- Olea. 1986, No. 17,27-29; 12 ref.
- Ryan, G.F. (1969):** Etiolation as an aid in propagation comb. Proc. int. Plant Prop. Soc. 19:69-74. (Hort.Abst. 41:5358).
- Sawasrsan, M.R. (1996):** Studies on rooting of stem cuttings in some fruit species. M.Sc. Thesis, Faculty of Agric. Moshtohor. Zagazig Univ. Egypt. Pp.134-159.
- Schaeseberg, N.V. and P. Ludders (1993):** Adventitious rooting of mango cuttings after pretreatment of stock plants. 1- shading and nitrogen nutrition. (Hort. Abst. 65 (2) No. 1687).
- Selim, H.H.; M.A. Fayk and A.M. Sweedan (1978):** Reproduction of Bircher apple cultivars by layering. Annals. Agri. Sci., Moshtohor (9): 157-66.

- Shahein, A. H. ; A.M. Rokba; A.M. Eissa; M.A. Zahran and A.A. Etman (1982):** Fruit trees collection farm in king Mariut; Agrobiological characteristics and evolution of 22 olive cultivars introduced from Italy. Ain Shams University, faculty of Agriculture, Egypt. Res. Bull. No. 2107, December 1982.
- Snedecor, D. W. and W.G. Cochran (1972):** Statistical Methods Factorial Experiment. 6th ed. Iowa State Univ. Press. Iowa, U.S.A. PP. 339-377.
- Tizio, R. (1967):** The mechanism of root formation in vine internodes grown in vito. Phyton, B. Aires. 24:7-16 (Hort. Abst. 38:558).
- Tombesi, A. (1967 a):** The importance of choice of material for propagating olives from semi-woody cuttings. Ann. Fac. Agrar. Perugia., 22:155-185. (Hort.Abst. 39:7440).
- Tombesi, A. (1967 b):** Seasonal variation in the rooting of Semi-hard cuttings of the olive variety Dolce Agogia. Ann-Fac. Agrar. Perugia. 19, 22:335-349 (c.f. Hort. Abst. 39:7442).
- Troncoso, A. and J. Preto (1972):** Some observations on olive propagation under mist. Edafologiay Agrobiologia 31 (718): 533. 541. Es., em., bref. Centro de Edofologiay Boilogia Aplicada del Cuarto, Seville, Spain. (Hort. Abst. 43:9110).

- Troncoso, A.; G. Bartolini; C. Mazuelos and A. Nicolas (1981):** Rooting of olive cuttings cv. Frangivento, raised in different conditions. 2. The relationship to the nutritional state of the cutting. *Ortfloro Frutticoltura Italiana* 65 (3) 219-229 (It., en., 6 ref.) (Hort. Abst. 52:1831).
- Troncoso, A.; L. Vadderrey; J. Prieto and J. Linan (1975):** Some observation on the rooting capacity of olive cultivars under mist. 1. Rooting responses and anatomical structure. *Anales de Edafalogiay Agrobiologia* (1975) 34 (7-8) 461-71. sevilla, Spain. (Hort. Abst. 47: 5046).
- Usta, S.S.; I.T. (ed.) Metzidarus and D.G. Voyiatzis (1999):** The research on rooting ability of olive cuttings *olea europaea L.* cv. Domat Proceeding of the third International symposium on olive Growing, Chaina, Crete, Greece, 22-26 September 1997, Volume 1. *Acta-Horticulturae*. 1999, Vol. 474, 63-66; 8 ref.
- Vlasica, A. (1977):** Olive propagation by rooting cuttings. *Jogslovensko Vocarstov.* (10): 39/40: 449-458. (c.f. Hort. Abst. 39: 2918).
- Voltolini, J. and J. Fachinello (1997):** Effect of shading cattley guava stock plant (*Psidium cattley anum sabine*) on propagation by cuttings. *Acta Horticulturae*, 452: 59-62.

- Wiesman, Z. and S. Lavee (1995):** Enhancement of IBA stimulatory effect on rooting of olive cultivar stem cuttings. *Scientia-Horticulturae*. 1995, 962: 3, 189-198; 20 ref.
- Xie P.; Q. Zuo; J. Cheng; P. Xie; Q.F. Zuo and J.G. Cheng (2001):** Effects of shading treatments on the growth character of banana seedlings in the different seasons. *Journal of Fruit Science*. 2001, 18: 2, 91-94; 5 ref.
- Yousry, A. (1994):** Physiological and chemical studies on rooting of plum cuttings Ph.D. Faculty of Agriculture, Al-Azhar Univ. Egypt. Pp. 77-80.
- Youssef, N.F.; M.E. El-Said and I. Saad El-Din (1991):** Effect of ethephone and IBA on rooting of Banaty guava cuttings. *Zagazig Journal of Agricultural Research* 18 (1) 123-133.