




Literature Cited



7. LITERATURE CITED

- Abd- El-Maksoud, M. A. and K. W. Khalil (1995):** Effect of fertigation of Fe, Zn and Mn on Washington Navel orange trees. Ann. Agric. Sci. Cairo, 40 (2) 765-789 (Hort. Abst. 67: 799)
- Abo-Rawash, M.A.; A. Bondok and S. Shazly (1993):** Leaf mineral content of lime trees as affected by foliar application of chelated Zinc and manganese. Annals of Agric. Sci., Fac. Agric., Ain-Shams Univ.
- Abo – Shelbaya, M. A. M. and F. F. Ahmed (1988):** Effect of Foliar sprays of urea and micronutrients on improving the productivity of Balady mandarin cultivar. 1- leaf area and composition. Assuit J. Agric. Sci. 19 (3) : 87 – 100.
- Abo-Zinada. I. A. I. (1994):** Growth and productivity of Valencia orange trees as affected by micronutrients applications. Ph. D. Thesis Fac. Agric. Cairo Univ. A.R.E.
- Ahmed, F. F. Assy, K.G. and T. A. Ibrahim (1995):** Possibility of controlling the Alternate Bearing in Balady Mandarin trees (Citrus Reticulata) by the Application of GA₃, Boron and Magnesium foliar sprays. Assiut J. Agric. Sci. 24: 3 229-242.

- Ahmed, F. F. and M. A. M. Abo – Shelbaya (1988):** Effect of Foliar sprays of urea and micronutrients on improving the productivity of Balady mandarin cultivar. 11-yield and fruit characteristics. Assuit J. Agric. Sci. 19 (3) 103 – 116.
- A. O. A. C. (1990):** Official of Analysis. The Association of official Analytical chemists . 15th Ed , West Virginia, USA. Washington D.C.
- Badawy – Sabah . M. (2005):** Histophysiological effects of yeast and kinetin application on fruit characteristics and Fruit growth stages of Balady mandarin cultivar. Ph. D. Thesis Hort. Pomology Fac. of Agric, Assuit university, Egypt.
- Bakry, KH. A. (2007):** Response of Jafa orange trees to spray with yeast extract and promalin. Egypt. J. of Apple sci., 22 (10A) pp:195-210.
- Banik, B. C. and S. K. Sen (1997):** Effect of three levels of zinc, iron, Boron and their interactions on growth, Flowering and yield of mango cv. Fazli. Hort., J. 10 (1): 23-29.
- Barnett, J. A.; E. Payne and D. Yarrow (1990):** yeast charachteristics and identification. 2nd ed. Cambridge Univ. prss.
- Blevins, D. G. and K. M. Lakaszueski (1998):** Boron in plant structure and function, Annu. Rev. plant physiol. Plant Mol. Biol. 49: 481.

- Brown, J. D. and O. Lilleland (1946):** Rapid determination of potassium and sodium in plant material and soil extracts by Flame photometry. Proc. Amer. Soc. Hort. Sci.; 48: 341-346.
- Clarke, G. M. and R. E. Kempson (1997):** Introduction to the design and analysis of experiments. Arnold , a member of the Holder head line croup, 1st EDT., London, U. K.
- Desai, U. T.; S. M. Choudhari, N. S. Shirsath and P. N. Kale (1991):** Studies on the effect of foliar applications of micronutrients on nutrients in Mosambi sweet orange. Maharashtra J. Hort. 5(2): 29-31 (Hort Abst: 62: 1418)
- Devi. D. D.; P. S. Srinivasan and K. Balakrishnan (1997):** Influence of Zn, Fe and Mn on photosynthesis and yield of citrus sinensis. Indian J. plant physiol. 2(2) 174-176 (Hort. Abst. 68: 5360)
- Duncan, D. B. (1955):** Multiple Range and Multiple F. Tests Biometrics, 1101-42.
- El- Baz. E. T. (2003):** Effect of foliar sprays of Zinc and Boron on leaf mineral composition, yield and fruit storability of Balady mandarin trees. J. Agric. Sci., Mansoura Univ., 28(9); 6911-6926.
- El-Kassas. S. E.; H. M. Mohamed and S.M. El – Shazly (1987):** Effect of certain micronutrients on yield and fruit quality of Balady mandarin. Assuit J. Agric. Sci, 18(4): 234-251.

- El-Saiada. S. A. G. (2007):** Studies on effect of plant and time of girdling and spray with dry yeast on C/N ratio, bud initiation and differentiation, fruit quality and yield of Washington Navel orange. Egypt. J. of Appl. Sci, 22 (10 B): 631-662.
- El-Shazly, S. M.; A. S. Montasser and H. M. El-Hennawy (1985):** Effect of foliar applied manganese on leaf mineral content, yield and fruit quality of Washington Navel orange trees grown in sandy soil. Annals of Agric. Sci., Moshtohor, 23 (4): 1805-1815.
- Fernandez- Lopez, J. A.; M. J. Lopez Roca and L. Almela (1993):** Mineral composition of iron chlorotic citrus limon. L. leaves. J. of plant Nutrition 16 (8) 1395 – 1407 (Hort. Abst 64. 4006)
- Gupta, U. C.; Y. W. James; C. A. compbell.; A. J. leyshon and V. Nicholai chuk (1985):** Boron toxicity and deficiency: A review. Canadian J. soil Sci., 65: 381-409.
- Hafeez- V. R.; N. Ali and M. Rafique (1999):** Effect of foliar applied zinc, manganese and Boron on sweet orange quality. Pakistan. J. soil Sci. vol 17 (3-4) P: 113-116.
- Hassan, M. W. A.; M. E. El-Fayoumy and M. M. Sourour (1993):** Effect of foliar application with chelated iron, zinc and manganese on washington Navel orange trees in calcareous soil at west Nubaria Regian. J. Agric. Sci. Mansoura Univ. 18 (1): 244-250.

- Hegab. M. Y. (1994):** Effect of urea, some micronutrients and growth regulators on the yields fruit quality and some vegetative characteristic, of Washington Navel orange trees, Ph. Dissertatian, Fac. Agric, Minia Univ.
- Hegab. M. Y.; F. F. Ahmed and A. H. Ali (1997):** Influence of spraying active dry yeast on growth and productivity of Valencia orange trees (citrus sinensis) Proc. Of the 1st Sci. Conf. of Agric. Sci., Fac. Agric., Assuit Univ., 1: 37-85 Egypt.
- Hu, H. and P. H. Brown (1994):** Iocalization of boron in cell walls of squash and tobacco and association with pectin. Evidence for a structural role and boran in the cell wall. Plant physiol. 105: 681-689.
- Idso, S. B.; K. E. Idso; R. L. Garicia; B. A. Kimball and J. K . Hooper (1995):** Effects of atmospheric Co₂ enrichment and Foliar methanol application on net photosynthesis of sour orange trees (citrus aurantium, Rutaceae) leaves Amer. J. of Botany 82 (1) : 26-30.
- Jackson, M.L. (1973):** Solchemical Analysis. Mahiya effect press. New Delhi, India. pp: 183-192.
- Jones, W. W. and T. W. Embleton (1960):** leaf analysis Nitrogen control programs for oranges. Calif. Citrogr. 45: 394-353.
- Kaneko, S.; T. Ishii and T. Matsungu (1997):** Aboron hamonogal- aeturonan 11 complex frombamboo shot cell walls.Phytochemitry, 49: 243 – 248.

- Koo. R. C. (1984):** Recommended fertilizers and nutritional sprays for citrus. Agri. Exp. Sta. Inst. Food Agric. Sci. Univ. Fla Gainesville. Fla. Bulletin 536 D. PP. 30.
- Koture, S. C. (1984):** A comparison of zinc oxide and neutralized zinc sulphate as Foliar sprays in Coorg mandarin. Indian J. Agric. Sci. 54; 3: 186- 188 (Hort. Abst 54, 8609)
- _____ **(1985):** Effect of Foliar application of secondary and micronutrients for reducing chlorosis of coorg mandarin. Indian. J. Agric. Sci. 55 (2) , 113-116 (Hort. Abst. 55: 8206)
- Longthasa, S. and R. K . Bhattacharyya (1991):** Foliar application of zinc on fruit quality of Assam lemon (Citrus limon Burm). South Indian Hort. 39(3) 153 -155 (Hort. Abst. 64: 4961).
- Mann, M. S.; J. S. Josan; G. S. Choham and V. K. Vog (1985):** Effect of Foliar application of micronutrients on leaf composition, Fruit yield and quality of sweet orange (citrus sinensis Osbeack) CV. Blood Red. Indian J. Hort 42 (1/2): 45-49 (Hort. Abst. 55: 7023).
- Meligy. M.S. (1999):** Comparative study of using Fe, Zn and Mn micro elements as chelated or sulphate on Balady orange trees. Minufiya. J. Agric. Res. 24: (1): 2025-2039.

- Mohsen, A. M.; S. M. El-Hefnawi ; S. A. Mehana and A. N. Sharaf (1992):** Growth of Balady orange tree in response to some nutrient elements sprays. 11. Assimilation area and leaf chlorophyll content. Zagazig. J. Agric. Res. 19 (1): 419 – 426.
- Moor, T.C. (1979):** Biochemistry and physiology of plant Hormones. Pub. By springer verlage, New york, USA.
- Mostafa, M. F. and A. A. El-Hosseiny (2001)** Influence of spraying active dry yeast solution on growth, yield, fruit quality and leaf NPK content of Washington Navel orange trees. J. Agric. Sci., Mansoura Univ., 26 (10) 6293-6305.
- Murphy. J. and J. P. Rilley (1962):** A modified single solution for the determination of phosphate in natural water. Anal. Chem. Acta, 27: 31-36.
- Nasr, A. F. S. (1982):** Effect of some nutrients on growth, Flowering and fruit quality of Washington Navel orange trees . ph. D. Thesis, Fac. Agric., Cairo Univ. Egypt.
- Natio, K.; S. Nagamo; K. Furye and H. Suzki (1981):** Effect of benzyladenine on RNA and protein synthesis in intact bean leaves of various stages of aging physiol, 52: 343-348.
- Nyomora , A. M. S.; P. H. Brown; K. pinney and V. S. Polito (2000):** Foliar application of Boron to Almond trees affects pollen quality. J. Amer. Soc. Hort. Sci, 125 (2): 265-270.

- Patel, B. M. and H. C. Patel (1985):** Effect of Foliar application of zinc and Iron on chlorophyll and micronutrients contents of Acid lime (*Citrus Uarantifolia*). South Indian Hort. 33 (1) 50-52 (Hort. Abst. 57: 64)
- Perveen. S. and V. R. Hafeez (2000):** Effect of Foliar application of zinc, manganese and boron in combination with urea on the yield of sweet orange. Pakistan. J. Agric. Res. 16 (2): 135 – 141.
- Pregel. E. (1945):** Quantitative organic Micro Analysis 4th Ed. Chundril, London.
- Qin, X. (1996):** Foliar spray of B, Zn and Mg and their effects on fruit production and quality of jincheng orange (*Citrus Sinesis*). J. of south West Agric. Univ. 18 (1) 40-45 (Hort. Abst 67: 1658).
- Qin, X. N.; K. L. Yin; Y. J. Tang; W. liu and G. S. He (1993):** Studies on the effects of iron and zinc application on the correction of Fe deficiency – induced chlorosis in lemon (*Citrus limon L.*) J. of south west Agric. Univ. 15 (1) 86-90 (Hort. Abst. 65: 64 52)
- Qyuang, T. (1993):** Soil micronutrient and citrus growth. Pedoshere 3(4). 341-347 (Hort. Abst. 65:1604)
- Razeto, M. B.; M. J. Lngueira; Z. S. Rojas and M. G. Reginato (1988):** Correction of manganese and Zinc deficiencies in orange Agric. Tecnica 48 (4) 347-552 (Hort . Abst. 59: 7874).

Rodriguez, V. A.; G. C. Martinez and S. M. Mazza (1994):

Foliar application of zinc in orange (Citrus Sinesis) Cv. Valencia late: monthly absorption and influence on productivity. Horticulture Argentina 13 (34/35) 61-65 (Es, En, gref), (Hort. Abst. 66: 4505)

Salem, S. E.; T. A. Ibrahim; L. F. Guindy and M. A. Myhob

(1995): Response of Balady mandarin trees to foliar applications of iron, zinc, manganese and urea under sandy soil conditions, Bull, Fac. Agric. Univ. Cairo (46), 277-288 (Hort. Abst 66: 5381)

Sayed. R. A. (1998): Studies on foliar application of some

nutrients on Balady mandarin grow in new reclaimed lands. Ph. D. Thesis Fac. Agric. Univ. Cairo.

Schirra, M.; M. A. Gabbio.; D. G. Hallewin; M. pala and R.

Ruggir (1997):Response of Tarocco oranges to picking Date, post harvest, Hotwater Dips and Chilling storage temperature. J. Agric. and food chemistry 45 (8):3216 – 3220.

Shama, K. K.; K. N. Shama and V. K. Nayyar (1990): Effect

of copper and zinc sprays on leaf nutrient concentration in kinnow mandarin (citrus reticulata X C. deliciosa) Indian J. Agric. Sci. 60 (4), 278 – 280 (Hort. Abst. 63: 9653).

Soliman. A. F. and L. Saad - Alla (1988): Effect of foliar

sprays of chelated manganese on Valencia orange trees. Agric. Res. Review, 66 (5): 745 – 763. Egypt.

- Subba Rao.N.S. (1984):** Biofertilizers in Agriculture. Oxford IBH company, NewDelhi.
- Supriya, L.; and R. K. Bhattacharyya (1993):** Effect of Foliar application of chelated and non chelated zinc on growth and yield of Assam lemon (*Citrus limon* Burm. F) Hort. J. 6 (1) 35-38 (Hort. Abst. Vol 65; 6461)
- Tawfik, A.E.; G.A. Faissal and A. Abo-El Komsan (2000):** Response of Balady mandarin trees grown on sandy soil to spraying active dry yeast and some macronutrients. Assiut Jo. Agric. Sci., 31, (5): 47-54.
- Wettstein, D. (1957):** Chlorophyll. Letal and der submikrosvopische forme ch Cell- der- plastiden – Exptl. Cell. 12: 427-933.
- Wolf, S.A.; R.B. Corey; J.G. Iyer and G.K. viogt (1985):** Soil and Plant Analysis for tree culture 3rd Ed. PP. 93-116. Oxford, IBH publishing Co, New Delhi.
- Zekri, M. and R. C. J. Koo (1992):** Application of micronutrients to citrus trees through microirrigation systems. J. plant nutrition 15 (11) 2517-2529 (Hort. Abst 63: 7993).