

# CONTENTS

|                                                                                                                                                                                                                                                     | Page |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| INTRODUCTION .....                                                                                                                                                                                                                                  | 1    |
| REVIEW OF LITERATURE .....                                                                                                                                                                                                                          | 7    |
| A. The first part .....                                                                                                                                                                                                                             | 7    |
| A-1. Effect of water on germination and seedlings growth.                                                                                                                                                                                           | 7    |
| A-2. Effect of potassium nitrate ( $KNO_3$ ) [nutrition treatment] on seed germination and seedling growth.                                                                                                                                         | 8    |
| A-3. Effect of thiourea (Thiocarbamide $CH_4N_2S$ ) on germination and seedlings growth .....                                                                                                                                                       | 12   |
| A-4. Yeast extract preparation as a new material for breaking dormancy of seeds.....                                                                                                                                                                | 14   |
| B. The second part .....                                                                                                                                                                                                                            | 15   |
| B-Effect of the date of seed collection on some woody trees .....                                                                                                                                                                                   | 15   |
| MATERIALS AND METHODS .....                                                                                                                                                                                                                         | 27   |
| RESULTS AND DISCUSSION .....                                                                                                                                                                                                                        | 37   |
| A. The first part .....                                                                                                                                                                                                                             | 37   |
| A- <i>Albizzia lebbeck</i> Benth .....                                                                                                                                                                                                              | 37   |
| A-1. Effect of potassium nitrate ( $KNO_3$ ) [nutrition]; thiourea (Thiocarbamide $CH_4N_2S$ ) and yeast extract on the germination percentage; rate and periodicity of <i>Albizzia lebbeck</i> Benth. during 1999/2000 and 2000/2001 seasons ..... | 37   |
| A-1-1. Germination percentage (%) .....                                                                                                                                                                                                             | 37   |

|                                                                                                                                                                                                                                                                                                       |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A-1-2. Germination rate .....                                                                                                                                                                                                                                                                         | 40 |
| A-1-3. Germination periodicity (days) .....                                                                                                                                                                                                                                                           | 41 |
| A-2. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract<br>on the growth of <i>Albizzia lebbeck</i> Benth. seedlings<br>at age of 9 months after sowing during 1999/2000<br>and 2000/2001 seasons .....       | 42 |
| A-2-1. Plant height (cm).....                                                                                                                                                                                                                                                                         | 42 |
| A-2-2. Number of leaves /plant .....                                                                                                                                                                                                                                                                  | 45 |
| A-2-3. Thickness of stem (mm) .....                                                                                                                                                                                                                                                                   | 46 |
| A-2-4. Root length (cm) .....                                                                                                                                                                                                                                                                         | 46 |
| A-3. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract<br>on the fresh weight of <i>Albizzia lebbeck</i> Benth.<br>seedlings at age of 9 months after sowing during<br>1999/2000 and 2000/2001 seasons ..... | 47 |
| A-3-1. Fresh weight of the stem (gm) .....                                                                                                                                                                                                                                                            | 47 |
| A-3-2. Fresh weight of the leaves (gm) .....                                                                                                                                                                                                                                                          | 50 |
| A-3-3. Fresh weight of the roots (gm) .....                                                                                                                                                                                                                                                           | 51 |
| A-4. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract on<br>the dry weight of <i>Albizzia lebbeck</i> Benth. seedlings at<br>age 9 months after sowing during 1999/2000 and<br>2000/2001 seasons .....      | 52 |
| A-4-1- Dry weight of the stems (gm) .....                                                                                                                                                                                                                                                             | 52 |
| A-4-2. Dry weight of the leaves (gm).....                                                                                                                                                                                                                                                             | 55 |

|                                                                                                                                                                                                                                                                                                           |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| B-3-3. Fresh weight of the roots (gm).....                                                                                                                                                                                                                                                                | 74 |
| B-4. Effect of potassium nitrate (KNO <sub>3</sub> ) [nutrition];<br>thiourea (Thiocarbamide CH <sub>4</sub> N <sub>2</sub> S) and yeast extract<br>on the dry weight of <i>Taxodium distichum</i> (L.) Rich.<br>seedlings at age of 9 months after sowing during<br>1999/2000 and 2000/2001 seasons..... | 75 |
| B-4-1- Dry weight of the stem (gm).....                                                                                                                                                                                                                                                                   | 75 |
| B-4-2. Dry weight of the leaves (gm).....                                                                                                                                                                                                                                                                 | 78 |
| B-4-3. Dry weight of the roots (gm).....                                                                                                                                                                                                                                                                  | 78 |
| <b>B-The scnd part</b> .....                                                                                                                                                                                                                                                                              | 82 |
| <b>A- Albizzia lebbeck Benth</b> .....                                                                                                                                                                                                                                                                    | 82 |
| A-1. Effect of the date of seed collection on the seed<br>chemical content of total phenols (p.p.m.); total amino<br>acids (p.p.m.); total carbohydrates (p.p.m.) and total<br>indoles (p.p.m.) of <i>Albizzia lebbeck</i> Benth. during<br>1999/2000 and 2000/2001 seasons .....                         | 82 |
| A-1-1. Seed content of total phenols (p.p.m.).....                                                                                                                                                                                                                                                        | 82 |
| A-1-2. Seed content of total amino acids (p.p.m.).....                                                                                                                                                                                                                                                    | 85 |
| A-1-3. Seed content of total carbohydrates (p.p.m.).....                                                                                                                                                                                                                                                  | 85 |
| A-1-4. Seed content of total indoles (p.p.m.).....                                                                                                                                                                                                                                                        | 86 |
| A-2. Effect the date of seed collection on the weight of 100<br>seeds (gm), seeds moisture content (%); germination<br>percentage (%); rate and periodicity (days) of <i>Albizzia<br/>lebbeck</i> Benth. during 1999/2000 and 2000/2001<br>seasons .....                                                  | 86 |

|                                                                                                                                                                                                                                                                                                            |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A-4-3. Dry weight of the roots (gm).....                                                                                                                                                                                                                                                                   | 56 |
| <b>B. <i>Taxodium distichum</i> (L.) Rich</b> .....                                                                                                                                                                                                                                                        | 60 |
| B-1. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract<br>on the germination percentage; rate and periodicity of<br><i>Taxodium distichum</i> (L.) Rich. during 1999/2000 and<br>2000/2001 seasons .....          | 60 |
| B-1-1. Germination percentage (%).....                                                                                                                                                                                                                                                                     | 60 |
| B-1-2. Germination rate.....                                                                                                                                                                                                                                                                               | 63 |
| B-1-3. Germination periodicity (days) .....                                                                                                                                                                                                                                                                | 64 |
| B-2. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract<br>on the growth of <i>Taxodium distichum</i> (L.) Rich.<br>seedlings at age of 9 months after sowing during<br>1999/2000 and 2000/2001 seasons.....       | 64 |
| B-2-1. Plant height (cm).....                                                                                                                                                                                                                                                                              | 64 |
| B-2-2. Number of leaves /plant.....                                                                                                                                                                                                                                                                        | 67 |
| B-2-3. Thickness of stem (mm).....                                                                                                                                                                                                                                                                         | 68 |
| B-2-4. Root length (cm).....                                                                                                                                                                                                                                                                               | 69 |
| B-3. Effect of potassium nitrate ( $\text{KNO}_3$ ) [nutrition];<br>thiourea (Thiocarbamide $\text{CH}_4\text{N}_2\text{S}$ ) and yeast extract<br>on the fresh weight of <i>Taxodium distichum</i> (L.) Rich.<br>seedlings at age of 9 months after sowing during<br>1999/2000 and 2000/2001 seasons..... | 70 |
| B-3-1. Fresh weight of the stem (gm).....                                                                                                                                                                                                                                                                  | 70 |
| B-3-2. Fresh weight of the leaves (gm).....                                                                                                                                                                                                                                                                | 73 |

|                                                                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A-2-1. Weight of 100 seeds (gm) .....                                                                                                                                                                 | 86  |
| A-2-2. Seeds moisture content (%) .....                                                                                                                                                               | 89  |
| A-2-3. Germination percentage (%) .....                                                                                                                                                               | 90  |
| A-2-4. Germination rate.....                                                                                                                                                                          | 91  |
| A-2-5. Germination periodicity (days).....                                                                                                                                                            | 92  |
| A-3. Effect of the date of seed collection on the growth of<br><i>Albizzia lebbeck</i> Benth. seedlings at age of 9 months<br>after sowing during 1999/2000 and 2000/2001 seasons                     | 93  |
| A-3-1. Plant height (cm) .....                                                                                                                                                                        | 93  |
| A-3-2. Number of leaves/plant.....                                                                                                                                                                    | 96  |
| A-3-3. Thickness of stem (mm).....                                                                                                                                                                    | 97  |
| A-3-4. Root length (cm).....                                                                                                                                                                          | 97  |
| A-3-5. Number of nodules / seedling .....                                                                                                                                                             | 97  |
| A-4. Effect of the date of seed collection on the fresh<br>weight (gm) of <i>Albizzia lebbeck</i> Benth. seedlings at<br>age of 9 months after sowing during 1999/2000 and<br>2000/2001 seasons ..... | 98  |
| A-4-1. Fresh weight of the stem (gm).....                                                                                                                                                             | 98  |
| A-4-2. Fresh weight of the leaves (gm).....                                                                                                                                                           | 101 |
| A-4-3. Fresh weight of the roots (gm).....                                                                                                                                                            | 101 |
| A-4-4. Fresh weight of the nodules on the roots (gm).....                                                                                                                                             | 102 |
| A-5. Effect of the date of seed collection on the dry weight<br>of <i>Albizzia lebbeck</i> Benth. seedlings at age of 9<br>months after sowing during 1999/2000 and 2000/2001<br>seasons .....        | 102 |

|                                                                                                                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A-5-1. Dry weight of the stem (gm).....                                                                                                                                                                                                                                              | 102 |
| A-5-2. Dry weight of the leaves (gm) .....                                                                                                                                                                                                                                           | 105 |
| A-5-3. Dry weight of the roots (gm).....                                                                                                                                                                                                                                             | 105 |
| A-5-4. Dry weight the nodules on the roots (gm).....                                                                                                                                                                                                                                 | 106 |
| <b>B. <i>Taxodium distichum</i> (L.) Rich</b> .....                                                                                                                                                                                                                                  | 108 |
| B-1. Effect of the date of seed collection on the seed<br>chemical content total phenols (p.p.m.); total amino<br>acids (p.p.m.); total carbohydrates (p.p.m.) and total<br>indoles (p.p.m.) of <i>Taxodium distichum</i> (L.) Rich.<br>during 1999/2000 and 2000/2001 seasons ..... | 108 |
| B-1-1. Seed content of total phenols (p.p.m.).....                                                                                                                                                                                                                                   | 108 |
| B-1-2. Seed content of total amino acids (p.p.m.).....                                                                                                                                                                                                                               | 111 |
| B-1-3. Seed content of total carbohydrates (p.p.m.) .....                                                                                                                                                                                                                            | 111 |
| B-1-4. Seed content of total indoles (p.p.m.) .....                                                                                                                                                                                                                                  | 111 |
| B-2. Effect of the date of seed collection on the weight of<br>100 seeds (gm); seed moisture content (%);<br>germination percentage (%); rate and periodicity<br>(days) of <i>Taxodium distichum</i> (L.) Rich. during<br>1999/2000 and 2000/2001 seasons .....                      | 112 |
| B-2-1. Weight of 100 seeds (gm) .....                                                                                                                                                                                                                                                | 112 |
| B-2-2. Seeds moisture content (%) .....                                                                                                                                                                                                                                              | 115 |
| B-2-3. Germination Percentage (%) .....                                                                                                                                                                                                                                              | 115 |
| B-2-4. Germination rate .....                                                                                                                                                                                                                                                        | 117 |
| B-2-5. Germination periodicity (days) .....                                                                                                                                                                                                                                          | 118 |

|                                                                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| B-3. Effect of the date of seed collection on the growth of<br><i>Taxodium distichum</i> (L.) Rich. seedlings at age of 9<br>months after sowing during 1999/2000 and 2000/2001<br>seasons .....       | 118 |
| B-3-1. Plant height (cm) .....                                                                                                                                                                         | 118 |
| B-3-1. Number of leaves /plant.....                                                                                                                                                                    | 121 |
| B-3-3. Thickness of stem (mm) .....                                                                                                                                                                    | 121 |
| B-3-4. Root length (cm) .....                                                                                                                                                                          | 122 |
| B-4. Effect of the date of seed collection on the fresh<br>weight of <i>Taxodium distichum</i> (L.) Rich. seedlings at<br>age of 9 months after sowing during 1999/2000 and<br>2000/2001 seasons ..... | 123 |
| B-4-1. Fresh weight of the stem (gm) .....                                                                                                                                                             | 123 |
| B-4-2. fresh weight of the leaves (gm) .....                                                                                                                                                           | 123 |
| B-4-3. Fresh weight of the roots (gm) .....                                                                                                                                                            | 126 |
| B-5. Effect of the date of seed collection on the dry weight<br>of <i>Taxodium distichum</i> (L.) Rich. seedlings at age of 9<br>months after sowing during 1999/2000 and 2000/2001<br>seasons .....   | 127 |
| B-5-1. Dry weight of the stem (gm) .....                                                                                                                                                               | 127 |
| B-5-2. Dry weight of the leaves (gm) .....                                                                                                                                                             | 127 |
| B-5-2. Dry weight of the roots (gm) .....                                                                                                                                                              | 130 |
| <b>C. <i>Cupressus sempervirens</i> L</b> .....                                                                                                                                                        | 132 |

|                                                                                                                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| C-1. Effect of the date of seed collection on the seed chemical content of total phenols (p.p.m.); total amino acids (p.p.m.); total carbohydrates (p.p.m.) and total indoles (p.p.m.) of <i>Cupressus sempervirens</i> L. during 1999/2000 and 2000/2001 seasons ..... | 132 |
| C-1-1. Seed content of total phenols (p.p.m.).....                                                                                                                                                                                                                      | 132 |
| C-1-2. Seed content of total amino acids (p.p.m.).....                                                                                                                                                                                                                  | 135 |
| C-1-3. Seed content of total carbohydrates (p.p.m.) .....                                                                                                                                                                                                               | 135 |
| C-1-4. Seed content of total indoles (p.p.m.) .....                                                                                                                                                                                                                     | 136 |
| C-2. Effect of the date of seed collection on the weight of 100 seeds (gm); seeds moisture content (%); germination percentage (%); rate and periodicity (days) of <i>Cupressus sempervirens</i> L. during 1999/2000 and 2000/2001 seasons .....                        | 137 |
| C-2-1. Weight of 100 seeds (gm) .....                                                                                                                                                                                                                                   | 137 |
| C-2-2. Seeds moisture content (%) .....                                                                                                                                                                                                                                 | 137 |
| C-2-3. Germination Percentage (%) .....                                                                                                                                                                                                                                 | 140 |
| C-2-4. Germination rate .....                                                                                                                                                                                                                                           | 141 |
| C-2-5. Germination periodicity (days) .....                                                                                                                                                                                                                             | 142 |
| C-3. Effect of the date of seed collection on the growth of <i>Cupressus sempervirens</i> L. seedlings at age of 9 months after sowing during 1999/2000 and 2000/2001 seasons .....                                                                                     | 143 |
| C-3-1. Plant height (cm) .....                                                                                                                                                                                                                                          | 143 |
| C-3-1. Number of leaves /plant .....                                                                                                                                                                                                                                    | 143 |

|                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| C-3-3. Thickness of stem (mm) .....                                                                                                                                                       | 146 |
| C-3-4. Root length (cm) .....                                                                                                                                                             | 146 |
| C-4. Effect of the date of seed collection on the fresh weight of <i>Cupressus sempervirens</i> L. seedlings at age of 9 months after sowing during 1999/2000 and 2000/2001 seasons ..... | 147 |
| C-4-1. Fresh weight of the stem (gm) .....                                                                                                                                                | 147 |
| C-4-2. fresh weight of the leaves (gm) .....                                                                                                                                              | 147 |
| C-4-3. Fresh weight of the roots (gm) .....                                                                                                                                               | 150 |
| C-5. Effect of the date of seed collection on the dry weight of <i>Cupressus sempervirens</i> L. seedlings at age of 9 months after sowing during 1999/2000 and 2000/2001 seasons .....   | 151 |
| C-5-1. Dry weight of the stem (gm) .....                                                                                                                                                  | 151 |
| C-5-2. Dry weight of the leaves (gm) .....                                                                                                                                                | 151 |
| C-5-2. Dry weight of the roots (gm) .....                                                                                                                                                 | 154 |
| <b>SUMMARY</b> .....                                                                                                                                                                      | 156 |
| <b>REFERENCES</b> .....                                                                                                                                                                   | 165 |
| <b>ARABIC SUMMARY</b> .....                                                                                                                                                               | ٩٠١ |