

**LITERATURE
CITED**

VI. LITERATURE CITED

- Assani, A., D. Chabane, B. Foroughi-Wehr and G. Wenzel (2006):** An improved protocol for microcallus production and whole plant regeneration from recalcitrant banana protoplasts (*Musasp.*), plant cell tissue, *Organic Culture*, 85:257-264.
- Assani, A.; R. Haicour; G. Wenzel; B.W. Foroughi; F. Bakry; Fx. Cote; G. Ducreux; A. Ambroise and A. Grapin (2002):** Influence of donor material and genotype on protoplast regeneration in banana and plantain cultivars (*Musa spp.*). *Plant Science*. 162 (3): 355-362.
- Barbier, M and R. Bessis (1990):** Isolation and culture of grape vine cv. Chardonnay leaf protoplasts. *Euphytica*. 47: (1): 39-44.
- Bayomy, M. K. (1998):** Studies on micropropagation of pomes. M.Sc. Thesis Hort. Dept. Fac. of Agric. Moshtohor, Zagazig University.
- Bayomy, M. K. (2004):** Biotechnology and pathological studies on some pear rootstocks. Ph. D. Hort. Dept. Fac. of Agric. Moshtohor, Zagazig University.
- Blackhall, N.W.; M.R. Davey and J.B. Power (2002):** Isolation, culture and regeneration of protoplasts. *Plant Cell Culture "Book"*: 27-39.

- Brisset, M.N.; S.J. Ochatt and J.P. Paulin (1990):** Evidence for quantitative responses during co-culture of *Pyrus communis* protoplasts and *Erwinia amylovora*. Plant-Cell-Reports. 9 (5): 272-275.
- Cameron, H. R.; M. N. Westwood and P. B. Lombard (1969):** Resistance of pyrus species and cultivars to *Erwinia amylovora* (fire blight). Phytopathology . 59: 1813-1815.
- Chen, M.H. (1994):** Regeneration of plants from protoplasts of carcia species (Papaya). Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (29): 52-60.
- Chikako Honda and Takaya Moriguchi (2006):** High GUS expression in protoplasts isolated from immature peach fruits. Scientia Horticulture 109 :244-247
- Commun, K., M. C. Mauro, Y. Chupeau, M. Boulay, M. Burrus and Ph. Jeandet (2003):** Phytoalexia production in grapevino protoplasts during isolation and culture. Plant physiology and Biochemistry 41(2003): 317-323.
- Ding, A.P.; H.F. Wang and Y.F. Cao (1994):** Protoplast culture and plant regeneration of *Malus pumila*. Acta-Botanica-Sinica. 36: (4) 271-277.
- Ding, A.P.; H.F. Wang and Y.F. Cao (1995):** plant regeneration from cotyledon and cells suspension protoplasts of apple (*Malus X domestica* cv. Starkrimson). Plant. Cell,. Tissue.and orang. Culture., 40(2):145-149 .

- Dornelas, M.C. and M.L.C. Vieira (1993):** Plant regeneration from protoplast cultures of *Passiflora edulis* var. *flavicarpa* Deg., *P. amethystina* Mikan. and *P. cincinnata* Mast. Plant-Cell-Reports. 13 (2): 103-106.
- El-Gindy, F. A. and D. J. Gray (1991):** Plant regeneration from embryogenic callus of *Vitis vinifera* cv. Thompson seedless. Annals. of Agricultural. Science, Moshtohor. 29 (1): 435-450.
- El-Hadidy, N. F. (2005):** Effect of irradiation and the treatments on genetic behavior of some fruit trees *in vitro*. Ph.D. Hort. Dept. Fac. of Agric. Moshtohor, Zagazig University.
- Fotouhi. G.R and Y.O. Hamid (1998):** Cell suspension culture, isolation and protoplasts fusion of two seedless species of Citrus (*Citrus sinensis* L. Obs. cv. Washington navel orange and *C. unshiu* Marc.). Iranian J. of Agric. Sci.. 29 (2): 267-274.
- Frearson, E. M; J.B. Power and E. C. Cocking (1973):** The isolation, culture and regeneration of Petunia leaf protoplasts. Dev. Biol.(33) :130-137.
- Gamborg, O. L.; R. A. Miller; K. Ojima (1968):** Nutrient requirements of suspension culture of soybean root cells. Exp., cell Res., 50:151-158.
- Gan, L.; X. Deng; W. Zhang; C. Fideghelli and F. Grassi (1996):** Callus formation from protoplast culture of peach. Acta-Horticulturae. (374): 185-189.

- Gutfinger, T. (1981):** Polyphenols in olive. J. Am. Oil Chem. Soc., Vol. 58, 966-986.
- Hassan, A. A. (2004):** Propagation improvement of some apple rootstock and passion fruits by using tissue culture techniques. Ph. D. Dissertation, Hort. Dept., Fac. of Agric. Moshtohor, Zagazig University.
- Hassan, S. A. (2006):** The use of biotechnology in propagation of some fruit species. MSC. Thesis, Hort. Dept. Fac. of Agric. Moshtohor, Benha University.
- Huancaruna-Perales, E. and O. Schieder (1993):** Plant regeneration from leaf protoplasts of *apple*. Plant Cell Tissue and Organ Culture, 34 (1): 71-76.
- Hurwitz, C.D and G.N. Agrios (1984):** Isolation and culture of protoplasts from *apple* callus and cell suspension cultures. Journal of the American Society for Horticultural Science. 109 (3): 348-350.
- Huy, B.; L. Landi; L. Taruschio; D. Mott; B. Mezzetti and P. Rosati (1997):** Protoplast isolation, culture, and cell differentiation in raspberry and blackberry cultivars (*Rubus* spp.). Angewandte-Botanik. 71: (3-4): 131-137.
- Iasi, L; R. Infante; P. Rosati and S. J. Ochatt (1994):** protoplast isolation and culture of blackberry and raspberry cultivars (*Rubus* spp.). J. genet and Breed.(48):149-154.
- Ishii, S. (1989):** Enzymes for the isolation of protoplasts. Biotechnology in Agriculture and Forestry, 8: 24-33.

- Jardak, R.; A. Mliki; A. Ghorbel and G.M. Reustle (2002):** Transient expression of uid A gene in grapevine protoplasts after PEG- **Jihong Liu ; Xiaoyong Xu and Xiu Xiu Deng (2003):** protoplast isolation, culture and application to genetic improvement of woody plants. Food Agriculture and Environment 1(3,4):112-120.
- Kao, K.N. and Michayluk, M.R. (1975):** Nutritional requirements for growth of vicia hajastana cells and protoplasts at a very low population density in liquid media. Planta (Berl). (126): 105-110.
- Kondakova, V. (1999):** Isolation of mesophyll protoplasts from *Prunus domestica* cv. Quetche. Bulgarian-Journal-of-Agricultural- Science. 5 (3): 411-414.
- Kouider, M.; R. Hauptmann; J.M. Widholm; R.M. Skirvin and S.S. Korban (1984):** Callus formation from *Malus X domestica* cv. 'Jonathan' protoplasts. Plant-Cell-Reports. 3 (4): 142-145.
- Li, Z.; R.L. Jarret and J.W. Demski (1995):** Regeneration of plant from protoplasts of Arachis species (*peanut*). Biotechnology in Agriculture and Forestry plant protoplasts and Genetic Engineering. (34): 3-13.
- Liu-Jihong, Xu-Xiaoyong and Deng-Yiuxin (2003):** Protoplast isolation, culture and application to genetic improvement of woody plants. Food, Agriculture Environment Vol. 1(3&4): 112-120.

- Marino, G. (1990):** Isolation and culture of mesophyll protoplasts of grape (*Vitis vinifera* L.) cv. Trebbiano di Romagna. *Acta Horticulturae*. (280): 281-284.
- Marino, G. (1991):** Isolation and culture of apricot *Prunus armeniaca* L. protoplast. *Acta Horticulturae*. (293): 391-394.
- Masuda, T.; Y. Yoshida; S. Tsuchiya; H. Bessho and S. Kobayashi (1987):** Isolation and culture of apple mesophyll protoplasts Proc. 10th Sym. Plant Tissue Culture 14-16 July Sendai. Japan pp. 211.
- Matsuta, N. (1992):** Factors affecting protoplast isolation and culture from suspension cells of peach (*Prunus persicals* Batsch). *Bulletin of the fruit. Tree Research Station*. (22): 59-66.
- Matsuta, N.; T. Hirabayashi; T. Akihama and I. Kozaki (1986):** Callus formation from protoplasts of peach cell suspension culture. *Scientia-Horticulturae*, 28 (1-2): 59-64.
- Mehri, R (2003):** comparison of prunus protoplasts isolated from leaf tissue and suspension culture cells. *Revue de l' I.N.A.T.* 18(1)21-36.
- Mii, M.; Y.M. Zou; T. Sugiyama; S. Yanagihara and M. Iizuka (1991):** High-frequency callus formation from protoplasts of *Vitis labruscana* Bailey and *Vitis thunbergii* Sieb. et Zucc. by embedding in gellan gum. *Scientia-Horticulturae*. (46) (2): 253-260.

- Mills D. and F. A. Hammerschlag (1994):** Isolation of cells and protoplasts from leaves of invitro propagated peach (*prunus persica*) plants. Plant cell, tissue and organ culture 36:99-105.
- Mliki, A.; R . Jardak; G . M . Reustle and A. Ghorbel (2003)** Isolation and culture of leaf protoplasts from Tunisian grapes. Journal. International- des- sciences-de-la-vigne-et-du-vin.,37 (3):145-153.
- Murashige, T. and F. Skoog (1962):** A revised medium for rapid growth and bioassays with tobacco tissue cultures, Physiol. Plant. 15: 473-497.
- Niizeki, M.; Hidano, Y. and Saito, K. (1983) :**Callus formation from isolated protoplasted of apple. *Malus Pumila* Mill. Jpn. J. Breed., 33:3 69-374 .
- Ochatt, E. M. P.; J. Boccon-Gibod; M. Duron and S. J. Ochatt (1993):** Organogenesis of stem and leaf protoplast of haploid golden delicious apple clone *Malux x domestica* Borkh. Plant-Cell-Reports, 12 (2): 118-120.
- Ochatt, E. M.P.; S.J. Ochatt and J.B. Power (1988):** Plant regeneration from protoplasts of apple rootstocks and scion varieties (*Malus X domestica* Borkh. Journal-of-Plant-Physiology. 133 (4): 460-465
- Ochatt, E.M.P. (1994):** Regeneration of plant from protoplasts of *Malus X domestica* Borkh. (*Apple*). Biotechnology in Agriculture and Forestry and Plant Protoplasts and Genetic Engineering. (29): 83-101.

- Ochatt, S. J. (1991a):** Protoplast-to- tree systems for *Prunus cerasifera* and *Prunus spinosa* as a tool for phylogenetic studies with in the prunoidcea, Rosaceae. *physiologia-plantarum*. 82:1, A15. also Eighth international protoplast symposium.
- Ochatt, S. J. (1991b):** Strategies for plant regeneration from mesophyll protoplasts of the recalcitrant fruit and farmwoodland species *Prunus avium* L. (*sweet:wild cherry*), Rosaceae. *Physiologia-Plantarum*. 82 (1): 1-15.
- Ochatt, S. J. (1992):** The development of protoplast to tree systems for *Prunus cerasifera* and *Prunus spinosa*. *Plant Science limerick*, 81:2, 253-259.
- Ochatt, S. J. and J. B. Power (1992):** Plant regeneration from protoplasts of higher plants. P. 99-127. In: M. W. fowler G. S. Warren and M. Moo. Young. *Comprehensive Biotechnology second supplement*. Pergamon press. New York.
- Ochatt, S. J.; E. C. Cocking and J. B. Power (1987):** Isolation, culture and plant regeneration of colty cherry (*Prunus avium* X *pseudecerasus*) protoplasts *plant Sci*. 50:139-143.
- Ochatt, S.J (1993a):** Regeneration of plants from protoplasts of *Pyrus spp.* Pear .*Biotechnology in Agriculture and forestry* . 22: 105-120 .
- Ochatt, S.J (1993b):** Regeneration of plants from protoplasts of some stone fruits *Prunus spp.* *Biotechnology in Agriculture and forestry*.23:78-96 .

- Ochatt, S.J. and E. Chevreau (1991):** Oranogenesis from leaf protoplasts of Pass crassane and old home Pear (*Pyrus communis* L.) and the isoenzymatic assessment of the regenerated plants. *Physiologia- plantarum*. 82:1, A16. also Eighth international protoplast symposium.
- Ochatt, S.J. and O.H. Caso (1986):** Shoot regeneration from leaf mesophyll protoplasts of wild pear (*Pyrus communis* var. *pyraster* L.). *Journal-of-Plant-Physiology*. 122:(3):243-249.
- Omar, A. A. and J. W. Grosser (2007):** Comparison of endoplasmic Reticulum targeted and non-targeted cytoplasmic GEPasa selectable Marker in citrus protoplast transformation. University of Florida IFAS, Citrus Research and Education Center, Lake Alfred, FL 33850 USA.
- Pan Zen-Guang and Deng XiuXin (2000)** Plant regeneration from protoplasts of apple. *Acta Horticulturae Sinica.*, 27(2):95-101 .
- Pan Zen-Guang; Deng XiuXin and Zhang W. (1997):** Callus formation from protoplast of Hopen crab apple (*Malus hupehensis*). *Plant Physiology Communications*. 33 (6): 429 -431 .
- Panis, B.; L. Sagi and R. Swennen (1994):** Regeneration of plants protoplasts of Musa species (Banana). *Biotechnology in Agriculture and Forestry*, 29: 102-114.

- Patat-Ochatt. E.M.; J. Boccon-Gibod; M. Duron and S.J. Ochatt (1993):** Oranogenesis of stem and leaf protoplasts of ahaploid golden delicious apple clone (*Malus X domestica* Borkh). Plant cell Reports 12 (2):118 – 120.
- Patat-Ochatt. EM.; S.J. Ochatt and J.B. Power (1988)** Plant regeneration from protoplasts of apple rootstocks and scion varieties (*Malus X domestica* Borkh). J. of plant physiology. 133 (4):460-465.
- Perales, E. H. and O. Schieder (1991):** Protoplast culture and regeneration of plants of *Malus* genotypes by means of alginate embedding. *Physiologia- plantarum*.82:1, A15. also Eighth international protoplast symposium.
- Perales, E. H. and O. Schieder (1993):** Plant regeneration from leaf protoplasts of apple Plant Cell, Tissue and Organ Culture 34:71-76.
- Phosang, T.; N. Matsuta; H. Iketani; T. Hayashi and R. Ogata (1994):** Effect of several enzyme solutions on the isolation and culture of *grape* mesophyll protoplasts. Journal of the Japanese. Society for Horticultural. Science. 63 (3): 523-528.
- Ping, L.C.; H.X. Shi; Y. Xu and Y. Ye (2005):** Protoplast Isolation of *vitis davidii* foex. J. of Hunan Agricultural University, Changsha, China. 31 (4): 392-395.
- Pottino, B. G. (1981):** Methods in plant tissue culture. Dept. of Hort. Agric. College, Maryland Univ. College park, Maryland USA pp. 8-29.

- Power, J. B. and Davey M. R. (1990):** Protoplasts of higher and lower plants isolation, culture and fusion IN: walker JM, pollard J. (eds) Methods in molecular biology. Vol. 5. Plant cell and tissue culture. The Huniana press, Clifton, New Jersey. Pp. 237-259.
- Power, J. B., M. R. R. Davey and D. Wilson (1989):** Laboratory manual: plant tissue culture. Plant genetic manipulation group, Department of Botany. Univ. of Nottingham, UK, 120p.
- Qinghua Zhang, Jihong Liu and Xiuxin Deng(2006):** Isolation of microprotoplasts from a partially synchronized suspension culture of Citrus unshiu. J. of Plant Physiology 163:1185—1192.
- Reustle, G. and G. Alleweldt (1991):** Callus formation from protoplasts of grapevines (*Vitis spec*) physiologia-plantarum.82:1, A17; also Eighth international protoplast symposium.
- Reustle, G. and I. Natter (1994):** Effect of polyvinylpyrrolidone and activated charcoal on formation of microcallus from grapevine protoplasts (*vitis sp.*). vitis .33(3):117-121.
- Reustle, G.; M. Harst and G. Alleweldt (1994):** Regeneration of grapevine (*Vitis sp.*) protoplasts. vitis.33(3):173-174.
- Reustle, G.; M. Harst and G. Alleweldt (1995):** Plant regeneration of grapevine (*Vitis sp.*) protoplasts isolated from embryogenic tissue. Plant-Cell-Reports. 15: (3-4): 238-241.

- Revilla, M.A.; S.J. Ochatt; S. Doughty and J.B. Power (1987):** A general strategy for the isolation of mesophyll protoplasts from deciduous fruit and nut tree species. *Plant-Science,-Irish-Republic*. 50:(2): 133-137.
- Saito, A. and M. Suzuki (1999):** Plant regeneration from meristem derived callus protoplasts of apple (*Malus domestica* cv. Fuji). *Plant cell reports*. (18): 549-553.
- Saito, A.; M. Niizeki and K. Saito (1989):** Organ formation from calli and protoplast isolation, culture, and fusion in apple, *Malus pumila* Mill. *J. of the Japanese Society for Horticultural Science*. 58 (3): 483-490.
- SAS (1996):** Statistical Analysis System. SAS User's Guide: statistics. SAS Institute Inc. Editors. Cary NC, USA.
- Seguí L., P.J. Fito, A. Albors and P. Fito (2006):** Mass transfer phenomena during the osmotic dehydration of apple isolated protoplasts (*Malus domestica* var. Fuji). *J. of Food Engineering*. 77 (1):179-187.
- Siqueira, E. R.; M. T. Jnoue; E. R. De Inoue and Siqueria (1991):** Controlling oxidation in the tissue culture of coconut. *Resquis, Agropecaria, Brasileria*, 26:949-953.
- Snell, F. D. and Snell, C. T. (1953):** Coloimetric methods of analysis. Vol. III. D. Van Nostrand Comp. Inc. Toronto. P. 606.

- Theodoropoulos, P.A. and K.A. Roubelakis (1990):** Progress in leaf protoplast isolation and culture from virus-free axenic shoot cultures of *Vitis vinifera* L. Plant Cell, Tissue and Organ Culture. 20 (1): 15-23.
- Vardi, A. and G. Esra (1989):** Isolation and culture of *citrus* protoplasts. Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (8): 147-159.
- Viera, M.L.C. and M.C. Dornelas (1996):** Regeneration of plants from protoplasts of passiflora species (*passion fruit*). Biotechnology in Agriculture and forestry, plant protoplasts and genetic engineering. (38): 108-119.
- Wallin, A. and L. Johansson (1989):** Plant regeneration from leaf mesophyll protoplasts of *in vitro* cultured shoots of acolumnar apple. J. of plant physiology. 135(5):565-570.
- Wallin, A. and M. Welander (1985):** Improved yield of apple leaf protoplasts *in vitro* culture shoots by using very young leaves and adding L-methionine to the shoot medium . Plant cell Tiss.Org .Cult .5:69-72 .
- Wang, Q. C.; H. R. Tanf and G. A. Zhou (1994):** Phenol induced browning and establishment of shoot-tip explants of fuji apple and "Jinhua" pear cultured *in vitro* Hort. Sci., 69(5): 833-839.
- Witjaksono, R.E. and J.W. Grosser (1998):** Isolation culture and regeneration of Avocado (*persea Americana* Mill.) Protoplasts. Plant Cell Reports. (18): 235-242.

- Wright, D.C. (1985):** Factors affecting isolation of protoplasts from leaves of grape (*Vitis vinifera*). Plant-Cell,-Tissue-and-Organ-Culture. 4 (2): 95-100.
- Wu, S.C. and A. H . Kuniyuki (1985) :** Isolation and culture of almond protoplasts. Plant. Sci.(41):55-60 .
- Zaid, A. and B. Tisserat (1983):** Morphogenetic responses obtained from a variety of somatic explant tissues of date palm, Biol. Mag. Tokyo 96:67-73.
- Zaied, N. S. (1997):** Studies on the vegetative propagation of stone fruit trees. Ph.D. (Hort.) Faculty of Agric. Moshtohor, Zagazig University.
- Zeng, G.P.; Xiu, X. Deng and Z. Wncai (1997):** Callus formation from protoplast of Hepan crab apple (*Malus hypehensis*) Plant Physiology-Communications, 33 (6): 429-431.
- Zhu, L.; B. Wang, J. Zhou, L. Chen, C. Dai and C. Duan (2005):** Protoplast of callus in *Echinacea angustifolia*, Colloids Surf. B. Biointerfaces (44): 1-5.
- Zhu, Y ; Y . Hoshino ; M . Nakano ; E . Takahashi ; M . Mii ; and Y . M . Zhu (1997) :** Highly efficient system of plant regeneration from protoplasts of grapenvine (*Vitis vinifera* L.) through somatic embryogenesis by using embryogenic callus culture and activated charcoal. Plant Science – Limerick. 123(1-2):151-157.
- Ziv, M. and A. H. Halevy (1983):** Control of oxidative browning and in vitro propagation of *Sterelizia reginae*. Hort. Science, 18: 434-436.