




REFERENCES



6. REFERENCES

- Abdel-Hameed, A.S. (2002):** Analysis of variance of yield and its components of some haraploid wheat crosses. M.Sc. These, Agron. Dep. Agric., Minia Univ. Egypt.
- Abd El-Majeed, S.A.; A.M. Moussa and A.A. Abd El-Karim (2004):** Combining ability for yield and its components in bread wheat (*Triticum aestivum*, L.) crosses. Egypt. J. Appl. Sci. 19(7): 132-142.
- Abdel-Sabour, M.S.; A.R. Al-Koddoussi and E.E. Hassan (1990):** Genetic behaviour of some yield components in barley. Zagazig J. Agric. Res., 17(1): 23-30.
- Abdel-Wahed, H.M. (2001):** Combining ability in some wheat crosses. M.Sc. Thesis, Fac. Agric., Azhar. Univ., Egypt.
- Abul-Nass, A.A.; A.A. El-Hosary and M.M. Sakr (1986):** Genetic studies in common wheat (*Triticum aestivum*, L.). Egypt. J. Agron., 11: 93-103.
- Abul-Nass, A.A.; A.A. El-Hosary and M.M. Sakr (1991):** Genetic studies in durum wheat (*Triticum durum*, L.). Egypt. J. Agron., 16: 81-94.
- Afiah, S.A.; S.A.M. Khattab and A.M. Abdel-Aziz (2000):** F₂ diallel cross analysis of wheat (*Triticum aestivum*, L.) under normal and saline environments. Proc. 9th Agron., Minufiya Univ., 1-2 Sept, 35-47.

- Ahmed, M. (1999):** Inheritance of earliness and grain yield and its components under different planting dates in wheat. M.Sc. Thesis, Fac. Agric., Assiut Univ., Egypt.
- Al-Kaddoussi, A.R. (1989):** Inheritance of some growth and yield charaters in whaet (*Triticum aestivum*, L.). Zagazig J. Agric. Res., 17(3): 17-25.
- Al-Kaddoussi, A.R. (1996):** Estimation of genetic parameters using different diallel sets in durum wheat (*Triticum turgidum* var. *durum*). Zagazig J. Agric. Res., 23(3): 319-332.
- Al-Kaddoussi, A.R. and E.E. Hassan (1991):** Heterosis in relation to general and specific combining ability in durum wheat (*Triticum turgidum* var. *durum*). Zagazig J. Agric. Res., 18(11): 1-9.
- Al-Kaddoussi, A.R.; M.M. Eissa and S.M. Salama (1994):** Estimates of genetic variance for yield and its components in wheat (*Triticum aestivum*, L.). Zagazig J. Agric. Res., 21(2): 355-366.
- Amaya, A.A.; R.H. Busch and K.L. Lebsack (1972):** Estimates of genetic effects of heading date, plant height and grain yield in durum wheat. Crop Sci., 12: 478-481.
- Anwar, A.R. and A.R. Chowdhry (1969):** Heritability and inheritance of plant height, heading date, grain yield in four spring wheat crosses. Crop Sci., 9: 760-761.
- Ashoush, H.A.H. (1996):** Analysis of diallel cross of some quantitative characters in common wheat (*Triticum*

aestivum, L.). Ph.D. Thesis, Fac. of Agric.,
Moshtohor, Zagazig Univ. (Benha Branch), Egypt.

- Ashoush, H.A.H. (2006):** Breeding for yield and its components in some bread wheat crosses (*Triticum aestivum*, L.). Alexandria Sci. Exchange J. 27(3): 322-335.
- Ashoush, H.A.; A.A. Hamada and I.H. Darwish (2001):** Heterosis and combining ability in F₁ and F₂ diallel crosses of wheat ((*Triticum aestivum*, L.). J. Agric. Sci. Mansoura Univ., 26(5): 2579-2592.
- Barakat, M.N. and T.M. Shehab El-Din (1993):** An *in vivo* and *in vitro* analysis of diallel cross in wheat (*Triticum aestivum*, L.). J. Genet. and Breed. 47: 211-216.
- Bashir, A.; M.A. Chowdhry; M. Sharif; A.S. Khan and M.L. Shaha (1984):** Combining ability for grain yield and other related traits in spring wheat. J. Agric. Res. Pakistan, 2: 1-5.
- Bhatti, G.M. (1971):** Heterotic performance and combining ability in a diallel cross among spring wheat (*Triticum aestivum*, L.). Austral. J. Agric. Res., 22: 359-368.
- Bhatti, M.S.; N.U.I. Khan; M.A. Bajwa and A.G. Khan (1982):** Heterosis in spring wheat. J. Agric. Pakistan, 2: 1-5.
- Bitzer, M.J. and S.H. Fu (1972):** Heterosis and combining ability in Southern soft red winter wheat. Crop Sci., 12: 35-37.

- Blanco, A.; O.A. Tanzarella; F. Cairo and G.T. Scarscia Mugnozza (1982):** Inheritance of plant height in durum wheat (*Triticum durum*). Desf. Genetic. Agraria, 36: 393-406. (c.f. Plant Breed. Abst., 53: 6122, 1983).
- Brown, C.M.; R.O. wible and R.D. Seif (1966):** Heterosis and combining ability in comon winter wheat. Crop Sci., 6: 382-383.
- Crumpacker, D.w. and N.S. Urganharts (1962):** Relationship of gene action and combining ability in a set of wheat parents. Abstracts of the annual meeting of the American Society of Agronomy held at Cornell Univ., Ithaca, N. X on August 20, pp. 114 (c.f. Pl. Breed. Abst., 34: 1706).
- Darwish, I.H.I. (1992):** Breeding studies on wheat. M.Sc. Thesis, Fac. of Agric. Menofiya Univ. Egypt.
- Darwish, I.H.I. (2003):** Diallel cross analysis of wheat (*Triticum aestivum*, L.). under stress and normal irrigation treatments. Egypt. J. Plant Breed., 2(1): 252-269.
- Darwish, I.H.I. and H.A. Ashoush (2003):** Heterosis, gene effect, heritability and genetic advance in bread wheat. Minufiya J. Agric. Res. 28(2): 433-444.
- Darwish, I.H.I.; E. Elsayed and Waffa Al-Awady (2006):** Genetial studies of heading date and some agronomic characters in wheat. Annals of Agric. Sci., Moshtohor. 44(2): 427-452.

- Desai, S.A.; H.C. Lohithaswa; R.R. Hanchinal; B.N. Patil; I.K. Kalappanavar and K.K. Math (2005):** Combining ability for quantitative traits in bread wheat (*Triticum aestivum*, L.). Indian J. Genet., 65(4): 311-312.
- Deshpande, D.A. and K.A. Nayeem (1999):** Heterosis for the tolerance, protein content, yield and yield components in bread wheat (*Triticum aestivum* L.). Indian J. Genet., 59(1): 13-22.
- Dreisigacker, S.; A.E. Melchinger; P. Zhang; K. Ammar; C. Flachenecker; D. Hoisington and M.L. Warburton (2005):** Hybrid performance and heterosis in spring bread wheat, and their relations to SSR-based genetic distances and Coefficients of parentage. Euphytica 144: 51-59.
- Eissa, M.M. and H.A. Awaad (1993):** Gene action and genetic system controlling earliness in ten bread wheat crosses (*Triticum aestivum*, L.). Zagazig J. Agric. Res., 20(6): 1695-1704.
- Eisea, R.K. (1976):** Effect of heterosis on some chemical components in hybrid wheat. M.Sc. Thesis, Fac. of Agric. Shebin El-Kom, Tanta Univ., Egypt.
- El-Khatib, M.K. (1990):** Relationships between some morpho-physiological characters and grain yield of wheat. Ph.D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ. (Benha Branch).
- El-Marakby, A.M.; A.A. Mohamed; Afaf M. Tolba and S.H. Saleh (2007):** Nature of gene action in the inheritance

of earliness, grain yield and grain quality traits in diallel crosses of bread wheat under different environments. Proceeding Fifth Plant, Breeding Conf., 27, 2007. Egypt. J. Plant Breed, 11(1): 75-100.

El-Sayed, E.A.M. (2004): A diallel cross analysis for some quantitative characters in bread wheat (*Triticum aestivum* L.). Egypt. J. Agric. Res., 82(4): 1665-1679.

El-Sayed, E.A.M.; A.M. Tammam and S.A. Ali (2000): genetical studies on some bread wheat crosses (*Triticum aestivum*, L.). Menofiya J. Agric. Res., 25(2): 389-401.

El-Sayed, E.A.M. and M.Kh. Moshref (2005): Breeding for yield, yield components and some agronomic characters in bread wheat. Egypt. J. Agric. Res., 83(2): 665-679.

El-Sayed, R.M.A. (1997): Quantitative inheritance of yield and some of its contributory characters in common wheat. M.Sc. Thesis, Fac. of Agric. Menofiya Univ. Egypt.

El-Shamarka, S.A. (1980): Studies on heterosis and combining ability in common wheat. M.Sc. Thesis, Fac. of Agric., Menofiya Univ., Egypt.

El-Shami, M.M.; T.M. Shehab El-Din; A.H. Abd El-Latif and M.S. Sharshar (1996): Heterosis and combining ability for grain yield and some related characters in bread wheat. J. Agric. Sci. Mansoura Univ., 21(8): 2789-2796.

- Fonseca, S. and F.L. Patterson (1968):** Hybrid vigor in seven parental diallel cross in common wheat (*Triticum aestivum*, L.). Crop Sci., 8: 85-88.
- Gandhi, S.M.; T.U. Menon; P.D. Bhavgava and M.P. Bhatnager (1961):** Studies on hybrid vigor in wheat. Indian J. Genetic Pl. Breed., 21: 1-10.
- Griffing, J.B. (1956):** Concept of general and specific combining ability in relation to diallel crossing systems. Australian J. Biol. Sci., 9: 463-493.
- Gyawali, K.K.; C.O. Qualset and W.T. Yamazaki (1968):** Estimates of heterosis and combining ability in winter wheat. Crop Sci., 8: 322-324.
- Hamada, A.A. (1988):** Studies on some selection criteria in wheat. M.Sc. Thesis, Fac. of Agric., Zagazig Univ.
- Hamada, A.A. (2003):** Heterosis and gene action of yield and components and some growth traits in an eight parent diallel cross of bread wheat under three sowing dates. Minufiya J. Agric. Res. 28(3): 787-819.
- Hamdy, M.N.A. (1978):** Genetic studies on gene action and interaction in hybrid wheat (*Triticum aestivum*, L.). M.Sc. Thesis, Fac. of Agric. Shebin El-Kom, Tanta Univ., Egypt.
- Hassaballa, E.A.; M.A. Khalifa; M.A. El-Morshidy and A.A. Ismail (1984):** Inheritance of some agronomic characteristics in wheat (*Triticum aestivum*, L.). Assiut J. of Agric. Sci., 15(8): 235-247.

- Hassan, E.E. (1998):** Components of genetic variance for some agronomic characters in wheat (*Triticum aestivum* L.). Zagazig J. Agric. Res., 25(1): 45-58.
- Hendawy, F.A. (1994a):** general and specific combining ability estimates in a diallell cross of seven bread wheat varieties. Menoufiya J. Agric. Res., 19(1): 75-93.
- Hendawy, F.A. (1994b):** Influence of locations on heterosis and combining ability in bread wheat (*Triticum aestivum* L.). Menoufiya J. Agric. Res., 19(5): 2201-2224.
- Hendawy, F.A. (1994c):** Combining ability for grain yield and its contributory characters in bread wheat (*Triticum aestivum* L.). Menoufiya J. Agric. Res., 19(5): 2315-2338.
- Hendawy, H.I. (1998):** Combining ability and genetics of specific characters in certain diallel wheat crosses. Ph.D. Thesis, Fac. of Agric., Menoufiya Univ., Egypt.
- Hendawy, H.I. (1990):** Breeding for yield and its components in wheat. M.Sc. Thesis, Fac. of Agric., Menoufiya Univ., Egypt.
- Hewezi, T.A. (1996):** Graphical analysis of diallel cross of some bread wheat varieties. M.Sc. Thesis, Fac. of Agric., Menoufiya Univ., Egypt.
- Johnson, K.J.; Biever; A. Hounold and J.W. Schidt (1966):** Inheritance of plant height, yield of grain and other plant and seed characteristics in a cross of hard red winter wheat (*Triticum aestivum*, L.). Crop Sci., 6: 336-338.

- Karrar, A.M.A. (1980):** Performance and combining ability of durum wheat in a diallel cross. M.Sc. Thesis, Fac. of Agric., El-Minia Univ., Egypt.
- Knott, D.R. (1965):** Heterosis in seven wheat hybrids. Can. J. Plant Sci., 45: 499-501.
- Kronstad, W.E. and W.H. Foote (1964):** General and specific combining ability estimates in winter wheat (*Triticum aestivum*, L.). Crop Sci., 4: 616-619.
- Kumar, H.; G.S. Sharma and R.B. Singh (1983):** Genotype x environment interaction in relation to combining ability in spring wheat. Indian J. Genet Pl. Breed., 43: 232-238.
- Larrea, P.E. (1966):** Agronomic milling and backing characters of the hybrid spring wheat (*T. aestivum*, L.). M.Sc. Thesis, North Dakota State Univ., Fargo.
- Lee, Y.W. (1974):** Heterosis, inbreeding depression and combining ability estimates for diallel crosses in hard red winter wheat. Dissertation Abstracts International, 34(10): 4788B. (c.f. Pl. Breed. Abst., 46: 7882).
- Lee, Y.W. and E.L. Smith (1969):** Heterosis and combining ability in crosses among seven hard red winter wheat varieties. Agron. Abst., Madison pp. 12 (c.f. Pl. Breed. Abst., 41: 4833).
- Lone, W. and D. Zalewski (1991):** Diallel analysis of quantitative characters in F₁ hybrids of winter wheat. Hodowla Roslin, Aklimatyzacja Nasiennictwo 35(3-4): 101-113. (c.f. Pl. Breed. Abst., 62(6), 4954, 1992).

- Mahdy, E.E. (1988):** Inheritance of some agronomic traits in wheat (*Triticum aestivum*, L.). Assiut J. Agric. Sci., 19(13): 203-213.
- Mahmoud, M.S.M. (1999):** Inheritance of some yield traits in bread wheat. M.Sc. Thesis, Fac. Agric., Minia Univ., Egypt.
- Mani, S.C. and M.V. Rao (1975):** Heterosis in winter x spring wheat crosses. Indian J. Genet. Pl. Breed., 35: 330-335.
- Maya De Leon, J.L. (1975):** Combining ability and association of agronomic traits involving three sources of dwarfism in wheat (*T. aestivum*, L.) Dissertation. Abstracts International, 35(7): 3138B (c.f. Pl. Breed. Abst., 47: 2137).
- Mekhamer, K.I. (1995):** Breeding for some quantitative traits in common wheat. M.Sc. Thesis, Fac. of Agric., Menofiya Univ., Egypt.
- Mitkess, R.A. (1981):** Inheritance of some morphological and technological characters in wheat crosses. Ph.D. Thesis, Cairo Univ., Egypt.
- Mosaad, M.G.; M.A. El-Morshidy; B.R. Bakheit and A.M. Tamam (1990):** Genetical studies of some morpho-physiological traits in durum wheat crosses. Assiut J. Agric. Res., 21(1): 78-94.
- Moshref, M.K. (1996):** Genetical and statistical studies in wheat. Ph.D. Thesis, Fac. of Agric., Al-Azhar Univ. Egypt.

- Nadia Adly, R.A. (2005):** Heterosis and combining ability of a five parents diallel of bread wheat. Egypt. J. Agric. Res., 83(4): 1711-1723.
- Narula, P.N. (1987):** A diallel cross analysis of grain number and grain weight under different environments in wheat. Wheat information service. No. 64: 37-43. (c.f. Pl. Breed. Abst., 58: 2940).
- Nassar, M.A. (1992):** Heterosis and combining ability of some morphological characters and yield components in a five-parent diallel cross in wheat. Al-Azhar Agric. Res., 15: 185-208.
- Patwary, A.K.; M.U. Ghani and M.M. Rahuman (1986):** Heterosis in wheat. Indian J. Agric. Sci., 56: 382-384.
- Ranvirsing, G.S. Bhullar and K.S. Gill (1983):** Combining ability over environment in durum wheat. Indian J. Genet. Pl. Breed., 43: 152-155.
- Saad, F.F. (1999):** Heterosis parameters and combining ability for crosses among Egyptian and Austrian durum wheat entries. Assiut J. Agric. Sci., 30(1): 31-42.
- Safan, A.A. (2001):** Diallel analysis of grain yield and other Agronomic traits in bread wheat (*Triticum aestivum* L.). M.Sc. Thesis fac. of Agric. At Moshtohor, Zagazig Univ. (Benha Branch).
- Sajnani, D.N. (1968):** Studies on hybrid vigor and combining ability in wheat diallel crosses. Dissertation Abstracts International, 28(68): 4641B. (c.f. Pl. Breed. Abst., 39: 3335).

- Salem, A.H.; S.A. Nigem; M.M. Eissa and H.F. Draby (2000):**
Type and magnitude of gene action for some quantitative characters and their implications in applied wheat breeding. *Zagazig J. Agric. Res.*, 27: 805-818.
- Singh, I. and R.S. Paroda (1986):** Partial diallel analysis including parents for combining ability wheat. *Indian Genet. and Pl. Breed.*, 46(3): 490-495.
- Singh, S.S. (1990):** Bias caused by episasis in the estimates of additive and dominance components and their interactions with environment in wheat. *Indian J. Genet. Pl. Breed.*, 50(2): 157-160.
- Singh, S.S.; M.B. Singh; Z. Ahmed and A.N. Khana (1973):**
Combining ability study on some development traits related to yield productivity in breed wheat. *Indian J. of Fram Science* (1): 21-28 (c.f. *Breed. Abst.* 45, 1068).
- Soomro, B.A. and R. Aksel (1976):** General and specific combining ability analysis of some quantitative characters in five parent diallel crosses of common wheat. *J. Genet. Cytol.* 5: 331-345.
- Stuber, C.W.; V.A. Johnson and J.W. Schmidt (1962):** Grain protein content and its relationship to other plant and seed characters in the parents and progeny of a cross of (*T. aestivum* L.). *Crop Sci.*, 2: 506-508.
- Tamam, A.M. (1989):** Inheritance of yield and Aphid resistance in some wheat crosses. M.Sc. Thesis, Assiut Unit., Egypt.

- Tawfelis, M.B. (1997):** Inheritance of some physiological traits, yield and its components in durum wheat. Ph.D. Thesis, Fac. Agric., Assiut Univ., Egypt.
- Yadav, C.S. Tyagi and D. Singh (1998):** Genetics of transgressive segregation for yield and yield components in wheat. Ann. Appl. Biol., 133: 227-235.
- Younis, S.E.A.; M.K. Omara and M.Y. Hussein (1988):** A genetic analysis of earliness in wheat and the response to selection for flowering time under favourable clay soil moisture stress conditions in sandy soils. Assiut. J. Agric. Sci., 19(5): 35-48.
- Zaied, H.M.M. (1995):** Combining ability in a diallel cross of wheat. Ph.D. Thesis, Fac. of Agric., El-Minia Univ., Egypt.