




REFERENCES

REFERENCES

- [1] Ackerkann, D. and Mauer, H., (1994), "Super das Bicnengift vnd scicebczichung zum histamin", *Pflugers arch. Ges. Physiol*, 247:623-631.
- [2] Alexandru, V. (1983), "Guidelines for harvesting honeybee venom", *Apicultura in Romania*, 58: 5, 6-8; B.
- [3] Anne, M, Robinson, and Gard, W, (1996), "Bee venom concerns about variability", *American Bee journal*, 584:588
- [4] Argiolas and Pisano. j.j, (1983), "Facilitation of phospholypase A₂ activity by mastoparns, a new class of mast cell. Degran ulating paptides from wosp venom" *j.Bio. Chem*, 258:13697-13702
- [5] Bachmayer, H., Krell G., and Suchamek cr, (1972), "Synthesis of promelittin and melittin in the venom gland of queen and worker bees: patterns observed during maturation", *J. Insect. Physiol*, 18:1515-1521.
- [6] Banks B. E. C.; Shipolini, R. A. (1986), "Chemistry and pharmacolgy of honeybee venom" , *Venom of the Hymenoptera ed. T Piek. London : Academic Press* , pp. 329-419.
- [7] Benton, A. W.; Morse, R. A.; Stewart, J. B. (1963), "Venom collection from honey bees", *Science*, 142: 228-230.
- [8] Berthold R. J., (1994), "Transporting Honey bees for arthritis treatment", *American bee journal*, 134: 2, 119-120.
- [9] Brandeburg, M.A.M., (1995), "A safe devive for extracting venom from honey bees" , *Bee world*, 72(3):128-130.
- [10] Dade H.A., (1962), "Anatomy and dissection of the honeybee race' *Assoc London*, 4.k.p: 1717and plate 5.

- [11] Dotimas, E. M. Hider-RC (1987), "Honey bee venom", *Bee World*, 69: 2, 51-70.
- [12] Edery, H. Ishay, j : lass. I and Giteer, S. 1972 pharmacological activity of oriental hornet vespa orientalis venom toxicon 10-13-23.
- [13] Fakhim-zadeh, K. (1990), "A new device for venom collection and apicultural research", *American bee journal*, 130: 12, 785-787; B.
- [14] Fakhim-zadeh, K. (1998), "Improved device for venom extraction", *Bee World*, 79: 1, 52-56; Bj.
- [15] Forester, J., Rushland, F., Forster, A. K. and Hermann, H., (1937), *Patent Application*.
- [16] Forestier, F. and Palmer, M., (1993), "The honey bee and arthritis", *Revue Francaise d'Apiculture*, 417;125-121 Tchernov.
- [17] Gary, N. E. (1974), "Pheromones that affect the behavior and physiology of honey bees", *Pheromones*, ed. M. C. Birch. Amsterdam: N. Holland, pp200-201.
- [18] Gauze. G.F., Lekarstenney, Veshest va Mikrobov , (1946), "The curative substances of microbes. Moscw p.67 Cited from Bees and people by Naum Ioyrish, 1974 p.142 Mir publisher, Moscow, 1974 p.142.
- [19] Ghent, R.L. and Gary, N.E., (1962), "A chemical alarm releases in honey bee stings" (*Apis mellifera* L.) psyche, 69(1):1-6.
- [20] Habermann, E. (1972) Bee and wasp venoms", *Science* 177: 314-322.
- [21] Kaiser, E.; Michl, H. (1958), "Die Biochemie der Tierischen gifte", Vienna : Deutucke..

- [22] Kassam S. I. (2000), Ecological and Physiological studies on queen rearing of some honey bee races (*Apis mellifera* L.) Ph. Din Economic Entomology (Apiculture) plant protection dept. Fac. Agric., Moshtohor Zagazig University (Benha Branch) 139 pp.
- [23] Kattab, M. M., (1976) effect of ecological factors on honeybee activities. M.Sc., thesis Fac. Agric. Cairo University. 200 pp.
- [24] Kattab, M. M., (1997) Bee venom collection as new product from apiaries in Egypt. International symposium of apitherapy, March 8-9th, 1997 of apitherapy center el Doki . Cairo.
- [25] Kaviani-Vahid, B. Ghorbannia, E. and Al-Saadi, D. (1995), "Collection and standardization of honeybee venom in Iran", Journal of Natural Toxins, 4: 2, 139-146; 17 ref
- [26] Kucinski, V. and Rafiroiu, (1978), "More effect efficient devices and techniques for collecting bee venom", *Apiculture in Romania*, 53(12):16-19.
- [27] Langer, J., (1897), "Uber das Gift unserer Honigbiene", *Arch. Exp. Path. Pharmac. Leipz.*, 38:381-396.
- [28] Levin, I.W., (1984), "Vibrational studies of model membrane melittin interactions", Hand book of natural toxins vol 2.A.A Tu(ed). Marcel Dekker. Inc. New York, basel. Pp:87-107.
- [29] Maio, X. Q. (1983), "Investigation on the collection of honeybee venom using an electrical shock apparatus", Journal of Fujian agricultural College, 12: 4, 323-326 .

- [30] Malaiu, A. (1983), Rafiroiu-R, Alexanderu (1981), "Contributions to the improvement of devices for obtaining honeybee venom", *Apicultura in Romania*, 58: 5, 1-5; B.
- [31] Malaiu, A. (1981), "Contributions to bee venom extracting technology", *Proceedings of the XXVIIIth International Congress of Apiculture, Acapulco*, 450-454; B. Romania.
- [32] Malencik, D. A. and Andderson, S. R, (1983), "High affinity binding f matoparns by calmodulin", *Biochem. Res. Commun.* 114:50-56.
- [33] Markovie, O. and Molnar, L. (1954), "Prispevok kizolacha stanoveniu vcelieho jedu (Contribution and characterization of bee venom)", *Chemicke Zvesti*, 8., 80, pp. 80-90 (in Slovak).
- [34] Mitev, B. (1971), "Collection of bee venom using a weak electric current - its effect on the condition and performance of the colony", *Zhivotonv dni Nauki*, 8(1):103-108 AA 236 174 (in Bulgarian).
- [35] Mohamed, A. H. (1949), "Purified toxins found from the cobra and bee", *Lancet*. 257-717.
- [36] Mollay, C. and Kreil, G. (1974), "Enhancement of bee venom phospholypase A2 activity by melittin direct lytic factor from cobra venom and polymixin B", *FEBS letters*, 46:141-144.
- [37] Mraz, C. (1983), "Methodes of collecting bee venom and its utilizaions", *Apiacta*, 18: 2, 33-34.
- [38] Nakajima, T.; Yasuhara, T.; Yoshida, N.; Takemoto, Y.; Shinonaga, S.; Kano, R. and Yoshida, H. (1983), "Pattern analysis of biologically active animes in some hymenoptera venoms by HPLC", *Japan J. sanit. Zool* 1.34;61-71.

- [39] Nakajima, (1985), "Pharmacological Bio-chemistry of vaspidy venoms in venoms of Hymenoptera" T. Pje k(ed) Academic press New York P.P. 309-327.
- [40] Nobre, A. A. B. (1990), "A device to provoke venom release from honey bees", Bee world, 71(4) :151-152.
- [41] Omar (1994), New Device to extract venom by electrical impulses from honey bee colonies, Assiut journal of Agricultural Sciences , Vol. 25: 1, 114-126.
- [42] Omar, M. O. M. ; Girgis, H. S. and Doss, M. M. (1993), "Bee venom collector", Egyptian patent office 93 / 20780.
- [43] Orovec, J. (1952) , Patent Application.
- [44] Owen, M. D. and Breindwood, J. L. (1974), "A quantitive and temporal study of histidine in honey bee", (*Apis mellifera* L.) venom. Canadian Journal of zoology 52: 387-392.
- [45] Owen, M. D. and Brides, A. R. (1976), "Aging in the venom glands of queen and worker honey bees (*Apis mellifera*) :some morphological and chemical observations", Toxicon, 14:1-5.
- [46] Palmer, D. J. (1961), "Extraction of bee venom for research", Bee world, 42 :225-226
- [47] Pursely, R. E. (1973), "Stinging Hymenoptera", Am. Bee J., 113(4) :131-132 and 135 AA 25L / 74.
- [48] Rashad. K., and Parker, E.L. (1958a): pollen as a limiting factor in brood rearing and honey production during three drought years 1954, 1955,1956.
- [49] Root, A. I. (1975), "ABC and XYZ of bee culture", 36th edition :598-699. The A. I. Root co; Medina, Ohaio, USA; p.593-601.
- [50] Rypak-M, Muszyinska-j skubida P, Marcinkij (1995), A technology for venom collection Pszelinicze – Zeszyty – Naukowe 39:2, 223-231.

- [51] Shipolini, R. A. (1984), "Biochemistry of bee venom", Hand book of Natural Toxins, vol. 2, Marcel Dekker in C.N.Y, pp. 49-85.
- [52] Simics, M. (1995), "Bee venom collection - past, present and future", American bee journal, 135: 7, 489-491; 9 ref.
- [53] Simics, M. (1995), "Bee venom collection for medical use", JN. Canadian beekeeping, 18(6):140.
- [54] Simics, M. (1996) Bee venom frequently asked question American bee journal 136 : (107-109).
- [55] Skubida, P. Muszynska-j- Rybak-M Marcikowski, (1995), "Bee venom collection and its effect on the general output of the apiary and wintering", Pszczelnicze Zeszyty Naukowe, 39: 2, 209-221; Bj.
- [56] Snodgrass, R. E. (1956), "Anatomy of the honey bee", Comstock publishing Ithaca USA. Associates pp. 154-167.
- [57] Suzuki, K. (1970), "Histochemical localization of acid phosphatase in the venom glands of the honeybee", Bull. Fac. Education, Chiba Univ., 19:183-187 and 2 plates.
- [58] Vick, J. A. (1983), "Methods and apparatus for collecting bee venom", Apiacta, 18: 2, 35-37; B.
- [59] Whiffler, L. A., (1988), "Venom protein production, alarm pheromones and guarding", South-African-Bee Journal, 60: 3, 54-57; Bj.
- [60] Yatsun-Om; Zorilo-GI; Sitnitska-NA (1994), "Investigation of electrical current for honey bee venom collection", Bdzhil'nitstvo, 21: 77-79; Bj.
- [61] Zander, E. (1951), 182 pp. 149 text figs, 20pls. Stuttgart, Germany.

