

LITERATURE CITED

- Abdel Maksoud, M. and Radwan, A. (1963).
Effect of gibberellins on growth of some vegetable plants.
The Egyptian Soc. of Hort. Maga, Cairo ARE.
136: 11-20.
- Alipieva, M. and Atanasov, V. (1967).
The seed producing characteristic of spinach as affected by the use of single mineral fertilizers.
Grad. Lozer. Nauka (3) 61-67
(C.F. Hort. Abstr. 37: 7107, 1967).
- Association of Official Agriculture Chemists, (A.O.A.C.) 1970.
Official Methods of Analysis, the association of Official Agricultural Chemists, Washington.
- Aworth, O. C. Hicks, J. R. Minotti, P.L. and Lee, O.Y. (1980)
Effect of plant age and nitrogen fertilization on nitrate accumulation and postharvest nitrate accumulation in fresh spinach.
J. Amer. Soc. Hort. Sci. 105 (1): 18-20.
- Barker, A. V. Maynard, O. N. (1971).
Nutritional factors affecting nitrate accumulation in spinach.
Soil Sci. and plant analysis, 2 (6) 471-478.
- Bartlett, M. S. (1937).
Some samples of statistical methods of research in agriculture and applied biology.
J. Roy. Soc. 4, 2.
- Bhore, D. P. and Patil, S. S. O. (1978).
Comparative efficiency of soil foliar application of nitrogen on yield of leafy vegetables.
J. of Maharashtra. Agric. Univ. 3 (1) 65.
(C.F. Hort. Abstr. 49: 3361, 1979).

Bigotti, P. G. (1972).

Effect of nitrogen fertilizer on two spinach varieties.

Annal. d. Accad. di Agric. 115. 73-83.

(C. F. Plant breed, Abstr. 44 : 9088, 1974).

Bora, P. C. (1970).

Interaction between GA and nitrogen on the uptakes of nutrients in young plants of brussel sprouts.

Ind. J. Agric. Sci. 40: 961-966.

Brown, J. R. Lambeth, V. N. and Blevins, D. G. (1969).

Nutrient interaction effects on yield and chemical composition of spinach and green beans.

Res. Bull. Mo. Agric. Exp, Stat. 963-pp 23.

(C. F. Hort. Abstr. 40 : 8233, 1970).

Brown, J. D. and Lilleland (1946).

Rapid determination of potassium and sodium in plant material and soil extracts by flam photometry.

Proc. Amer. Soc. Hort. Sci. 48: 341-346.

Cajlahjan, M. H. Martinovic, L. N. and Kocankov, V. G. (1969).

On the chemical rgulation of growth and formation of reproductive organs in dioecious plants.

Dokl, Akad, Nauk,SSSR , 89: 662- 5.

(C.F. Hort. Abstr. 40: 6069, 1970).

Cantliffe, D. J. (1973).

Nitrate accumulation in spinach cultivars and plant introductions.

Canad. J. of Pl. Sci. 53 (2) 365-367.

Das, G. (1973).

Possible mechanism of gibberellin induced chlorosis in lettuce seedlings.

Canad. J. of Bot. 51 (1) 175-184.

Ehrendorfer, K. (1973).

The influence of different K, Na, and $\text{NO}_3:\text{Cl}$ ratios on the yield nutrient uptake and oxalic acid production in spinach.

Pflanzenernahrung und Bodenkunde, 135 (1) 41-58.

Eid, S. M. M. (1980).

Effect of fertilization and some growth regulators on growth, yield and quality of squash.

M. Sc. Thesis, Fac. Agric. Sci. Mosh. Zag. Univ. Egypt.

El-Habbasha, K. ; Nour El-Din, N. and Bakry, M. (1969).

Effect of date of sowing, gibberellic acid, and nitrogenous fertilizer on the growth and yield of spinach plant.

Reprint from the proceedings of the 6th Arab. Science Congress, Damascus 1969 (2) 417-428.

Eppendorfer, W. H. (1978).

Effect of N-fertilization on amino acid composition and nutritive value of spinach, kale, cauliflower and potatoes.

J. of Sci. of Food and Agric. 29 (4) 305-311.

Flamee, M. and Vereecke, M. (1977).

Leaf colour and total chlorophyll content in relation with gibberellic acid on Lactuca sativa L.

Mededelingen van de Faculteit Landbouwwetenschappen Rijks Universiteit Gent 42 (314) 1869-1873.

(C. F. Hort. Abstr. 49: 1860, 1979).

Forsee, W. T. (1938).

Determination of sugars in plant materials a photocolorimetric method.

Indus. Eng. Anal. Ed. 10 : 411-418.

Frydrych, I. (1961).

The effect of gibberellic acid on the growth and quality of spinach(Spinacia oleracea L.)and diploid and tetraploid radishes (Raphanus sativus L.).

Bull Csazv, Vyz, Ust, Zelin, Olomous, 5.pp 57-109.
(C. F. Hort. Abst. 32: 6712, 1962).

Gonzalez, A. R. Lanier, M. R. and Edwards, K. M. (1979).

Effect of gibberellic acid on yield and quality components of spinach.

Arkansas Farm Research 28 (4) 15.

(C. F. Hort. Abst. 50 : 4174, 1980).

Greig, J. K. Motes, J. E. and Al-Tikriti, A. S. (1968).

Effect of nitrogen levels and micronutrients on yield chlorophyll and mineral content of spinach.

Proc. Amer. Soc. Hort. Sci. 92 : 508-515.

Hansen, H. (1978).

The influence of nitrogen fertilization on the chemical composition of vegetables.

Qualitar Plantarum 28 (1) 45-63.

(C. F. Hort. Abstr. 48 : 6447, 1978).

Harrington, J. F. (1960).

The use of gibberellic acid to induce bolting and increases seed yield of tight-heading lettuce.

Proc. Amer. Soc. Hort. Sci 75: 476-479.

Hulewicz, D. Mokrzecka, E. (1971).

The dependence of the yield of spinach and some of its quality constituents on fertilization.

Pflanzenernahrung und Bodenkunde, 130 (2)
214-224.

Janick, J. and Leopold, A. C. (1961).

A distinction between bolting and flowering effect on senescence.

Nature, 192 : 887-888.

Jauhari, O. S. Singh, R. D. and Dikshit, V. S. (1960).

Preliminary studies on the effect of gibberellic acid on growth of spinach (Spinacia oleracea L.)
Curr. Sci. 29 : 484-485.

(C. F. Hort. Abstr. 31 : 4622, 1961).

John, M. K. (1970).

Colorimetric determination of phosphorus in soil and plant materials with ascorbic acid.
Soil Sci. 109: 214-220.

✓ Kamal, M. A. M. (1951).

Growth and nitrogen fractions of Trifolium alexandrinum under condition of different phosphorus levels with reference to the effect of pH. value in silage.

Ph. D. Thesis, Cairo, Univ.

Kim, H. K. Cha, J. W. Kim, J. J. Park, B. K. (1970)

Studies on the composition of winter cultivated chinese cabbage treated with gibberellin.

Korean J. of Hort. Sci. 71 : 67-72

(C. F. Hort. Abstr. 43 : 1179, 1973).

Kuhlen, H. (1962).

The effect of nitrogenous fertilizers on the
nutritional value of leafy vegetables.
Proc. 16th int Hort. Congr Brussels Vol. 1, P, 82.
(C. F. Hort. Abstr. 33 : 3158, 1963).

Lambeth, V. N. and Others. (1969).

Spinach cation and oxalate contents and their
interactions as influenced by fertilization.
Food technol Champaign, 23 (7) 77-81.
(C. F. Hort. Abstr. 40 : 848, 1970).

Landi, A. (1966).

Mineral fertilizing of the spinach variety.
Riccio di Asti, Riv, ortoflorofruttic ital,
50, 147-52.
(C.F. Hort. Abstr. 36 : 6780, 1966).

Lecompte, S. B. J. R. (1962).

Nutrient supply (N,P,K) for spinach as related
to yield and to stages of seedling growth.
Proc, 16th int Hort. Congr. Brussels Vol, 1 P.83.
(C. F. Hort. Abstr. 33 : 3157, 1963).

Lee, C. Y. and Others (1971).

Nitrate and nitrite nitrogen in fresh, stored
and processed table beets and spinach from
different levels of nitrogen fertilization.
J. Sci. Ed. Agric. , 22, 90-92.
(C.F. Hort. Abst. 41 : 8760, 1971).

Lehr, J. J.;Wybenga, J. M. and Hoekendijk, J. A. (1962).

On the influence of nitrogen on the formation
of chlorophyll with special regard to a difference
in effect between sodium nitrate and calcium
nitrate.
Plant and Soil 17: 68-86.

- Mukhanova, YU, I. Trebukhina, K. A. (1975).
The effect of gibberellin on the ripening
date of lettuce seed.
Referativnyi zhurnal 8, 55-56.
(C. F. Hort. Abstr. 47 : 2540, 1977).
- Munro, D. C. Mackay, D. C. Cutcliffe, J. A. (1978).
Relation of nutrient content of broccoli and
Brussels sprouts leaves to maturity and ferti-
lization with N.P.K. and manure.
Canad. J. of plant. Sci. 58 (2) 385-394.
- Murphy, J. and J. P. Riely (1962).
A modified single solution method for the
determination of Phosphate in natural water.
Anal. Chem. Acta . 27 : 31-36.
- Nordestgaard, A. (1978).
Trials of spinach (Spincia oleracia L.)
grown for seed using various solid nitrogen
fertilizers in increasing amounts and with
various sowing rates and row spacings.
Tidsskrift for planteavl 82 (2) 231-242.
(C. F. Hort. Abstr. 49 : 1167, 1979).
- Omran, A. F. Abo- Elsaod, I.A. and Asbour, N. I. (1973).
Growth and yield responses of spinach plants
to foliar spray with $Zn SO_4$ and GA_3 .
Gartenbouwissenschaft 38 (5) 441-446.
- Parlevliet, J. E. (1967).
The influence of external factors on the growth
and development of spinach (Spinacia oleracea L.).
Meded landb Hogesch wageningen 67-2, pp. 75.
(C. F. Hort. Abstr. 37 : 7106, 1967).

- Pee, T. Y. (1970).
Analysis of effects of gibberellins on spinach plants.
Malays, Agric. J. 47 : 357- 367.
(C. F. Hort. Abstr. 41 : 979, 1971).
- Pregl, E. (1945).
Quantitative organic microanalysis .
4 th Ed. J. Chundril, London .
- Quagliotti, L. (1972).
The effects of nitrogen fertilization on growth habit and sex expression in Ricciod, Asti spinach.
Sementi Elette 18 (2) 5-19.
(C. F. Hort. Abstr. 43 : 127, 1973).
- Randhawa, K. S. and K. Singh (1972).
Total soluble nitrogen and carbohydrate contents of floral buds of Muskmelon (Cucumis-melo L.) and their influence in sex modification.
Ind. J. of Agric. Sci. 42 (7) 545-549.
- Regan, W. S. Lambeth, V.N. Brown, J. R. and Blevins, D.G. (1968).
Fertilization interaction ships on yield, nitrate and oxalic acid content of spinach.
Proc, Amer. Soc. Hort.Sci. 1968, 93: 485-492.
- Richards, L. A. (1954).
Diagnosis and improvement of saline and alkaline soils.
Agric. Handbook 60 : 67-85.

Sadek, M.A. (1976).

Effect of photo and chemical induction on flowering and seed setting of spinach.

Ph. D. Thesis, Faculty of Agric. Ain Shams Univ.,
Cairo, A.R.E.

Schuphan, W. (1971).

The depression of physiologically active cations in food plants as a result of modern agricultural practices.

Ernährungs umschau No. 4, 148-154.

(C. F. Hort. Abstr. 42 : 1008, 1972).

_____, (1972).

Effect of the application of inorganic and organic manures on the market quality and on the biological value of Agricultural products.

Qual. Plant. Mater. Veg. 21 (4): 381-398.

(C. F. Hort. Abstr. 43 : 2903, 1973).

_____, and Others. (1967).

Nitrate accumulation in spinach.

Qual. Plant Mater, Veg. 14 : 317-330.

(C. F. Hort Abstr. 38 : 1178, 1968).

Sengewald, E. (1959).

Effect of fertilizing on the content of carotene and vitamin C in spinach (Spinacia oleracea L.) with references to their germination.

Nahrung, 3, 428-452.

Shafi, M. M. (1971).

Effect of gibberellic acid on head weight and seed yield in lettuce (Lactuca sativa L.).

Pakist. J. of Sci. 23, (314) 131-134.

(C. F. Hort. Abstr. 42 : 5914 1972).

- Siegel, O. Vogt, G. (1975).
The influence of slow release nitrogen sources
on the composition of nitrogen compounds in
spinach and barley.
Landwirtschaftliche Forschung 28 (3) 235-241.
- Simao, S. Serzedello, A. and Yamamura, A. (1960).
The effect of gibberellic acid on lettuce.
Rev. Agric. Piracicaba, 35 193- 197.
(C. F. Hort. Abstr. 31 : 4521, 1961).
- Snedecor, G. W. (1962).
Statistical Methods.
Iowa State, College press, Ames U.S.A.
- Stanilova, D. Boboshevska, D. Vitanova, G. (1972).
The effect of nutrition on the yield and chemical
composition of spinach.
Selskostoponski institut Georgi Dimitrov obshcho
zemedelie 24, 35-46.
(C. F. Hort. Abstr. 45 : 6489, 1975).
- Strel'nikova, R. A. (1968).
The effect of different forms of nitrogen, Phosphorus
and Potassium fertilizers on the yield and
quality of spinach.
Verhn. Mosk. Univ. Biol. Psev. No 2, pp 101-104.
(C. F. Hort. Abstr. 39 : 4940, 1969).
- Terman, G. L. Noggle, J. C. Hunt, C. M. (1976).
Nitrate-N and total N concentration relationships
in several plant species.
Agrono. J. 68 (4) 556-560.

- Tronickova, E. Vit, V. (1970).
The effect of fertilizers on the nitrogen content in several varieties of spinach. Vedecke prace Vyzku mmuch ustavu Rostlinne vyroby V. praze Ruzyni. 16, 119-126. (C. F. Hort. Abstr. 44 : 5583, 1974).
- Tsytovich, K. I. (1973).
The effect of gibberellin and uninterrupted light on growth development and seed productivity in lettuce. Trudy Po prikladoi Botanike Genetike: Seleksii 50 (2) 53-59. (C. F. Hort. Abstr. 44 : 8505, 1974).
- Umarov, K. H. Z. Kaziev, G. M. (1977).
Rates and proportion of mineral fertilizers for late head cabbage on typical grey soil. Uzbekistan Agrokimiya No. 8, 80-82. (C. F. Hort Abstr. 48 : 4523, 1978).
- Vergniaud, P. Huguet, C. (1971).
Nitrogen fertilization of commercially grown spinach. Horticulturs, Marichers No. 122, 33-39. (C. F. Hort. Abstr. 42 : 5826, 1972).
- Verma, A. N. ; Srivastava, D. C. and Sharma, R. K. (1969).
Effect of nitrogen supply on growth, yield, ascorbic acid and oxallic acid content in spinach (Spinacia oleracea L.). Plant. Sci. 1: 189-191.
- Wasilewska, I. (1975).
Advancing seed ripening of late lettuce cultivars by means of gibberellin. Biuletyn Warzywniczy 18, 179-196. (C. F. Hort. Abstr. 47 : 5507, 1977).
- Wittwer, S. H. and Bukovac, M. J. (1958).
The effect of gibberellin on economic crops. Econ. Bot. 12 : 213-255.