




REFERENCES

VI. REFERENCES

- A.O.A.C. (1990):** Official Methods of Analysis of Association of Official Analytical Chemists. Pub. A.O.A.C. INC. Suite 400, 22201 USA Fifteenth Ed. 1990; pp: 62-63, 236 and 877-878.
- Abd El-Fatah, G.H. (2001):** Physiological studies on some shrubs. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ.
- Abd El-Ghafar, A. (1998):** Effect of chemical fertilization and gibberellic acid on strelitzia reginae Ait plant. M. Sc. Thesis, Cairo University.
- Abd El-Sadek, O. A.(2005).** Effect of some postharvest treatments on gypsophilla cut flowers . M. Sc. Thesis, Faculty of Agric., Zagazig University.
- Abdel- Wahid S. M. K. (1995):** Physiological studies on Poiumthes tuberosa L. and Strelitizia reginae Ait. plants, Ph.D. Thesis, Fac; Agric., Cairo Univ.
- Al-Badawy, A. A. And F.S. Badran (1985):** Influence of methods of application of NAA, GA₃ and Alar -85 on flowering and bulb production of Polianthes tuberosa. Minia Jour . Agric. Res., Vol. 7 No .3.
- Alka- Singh; Jitendra- kumar; Pushpendra- Kumar (2008):** Effects on plant growth regulators and sucrose on postharvest physiology, membrane stability and vase life of cut spikes of gladiolus. Plant Growth Regulation . 55(3): 221-229.

- Alka-Singh; Jitendra- Kumar; Pushpendra- Kumar; Singh, V.P. (2007):** Membrane stability and postharvest keeping quality of gladiolus cut spikes as influenced by certain chemicals with sucrose in vase solution .Indian. Journal. Of .plant. physiology. 12(1): 63-71.
- Alka-Singh; Jtendra-kumar; Pushpendra-Kumar (2006):** Petal senescence and flowers quality of gladiolus cut spikes as influenced by plant .growth regulators and sucrose. Journal- of – ornamental. Horticulture. 9(3): 188-191.
- Anil, P. R. and B. M. William (2000).** Ancylnidol drenches, reversed greenhouse temperatures, post green house cold storage, and hormone sprays affect postharvest leaf chlorosis in Easter lily . J. Amer Soc. Hort. Sci., 125 (2): 248-253.
- Anserwadekar, K. W. and V. K. Patil (1986).** Vase life studies of gladiolus (*Gladiolus grandiflora*) cv. H. B. Pitt I. Effect of NPK and spacing on vase life. II. Effect of different chemicals . Acta Hort., 181 : 279-283.
- Auda, M.S. (1992):** Physiological studies on Amaryllus bulbs. Ph.D. Thesis, Fac. Agric., Ain Shams Univ.
- Awad, A.E.; Mostafa, M.B. and A.A. Meawad (1980):** Effect of different levels and application methods of urea on growth and flowering of Gladiolus plants. Res. Bull. No. 178, Nov. 1980, Fac. Agric., Zagazig Univ.
- Bailey, L.H. (1976):** Hortus Third: Aconcise Dictionary of Plants cultivated in the united states and Canada. 3rd ed. Macmillan, New York. pp. 693 and 1078-1079.

- Bayoygan, E. R. V.; Jaroenkit, T.; Pull, R. E. (2008):** Post harvest-Biology- and Technology. 48(2): 259-263.
- Bhaskar, V.V.; P.V. Rao and Y.N. Reddy (1999).** Effect of organic acids on the postharvest vase life of cut tuberose *Polianthes tuberosa* L. cv. Double. Journal of Research ANGRAU., 27 (4) 18-25.
- Black, C.D.; Evans, D.O.; Ensminger, L.E.; White, J.L.; Clark, F.E. and Dinauer, R.C. (1982):** Methods of soil analysis. Part 2. Chemical and microbiological properties. 2nd Ed. Soil., Soc. of Am. Inc. Publ., Madison, Wisconsin, U.S.A.
- Bosse, C.A. and J. Van Staden (1989):** Cytokinin in cut carnation flowers. V. Effect of cytokinin type, concentration and mode of application on flower longevity. Journal of plant physiology (1989) 135(2) 155-159. [C.F. hort., Abst., 60 (6304)].
- Brown, J. D. and Lilleland, O. (1964).** Rapid determination of potassium and sodium in plant material and soil extracts by flame photometer. Proc. Amer. Soc. Hort., Sci., 48 (5):341- 346.
- Burchi, G. ; B. Nesi; A. Grassatti; A. Ferrante and A. Mensuali (2005).** Longevity and ethylene production during development stages of two cultivars of lilium flowers a geing on plant in vase . Acta Hort., 682 : 813-819.

- Chanasut, U.; H. J. Rogers; M. J. Leverentz ; G. Griffiths' B. Thomas; C. Wagstaff and A. D. Stead (2003).** Increasing flower longevity in alstroemeria . Postharvest Biology and Technology, 29 : 325-333.
- Cheema, G.S. and D.P. Sharma (1982):** In vitro propagation of apple root stocks. Int. Hort. Congr XXI. Hamburg, German Federal republic, Int. Soc. Hort. Sci. Vol. 1: 1035 (C.F. Chem. Abst., 52: 7692).
- Chikkasubbanna, V. and C. Suma (2002).** Effect of chemical preservatives on postharvest longevity of cut alstroemeria flowers . Crop Research (Hisar), 23 (2): 354-356 (C. F. Hort. Abst. , 72 (10) : 1337].
- Choudhary, M.L. (1987):** Effect of growth regulatants on growth and flowering of tuberose (*Polianthes tuberosa* L.). Annals-of-Agricultural-Science,-Ain-Shams-University. 1987, 32: 2, 1451-1457; 10 ref.
- Choudhary, M.L. (1987):** Effect of growth regulants on growth and flowering of tuberose (*Polianthes tuberosa* L.) orn. Hort. (1992) 18; 1903.
- Choudhary, M.L. (1989):** Effect of growth regulants on growth and flowering of tuberose (*Polianthes tuberosa*). Hort. Abst., 59:461.
- Criley, R.A. (1988):** Propagation of tropical cut flowers: Strelitzia, Alpinia and Heliconia. Acta-Horticulturae. No. 226, vol. II, 509-517; International

- Dalal, S.R.; Dalal, N.R.; Rajurkar, D.W., Golliwar, V.J. and Patil, S.R. (1999):** Effect of nitrogen levels and gibberellic acid on quality of flowers stalk of tuberose (*polianthes tuberose*, L.) soils and crops, 2 (1): 88-90.
- Dantuluri, V.S.R.; Misra, R.L.; Misra, R.L. and Sanyat-Misra (2002):** Effect of growth regulating chemicals on Asiatic hybrid lily. Proceedings-of-the-national-symposium-on-Indian-floriculture-in-the-new-millennium,-Lal-Bagh,-Bangalore,-25-27-February,-2002., 147-149; 8 ref.
- Das, S.N.; Jana, B.K. and B.C. Das (1992):** Effect of growth regulators on growth and flowering of *Hemerocallis aurantiaca*. South-Indian-Horticulture. 1992, 40: 6, 336-339; 7 ref.
- Data-Ram.; Verma, J.P.; Verma, G.K. and D. Ram (2001):** Effect of plant growth regulators on vegetative growth of gladioli. Annals-of-Agri-Bio-Research. 2001, 6: 1, 81-84; 6 ref.
- De, L.C. ; K. Bhattacharjee and L.R. Misra (1996).** Post harvest life of pulsed gladiolus spikes as affected by different chemicals. Journal of Ornamental Horticulture., 4 (1) : 18-22.
- De, L.C. and D. Barman. (1998).** Vase life of cut tuberose spikes as affected by stage of harvest stalk length and sucrose. Orissa Journal of Horticulture., 261: 66-69.
- Dessouky, M.T.A. (1994):** Physiological studies on *Strelitzia reginae* plant. Ph.D. Thesis, Fac. Agric., Moshtohor, Univ.

- Devadanam, A.; Sable, P. B.; Shinde, B. N. and Haldewad, A. M. (2007):** Effect of foliar spray of plant growth regulators on growth and yield of polianthes tuberosa L. Journal of Maharashtra. Agricultural. Univerities. 32 (2): 282-283.
- Devadanam, A.; Shine, B.N.; Sable, P. B. and Vedpathak, S. G. (2007):** Effect of foliar spray of plant growth regulators on flowering and vase life of tuberosa (*Polianthes tuberosa* L.) Journal of soils and crops. 17 (1): 86-88.
- Devendra; C. and L. Nagda (1999):** Effect of growth regulators on growth and flower yield of Tuberosa (*Polianthes Tuberosa* L.) cv. single. Scientific Horticulture 6,147-150.
- Devlin, M. and H. Witham (1983):** Plant Physiology, 4th Ed. Publishers Willard, Grant Press, Boston.
- Diab , I. R.(2007).** Physiological studies on postharvest treatments on some cut flowers. M. Sc. Thesis , Faculty of Agric., Zagazig University.
- Dias-Togliacozzo, G. M.; Goncalves, C.; Castro, C. E. De (2005):** Quality maintenance of lily post. Harvest. Revista-Brasileira-de-Horticultura- Ornamental. 11(1): 29-34.
- Dumbre, S.S.; M. T. Patial and B. R. Singh (2002).**Effect of low temperature storage on longevity of cut roses. New Delhi , India; Indian Society of Ornamental Horticulture, (2) : 232-233 [C. F. Postharvest News and Information 14 (2) : 126 (880)].

- Eisinger, W. (1977):** Role of cytokinins in carnation flower senescence. *Plant Physiol.*, 59: 707-709.
- El-Aziz., N. G. A.; El-Quesni, F. E. M.; Farahat, M. M. (2007):** Response of vegetative growth and some chemical constituents of *Syngonium podophyllum* l. to foliar application of thymine, as corbic acid and kinetin at Nubria. *World – Journal-of- Agricultural. Sciences.* 3(3): 301-305.
- El-Bouhy, N. F. (2002).** Effect of some postharvest treatments on *Poliamthes tuberosa* cut flowers. M. Sc. Thesis, Faculty of Agric., Zagazig University.
- El-Essawy, M. M. A. (1995):** Effect of radiation and gibberellic acid on the growth and flowering of *Gladiolus corms*. Ph. D. Thesis, Fac. Agric., Ain Shams Univ.
- El-Hindi, K. (1999).** Effect of some post harvest treatments on the keeping quality of dahlia flowers. Ph. D. Thesis, Faculty of Agric. , Mansoura University.
- El-Maadawy, E. I. (1988):** Physiological studies on *Polianthes tuberosa* L. Plants. Ph.D. Thesis., Fac. Agric., Cairo Univ.
- El-Mergawi, R. A. (1987):** Chemical studies on oil constituents of *Polianthes tuberosa* and effect of some growth regulators on the oil constituents M.Sc. Thesis, Fac. Agric., Cairo Univ.
- El-Saka , M. M. (1992).** Physiological studies for increasing the longevity of some cut flowers. Ph. D. Thesis, Faculty of Agric., Zagazig University.

- El-Saka , M. M. (1996).** Postharvest handling of bud cut iris flowers. The 4th Arabic Conference for Horticultural Crops. 25 -28 March, Fac. Agric. Minia Univ.
- El-Sallami, I.H. (1997):** Effect of bulb soaking and foliar application of some growth regulators on growth, flowering, bulb production and certain chemical contents in Narcissus plant. Assiut Journal of Agricultural sciences 28 (1) 37-51.
- El-Sayed, A. A.; M. A. Salem and E. I. Maadawy (1987):** Physiological studies on Polianthes tuberosa L plants I- Effect of chemical fertilization on growth, flowering and bulb production. J. Agric. Res. Tanta Univ. Vol. 15 No. 2: 318-325.
- El-Sayed, A. A; A. Z. Sarhan and M.A. Salem (1986):** Effect of some growth regulators on growth and flowering of tuberosa plants proc. 1st Hort. Sci. Conf. Tanta Univ., Vol. ;i): 92.
- El-Zohairy, N. A. (1999).** Effect of post- harvest treatments on some cut flowers. M. Sc. Thesis, Faculty of Agric. , Zagazig University.
- Finger, F. L.; Barbosa, J. G. (2006):** Postharvest physiology of cut flowers Advances-in-postharvest. tevhrologies- for- horticultural- crops-373-393.
- Finger, F. L.; M. M. Campanha ; I.G. Barbosa and P.C.R. Fontes (1999).** Influence of ethephone, silver thiosulfate and sucrose pulsing on bird-of-paradise vase life. Revista Brasileira de fisiologia vegetal. 11 (2) 119-122. Departamento de fitotecnica, Univerisidade Federal de vicososa , M.G. 36571.

- Finger, F. L.; Moraes, P. J. De; Mapeli, A. M.; Barbosa, J. G.; Cecon, P. R. (2008):** longevity of *Epidendrum ibaguense* flowers as affected by pre-loading treatments and . vase solution. Journal-01-Horticulture. Science and . Biotechnology. 83(2): 144-147.
- Finger, F.L; Moraes, P.J. de; Barbosa, J.P; Grossi, J.A.S (2003):** vase life of bird-of-paradise flowers influenced by pulsing and term of cold storage. Acta. Horticulture. (628 (vol 2)): 863-867.
- Fukai, S.; Uehara, K. (2006):** Effects of cadium treatment on vase life of cut snapdragon flowers. Horticultural Research -Japan. 5(4): 465-471.
- Fuki, R.; Kikuchi, S.; Ichida, I.; Honjo, H.(2005):** Vase life of imported Anthurium flowers evaluated in Japan in relation to the effects of post importation Benzyladenine treatment. Hortscience. 40(5): 1439-1443.
- Gargi-Sharma; Devi, J. (2005):** Effect of different holding solutions on postharvest quality of cut tuberos and gladiolus spikes. Mysore-Journal-of- Agricultural-sciences. 39(4): 447-451
- Gendy , A. S.(2000).** Physiological study on the effects of some post harvest treatments on gladiolus cut flowers. M. Sc. Thesis , Faculty of Agric., Zagazig University.
- Gendy , A. S.(2007).** Effect of some storage and preservative solution treatments on characters of gladiolus cut flowers. Ph.D. Thesis, Faculty of Agric., Zagazig University.

- Gomaa, A.O. (2003):** Effect of foliar spraying with gibberellic acid and calcium on growth and flowering of *Dahlia pinnata* plants. Egypt. J. Agric. Res. NRC. Vol. 1 (3), 2003.
- Gorin, N.; G. L. Staby; W.Klap; N.Tipper and D.L. Luvssing (1985).** Quality measurements of carnation treatment solutions in relation to flower silver distribution and longevity. J. Hort. Sci., 110: 117-123.
- Gowda , J. V. N. and V. N. Gowda (1990).** Effect of calcium , aluminium and sucrose on vase life of gladiolus. Crop Research (Hisar) , 3 (1) :105 - 106 [C. F. Hort. Abst.Vol. 63 (12) No. 9391, P. 1183].
- Gulzar, S.; I. Tahir; I. Anim.; S. Farooq and S. M. Sultan (2005).** Effect of cytokinins on the senescence and longevity of isolated flowers of day lily (*Heimerocallis fulva*)cv. Royal Crown sprayed with cyolohexinide . ISHS Acta Horticulture 669 (Feb. 2005) . VIII International Symposium on Postharvest Physiology of Ornamental Plants.
- Habib, A. (1997):** Effect of chemical fertilization and growth regulators on growth, flowering and chemical composition of *Dahlia hybrida* plants; Ph.D. Thesis, POP A eric., Cairo Univ.
- Han, S. S. (2001).** Benzyladenine and gibberellins improve postharvest quality of cut Asiatic and Oriental lilies. HortScience , 36 (4) : 741-745.

- Han, S. S. and J. A. Miller (2003).** Role of ethylene in postharvest quality of cut oriental lily "Stargazer" . Plant growth Regul., 40: 213-222.
- Hendawy, S.F. (2000):** Physiological and chemical studies on *Echinacea purpurea* L., plant. Ph.D. Thesies, Fac., Agric., Moshtohor, Zaga. Univ.
- Hettiarachchi , M. P. and J. Balas (2005b).** Storage performance of *Gloriosa superba* as on potential cut flower species in Europe . ISHS Acta Horticulture 669 (June 2005) . VIII International Symposium on Postharvest Physiology of Ornamental Plants.
- Hutchinson, M.J; Chebet, D.K; Emongor, V.E (2003):** Effects of accel. Sucrose and silver thiosulphate on the water relations and postharvest physiology of cut tuberose flowers. African. Cyop. Science. Journal 11(4): 279-287.
- Hwang , M. J. and K. S. Kim (1995).** Postharvest physiology and prolonging vase life of cut gladiolus . J. Korean Soc. Hort. Sci., 36 (3) : 410-419.
- Ichimura, K. and M. Korenaga (1998).** Improvement of vase life and petal color expression in several cultivars of cut eustoma flowers using sucrose with 8-hydroxyquinolin sulfate. Bulletin of the National research Institute of vegetables, Ornamental Plants and Tea. , 13 : 31-39.
- Ichimura, K. and R. Goto (2002).** Extension of vase life of cut *Narcissus tazetta* va. *Chinensis* flowers by combined treatment with STS and gibberellin. J. Am. Soc. Hort. Sci., 71 : 226-230.

- Ismaeil, Faten, H. M. and Youssef, A. S. M. (2008):** Effect of Gibberellic acid and stimufol fertilizer on growth and flowering of *Hemerocallis aurantiaca* plant. Agricultural Botany Dept. - **Horticulture Dept. Fac. of Agric., Benha University. J. Biol. Chem. Environ. Sci., 2008, Vol. 3(4): 421-448.
- Jackson, M.L. (1973):** Soil Chemical Analysis. Prentice-Hall of Indian Private, New Delhi.
- Jitendra-kumar; Dalject-Singh (2004):** Postharvest life of tuberose cultivar pear Double spike as affected by GA₃, NAA and sucrose. Journal. of -Ormental- Horticulture-New-series. 7(2): 188-191.
- Jowkar , M. M. and Ho. Salehi (2005).** Effect of different preservative solutions on the vase life of cut tuberose flowers at usual home conditions. ISHS Acta Horticultural 669 . VIII International Symposium on Postharvest Physiology of Ornamental Plants.
- Jowkar, M.M; Hassan. Salehi (2005):** Effects of different preservative solution on the vase life of cut tuberose flowers at usual home conditions. Acta. Horticulture. (669): 411-415.
- Jowker, M.M; Mohsen. Kafi (2005):** Effects of harvesting stages, 8-hydroxy quinoline citrate, silver thiosulphate, silver nitrate on the post harvest life of cut *Narcissus tazetta*. Acta. Horticulturae; (669): 405-409.

- Kamel, S.M. (1995):** physiological studies on polianthes tuberosa L. and streptocarpus reginae Ait plants. M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Katwate, S. M.; M. T. Patil and B. A. Singh (1995).** Influence of low temperature storage on longevity of cut spikes of tuberosa . Journal of Maharashtra . Agricultural Universities , 20 (2) : 289-290.
- Khalafalla, M.M.; Menesy F.A. and Y.M. Kandeel (1995):** Effect of alar and Benzyladenine on vegetative growth, flowering and tuberous roots productivity of *Dahlia pinnata*, Cav., J. Agric. Res. Tanta Univ., 21 (4): 736-745.
- Khenizy, Soad, A. M. (2000).** Physiological studies on some cut flowers. M. Sc. Thesis Faculty of Agriculture, Cairo Univ.
- Kofranek , A. (1976).** Opening flower bud after storage. Acta. Hort., 64 : 231 - 237.
- Korkar, H.M.M. (2003):** Physiological studies on propagation and growth of some trees and shrubs. Ph.D Thesis , Fac . Agric, Moshtohor , Zagazig, Univ .
- Kown, H.; K. Kim; H. J. Kwon and K. S. Kim (2000).** Inhibition of lipoxygenase activity and microorganisms growth in cut freesia by pulsing treatment . Journal of the Korean Society for Horticultural Science , 41 : 135-138.
- Kuroshima, M.; Ichimura, K.; Ubukata, M. (2008):** Effects of pluse treatments which sucrose in combination with STS on the quality and vase life cut Delphinium flowers. Horticultural- Research-Japan. 7(2): 305-308.

- Kushal , Singh; J.S. Arora and K. Singh (2000).** Effect of harvesting stage, sucrose, BAP and GA3 on bud opening and vase life of gladiolus . Journal of Ornamental Horticulture New Series., 3 (2) : 111-113.
- Kushal, S. ; P. J. Singh and J. S. Arora (2003).** Studies on dry refrigerated stage of gladiolus spikes . Journal of Ornamental Horticulture , 6 (2) :107-109 [C. F. Postharvest New and Information , 14 (5) : 393].
- Kushal-Singh; Parminder- Sing; Manish – Kapoor (2007):** Effects of vase and pulsing solutions on keeping quality of standard carnation(*Dianthus caryophyllus* linn) cut flowers. Journal of Ornamental – Horticulture- 10(1): 20-24.
- Kwon H.; H. Moonjoo and K. Kisun (1999).** Postharvest Physiology and Prolonging vase life of cut freesia (*Freesia refracta*). Korean Journal of Horticultural Science & Technology 17 (3): 361 - 364.
- Lai, S.D.; Achal, Shah; C.C. Pant and A. Shah (1990).** Effect of certain chemical substances on the vase life and quality of gladiolus cv. silver Horn. Progressive Horticulture., 22 (1) : 63-68.
- Lee-Aekyung; Rhee-Shirae; Suh-Jeung Keun; Cha-Hyunchoul (2005):** Development of floral organ and phyiochemical changes of cut Iris Holland ica "Blue Magic" according to plant growth regulators and storage temperature. Acta-Horticulturariae. (673(vol11): 315-321.

- Leopold, A.C. and M. Kawase (1964):** Senescence of a trifoliate bean leaf caused by treating the primary leaves of cuttings with benzyladenine. *Amer. J. Bot.*, 51: 294-298.
- Leshem, Y.; S. Grossman; A. frimer and J. zir (1979):** Endogenous lipoxygenase control and lipid associated free radical scavenging as model of cytokinin action in plant senescence retardation. P. 193-198. In. L. Aplequist and C.L. Liljenberg (eds) *Advances in the biochemistry and physiology of plant lipids*, vol. 3. Elsevier, Amsterdam.
- Macleod, A.M. and A.S. Millar (1962):** Effect of gibberellic acid on barley endosperm. *Jour. Inst. Brewing*, 68: 322-332.
- Manoly, N.D. (1989):** Some agricultural treatments affecting growth and flowering of *Polianthes tuberosa* L. M.Sc. Thesis, Fac. Agric., El-Minia Univ.
- Manoly, N. D. (1996):** Effect of soil Type, fertilization, bulb size and growth regulators on growth, flowering and chemical composition of Iris plants. Ph. D. Thesis, Fac. Agric., Mini Univ.
- Mattiuz, C. F. ; T. J. Rodriguos; K. F. Piretta and B. N. Mattiuz (2005).** Water relations of cut inflorescences of *Alpinia purpurata* treated with seven pulsing solutions . *ISHS Acta Horticulture* 683 : V International Symposium on New Floricultural Crops.
- Maximoos, S.L. (1993):** Physiological and hormonal studies on the growth and flowering of Gerbera Plants. Ph. D. Thesis, Fac. Agric., Ain Shams Univ.

- Mayak, S. and A.H. Halevy (1977):** The action of kinetin in improving the water balance and delaying senescence processes of cut rose flowers. *Plant Physiol.*, 32: 330-336.
- Moraes, P. J. De; Finger, F. L.; Barbosa, J. G.; Cecon, P. R.; Cesa, L. P. (2005):** Influence of benzyladenine on longevity of *Heliconia latispatha* Benth. *Acta Horticulturae*. (683): 369-373.
- Nabih, A. and S.S. Sakr (1991):** Effect of kinetin, cycocel and corm storage on growth, flowering and corm production of *Freesia refracta* cv. Auroura Plants. *J. Agric. Sci., Mansoura Univ.*, 16 (7): 1640-1649.
- Nagaraja, G.S. and J.V.N. Gowda (1998):** Influence of growth regulators on vase life of tuberose cv. Single. *Current-Research- University- of- Agricultural- Sciences- Bangalore*. 1998, 27: 7-8, 147-148; 3 ref.
- Nagaraja, G.S.; Gowda, J.V.N. and A.A. Farooqui (1999):** Effect of growth regulators on growth and flowering of tuberose (*Polianthes tuberosa* L.) cv. Single. *Karnataka-Journal-of-Agricultural-Sciences*. 1999, 12: 1-4, 236-238; 3 ref.
- Nagaraju, H. T. and J. V. Narayanagowda (2002).** Effect of pulsing with sucrose on vase life of tuberose cv. Double . *Crop Research (Hisar)*, 23 (2) : 344-348 [C.F. Hort. Abstr. 72 (10) : 1337].
- Nagaraju, H.T; Narayanagowda, J.V; Nagaraja, G.S (2002):** Effects of pulsing with sucrose on vase life of tuberose. *Floriculture. Research. Trend-in-India. Proceedings of the national symposium on Indian. Floriculture in the new millennium*, Lal. Bagh, Bangalore, 25-27 february. 346-367.

- Naidu, S. N. and M. S. Reid (1989).** Postharvest handling of tuberose (*Polianthus tuberosa* L.). *Acta Horticulturae* ,261 : 313-317.
- Namita; Ramesh. Kumar; Kushal-Singh (2006):** Effect of pre. Storage pulsing on storage life of gladiolus cut spikes. *Journal of- ornamental-Horticulture*. 9(4):258-261.
- Nowak, J. and R. M. Rudnicki (1984).** Cold storage of cut Gladiolus spikes. *Posling Ozdobne* , Ser. B, 9 : 67-72. Shierniewice, Poland. C. F. Post harvest Handling and Storage of Cut Flowers, Florest Greens and Potted Plant (1990) P. 150- 151.
- Nowak, J. and R.M. Rudnicki (1990):** Post harvest Handling and storage of cut flowers, florist Greens and potted plants. Champan and Hall (London. New york. Tokyo, Melbourne Madros) chapter 2 and 6.
- Padaganur, V.G; Mokashi; A.N; Patil, V.S (2005):** Effect of preservative chemicals on post harvest behaviour and vase life of tuberose spikes *Karnataka Journal- of- Agriculture. Sciences*. 18 : 218-220.
- Pal, A.K. and S.N. Das (1990):** Effect of growth regulators on growth and flowering of *Lilium longiflorum*. *Orissa J. Hort.*, 18: 12 (*Hort., Abst.*, 62:9301).
- Palanikumar, S.; S.K. Mishra; D.S. Khurdiga and S.K. Bhattacharjee (2000).** Influence of dry storage on postharvest life and quality of cut roses. *Annals of Agricultural Research.*, 21 (2) : 271-273.

- Panwar, K. D.; Sindhu, S. S.; Sharma, J. R. and Saini, R. S. (2006):** Effect of gibberellic acid spray on growth, flowering, quality and yield of bulbs in tuberose. *Haryana Journal of Horticulture. Sciences.* 35 (3,4): 253-255.
- Parmar, A. M.; M. Jamwal; D. B. Singh and R. L. Misra (2002).** Studies on vase life of gladiolus spikes cut at mouth opening stage. *Journal of Ornamental Hort. (New series)* , 5 (2) 35-38 [C. F. Hort. Abstr. 72 9 : 121(8 8477)].
- Patil, S. R.; Reddy, B. S. (2005):** Effect of citric acid and sucrose on postharvest water relations, fresh weight and vase life of golden rod (*solidago canadensis* L.). Mysore. *Journal - of-Agricultural- sciences.* 39(1): 99-103
- Paul, R. E. and T. Chantrachit (2001).** Benzyladenine and the vase life of tropical ornamentals. *Postharvest Biology and Technology* , 21 (3) : 303-310 [C. F. Hort. Abst. , 71 : 849].
- Paulin, A. (1986):**Influence of exogenous sugars on the evaluation of senescence parameters of petals. *Acta Hort.*,181:183-193.
- Paulin, A. and K. Muloway (1979):** Perspective in the use of growth regulators to increase the cut flower vase-life. *Acta Hort.*, 91: 135-141.
- Phavaphutanon, L. and S. Ketsa (1989):** Effect of pH adjustment of the holding water on vase life and post harvest changes of cv. Christion Dior cut roses. *Kasetsart. Journal of Natural Sciences*, 23(2): 111-118.

- Preeti, H.; Gogoi, S.; Mazumder, A and P. Hatibarua (1997):**
Effect of pre-plant chemical treatment of bulbs on growth and flowering of tuberose (*Polianthes tuberosa* L.) cv. Single. Annals-of-Biology-Ludhiana. 1997, 13: 1, 145-149; 8 ref.
- Pregl, F. (1945):** Quantitative organic micro analysis. 4th ED.
J. & Achurnil, London.
- Pruthi, V.; R.K. Godara and S.K. Bhatia (2001).** Effect of different pulsing treatments on postharvest life of gladiolus cv. Happy End. Haryana Journal of Horticultural Sciences., 30 (3-4) : 196-197.
- Pun, U. K. ; H. Shimizv; K. Tanase and K. Ichimura (2005).**
Effect of sucrose on ethylene biosynthesis in cut spray carnation Flowers. Acta Hort. 669 : 171-174.
- Qadri, Z.A; Jhon, A.Q; Rather, Z.A; Neelofar (2000):** Effect of silver thiosulphate complex on quality and longevity of cutiris (*Iris hollandica*). Applied. Biological. Research. 2 (1/2): 65-68.
- Ram, R. B.; Mishra; S. N.; Dutta, S. K.(2005):** Response of chemicals on the vase life of cut spikes of gladiolus cultivars. Plant-Archives. 5(2): 461-464.
- Reddy, B. S. and K. Singh ; R. B. Sathyanarayana; S. katter and S. Amerjeet (1995).** Effect of sucrose , citric acid and 8-Hydroxy quinoline sulphate on the post harvest physiology of tuberose cv. Single. Advances in Agricultural Research in India , 3 : 161-167.

- Reddy, B.S.; Kartar, Singh.; Gangadharappa, P.M.; Singh, K. and S. Sathyanarayana-Reddy (1997):** Effect of growth substances at preharvest on growth of tuberose (*Polyanthes tuberosa* L.) cv. Double. Karnataka-Journal-of-Agricultural-Sciences. 1997, 10: 4, 1223-1227; 8 ref.
- Reddy, B.S.; Kartar-Singh; P.M. gangadharappa; K. Singh and B. Sathyanarayana-Reddy (1997).** Postharvest life of tuberose cv. Double as affected by different metallic salts, citric acid and 8-HQS. Karnataka Journal of Agricultural Sciences., 10 (4) : 1055-1059.
- Reddy, C. B. H.; Gopinath, G.; Chikkasubbanna, V. (2005):** Effects of pulsing , packing and cold storage on the postharvest longevity of bird-of-paradise (*Strelitzia reginae* Ait) cut flowers. Journal-of-Research-Angrau-33(1): 78-83.
- Reid, M.S.; D.S. farnham and E.P. McEnroe (1980).** Effect of silver thiosulfate and preservative solutions on the vase life of miniature carnations. Hort. Sci., 15(6): 807-808.
- Reid, M.S.;K.Waihaka and L.Dog (2001).** Cold storage and flower keeping quality of cut tuberose (*polianthes tuberosa*).Journal of Horticulture Science and Biotechnology 2001,76:3,271-275.
- Reiser, R.A.; Langhans, R.W.; Roh, M.S. and R.H. Lawson (1993):** Cultivation of Zantedeschia species for potted plant production. Acta-Horticulturae. 1993, No. 337, 87-94; 16 ref.

- Robert, E. Paull and Theeranuch Chantrachit (2001):** Benzyl adenine and the vase life of tropical ornamentals postharvest Biology and Technology. 21-303-310.
- Runkova, L.V (1985):** Cytokinin's effect on some Ornamental plants. Acta-Horticulturae. 1985, No. 167, 69-77; 12 ref.
- Sacalis , J. N. (1986).** Research on isolated carnation petals . Acta Hort., 181 : 113-127.
- Sacalis , J. N. and J. S. Lee (1985).** Effect of gynoecium excision on vase life of cut carnation flowers. Acta. Hort., 167 : 141- 149.
- Salama, W.A. (2003):** Physiological studies on *Strelitzia reginae*. M.Sc. Thesis Hort., Dept., Fac. of Agric. Moshtohor, Zagazig Univ., Egypt.
- Salisbury, F.B. and C.W. Ross (1974):** Plant Physiology. Publishing Inc. Belmont. California, 2nd ed., pp. 422.
- Sanap, P.B.; Patil, B.A. and Gondhali, P.V. (2004):** Effect of growth regulators on growth and flowering of tuberose (*Polianthes tuberosa* L.) cv. Single. orissa Journal of Horticulture. 32 (2): 120-122.
- Satendra-Humar; Singh, O. P.; Singh, B.; Lodhi, S. K. (2006):** Improvement of shelf life of cut tuberose through chemical treatment. Plant. Archives 6(1): 353-355.
- Shabana Gulzar; Inayatullah Tahir; Irfana Amin; sikander farooq; sultan, S.M. (2005):** Effect of cytokinins on the senescence and longevity of isolated flowers of day lily (*Hemerocallis fulva* cv. Royal crown sprayed with cycloheximide. Acta Horticulture 669, 395-403. 26 ref.

- Shahin, S.M.E. (1998):** Physiological studies on *Crinum* and *Hemerocallis* bulbs. Ph.D. Thesis, Fac. Agric., Tanta Univ.
- Shirakawa, T.; Dedolph, R.R. and D.P. Waston (1964):** N-6-benzyladenine effects on chilling injury, respiration and keeping quality of *Anthurium andraeanum*. Proc. Amer. Soc. Hort. Sci., 85: 642-646.
- Shuo- Tsangchang, Wen- Shawchen, Ching- Yihsu, Hsiao- Ching yu, Bo-Shiun Du, Kuang- Liang Huang (1999):** Changes in cytokinin activities before, during and after floral initiation in *polianthes tuberosa*. Plant physiol. Biochem.. 37 (9), 679-684.
- Singh, J. N.; D. K. Singh and K.K. Sharma (1994):** Effect of GA₃ and Alar on growth flowering and seed production of (*Dahlia variabilis* L.) Orissa Journal of Horticulture 22 (1/2) 10-12.
- Singh, P.V.; Panwar, S. and Kumar, J. (2003):** Response of tuberose to plant growth regulators. Journal of ornamental. Horticulture New. Series. 6 (1): 80-81.
- Smith, F.; M.A. Gilles; D.K. Hamilton and P. A. Geeds (1956).** Colorimetric method for determination of sugar and related substances. Anal. Chem., 28:350.
- Snedecor, G.W. and W.G. Cochran (1980).** Statistical methods. 7th Ed. Iowa state Univ. Press. Ames Iowa, USA.
- Son K. and S. Jungnam (1999) .** Ethylene production in lily oriental hybrid lasa blanca florets during the vase life. J. of the Korean Society for Horticultural Science , 40 (4): 467-469.

- Song, C. Y.; D. G. Shin; T. H. Rho and J. S. Lee (1992).**
Physiological responses of cut gladiolus flowers after shipment and cold storage . Journal of the Korean Society for Horticultural Science , 33 (2) : 209-219.
- Sonvir-Sooch; Ramesh- Kumar and Manreet-Sooch (2002):**
Effect of NAA and Kinetin on plant growth and flower production in carnation. Floriculture. Research. Trend. In India. Proceedings of the national symposium on Indian floriculture. In the new millennium, Lal. Bagh, Bangalore, 25-27. February, 2002. 295-297.
- Tawila, A. S.I. (2000):** Physiological studies on tuberose plant (*Poiumthes tuberosa* L.) M.Sc. Thesis Faculty of Agriculture Moshtohor, Zagazig University.
- Tiwari, J.K. and R.P. Singh (2002):** Effect of preplanting GA₃ treatment on tuberose. Journal-of-Ornamental-Horticulture-New-Series. 2002, 5: 2, 44-45; 1 ref.
- Tjia, B.O. (1986):** Growth and flowering of container-grown calla lilies as affected by growth regulating chemicals. Proceedings-of-the-Interamerican-Society-for-Tropical-Horticulture. 1986, 30: 159-163; 34th Annual Meeting, San Jose, Costa Rica, 28 Jul.-2 Aug., 1986; 12 ref.
- Trouge, E. and A.H. Meyer (1939):** Improvement in deiness calorimetric for phosphorus and arsenic. Ind. Eng. Chem. Anal. Ed., 1; 136-139.
- Tyagi, A. K. and Singh, C.N. (2006):** Effect of GA₃ and IBA on flowering and bulb production in tuberose (*polianthes tuberosa* Linn.) Cultivar pearl Double. Journal of ornamental Horticulture. 9 (2): 152.

- Tyagi, A. K. and Singh, C. N. (2008):** Effect of gibberellic acid (GA_3) and IBA on growth and flowering of tuberose (*Polianthes tuberosa* cv. Double). *Progressive. Agriculture*, 8 (1): 25-26.
- Van Staden, B. C. Smith; S. Mayak; H. Spiegelsein and A. M. Halevy 1987.** Cytokinins in cut carnation flowers. II. Relationship between endogenous ethylene and cytokinin levels in the petals. *Plant growth regulators*, 5 (2) :45-85.
- Waithaka, K.; L.L. Dodge; M.S. Reid; T.A. Nell and D.G. Clark (2001).** Carbohydrate traffic during opening of tuberose florets. *Proceedings of the Seventh International Symposium on Postharvest Physiology of Ornamental Plants.*, 543 : 217-221.
- Waithaka, K; Reid, M.S; Dodge, L.L (2001):** Cold storage and flower keeping quality of cut tuberose (*polianthes tuberosa* L.) *Journal of Horticultural. Science and Biotechnology*. 76(3): 271-275.
- Wang, Y.T. and Y.T. Wang (1996):** Cytokinin and light intensity regulate flowering of Easter lily. *HortScience*. 1996, 31: 6, 976-977; 7 ref.
- Wankhede, S.G.; Belorkar, P.V.; Mohariya, A.D; Alurwar, M.W.; Rathod, K. G. and Gawande, P.P. (2002):** Influence of bulb soaking and foliar spray of GA_3 on flower quality and yield of tuberose (*Polianthes tuberosa*). *Journal of soils and crops*; 12 (2); 293-295.

- Whitehead, C.S.; L. Reilly; J. Weerts; M.M. Zaayman; M. Gaum; B.E. Verlinden. (ed.); B.M. Nicolai (ed.) and J. de. Baerdemaeker (2003).** Proceedings of the international conference postharvest unlimited. Acta Horticulturae., 599: 549-557.
- Woodson, W. R. (1987).** Postharvest handling of bud-cut Freesia flowers Hortscience, 22 (3) : 456 - 458.
- Yamane, K.; T.; Kawachi; Y. T. Yamaki and N. Fujishige (2005).** Effects of treatment with trehalose and sucrose on sugar contents , ion leakage and senesce of florets in cut gladiolus spikes. ISHS Acta Horticulture 669 (Feb. 2005) VIII International Symposium on Postharvest Physiology of Ornamental Plants.
- Youssef, A.S.M. and Gomaa, A .O. (2008):** Influence of GA3 application and kristalon fertilizer on growth, flowering and chemical composition of Dahlia pinnata plant (summer flowering type). Hort. Dept. , Fac. Agric., Moshtohor, Benha University , Egypt. Ist International Scientific Conference on Ornamentals Alexandria, March 2-3 (2008) Vol. (53), Number (1): 191-207.
- Youssef, A.S.M. and Faten H.M. Ismaeil (2009):** Response of Clivia miniata plant to light intensity and kinetin treatments Annals Of Agric. Sc., Moshtohor, Vol. 47(1): Ho. 29-44, (2009).
- Youssef, A.S.M. (2000):** Comparative studies on Strelitzia reginae Ait. propagation. M.Sc. Thesis Fac. Agric. Moshtohor, Zagazig Univ.

- Youssef, A.S.M. (2004):** Physiological studies on growth and flowering of *Strelitzia reginae*, Ait. plant. Ph.D. Thesis Fac. Agric. Moshtohor, Zagazig Univ.
- Zaky, A.A. (1998):** Effect of chemical fertilization and gibberellic acid on *Strelitzia reginae*, Ait. Plant M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Zhang , S. A.; H. Chen; Chen; Z. Jin and Y Hailong (1995).** An initial study on fresh keeping of bud- cut hippeastrum flowers . Journal of shanghai Agriculture college 12 (2) 144-148 [C. F. Horticulture Abstracts 66 (2) : 148 (1975).