

LITERATURE CITED

VI. LITERATURE CITED

- Abd El-Rahman, G.F. (1994):** Effect of some rootstocks on the growth and production of orange trees. M.Sc. Thesis, Fac. of Agric., Al-Azhar Univ., Egypt.
- Abo El-Komsan, E.O. (1998):** Evaluation of some grapefruit cultivars budded on different citrus rootstocks grown in Middle Egypt. Ph.D. Thesis., Fac. of Agric., Cairo Univ., Egypt.
- Abou Rawash, M.; A.M. El-Hammady; A. Abou Aziz; N. Abdel-Hamid and E. Abdel-Moneim (1995):** Growth and mineral composition of four citrus rootstocks seedlings grown under two different soil types. *Annals Agric. Sci. (Cairo)*, 40(1): 307-325.
- Aldarwish, M.H. (2002):** Studies on propagation of olive by budding and tissue culture. M.Sc. Pomology Dept., Fac. of Agric., Cairo Univ.
- Asante, A.K. and J.R. Barnett (1997):** Influence of polyembryonic rootstocks on success and survival of softwood grafts on mango. *J. of Applied Horticulture*, 3: 85-88.
- and ----- (1998): Effect of temperature on graft union formation in mango (*Mangifera indica* L.). *Tropica Agriculture*, 75: 401-404.
- Association of Official Analytical Chemists (A.O.A.C.) (1985):** "Official methods of analysis, the A.O.A.C. 13th ed., Published by A.O.A.C. Washington, DC 2004, U.S.A.

- Atawia, A.A.R. (1992):** A comparative study on some citrus rootstocks. *Annals of Agric. Sci. Moshtohor*, 30 (3):1405-1423.
- Azab, S.A. (1995):** Studies on seven citrus rootstocks under the arid environment of Qatar. *Zagazig J. Agric. Res.*, 22(5): 1315-1328.
- **and A.K. Hegazy (1995):** Studied on seven citrus rootstocks under the arid environment of Qatar. *Zagazig J. Agric. Res.*, 22(5): 1301-1314.
- Bakry, E. A. Kh. (1998):** Physiological and histological studies on vegetative propagation of mango and pecan. Ph. D. Thesis Fac. of Agriculture, Moshtohor Zagazig University.
- ; **M.A. Abd El-Rahman and M.M. Shoulah (2006):** Response of citrus scions to soil type, rootstock and interstock. *Egypt. J. of Appl. Sci.*, 21(4B): 541-566.
- Baldoni, L. and G. Fontanazza (1990):** Preliminary results on olive clonal rootstocks behaviour in the field. *Acta Horticulturae*, 286: 37-40.
- Behboudian, M.H.; E. Torokfalvy and K. Walker (1986):** Effect of salinity on ionic content water relations and gas exchange parameters in some citrus scion-rootstock-combinations. *Scientia Horticulturae*, 28: 105-116.
- Bevington, K.B.; W.J. Greenhalgh and K.S. McWhirter (1980):** Forecasting rootstock-scion incompatibility in citrus. *Proceedings of the International Society for Citriculture*, pp. 121-123.

- Bisio, L.; B. Vignal; D. Saracho and G. Ziliani (1989):**
Anatomical study for early diagnosis of incompatibility in citrus. Boletín de Investigación Facultad de Agronomía, 21: 8 pp.
- Brown, J.D. and Lilleland, O. (1946).** Rapid determination of potassium and sodium in plant material and soil extract by flame photometry. Proc. Hort. Soc. Hort. Sci. , 73:813.
- Castle, W.S.; D.P.H. Tucker; H.A. Hrezdorn and C.O. Yautsey (1993):** Rootstocks for Florida citrus. Rootstock selection: the first step to success. Second ed., University of Florida, pp. 14-21.
- Chapman, H. D. and Pratt, P. F. (1961).** Methods of Analysis for Soil, Plant and Waters. Univ. of Calif. Division of Agric. Sc. 6th Ed. P: 56-64.
- Continella, G.; C. Germana; G. La Rosa and E. Tribulato (1988):** Performance and physiological parameters of Commune, Clementine influenced by four rootstocks. Rehovot Palastin, Balaban Publishers, ISBN-3-8236-1136-4. (c.f. Hort. Abst., 60(9): 7677).
- Crescimanno, F.G.; P. Deidda and A.M. Frau (1982):** Citrus rootstock trials in Sardinia: Preliminary results on the performance of ten rootstocks for Navel and Valencia oranges and for Marsh grapefruit. Fruit Trees Research Station, 119-123. (c.f. Hort. Abst., 53(11): 3176).
- Davies, F.S. (1985):** Introduction to citrus culture. FRC 3212, dept. fruit Crops, Univ. of Flo., pp. 102-103.
- Dawood, S.A. (1996):** Evaluation of vegetative growth and nutrient composition of nine citrus rootstocks under North Delta environmental conditions. 1st Egypt-Hung. Hort. Conf., (1): 171-181.

- Diware, D.V.; A.P. Phuse and M.H. Chaudhari (1996):** Effect of packing material on storage of Nagpur mandarin (*Citrus reticulata* Blanco) bud wood on budding success its survival and growth. J. of Soils and Crops Horticulture Agriculture College, Akola, India, 6(2): 183-186.
- Dubey, A.K.; M. Mishra and D.S. Yadav (2004):** Softwood grafting in Khasi mandarin (*C. reticulata* Blanco). Indian J. of Hort. 61(3): 263-264.
- Dubois, M.; Gilles, K.; Hamilton, J. K.; Rebers P. A. and Smith, F. (1956).** A colorimetric method for the determination of sugars and related substances. Anal. Chem. 28: p.350
- Duncan, B. D. (1955).** Multiple test range and multiple F tests. Biometrics. 11-142.
- Edriss, M.H. and D.W. Burger (1984):** Micro-grafting shoot-tip culture of citrus on three trifoliate rootstocks. Scientia Horticulturae, 23: 255-259.
- El-Ezaby, A.A. (1994):** Growth and carbohydrate distribution of Valencia orange nursery plants in response to rootstock, sprout number and sprouting interval. Bull. Fac. Agric., Cairo Univ., 45(2): 497-514.
- El-Hammady, A.M.; M. Abou-Rawash; A. Abou-Aziz; N. Abdel-Hamid and E. Abdel-Moneim (1995):** Impact of irrigation with salinized water on growth and mineral content of some citrus rootstock seedlings. Annals of Agric. Sci. cairo 40(1): 327-341.
- El-Shazly, S.M. (1996):** Comparative study among certain local and introduced citrus rootstock grown in Egypt. VIII Congress of the International Society of Citriculture South Africa, 12-17 May, pp. 63.

- Faiz, G.N.; M.H. Saad-Allah and L.F. Guindy (1993):** Growth of some citrus rootstock seedlings under conditions of sandy soil and saline drip irrigation. Egypt. J. Appl. Sci., 8(5): 405-422.
- Fallahi, E. and D.R. Rodney (1992):** Tree size, yield , fruit quality and leaf mineral nutrient concentrations of Fairchild mandarin on six rootstocks. J. Amer. Soc. Hort. Sci., 117(1): 28-37.
- Fallahi, E.; R.E. Masou and D.R. Rondenry (1991):** Influence of rootstocks on Orlando tangelo leaf elemental concentration. Communication in Soil science and Plant Analysis, 22: 1047-1057.
- Fognet, J. L.; J. L. Gonzalez; H. F. Vinciverra and B. Stein (1987):** Evaluation of rootstock for nuceller Genoa Eat Lemon in a replant soil. Hort. Abst. 59 (8), 7013.
- Fontanazza, G.; F. Bartolozzi; P. Rocchi; G. Vergari and M. Patumi (1995):** Studies of table olive Cv. Giraffa grafted on ten clonal rootstocks. Rivista di frutlicoltura di orto Floricoltura, 57: 61-65.
- **and E. Rugini (1983):** The rooting of olive cultivars in heated boxes. III. Fruitticoulure (1983) 43 (2): 39-44. (Hort. Abst. 52: 1201.
- Ganapathy, M.M.; U.V. Sulladmath; K.C. Srivastava and K.S. Shamasundaran (1985):** Growth and bud take of Trifoliate orange [*Poncirus trifoliata* (L.) Rafinesque] and influenced by certain growth retardants and pinching the apex. Mysore J. of Agricultural Sciences, 19(2): 98-100.

- Gogorcena, Y. and J.M. Ortiz (1989):** Characterization of Sour orange (*Citrus aurantium*) cultivars. J. Sci. Food and Agric. 48(3): 275-284.
- Gonzalez, A. and L.A. Figueroa (1996):** Behaviour of rootstocks in combination with Orlando tangelo. J. of Agriculture of the University of Puerto-Rico, 80(3): 203-205.
- Graca, J.; J.C. Barros; R.C.A. Celestino and N.G. Castro (1997):** Production of Tahiti acid lime on different rootstocks. Comunicado Tecnico Empresa de Pesquisa Agropecuaria do Estado do Rio de Janeiro, 234: 4 pp.
- Guindy, L.F.; S.E. Salem and S.S. Moustafa (1995):** Effect of bud-forcing methods on bud-take and scion growth of citrus grown in containers. Bulletin of Faculty of Agriculture, University of Cairo, 46(6): 243-252.
- Haleem, S.A. (1984):** Influence of rootstocks on the pre-bearing performance of sweet orange (*Citrus sinensis* Osbeck). South Indian Horticulture, 32(2): 57-60. [c.f. Hort. Abst., 54(12): 9521].
- Hartmann, H.T. (1958):** Rootstock effects in the olive. American Society for Horticultural Science, 72: 242-251.
- and ----- (1978): Plant propagation, principles and practices, 3rd Ed. Prentice-Hall, India Private Limited, New Delhi, pp. 314-371.
- and J.L. Whisler (1970): Some rootstocks and interstock influences in the olive (*Olea europaea* L.) cv. Sevillano. J. Amer. Soc. Hort. Sci., 59: 562-565.

- Hassan, A.S.; S.I. Gaafer; M.H. Saad-Allah and A.M. Ibrahim (2000):** Effect of some citrus rootstocks on growth of young Baladi mandarin and Valencia orange trees in newly reclaimed soil. II- Growth flushes and leaf chemical constituents. Zagazig J. Agric. Res., 27(4): 124-132.
- Hassan, M.M. (1984):** Effect of citrus rootstocks on root distribution, tree growth and leaf mineral composition of Washington Navel orange trees. Egypt. J. Hort. 11(2): 201-207.
- Hegazy, A. A. (2003):** Physiological and histological studies on propagation of some olive cultivars. M.Sc. Thesis Fac. of Agric. Moshtohor Zagazig Univ. Benha branch.
- Hulme, A. C. (1971):** The Biochemistry of citrus and their products. Published by Academic Press. New York PP. 172-204.
- Hutchison, D.J. and F.W. Bistline (1981):** Preliminary performance of 7-year-old Valencia orange trees on 21 rootstocks. Proc. Fla. Hort. Soc. 94: 31-33.
- Jackson, M. L. (1958).** Soil Chemical Analysis. Prentice – Hall. Inc. Englewood Clif., N, I. Library Congress, U.S.A.
- **and A. Ulrish (1959):** Analytical methods for use in plant analysis. Coll. of Agric. Exp. State Bull. 766: 35 pp.
- Jalikop, J.H.; R. Ravishankar and K.C. Srivastava (1986):** Preliminary investigations on the evaluation of rootstocks for kinnow mandarin. Punjab Hort. J., 26(1/4): 13-17. [c.f. Hort. Abst., 58(8): 5265].

- Jemenez, R.; M. Torres and E. Frometa (1985):** Influence of five rootstocks on growth, yield and fruit quality of Dancy mandarin (*Citrus reticulata*) in Southern Havana. Cienciay-Tecnica en La Agricultura, Citricos y otros Frutales, 6(3): 49-67. [c.f. Hort. Abst., 56(6): 4629].
- Johanson, D.A. (1940):** Plant Microtechnique (5th edition) Mc. Grow Hill, Book, CO. Inc. N. Y. pp. 523.
- Joolka, N.K. (1986):** A note on the effect of method and time of budding on bud take in kinnow mandarin. Haryana J. of Horticultural Sciences, 15(1-2): 54-56.
- Kaplankiran, M. and M. Ozsan (1986):** Effect of the scion/rootstock relationship on leaf mineral element contents in citrus. Fruits, 4(4): 261-267. [c.f. Hort. Abst., 56: 6463].
- Kaplankiran, M. and O. Tuzcu (1994):** Effect of citrus rootstocks on the leaf mineral element content of Washington navel, Valencia, Shamouti and Moro orange cultivars. Doga, Turk VeOrmancilik Dergisi., 17(4): 1015-1024. [c.f. Hor. 65: 4489].
- Khabou, W. and No. Drira (2000):** Variation in the rooting of leafy cutting of olive varities and clones (*Olea europaea*) cultivated in Tunisia. Olivae, 2000 No. 84, 47-49; 12 ref.
- Khamis, M.; M. El-Ashram and M. Sharaf (1984):** Evaluation of some citrus seedlings for potential use as seed source for citrus rootstock purposes. Moshtohor Annals of Agricultural Sciences, 23 (3): 1332-1341.

- Kultebaey, M. (1975):** Physiological and biochemical changes in apple trees as affected by grafting on different rootstocks. Hort. Abstr., 4899.
- Lake, H. (1996):** Lake House. Webmgr@sri.lanka.net
- Larson, P.; A. Harbo, S. Klungsour and T. Asheim (1962):** On the biogenesis of some indole compounds in acetobacter xylinum. Plant 15: 552-650.
- Lavee, S.; J. Schachtel; I.T. Metziakis(ed) and D.G. Voyiatziz (1988):** Interaction of cultivar rootstock and water availability on olive tree performance and fruit production. Acta Horticulture, 474: 399-401.
- Levy, Y. (1989):** Use of the interaction between rootstock and old-line cultivar for dwarfing lemon trees. Scientia Horticulturae, 37(4): 317-323 [c.f. Hort. Abst., 59(6): 5249].
- Levy, Y. and A. Shaked (1980):** Tree development, yield and leaf nutrient levels of old-clone lemon trees on eight rootstocks. Experimental Agriculture, 61(1): 49-55 [c.f. Hort. Abst., 50(6): 4681].
- Mahabir-Singh; H.S. Yadav; Rohan-Singh; M. Singh and R. Singh (1989):** Effect of time of budding in citrus species. Agric. Science Digest Karnal, 9(3): 168-170.
- Mansour, M.F.; A.E. Hassan, M.R.M. Rabeh (1993):** Comparative study on leaf mineral contents and growth of navel orange scion in relation to different citrus rootstocks. Menofiya. J. Agric. Res. 18(1):
- Martinez, C.; H. Lima and J. Rivas, (1994):** Growth and productivity of 5 types of Valencia orange on different rootstocks during the developmental phase. Agrotecnia de Cuba, 23(1/2): 51-55 [c.f. Hort. Abst. 64: 710].

- Misra, K.K. and S. Ranvir (1991):** Note on the influence of rootstocks and seasons on the shoot growth of lemon. Indian J. of Horticulture, 48(1): 16-18. [c.f. Hort. Abst., 63(1): 734].
- ; **S. Ranvir and R. Singh (1992):** Seasonal variation in chlorophyll content in leaves of lemon budded on various rootstocks. Annals of Agricultural Research, 13: 105-108.
- Mokhtar, M.H. (1984):** Effect of citrus rootstocks on root distribution, tree growth and leaf mineral composition of Washington Navel orange trees. Egypt. J. Hort. 11(2): 201-207.
- Monitilla, B.I. and Gallardo, E. (1994):** Behaviour of Valencia orange on 13 rootstocks in Lara, Venezuela. I. Growth Agronomia Tropical, 44: 619-628. [c.f. Hort. Abst., 66: 10829].
- Monteverde, E.E. (1989):** Evaluation of Valencia orange on ten rootstocks in high altitude valleys in Carabobo-Yaracuy. I- Yields, growth and efficiency. FONAIAP Divulaga, 7(31): 6-9 [c.f. Hort. Abst., 62(1): 703].
- Monteverde, E.E.; F.J. Reyes; G. Laborem and J.R. Ruiz (1988):** Citrus rootstocks in Venezuela: behaviour of Valencia orange on ten rootstocks. In Sixth International Citrus Congress, Midle-East, Tel Aviv, Palastin, 6-11 March 1988, [c.f. Hort. Abst., 60(9): 7673].
- Myhob, M.A. (1990):** Effect of nitrogen fertilization on vegetative growth characters, yield and quality of Balady mandarin. Ph. D. Thesis Fac. Agric. Minia Univ.

- Poll, D. Van der; J.E. Miller and P. Allan (1993):** The effect of the physiological status of the mother plant on bud take, bud burst and scion growth in citrus. J. of the Southern African Society Horticultural sciences University Natal, 3(1): 11-14.
- Pregl, E. (1945):** Quantitative Organic Micro Analysis. 4th Ed. Chundril, London.
- Procopiou, J. and A. Wallace (1979):** Leaf mineral concentration of some citrus scions on different rootstocks and citrus seedlings growth in Greece. Alex. J. Agric. Res., 27(1): 67-77.
- Ramkumar, C. (1999):** Influence of rootstocks on growth, yield and quality of Coorg mandarin under rain fed conditions of Bihar plateau. Orissa J. of Horticulture, 27(1): 74-76.
- Ramkumar, C. and M. Ganapathy (1998):** Performance of kodur sathgudi [*Citrus sinensis* (L.) Osbeck] on different rootstocks under rainfed conditions of Bihar plateau. Orissa J. of Horticulture, 26(1): 25-27.
- Reuther, W. (1973):** The Citrus Industry. Volume III. Production Technology. xiv + 528 pp., Pub. Berkeley, University of California, Division of Agricultural Sciences., USA.
- Rouse, R.E. and H.K. Wutscher (1985):** Heavy soil and bud union area with some grapefruit clones limit use of Swingle citrumelo rootstock. HortScience, 20(2): 259-261.
- Saad-Allah, M.H.; M.A. El-Nokrashy and M.A. Galal (1985):** Development of Baladi mandarin trees on two different rootstocks in sandy soil. Bull. Fac. of Agric., Cairo Univ., 36(2): 1367-1372.

- Saad-Allah, M.H.; S.E. Salem and H.A. Kouka (1993):** Studies on vegetative and root growth cycles of some citrus species in sandy soil. J. Agric. Sci. Mansoura Univ. 18(7): 2113-2123.
- Salem, S.E.; S.S. Moustafa and M.H. Edris (1990):** Effect of some citrus rootstocks on the growth and mineral content of Washington Navel orange seedlings. Bull. Fac. Agric., Cairo Univ., 41(1): 87-96.
- ; -----; **A.M. Abdel-Rahman and L.F. Guindy (1994):** Evaluation of Valencia orange trees on Sour orange and Volkamer lemon under sandy condition. Bull. Fac. Agric., Cairo Univ., 45(4): 827-838.
- Santos, L. and M.L. Calado (1996):** The principal rootstock effects and the three scion olive varieties. Atti del Convegno-L'Olivicoltura Mediterranean: Stato e prospettive Della coltura della ricerca Rende, 10: 109-114.
- Saric, M.; R. Kastroi; R. Curic and L. Geric (1967).** Effect of salinity on some citrus rootstocks. Park Fiziol. Anjiga, pp.215.
- Schembcker, F.K. and P. Ludders (1989):** Influence of N supply on fruit/leaf ratio, chlorophyll content of leaves and net photosynthetic rate of Cox orange rootstock-clone Combinations. Mitteilungen Klosterneuburg, 39: 196-201.
- Sen, N.L. and M.N. Kapadia (1984):** Role of time of budding for success in sweet orange (*Citrus sinensis*, Osbeck) and mandarin (*Citrus reticulata*, Blanco). Gujarat Agricultural University Research J., 9(2): 14-18.

- Seyam, G.A. (2002):** Studies on the production of improved and standrized citrus nursery trees free of known diseases. M.Sc. Fac. of Agric. Moshtohor, Zagazig Univ., Benha Branch.
- Sharma, K.K. and R.C. Sharma (1986):** Bud take and growth in kinnow mandarin as influenced by type of bud wood. Haryana J. of Horticultural Sciences, 15(1-2): 57-58.
- Shklarman, Y.; H. Safran and O. Sagee (1994):** Microscopic study of graft union characteristics and water translocation in young citrus budings. 7th International Citrus Congress, acierate, Italy, 8-13 March, Catania, Italy; International Society of Citriculture (1994): 342-345. [c.f. Hort. Abst., 65(7): 6423].
- Simon, A.; M.A. Santos and M. Blanco (1986):** Evaluation of the influence of six rootstocks on the growth and yields of Frost Eureka lemons. Centro Agricola, 13(2): 12-17. [Hort. Abst., 57(2): 9944].
- Singha, M.M; I. Khan; B.D. Kushwaha and D. Pandy (1988):** A note on the vegetative propagation of olive cultivars through grafting. Progressive Horticulture, 20: 155-156.
- Slitter, E. (1994):** Olive cultivars and propagation. In olive production manual (Eds. I. Ferguson, G.S. Sibbett and G.C. Martin). Univeristy of California. Division of Agriculture and natural Resources. Oakland. CA. USA., Publication, 3353: 23-31.
- Snedecor, G.W. and Cochran, W.G. (1972):** Statistical Methods. 6th ed. The Iowa state. Univ. Press, Amer, Iowa, U.S.A. PP. 593.

- Sotomayor, E.M.; J.M. Caballero; S. Lavee and I. Klein (1994):** Propagation of Gordal Sevillano olive by grafting onto rooted cuttings or seedlings under plastic-closed frames without mist. *Acta-Horticulturae*, 356: 39-42.
- Soumelidou, K.; N.H. Battey; P. John and J.R. Barnett (1994):** The anatomy of the developing bud union and its relationship to dwarfing in apple. *Annals of Botany*, 74(6): 605-611.
- Thangara, T.; J.S. Thambura and K. Rajamani (1991):** A note on the seasonal influence on the bud take in mandarin orange *Citrus reticulata*. *South Indian Horticulture*, 39(6): 377-378.
- Thornton, T.R. and R.T. Dimsey (1987):** A comparison of rootstocks for Valencia orange in the Sunraysia region of Australia. *J. of Hort. Sci.*, 62(2): 253-261.
- Tinimer, L.W. (1979):** Early performance of "Star Ruby" grapefruit on 9 rootstockss in a fine-textured calcareous soil. *Hortscience*, 14(3): 225-227.
- Tribulato, E. (1979):** Compative obserations on seven rootstocks for the orange cultivar Moro. *Tecnica Agricola* 31(1-3): 15-32. [c.f. *Hort. Abst.*, 51: 6551].
- Troncoso, A.; J. Linan; N. Cantos; M.M. Acebedo and H.F. Papoport (1999):** Feasibility and anatomical development of an *in vitro* olive cleft-grafts. *J. of Horaticultural Science and Biotechnology*, 74: 584-587.
- Tuzcu, O.; H.A. Dogrular; A. Demirkol and M. Koplankii (1990):** Determination of budding and grafting methods and periods for avocados in Antalya, Southern Turkey. *Fruits Paris*, 50: 115-123.

- Valbuena, H. (1996):** Evaluation of *Citrus volkameriana*, *C. reticulata* and *C. latifolia* Tan in the middle region of the Guasare river valley, Sierra de Perija, Zulia State, Venezuela. Revista de la Facultad de Agronomia, Univ. del Zulia, 13(2): 139-151. [c.f. Hort. Abst., 67(7): 6374].
- Valbuena, M. (1994):** Agronomic performance of some citrus stock-scion combinations in the middle zone of the river Guasare. Zulia, Venezuela, Revista de la Facultad de Agronomia, Univ. del Zulia, 11(1): 12. [c.f. Hort. Abst., 65(8): 7408].
- Vasconcellos, L.A. and W.S. Castle (1994):** Trunk xylem anatomy of mature healthy and blighted grapefruit trees on several rootstocks. J. of the American society for Horticultural Science, 119(2): 185-194.
- Vijayakumar, R.M.; M.K. Mohideen; S. Thomburaj; N. Nagarajan; S. Mariappan and S. Pamdas (1989):** Studies on the effect of rootstocks on tree and fruit characters including quality in mandarin orange (*Citrus reticulata*, Blanco) under Shevroys conditions. Hort. Res. Station Agricultural University. Yercaud, India. South India Horticulture, 37(2): 670-705. [c.f. Hort. Abst., 61: 03159].
- Wan, L.Z.; Chen, Z.S. and H.T. Nie (1992):** The performance of 3 pummelo cultivars on different rootstocks at the early stage. [c.f. Hort. Abst., 62(3):].