




LITERATURE CITED

6 - LITERATURE CITED

- Ahmed , S.K.; El-Ghawas, E.O. and Aly , A.F. (1998):** Effect of active dry yeast and organic manure on roselle plant . Egyptian journal of Agricultural Research, 76 : 3 , 1115 – 1142.27 ref .
- Alamgir, A. N. M. and Rahman, M. A (1991):** Effect of gamma radiation on seed germination , growth and sex expression of *Cairca papaya* L. Chittagong – University – Studies (Bangladesh) . Part II : Science. V. 15 (1) P. 113-116 . 10 ref . ; 2 tables.
- Ananthakalaiselvi, A. and Dharmalingam, C. (1998):** Soaking Pelleting with botanicals as a cheap technology to improve germination and vigour of papaya seeds (*Carica papaya* L) Cv. Co.2. South – Indian – Horticulture, . 46 (3/6) : 132 – 134 .
- Andrade, R.M.; Ayala, H.J.; Alia-T.I ; Rodriguez, M. H. ;Acosta D. C and Lopez, M. V. (2008):** Effect of germination promoters and substrates in the development of papaya seedlings . Revistade – la – facultad – de – Agronomia , - Universidad – del – zulia . ; 25 (4) : 617 – 635(C.F. CAB Abst.) .
- Aparna, D.; Sankar, C. R. and Dayanand, T. (2004):** Studies on the efficiency of gamma rays and EMS in watermelon (*Citrullus lanatus* (Thumb.) Manaf). South Indian Horticulture. 52: 1/6, 109-116. 15 ref.

- Asare , M . C. (1984):** Effect of pre – sowing treatment and media on germination and seedling performance of pawpaw (*Carica papaya*) seeds . Kumasi (Ghana) May, 50 P Dissertation LBSC (Hons) Crop Science . 8 tables , 2 graphs, 74 ref .Summary (En) . Availability : Univ . of Sci. and Technology Kumai (Ghana). Fac. of agric. (Ghana).
- Atawia, A.A.R. (1988)** Physiogenetical studies on some citrus species and cultivars.Ph.D. Fac. Agric. Moshtohor, Zagazig Univ
- Bailey, L. H. (1933):** The standard cyclopedia of horticulture3.2460 the macmillan Co. New York.
- Bakry, KH. A. and Ismaeil, F. H. (2002):** Pre-sowing treatments of papaya seeds as influenced by some chemicals and irradiation on germination, growth, flowering, sex expression and fruit quality. 2nd Intre. Conf. Hort. Sci., 10- 12 sept., Kafr El-sheikh, Tanta Univ. Egypt.
- Bartellet, M.S. (1937):** Some examples of statistical methods of research in Agriculture and applied biology. II. R. Statist. Soc.4 :137-183.
- Begum, H.; Lavania , M . L. and Ratna , B. G . H. V. (1988):** Seed studies in papaya . II . Effects of pre – soaking treatments with gibberellic acid and thiourea on germination and vigour of aged seed . Seed – Research . 16 (1) 51 – 56 .
- Bertocci , F. ; Vecchio , V. and Casini , P. (1997):** Effect of seed treatment on germination response of papaya

(*Carica papaya* L.) Advances in Horticultural Science. 11 (2) : 99 – 102 .

Chacko, E. K. and Singh , R. N. (1966): The effect of gibberellic acid on the germination of papaya seeds and subsequent seedling growth . Trop. Agriculture,. Trin, 43: 341 – 6

Chapman H. D. and Pratt, P. F. (1961): Methods of analysis for soils. Plant and waters. Univ. of Calif. Division of Agric. Sci. CA. pub. No. 4034-56-64.

Chen, J.; Dengke, I.; Taibao, L. and Xue Mei, D. (1995): Induction of polyploidy in Vitis. Journal of fruit science. 12:3-151- 155.7 ref.

Chiesotsu, S.; Kar, P. L. and Sanyal, E. (1995): A note on germination and seedling vigour of jack fruit seeds as influenced by growth regulators and storage . Horticultural journal, 8 : 2 , 151 – 155 . 8 ref.

Choudhari , B.K. and Chakrawar , V. R. (1981): Note on the effect of some chemicals on the germination of Rangpur lime seeds . India Journal of Agricultural Sciences 51 (31) 201 – 203,. 8 ref .) .

Dronnikov, A. P. (1977): The effect of gamma irradiation on pear seeds . In Bio Osnovy Povysheniya Urozhainosti S. – Kh . Kul'tur . Moscow , USSR , 115 – 118 (Ru) From Referativnyi Zhurnal, (255 – 588 .

Duke , J. A. (1989): Borderline herbs. CRC .Press . Boca Raton, FL . Dutta , Pk. and Mazumdar , Be. Studies on the protein content of male and female papaya (*Carica*

papaya L.) trees. South India –Horticulture,, 37 : 5,295. University College of Agriculture, Calcutta University, Calcutta-700 109, India.

Duncan , D. B. (1955): Multiple range and multiple F. tests. *Biometries* , 11 : 1- 42.

EL- Azzoni, M.M.; El- Kholi, A.F.; Steno, G.R. and Dekhiel, A.A. (1970): Effect of gamma radiation on olive seed germination and on the produces seedling. *Arab J. of Nuclear sci. and applications*. Vol. 3 (2). 141- 150.

El-Essawy, M. M. A. (1995): Effect of radiation and gibberllic acid on the growth and flowering of *Gladiolus* corms. Ph.D. Thesis, Fac. of Agric. Ain Shams Univ.

El- Said, N.M. (1980): Physiological studies on seed germination and seedling growth of some citrus species .M. Sc. Thesis Fac. Of Agric. Ain Shams Univ.

EL-Shafie, S. A.; Mohamed, F. A.; EL-Kholy, S. A. and Abd EL-Baky, M. M. (1987): physiological response of carnation plant to gamma rays. 12th International Congress for statistics, computer science, social and demographic research. Cairo- Egypt. (28 March - 2 April : 45 – 56).

Emeruwa, A. C. (1982): Anti bacterial substance from *Carica papaya* fruit extract. *J. Nat prod.* 45(2):123-127.

Eshuys, W. (1975): The effect of GA on the germination of citurs seeds. *Information Bulletin, Citrus and Subtropical Fruit Research Institute* No. 32 (3 – 4) .

- Furutani, S.C. and Nagao, M. A. (1987):** Influence of temperature KNO₃, GA₃ and seed drying on emergence of papaya seedlings . Scientia – Horticulturae 32 (1/2) 67 – 72 .
- Guha, D. B. and Chaturvedi, K . N . (1972):** Preliminary studies on the effect of gibberellic acid and CCC (2 chloroethyl trimethyl ammonium chloride) on the vegetative growth, flowering and fruitset in transplanted seedlings of papaya . Punjab Horticultural journal . 12 (2/3) : 111 – 113 .
- Gunes, E. and Gubbuk, H. (2006):** Effect of different pre-sowing treatments on seed germination percentage and time of papaya cultivars (*Carica papaya* L.). Ziraat Fakultesi Dergisi , Akdeniz Universitesi ; 19 (1) : 107 – 114 .
- Gupta, O. P. (1992):** Effect of gibberellic acid on seed germination in lime (*Citrus aurantifolia*, Swingle). Progressive Horticulture, 21 (3 – 4) 246 – 248 (En , 4 ref.).
- Hafiz, I . A.; Naveed, A.; Abbasi , N.A. and Asi , A. A. (2005):** Effect of various doses of gamma radiation on the seed germination and seedling growth of mango. Sarhad Journal of Agriculture, 21 : 4 , 563 – 567 . 9 ref .
- Hassanein, R. A.; Sharabash, M. T. M.; Abd Alia, M. A.; Orabi, I. O. and Iman, A. A. (1998):** Effect of gamma irradiation and phosphorous fertilizer on growth and yield of faba bean seeds during their development

and at harvest. AL-Azhar J. Agric. Res., Vol. 27 (June): 47-62.

Hussein, M. S.; EL-Sherbeny, S. E. and Naguib, N. Y. (1995):The effect of gamma radiation and manganese application on growth and chemical constituents of *Datura metel* L,. Egypt. J. Physiol. Sci. Vol., 19(1-2). 241-254 .

Ismaeil, H. Faten and Bakry, KH. A. (2005): Response of papaya plants to some chemical substances and yeast extract treatments. Egypt. J. Agric. Res., 2(1):119-150.

Jackson, M.L. (1958): Soil chemical analysis constable & Co. ltd London pp.498.

Jaskani , M.J.; Kwon, S. W. ; Kim, E. and Bokrae, K. (2004): Polypoidy affects fruit characteristics , seed morphology and germination in watermelon (*Citrullus lanatus*). Journal of the Korean society for Horticultural Science, . 45 : 5 , 233 – 237 . 19 ref .

Jawaharlal , M. ; Sambandamoorthy , S. and Irulappan , L. (1991): Effect of gamma ray and EMS on seed germination and seedling growth in acid lime (*Citrus aurantifolia* swingle) . South Indian Horticulture . 39 : 6, 332 – 336 .

Kalalbandi, B. M. ; Dabhade, R. S.; Ghadge, P.M., and Vai S. B. (2003): Effect of gibberelic acid , naphthalene acetic acid and potassium nitrate on germination and growth of kagzi lime . Annals of plant physiology, 17 : 1 , 84 – 87 . 5 ref .

- Kalinichenko, I. M. (1971):** The influence of stratification on the effect of irradiation on dormant apple seeds. Vestnik Moskovskogo Universiteta, Biologiya, Pochvovedenie, No..3,. 97-98 [Ru] from Referativnyi Zhurnal 11.55.795.
- Kawecki, Z. (1973):** Preliminary studies on the effect of X-rays on the germination of stratified apple, plum and sour cherry seeds. Wstepne badania nad Wplywem promieni Xna Kielkowania stratyfikowanych nasion jabloni, sliwyi Wisni. Zeszyta Naukowe Akademii Rolniczo-Technicznej WRholniczo- Techniczna-Olsztyn, Poland.
- Konzak, C. F. (1993):** Induction of mutation breeding. Newsletter, .No. 40.6 (EN) N. W. Plant Breeding Co., Pullman, W A, USA.
- Korosi, F. and Krakkai, I. (1983):** Effect of gamma radiation of *Phaseolus vulgaris* L seeds on $^{32}\text{po}4^{-3}$ uptake of seedlings and its rranslocation pattern .23 (2): 149- 153 Agric. Univ., Godollo, Hungary.(Hort. Abst. Vol. 54 (6): 3485).
- Lange, H. De and Toit, W. D. (1977):** Gamma irradiation of citrus material. Gamma bestraling van citrusmateriaal Information Bulletin, Citrus and Subtropical Research Institute No. 53,8 [AF] Citrus and subtropical Fruit Research Institute, Nelspruit, South Africa .
- Loyd, E. P., Cain, J. G.; and Iamb, R. C. (1961):**Some responses of apple and pear seedlings to gibberellin. Proc. Amer. Soc. Hort. Sci., 14:83-86.

- Luckey, T. (1980):** Hormesis with ionizing radiation, CRC press. Inc. Ration, Fla., 222 pp.
- Maghraby, G. M. (1997):** Physiological response of soybean and wheat to gamma radiation and gibbrellm. Ph.D. Thesis, Fac. ofAgric., Ain Shams Univ.
- Meawad, A. A. (1981):** Physiological and anatomical study on gladiolus. Ph.D. Thesis, Fac. of Agric., Zagazig Univ., Egypt.
- Merory (1960):** Property of fruit. Food Flavorings (P, 65, No. 9217).
- Mohamed, F. A. (1989):** Nutrients content in plant tissue and yield of corn as affected by gamma radiation. 14th International Conference for statistics, computer science, social and demographic research. Cairo, Egypt. (25-30 March) Vol. 7:129-140 .
- Mohamed, F. A. ; EL-Bagoury, O. H.; Hashem, M. F. and Maghraby, G. M. (2000):** Effect of gamma irradiation and GA₃ on the growth and productivity of Wheat. 5th Arab; Conference on the Peaceful Uses of Atomic Energy, Beirut, 13-17 Nov:267-278.
- Mohamed, F. A.; Hefni, S. M. and Maghraby, G. M. (1988, a):** Effect of pre-planting gamma radiation on peanut plant. Proc. 2nd Conf. Develop. Res. Ain Shams Univ.
- Mohamed, F.A.; Hefni, S. M. and Maghraby, G. M. (1988, b):** Effect of pre-planting gamma radiation on plant growth, nodulation, nutritional status and yield of soybean. Proc. 4th Nuc. Sc. And Appl. 464- 470.

- Mohmadov, F. S. (1967):** The effect of growth stimulators on the nitrogen and nucleic acid metabolism of tomato. Trudy, Inst, Genet- Selek- Azero- SSR. S: 154-7 (Hort. Abst. 39;1001).
- Mostafa, E. A. M. (2004):** Effect of spraying with ascorbic acid, vitamin B and active dry yeast on growth , flowering , leaf mineral status , yield and fruit quality of grand Nain banana plants. Annals of Agricultural science, 49 : 2, 643 – 659. 26 ref .
- Murlee Y.; Kushwah, M.S.; Singh, D. B.; Roshan, R. K. and Nongallei, p. (2008):** Effect of gamma irradiation on germination, growth, sensitivity and survivability of papaya cv. Kesar king. Jounral of Horticultural Sciences, 3 : 3 , 68 – 71 . 3 ref .
- Murphy, J. and Riely, J. P. (1962):** A modified single solution for the determination of phosphate in natural water .Anal. Chemi. Acta.27-31-36.
- Nagao, M. A. and Furutani, S. C. (1986):** Improving germination of papaya seed by denity separation , potassium nitrate and gibberellic acid . Hort Science 21 (6) : 1439 – 1440 .
- Nargis, S.; Gunasekaran, M.; Lakshmi, S. and Selvakumar, P. (1998):** Effect of gamma irradiation of seed germination and vigour of tomato . (*Lycopersicon esculentum* Mill) . Orissa journal of Horticulture , 26 : 2, 47 – 49, 13 ref .
- Nusrat, S. and Mirza, B. (2002):** Ethyl methane sulfonate induced genetic variability in *Lycopersicon esculentum*.

International journal of Agriculture and biology, 4:1.89-92.12 ref.

Orabi, I. O. A. (1997): Effect of treating seeds GA₃ and / or gamma irradiation on growth, chemical composition, flowering and seed production and its quality of eggplant (*Olanwn melongena L.*). Egypt. J. Appl. Sci., 12 (12): 920-933.

Orabi, I. O. A. (1998): Effect of seed irradiation and salinity on growth , chemical composition , flowering and seed production and its quality of cowpea . Egypt. J. Appl. Sci., 13(1):20I-2I5.

Padma, K. and Chauhan, P. (2005): Effect of EMS on germination, plant height and fruiting of *Lycopersicon esculentum*. Flora and fauna (Jhansi), 11.39-41. 5 ref.

Palanisamy, V. and Ramamoorthy, K. (1987): Seed germination studies in papaya. Progressive Horticulture; 19 (3 – 4) : 253 – 255 .

Pandit, V. K.; Shantha, N. and Sinha, J. P. (2001): Improving papaya (*Carica papaya*) seed germination and seedling growth by pre- sowing treatments . Indian Journal of agricultural Sciences, 71 (11) 704 – 706 .

Patra, N.K.; Chauhan, S.P.; Singh, V. R. and Sushil, K. (1998): Mutagenic effective and efficiency of single and combined seeds of gamma rays and EMS in relation to genetic improvement .J. Gent Breeding, 25(1)66-757 ref.

- Prakash, M . (1998):** Effect of plant growth regulators and chemicals on germination of jack fruit . Annals of plant physiology, 12 : 1, 75 – 77.4 ref .
- Pregl, E. (1945):** Quantitative organic micro analysis .4th ed. J. Chundril London.
- Ragab, M. A. (1979):** The effect of saline water and radiation treatments on mineral content and growth of citrus seedlings. Ph. D. Thesis, Fac. of Agric., Cairo Univ.
- Rajesh, K. ; Tiku , A.K. ; Singh , D.B. and Mir, M.M. (2008)** :Effect of GA₃ NAA and CCC on growth, yield and quality of strawberry cultivar sweet charlie. Environment and Ecology ,26 : 4 A , 1703 – 1705, 12 ref .
- Ram, C. and Govind, S. (1990):** Gibberellic acid, thiourea and ethrel treatments in relation to seed germination and seedling growth in guava (*Psidium guajava* , L.). Progressive Horticulture, 22 (1-4) 40 – 43, 12 ref.
- Randhawa, S.S. and Iwata, M. (1965):** The effect of GA on the growth and mineral composition of citrus. Indian, J. Hort., 22:151-61. (Hort. Abst., 36:7312)
- Ray Noggle, G. and Fritz, G. J. (1992):** Introductory plant physiology 2nd Ed. Prentice Hall of India, New Delhi.
- Rennie, D. A. and Nelson, S. H. (1975):** Low- dose irradiation of vegetable seeds" The effects on N and P uptake". Canad .J. Plant Sci., 55(3):761-769.

- Sadharsan, A. and L. Seethaiah (1969):** Karyotype analysis and meiosis studies in three varieties of grape (*Vitis vinifera*, L). Cytologia, 34:475-483.
- Saito, J. and Yamato, S. (1964):** The relative influence of different supplies of nitrogen and types of growth regulators in sand culture I. Citrus intermedia Hort. ek. Tanaba. I. Citrus Junes tanaka Bull. Fac. Agric. Miyazaki, 10: 61-71 (Hort. Abst. Vol.35,8661)
- Salama, A.S.M. (1998):** Studies on growth and flowering of papaya. M. Sc. Thesis Fac. Agric. Moshtohor, Zagazig Univ.
- Salazar, C. and Perez, A. (1976):** The effect of 3 growth regulators on the germination of *Carica papaya* seeds . Revista Instituto colombiano Agropecuario, 11 (3) 221 – 230 .
- Sen, S . K. and Ghunti, P. (1976):** Effect of pre-sowing seed treatments on the germination and seedling growth in papaya . Orissa Journal of Horticulture ; 4 (1/2) : 38 – 43.
- Sen, S. K.; Hore, J . K. and Bandyopadhyay , A. (1990):** Pre-sowing seed treatment and its role on germination, Seedling growth and longevity of papaya. Orissa Journal of Agricultural Researchs 2 (3 – 4) : 160 – 164.
- Sharma, G. and Sharma, R.L. (1994):** The effect of gamma irradiation and chemical mutagens on seed germination and morphological changes of the seedling . Himachal

Journal of Agricultural Research, 20 : 1/2 , 53 – 56.6
ref.

Shchepot, E.V.; Kudima, O. O. and Kolodyazhna, L. M. (1978): The effect of gamma irradiation with Co⁶⁰ on walnut seed germination and seedling growth .
Introdukts siya ta Alkimatiz . Roslin na Ukraini Resp .
Mizhvid. Zb . No . 13 , 71 – 76, 4 ref .

Shinde , B.N.; Kalal, B. M. and Gaikwad , A. R. (2008):
Effect of pre-Sowing seed treatment on seed
germination , rate and percentage of Rangpur lime.
International journal of plant sciences , 3 : 1 , 321 – 322.
2 ref.

Siar, S.V.; Geronimo, S. B.; Sierra, Z. and Villegas, V. N. (1998): Cytology of *Carica papaya* and *carica cauliflora* and their F₁ interspecific hybrids. Philippine
journal of crop science, 23:2,91-96. 3 ref.

Spiegel-Roy, P. and Kochba, P. (1972): Mutation breeding in
citrus. Proceedings of a Panel, Vienna, 11-15
September, Organized by the Jiont FAO/IAEA Division
on Atomic Energy in Food and Agri., International
Atomic Energy Agence, Vienna.

Snedecor, G. W. and Cochran, W. G. (1980): Statistical
methods . 7th Ed. Iowa State Univ. Press. Ames. Iowa,
USA. PP507.

**Sunil, K.; Santosh K.; Singh, B.; Virendra, S.; Jata, A.L. and
kumar, S. (2002):** Influence of gamma irradiation of
seed on growth, sex expression and yield in sponge

gourd (*Luffa cylindrical L.*). Plant Archives , 2 : 2 , 225 – 227, 11 ref .

Taha, A. T. A. (2000): Effect of radiation and chemical fertilization on the productivity of Coriander (*Coriandrim salivum L.*) plant. M. Sc. Thesis, Fac. of Agric., Cairo Univ.

Thakare, B. R. (1991): Effect of colchicine on germination and mortality in tomato (*Lycopersicon esculentum Mill.*), Vegetable Science ,. 18 : 1, 29 – 31 . 5 ref .

Tikhonov, Y. B.; Panasin, V. P.; Alimova, G. V. and Mikhailova, N. B. (1980): Effect of gamma irradiation of seeds on the productivity and nitrogen metabolism of *Datura innoxia*. Rastitel'nye Resursy 16 (2): 237-242 (Hort. Abst,151(2):1510).

Ting, C.C. (1962): Growth responses and nutrient absorption by citrus as influenced by gibberellins. Taiwans, No. 8, PP. 191-206. (Hort. Abst., 34-3600).

Vonkyi, J.B. and Amuh, I.K.A. (1979): Preliminary investigation into the use of gamma irradiation to induce germination in the seed of the oil palm (*Elaeis guineensis* Jacq.). Ghana Journal of Agricultural Science 9 (3) 235 – 236, 5 ref.

Wally, A. F. S. (1981): Effect of some growth regulators on fruit set and sex ratio in papaya . M. Sc. Thesis Fac. Agric. Al. Azhar Univ.

Wolfe, H.S. and Lynch, S. L. (1942): Papaya Culture in Florida Fla. Agr. Ext. Serv. Bul. 113.

- Xu, B. and Gu, Z. (1984):** Effect of gibberellic acid on seed germination of kiwifruit (*Actinidia chinensis*) Plants var. hispida G. F. liang) . Scientia Agricultura, Sinica 1984 No 3,51-55;ref. Beijing Botanical Garden, Institute of Botany, Academia, Sinica, Beijing, China.
- Yahiro, M. and Orgoji, Y. (1980) :** Effect of gibberellin and cytokinin treatments on the promotion of germination in papaya. (*Carica papaya* L.) seeds . Memoirs of the faculty of Agriculture , kagoshima university , 16 : 45 – 51.
- Yogeesha, H. S ; Bhanuprakash , K. and Naik , L.B. (2007):** Effect of temperature and chemical pretreatment on seed germination in papaya (*Carica papaya*) . Indian Journal of Agricultural Sciences; 77 (10): 689 – 691.
- Zham yansuren. D. and Voloozh, D. (1976):** The effect of pre-sowing gamma irradiation of seeds on the yield and productivity of outdoor tomatoes . Biologia Czechoslovakia 31 (1): 9-14. Institute of Physics and Mathematics, Ulan Bator, Mongolia. (Hort. Abst., 46 (10): 9417).
- Zhao, C.; Huang, X.; Chen, Y. and Yang, Y. (2004):** Effects of plant growth regulators on the vitality of papaya seeds germination and the growth vigour of seedlings . South China Fruits, 33: 1 , 36 – 37.