



REFERENCES

- Abd El-Al ,Z.E. and S.S. Moustafa (1973).** An attempt to shift the production pattern on globe artichoke to meet export requirements. 3rd vegetable production conf. Alex., Egypt, 1973. (C.F. Kasim.1994).
- Abd El-Al, Z.E. and S.S. Moustafa (1974).** Yield and yield components of globe artichoke as affected by propagation method, planting date and plant population. Nuovo Studi Sul Cariciale, Proc. 2nd Int.Congr. Artichoke. Studies , Turin , Italy :375- 387. (C.F. Abo El-Fadel.1999).
- Abdel-Aziz, M. A. (1997).** Response of tomato plants in nitrogen fertilizer levels and growth regulators. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt, 213 pp.
- Abdel-Aziz, M. A. (2007).** Some Physiological Studies on Tomato. plant. Ph. D. Thesis, Fac. Agric., Cairo Univ., Egypt, 222 pp.
- Abd El-Mageed, H.A. and Y.S. Khafagi (1998).** Effect of some plant extracts, bio-products and fungicides on growth, productivity and resistance of root diseases on watermelon cv.Giza 1. Minufiya J. Agric. Res., 23 (3): 403-423.
- Abo El-Fadel, N.I. (1999).** Effect of propagation methods and pre- planting treatments on globe artichoke (*Cynara scolymus*, L.). M.Sc.Thesis, Fac. Agric., Alex. Univ.,88 pp .

- Abou El-Yazied.,A. and M.A. Mady(2012).** Effect of boron and yeast extract foliar application on growth, pod setting and both green pod and seed yield of broad bean (*Vicia faba* L.). J. Appli. Sci. Res., 8(2): 1240-1251.
- Abou-Hussein, M.R., M.S. Fadl and Y.A. Wally (1975).** Effect of garlic bulb crude extract on flowering, sex ratio and yield of squash. Egypt. J. of Hort., 2 (1): 129-130.
- Aboul-Nasr, M.H. (1995).** Effect of method of propagation and planting date on globe artichoke (*Cynara scolymus* L.) under Assiut conditions. Assiut J. Agric. Sci. 26 (2): 37-47.
- Agwah, E.M.R., K.A.El-Fadaly and J.F.Misherky (1990).** Improvement of globe artichoke propagation. Annal Agric. Sci.; Moshtohor , 28(2):1279-1284 .
- Agwah, E. M. R. and H. A. F. Mahmoud (1994).** Effect of some nutrients, sucrose and cultivars on tomato fruit set and yield. Bulletin Fac. Agric. Univ. Cairo. 45 (1): 137-148. 20 ref.(C.A. CAB Abstract).
- Ahmed., W.M.S. (2011).** Some factors affecting runner formation and transplants production in strawberry nursery. M.Sc. Thesis, Fac. Agric., Ain Shams Univ., 52pp .
- Ali., T. G. A.(2010).** Physiological studies on growth, seeds yield and its quality of common bean. Ph. D. Thesis, Fac. Agric., Moshtohor, Benha Univ., Egypt, 115 pp.
- Amer, S.S.A. (2004).** Growth green pods yield and seed yield of common bean (*Phaseolus vulgaris* L.) as

affected by active dry yeast , salicylic acid and their interaction. J.Agric . sci. Mansoura Univ., 29(3): 1407-1422.

Amutha, R., S., W. K. Muthulaksmi, Baby Rani Indira and P. Mareeswari (2007). Alle-viation of high temperature stress in sun-flower (*Helianthus Annus* L.) by plant growth regulators and chemicals .Res. J. of Agric. and Biological Sci., 3(12): 1658-1662.

Antony,E., S.A Chowdhury and G. Kar (2003). Variations in heat and radiation use efficiency of green gram as influenced by sowing dates and chemical sprays. J. Agrometerorologists, India.(C.F. Ali,2010)

A.O.A.C. (1970). Official Methods of Analysis, 13^{ed}, Association of Official Agriculture Chemists, Washington, D.C.

Attia, M.S. and S. Baha El Din (1958). On the propagation of globe artichoke. Agric. Rev. Egypt, 36(3):502-505.

Badawy, M.A., A.A. Gharib, A.T. Kasim and M.K. Abd El-Halem, (2006). Growth and yield of globe artichoke (*Cynara scolymus* L.) as affected by propagation materials and planting methods. Egypt. J. App. Sci., 21: 91-106.

Basra, S.M.A., M. Farooq,R. Tabassum and N. Ahmed, (2005). physiological and biochemical aspects of seed vigor enhancement treatment in fine rice (*Oryza sativa* L.). Seed sci and technol., 33:623-8.

- Basra, S.M.A., Shahzad,M., Farooq, H.,and B.A., Saleem.(2007)** Impeoving the germination and early seedling growth in melon (*cucumis melo* L.) by pre-sowing salicylate treatments. *Int. J. of agric. boil.*, Vol 9 , No. 4 ,550 – 554.
- Beshr , A . Y . and S.S Moustafa (1981)** . New method of planting globe artichoke (cv. Balady). *Fac. Agric. Zagazig Univ. Res. Bull .* No 357:1-12 .
- Chapman, H.D. and P.F. Pratt (1961).** Methods of analysis for soil, plant and water. Univ. of California Davis Fac. Agric.
- Dellacecca, V. and M. Pace (1976).** Influence of propagation materials on yield and erliness of artichoke (in Italian). *Nuovi Studie Sul Carciofo. Proc. 2nd. Intern. Congr Artichoke studies*, 419-425.
- Eid,M.M., F.A. Abo-Sedra and A.M.M. Mahdy (1993).** Effect of artichoke propagation parts and soaking in hot water and fungicides on healthy survival plants, vegetative growth and flower heads yield and quality. *Egypt. J.Appl.Sci.*,8(3):286-301.
- El-Abagy, H.M (1993).** Physiological studies on growth, yield and quality of artichoke.Ph.D. Thesis , Fac. of Agric. Moshtohor , Zagazig Univ. 144p.
- El-Abagy, H. M. H.; E. M. Rashad; A. M. Abdel-Mawgoud and N. H. M. El-Greadly (2010)** . Physiological and biochemical effects of some bioregulators on growth, productivity and quality of artichoke (*Cynara scolymus*

L.) plant. Research J. Agric. Bio. Sci. 6 (6): 683-690. 47 ref. (C.A. CAB Abstract) .

El-Desouky, S. A., A. L. A. Wanas and Z. M. A. Khedr. (1998). Utilization of some natural plant extracts (Garlic & yeast) as seed soaked materials of squash (*Cucurbita pepo* L.) Ann. Agric. Sci., Moshtohor, 36: 839-849.

El-Gazar, T.M.; El-Afifi, S.T.; Hamail, A.F.; Dawa, K.K. and El-Shal, Z. (1995). Effect of propagation methods and gibberellic acid on growth and yield of globe artichoke (*Cynara scolymus*, L) . J. Agric. Sci. Mansoura Univ., 20(11) :4797-4808.

El-Ghamriny, E. A.; Arisha, H. M. E. and Nour, K.A. (1999). Studies on tomato flowering, fruit set, yield and quality in summer season. 1. Spraying with thiamine, ascorbic acid and yeast. Zagazig J. Agric. Res., 26 (5): 1345-1364.

El-Shafie, L.M.W. (2003). Effect of some pre- and postharvest treatments on quality and storageability of strawberry. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., (Benha Branch), Egypt.

El-Shal , Z.S.A.(1994). Growth and yield of globe artichoke (*Cynara scolymus*, L.) as affected by propagation method and some growth regulators. M.Sc. Thesis, Fac. Agric., Mansoura Univ., Egypt.

El-Shal, M.A., F.I. El-Adgham, M. A.S. Barakat and S.M. El-Araby (1993 a). Earliness, yield and quality on globe artichoke in relation to pactobutrazol (pp333) and

methods of principal bud removal and propagation. Minia First Conf. Hort. Crops. Minia Univ., 19-21 Oct., 1993.No.(75).

El-Shal ,M.A.,F.I.El-Adgham, and S.M.El-Araby (1993 b). Influence of propagation methods and nitrogen sources on earliness, yield and quality of globe artichoke (*Cynara scolymus*, L.) under the new reclaimed soil conditions. Minia First Conf. Hort. Crops. Minia Univ., 19-21 Oct., 1993.No.(51).

El-Shal, M.A., F.I. El-Adgham, and S.M. El-Araby (1993c).effect of propagation method and splitting number of nitrogen application on growth, earliness, yield and quality of globe artichoke. Minia First Conf. Hort. Crops. Minia Univ., 19-21 Oct., 1993.No.(74).

El-Tohamy, W. A. and El-Greadly, N. H. M (2007). Physiological responses, growth, yield and quality of snap beans in response to foliar application of yeast, vitamin E and zinc under sandy soil conditions. Aust. J. Basic & Appl. Sci., 1(3): 294-299.

El-Tohamy, W. A., H. M. El-Abagy and N. H. M.El-Greadly (2008). Studies on the effect of putrescin, yeast and vitamin C on growth, yield and physiological responses of eggplant (*Solanum melongena* L.) under sandy soil conditions. Aust. J.Basic & Appl. Sci., 2 (2): 296-300.

El Zohiri, S.S.M (2009). Role of the salicylic and ascorbic acid on the control of growth, flowering and yield of globe artichoke. Annal Agric. Sci., Moshtohor, Vol. 47(3): Ho. 393-402.

- Farag , I. A.; M. A. Farghali, E. F.Refai and G. Shalaby (1994).** Responses of two cultivars of cauliflower to nitrogen rates, boron and molybdenum. Assiut J. Agric. Sci. 25(5): 221-233. 17.
- Farid, S., El-S.L. El-S. Fathy, M.A.A. El-Maghrabi and H.A.E. El- Shazly (2000).** Controlling of powdery mildew and improving growth, sex ratio and yield of squash plant by using some natural essential oils, phyto-extracts and biological agents. J. Agric. Sci. Mansoura Univ., 25 (1): 3869-3887.
- Fathy, El-S. L. El-S. and S. Farid (2000).** Effect of some chemical treatments, yeast preparation and royal jell on some vegetable crops grown in late summer seasons to induce their ability towards better thermal tolerance. J. Agric. Sci., Mansoura Univ.,25(4):2215-2246.
- Fathy, El-S.L and S. Farid (1996).** The possibility of using vitamin B5 and yeast to delay senescence and improve growth and yield of common bean (*Phaseolus vulgaris* L.) . J.Agric . sci. Mansoura Univ., 21(4): 1415-1423.
- Gaafar, A.A., R.S. El-Khateeb, E.Z. Khalifa and M.M. Mousa (1989).** Control of bean damping off and root rot by plant extract, growth regulators and fungicides in relation to root nodules. Minufiya J. Agric. Res., 14 (2): 1329-1343.
- Ghoname, A.A., M.A. El-Nemr, A.M.R. Abdel-Mawgoud and W.A. El-Tohamy (2010).** Enhancement of sweet pepper crop growth and production by application of

- biological, organic and nutritional solutions. Res. J. Agric. Biol. Sci., 6(3):349-355.
- Ghosh, S. K. and M. A. Hasan. (1997).** Effect of boron on growth and yield of cauliflower. Annals of Agricultural Research. 18(3): 391-392. 3ref. (C.A. CAB Abstract).
- Gowely, A.M., A.G. Abdel-Rahman and G.I. Soliman. (1996).** Studies on the behaviour of some fungicides in controlling damping-off and root-rot diseases in lupin plants. Bull. Fac. Agric. Univ. Cairo., 47: 331-340.
- Hasan, S.Kh. (2007).** Effect of some cultural practices and planting dates on artichoke productivity under the condition of new reclaimed lands. M.Sc. Thesis, Fac. Agric., Cairo Univ ., 89pp .
- Helmy, E.M.S. (1992).** Response to summer squash application methods of fresh garlic extracted by different solvents. Alex. J. of Agric. Res., 37 (3): 125-142.
- Hossain, A.S. M.A., S.M.A.S. Islam, K. Alkhter, N. Akhtar and A. Muqit (2010).** Effect of plant extracts, insecticides and cultural practices on growth characters and disease severity of mungbean yellow mosaic. Int. J. Sustain. Crop Prod., 5(2):16- 20.
- Ibrahim, F.A. (1998).** Induction of resistance to some diseases of cucumber plants grown under greenhouse conditions. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Egypt pp87.

- Jackson, M.L (1965).** Soil chemical analysis advanced course, double by the other. Dept. of Soils. Univ. of Wisc. Madison, Wisconsin, U.S.A.
- Jayakumar, J., G. Rajendran and S. Ramakrishnan .(2006).** Evaluation of salicylic acid as a systemic resistance inducer against *Meloidogyne incognita* on tomato cv.. Indian J. Nematology., 36 (1): 77-80.
- Kasim,A.T.M.(1994).** Morphological and physiological studies on globe artichoke. PhD. Thesis, Fac. Agric. Cairo Univ. Egypt 178pp .
- Kasim, A.T.M., S.A.A. Mansour and A.M. Abd El Hameid (2003) .** Effect of some propagation practices on early, total yield and head quality of artichoke Zagazig J. Agric. Res. , 30 ,(1) 109-127.
- Kovacs, G. (1964).** Studies on antibiotic substances from higher plants, with special reference to their plant pathological importance. Arsskar. K. Vet. Lannd bhojsk, Copenhagen, pp.47-92, bibl (C.A. Hort. Abst., 34:4022).
- Mahgoob, A.E.A. and S.A.M. Zaghlool .(2002).** Effect of salicylic and jasmonic acids on the response of tomato plants to root knot nematode *Meloidogyne incognita*, infection. Ann. Agric. Sci. Cairo., 47: 1107-1119.
- Malik, C.P. and M.B. Singh (1980).** Plant enzymology and histoenzymology. A Text manual Kalyani publisher, new delhi.

- Marsella, D. and B. Follesa (1974).** Planting trials between ovoli and rooted offshoots . Proc. Abst. 2nd Intr. Congr Artichoke studies turin, Italy, page 66.
- Masuthi, D. A., B. S. Vyakaranahal and V. K. Deshpande(2009).** Influence of pelleting with micronutrients and botanical on growth, seed yield and quality of vegetable cowpea. Karnataka J. Agric. Sci.. 22 (4): 898-900. 15 ref.(C.A.CAB Abstract)
- Morsy, S.M., E.A. Drgham and G.M. Mohamed (2009).** Effect of garlic and onion extracts or their intercropping on suppressing damping-off and powdery mildew diseases and growth characteristics of cucumber. Egypt. J. Phytopathol., 37(1):35-46.
- Moustafa, S.S.(1969).** Effect of method of propagation, planting dates and spacing on the yield and quality of globe artichoke (*Cynara scolymus*, L.). M.Sc .Thesis, Fac. Agric ., Alex. Univ.,98 pp .
- Padma, M., S. A. Reddy, R. S. Babu. (1989).** Effect of foliar sprays of molybdenum (Mo) and boron (B) on vegetative growth and dry matter production of French bean (*Phaseolus vulgaris* L.). Journal of Research APAU. 17: 1, 87-89. 6 ref. (C.A. CAB Abstract).
- Prasad, K. K., B. Chowdhary and M. Amrendra Kumar. (1997).** Response of tomato to boron application in Chotanagpur region. J. Res., Birsa Agric. Univ. 9(2): 145-147. 4 ref. Journal ofResearch, Birsa Agricultural University. 9: 2, 145-147. 4 ref. (C.A. CAB Abstract).

- Resende , G. M., A.C.P. de, Goulart and R.A. Silva.(1996).**
Yield characteristics of onion cultivars during summer cultivation. Horti. Brasileira.14: 2, 151-154. 12 ref.
(C.A CAB Abstract)
- Salamah,F.S. (1997).** Effect of some agriculture treatments on productivity of globe artichoke under Ismailia conditions . M.Sc .Thesis , Fac. Agric., Suez Canal Univ ., pp88 .
- SAS,(1996).** Statistical analysis system. SAS user's guide: statistic SAS institute Inc. editors, Cary , Nc.
- Shafshak, Nadia, S. (1987).** The productivity of eggplant as affected by foliar application of some micronutrients. Annal Agric. Sc., Moshtohor, 25(1): 509-519.
- Shafshak, Nadia, S., A. R. A. Aggour and M. M. A. Seham (2004).** Effect of fertilization system on some squash cultivars production. 4th Sci. Conf. Agric. Sci., 7-9 Dec., Fac. Agric., Assiut Univ., pp:410-426.
- Shafshak, Nadia, S., S.M. Eid, F.A. Abo-Sedera and M.H.M. Mohamed (2010).** Effect of nitrogen fertilization sources and foliar application of garlic extract, plant gured or salicylic acid on strawberry productivity and storability. The Fifth International Conference for Development and Environment in the Arab world. March 21-23,2010. Assiut, Egypt. 357-375.
- Shahda, W.T. (2000).** The use of antioxidants for control of tomato damping off. Alex. J. Agric. Res., 45 (1): 307-316.

- Shaker, E.S, and I.M. Darwish (2004).** Amelioration of led effect on *Phaseolus vulgaris* yield, yield components and chemical constituent of dry seeds by some bio-treatments. Annals of Agric. Sci., Moshtohor. 42(4): 1633-1647.
- Sharma, S. K., H. Singh and U. K. Kohli (1999).** Influence of boron and zinc on seed yield and quality in radish. Seed Research. 27:2, 154-158. 10 ref. (C.A. CAB Abstract).
- Snedecor, G.W. and W.G. Cochran (1980).** Statistical Methods, 6th ed. Iowa State University, Ames, 593 pp.
- Thompson, H.C. and W.C. Kelly (1957).** Vegetable crops.5th. Ed.,pp.209-McGrow Book concentration., New York .
- Tong Fei ,. Z., R. Cheng Jin and Z. Yanli (2007) .** Allelopathy of methanol dissolved ingredient from garlic plant aqueous extracts. J. Northwest A & F Univ. – Natural Sci. edition.35:6, 119 - 124 . 19 ref. (C.A. CAB Abstract)
- Winton, A.L. and K.B. Winton (1958).** The analysis of foods. John Wiley and Sons, Inc. London, PP: 857.