




REFERENCES

7. REFERENCES

- Abramowitz, J.; vengar, I. R. and Birnbaumer, L. (1982):** Guanine nucleotide and magnesium ion regulation of the interaction of gonadotropic and β -adrenergic receptors with their hormones: a comparative study using a single membrane system. *Endocrinol.* 110: 336-346.
- Adams, C.E. and Chang, M.C. (1962):** Capacitation of rabbit spermatozoa in the Fallopian tubes and in the uterus. *J. Exp. Zool.*, 151: 159-166.
- Aikn, J. W. (1972):** Aspirin and indomethacin prolong parturition in rats: evidence that prostaglandins contribute to expulsion of foetus. *Nature, Lond.* 240: 21-25.
- Altum, A. and Agur-Altum, B. (2007):** Melatonin: therapeutic and clinical utilization .*Int .J. Clin pract.* 61(5): 835-845.
- Arbogast, L.A. and Voogt, J.L. (1997):** Prolactin (PRL) receptors are localized in dopaminergic neurons in fetal hypothalamic cell cultures: effect of PRL on tyrosine hydroxylase activity. *Endocrinol.* 138: 3016-3023.
- Arendt, J. (1995):** Biochemistry of the pineal. In: Arendt J (ed) *Melatonin and the mammalian pineal gland*. Chapman and Hall, London: 27-65.
- Arendt, J. and Skene, D.J. (2005):** Melatonin as a chronobiotic *Sleep. Med. Rev.* 9(1): 25-39.

- Arias, P.; Zwarcfarb, B.; de Rondina, D.C.; Carbone, S.; Sverdlik, R.; Moguilevsky, J.A. (1990):** In vivo and in vitro studies on the effect of the serotonergic system on luteinizing hormone and luteinizing hormone-releasing hormone secretion in prepubertal and peripubertal female rats. *Brain Res*, 523(1): 57-61.
- Armstrong, D.T. and Grinwich, D.L. (1972):** Blockade of spontaneous and LH-induced ovulation in rats by indomethacin, an inhibition of prostaglandin biosynthesis. *Prostaglandins*. 1: 21-28.
- Armstrong, D.T.; Moon, Y.S. and Zamecnik, J. (1974a):** Evidence for a role of prostaglandins in ovulation. In: Moudgal NR (ed.), *Gonadotropins and Gonadal Function*. New York: Academic Press, pp. 345-356.
- Armstrong, D.T. (1981):** Prostaglandins and follicular functions. *J. Reprod. Fertil.* 62: 283-291.
- Ashworth, C.J.; Beattie, L.; Antipatis, C. and Vallet, J. (1999):** Effect of pre- and post mating feed intake on blastocyst size, secretory function and glucose metabolism in Meishan gilts. *Reprod. Fertil. Dev.* 11: 323-327.
- Axelrod, J.; Wurtman, R.J. and Snyder, S.H. (1965):** Control of hydroxyindole-o-methyltransferase activity in the rat pineal gland by environmental lighting. *J. Biol. Chem.* 240: 949-954.
- Baird, D.T. and Land, R.B. (1973):** Division of the uterine vein and the function of the adjacent ovary in the ewe. *Reprod. Fert.* 33: 393-397.

- Baird, D.T. (1974):** Prostaglandins F2 α and ovarian blood flow in sheep. *J. Endocrinol.* 62: 413-414.
- Baird, D.T. and McNeilly, A.S. (1981):** Gonadotrophic control of follicular development and function during the oestrous cycle of the ewe *J. Reprod. Fertil. Suppl.* 30: 119-133.
- Bakker, J. and Baum, M. J.(2000):** Neuroendocrine regulation of GnRH release in induced ovulators.*Front. neuroendocrinol.* 21(3): 220-262.
- Baler, R.; Covington, S., and Klein, D. C. (1999):** Rat arylalkylamine N-acetyltransferase gene: Upstream and intronic components of a bipartite promoter. *Biol. Cell.* 91: 699-705.
- Barrachough, C.A; Wise, P. M. and Selmanoff, M. K. (1984):** A role for hypothalamic catecholamines in the regulation of gonadotropin secretion. *Recent Prog. Horm. Res.* 40: 487-521.
- Barrell,G.K. and Lapwood, K.R.(1979):** Effects of pinealectomy on the secretion of luteinizing hormone, testosterone and prolactin in rams exposed to various lighting régimes. *J. endocrinol.* 80: 397-405.
- Barry, J. (1977):** Characterization and topography of LHRH neurons in the rabbit. *Neurosci. Lett.* 2: 201-205.
- Bartness, T.J.; Powers, J.B.; Hastings, M.H.; Bittman, E.L. and Goldman, B.D. (1993):** The timed infusion paradigm for melatonin delivery – what has it taught us about the melatonin signal, its reception, and the photoperiodic control of seasonal responses. *J. Pineal Res.* 15: 161-190.

- Batra, S.; Akerlund, M. and Laudański, T. (1979):** Progesterone effects on the evolution of myometrial activity in vivo in the non-pregnant rabbit. *Acta. Physiol. Scand.* 105(4): 414-419.
- Bauer-Dantoin A.C.; Weiss J. and Jameson J.L. (1995):** Roles of estrogen, progesterone, and gonadotropin-releasing hormone (GnRH) in the control of pituitary GnRH receptor gene expression at the time of the preovulatory gonadotropin surges. *Endocrinol.* 136: 1014-1019.
- Beasley, L.J.; Johnston, P.G. and Zucker, I. (1981):** Photoperiodic regulation of reproduction in postpartum *Peromyscus leucopus*. *Biol. Reprod.* 24: 962-966.
- Behrman, H.R. (1979):** Prostaglandins in hypothalamo-pituitary and ovarian function. *Annu. Rev. Physiol.* 41: 685-700.
- Bellipanni, G.; DI Marzo, F.; Blasi, F. and Di Marzo, A. (2005):** Effects of melatonin in primenopausal and menopausal Women: our personal experience. *Ann.NY Acad Sci.* 1057(Dec): 393- 402.
- Ben-Jonathan, N. and Hnasko, R. (2001):** Dopamine as a prolactin (PRL) inhibitor. *Endocrinol. Rev.* 22: 724-763.
- Bensch,C.; Lescure, H.; Dugy, B. and Gross, C. (1978):** Histofluorescence of catecholamines in the external layer of the median eminence of the hypothalamus of the rabbit. *Ann. Endocrinol.* 39: 281-302.

- Berepubo, N.A.; Nodu, M.B.; Monsi, A. and Amadi, N.(1996):** Reproductive response of prepubertal female rabbits to photoperiod and/or male presence. *Discovery and Innovation*. 8: 73-77.
- Berger, N.; Gray, J.A. and Roth, B.L. (2009):** The expanded biology of serotonin. *Annu . Rev. Med.* 60: 355-366.
- Bergland, R.M. and Page, R.B. (1979):** Pituitary-brain vascular relations: A new paradigm.*Science*. 204: 18.
- Bergstrom, S.; Danielson, H. and Samuelsson, B. (1964):** The enzymatic formation of prostaglandin E₁ from arachidonic acid. *Biochim. Biophys. Acta*. 90: 207.
- Bergstrom, S.; carlson, L. A. and Weeks, J. R. (1968):** The prostaglandins: a family of biologically active lipids. *Pharmacol. Rev.*, 20: 1-48.
- Berria, M.; Pau, K.Y. and Spies, H.G. (1991):** Evidence for alpha 1-adrenergic involvement in neuropeptide Y-stimulated GnRH release in female rabbits. *Neuroendocrinology* 53: 480-486.
- Beyer, C. and Rivaud, N. (1969):** Sexual behavior in pregnant and lactating domestic rabbits. *Physiol. Behav.* 4: 753-757.
- Bill, C.H. and Keyes, P.L. (1983):** 17 β -Estradiol maintains normal function of corpora lutea throughout pseudopregnancy in hypophysectomized rabbits. *Biol. Reprod.* 28: 608-617.

- Bittman, E.L.; Dempsey, R.J. and Karsch, F.J.(1983):** Pineal melatonin secretion drives the reproductive response to day length in the ewe .Endocrinol. 113: 2276-2283.
- Bittman, E.L.; Karschand, F.J. and Hopkins, J.W. (1983):** Role of the pineal gland in ovine photoperiodism: Regulation of seasonal breeding and negative feedback effects of estradiol upon LH secretion. Endocrinol. 113: 329-336.
- Bittman, E.L. (1985):** Melatonin and photoperiodic time measurement: Evidence from rodents and ruminants. In: Reiter RJ (ed) The pineal gland. Raven Press, New York, pp. 155-192.
- Bjersing, L. and S. Cajander (2004):** Ovulation and the mechanism of follicle rupture. Cell Tiss. Res. Vol 149, Number 3 / June, pp. 287-300.
- Blandau, R.J. and Rumery, R.E. (1963):** Measurements of intra-follicular pressure in ovulatory and preovulatory follicles of the rat. Fertil. Steril. 14: 330-341.
- Blumberg, A.; Denny, S.; Marshall, G.R. and Needleman, P. (1975):** Blood vessel-hormone interactions: angiotensin. bradykinin and prostaglandins. Am. J. Physiol. 232: 305-310.
- Boissin-Agasse, L.; Jacquet,J.M.; Lacroix, A. and Boissin, J.(1988):** Long-Term Effects of Pinealectomy on Testicular Function, Luteinizing Hormone-Releasing Hormone Hypothalamic System, and Plasma Prolactin Levels in the Mink, a Short-Day Breeder. J. Pineal Res. 5 (4): 385 - 396.

- Boiti, C.; Castellini, C.; Canali, C.; Zampini, D. and Monaci, M. (1995):** Long-term effect of PMSG on rabbit does reproductive performance. *World Rabbit Sci.*, 3: 51-56.
- Bourdillon, A.; Chmitelin, F.; Jarrin D.; Parez, V. and Rouillere, H. (1992):** Effect of PMSG treatment on breeding results of artificially inseminated rabbits. *J. Appl. Rabbit Res.*, 15: 530-537.
- Boutin, J.A.; Audinot, V.; Ferry, G. and Delagrangre P (2005):** Molecular tools to study melatonin pathways and actions. *Trends pharmacol. Sci.* 26(8): 412-419.
- Boyed, A. (1995):** "Bromocriptine and psychosis: A literature review". *Psychiatric Quarterly* 66 (1): 87-95.
- Brainard, G.C.; Hanifin, J.P.; Greeson, J.M.; Byrne, B.; Glickman, G. ; Gerner, E. and Rollage, M.D. (2001):** Action spectrum for melatonin regulation in humans : evidence for a novel circadian photoreceptor. *J. Neurosci.* 15:21(16): 6405-6412.
- Brecchia, G.; Bonanno, A.; Galeati, G.; Federici, C.; Maranesi, M.; Godetti, A.; Gerani, M. and Boiti C. (2006):** Hormonal and metabolic adaptation to fasting: effects on the hypothalamic-pituitary-ovarian axis and reproductive performance on rabbit does. *Dom. Anim. Endocrinol.*, 31(2): 105-122.
- Brooks, J.R. and Ross, C.V. (1962):** The influence of thyroid gland and ambient temperature on fertility of rams. *Mo. Agric. Exp. Sta. Res. Bull.*, pp. 801.

- Browning, J.Y.; Keyes, P.L. and Wolf, R.C. (1980):** Coparison of serum progesterone, 20 α - dihydroprogesterone and estradiol-17 β in pregnant and pseudopregnancy rabbits: evidence of postimplantation recognition of pregnancy. *Biol. Reprod.* 23: 1014-1019.
- Browman, K.E.; Curzon, P.; Pan, J.B.; Molesky, A.L.; Komater, V.A.; Decker, M.W.; Brioni, J.D. and Moreland, R.B. (2005):** A selective dopamine D4 agonist, improves cognitive performance in rats.". *Pharmacology, biochemistry and behavior* 82 (1): 148-155.
- Bruce, J.R. and Solviter, H.A. (1957):** Effects of destruction of thyroid tissue by radioactive iodine on reproduction in mice. *J. Endocrinol.* 15: 72-72.
- Bruce, N.W. and Hillier, K. (1974):** The effect of prostaglandin F-2a on ovarian blood flow and corpora lutea regression in the rabbit. *Nature, Lond.* 249: 176-177.
- Bullock,D.W. and Kappauf, B.H. (1973):** Dissociation of gonadotropin-induced ovulation and steroidogenesis in immature rats. *Endocrinol.* 92: 1625.
- Buscemi, N. (2004):** Melatonin for treatment of sleep disorder. Summary. Evidence, Services. Report /technology Assessment: Number 108 (Review) US Department of Health and Human services, Agency for Health care Research and Quality.
- Buys, N.; Peeters, R. and Declerck, B. (1990):** Seasonal variation in prolactin, growth hormone and thyroid hormones and the prolactin surge at ovulation do not affect litter size of ewes during pregnancy in the oestrous or the anoestrous season.*J. Reprod. Fertil.* 90 (1): 47-53.

- Carlson, J.C. and Gole, J.W.D. (1978):** CL regression in the pseudopregnant rabbit and the effects of treatment with prostaglandin F₂ α and arachidonic acid. J. Reprod. Fert. 53: 381-387.
- Carter, D.S. and Goldman, B.D.(1983):** Antigonadal effects of timed melatonin infusion in pinealectomized male Djungarian hamsters (*Phodopus sungorus sungorus*): duration is the critical parameter. Endocrinol. 113(4): 1261-1267.
- Castellini, M. A. (1996):** Dreaming about diving: sleep apnea in seals. News Physiol. Sci. 11: 208 -214.
- Caillol, M.; Meunier, M.; Mondain-Monval, M. and Simon, P. (1986):** Seasonal variations in the pituitary response to LHRH in the brown hare (*Lepus europaeus*). J.Reprod. Fert. 78: 479-486.
- Chaturvedi, C.M. (1983):** Effect of melatonin on Adrenal and Gonad of the common Mynah *Acridtheres tristis* .Aust. J. zool. 32(6): 803-809.
- Cheeke, P.R. (1987):** Rabbit Feeding and Nutrition. Academic Press, INC, 376p.
- Chemineau, P.; Bodin, L.; Migaud, M.; Thiéry, J.C. and Malpaux, B. (2002):** Neuroendocrine and Genetic Control of Seasonal Reproduction in Sheep and Goats, Reprod. Domestic Anim. Volume 45, Issue Supplement s3, pages 42-49.
- Chen, H. (1981):** Spontaneous and Melatonin induced testicular regression in male golden hamsters: augmented sensitivity of the old male to melatonin inhibition. Neuroendocrinol. 33(1): 43-46.

- Chester, R.; Dukes, M.; Slater, S. R. and Walpole, A. L. (1972):** Delay of parturition in the rat by anti-inflammatory agents, which inhibit the biosynthesis of prostaglandins. *Nature, Lond.* 240: 37-38.
- Chiodini, P.G.; Liuzzi, A.; Cozzi, R.; Verde, G.; Oppizzi, G.; Dallabonzana, D.; Spelta, B.; Silvestrini, F.; Borghi, G.; Luccarelli, G.; Rainer, E. and Horowski, R. (1981):** Size reduction of macroprolactinomas by bromocriptine or lisuride treatment. *J. Clin. Endocrinol. Metab.*, 53: 737-743.
- Clark, M.R. (1982):** Stimulation of progesterone and prostaglandin E accumulation by luteinizing hormone releasing hormone (LHRH) and LHRH analogs in rat granulosa cells. *Endocrinol.* 110: 146.
- Clarke, I.J. and Cummins, J.T. (1982):** The temporal relationship between gonadotropin releasing hormone (GnRH) and luteinizing hormone (LH) secretion in ovariectomized ewes. *Endocrinol.* 111: 1737-1739.
- Clarke, I.J.; Thomas, G.B.; Yao, B. and Cummins, J.T. (1987):** GnRH secretion throughout the ovine estrous cycle. *Neuroendocrinol.* 46: 82-88.
- Cole, L.A. (2009):** New discoveries on the biology and detection of human chorionic gonadotropin. *Reprod. Biol. Endocrinol.* 7:8.
- Collet, .C.; Schiltz, C.; Geoffroy, V.; Maroteaux, L.; Launay, J.M. and DE Vernejoul, M.C. (2008):** The serotonin 5 - HT2B receptor controls bone mass via osteoblast recruitment and proliferation. *FASEB J.* 22(2): 418-427.

- Comin, A.; Gerin, D.; Cappa, A.; Marchi, V.; Renaville, R. and Motta, M. (2002):** The effect of an acute energy deficit on the hormone profile of dominant follicles in dairy cows. *Theriogenology*. 58: 899-910.
- Conti, A.; conconi, S.; Hertens, E.; Skwarlo –Sonta, K.; Markowska, M. and Moestraoni, J.M. (2000):** Evidence for melatonin synthesis in mouse and human bone marrow cells. *J. Pineal Res.*28(4): 193-202.
- Coon, S.L.; Roseboom, P.H.; Baler, R.; McCune, S.K.; Weller, J.L. and Klein, D.C. (1995) :** Melatonin synthesis: analysis of the more than 150-fold nocturnal increase in serotonin N-acetyltransferase messenger ribonucleic acid in the rat pineal gland. *Endocrinol*. 137: 3033-3045.
- Coon, S.L.; Valérie Bégay; Daphne Deurloo; Jack Falcón and David C. Klein (1999):** Two Arylalkylamine *N*-Acetyltransferase Genes Mediate Melatonin Synthesis in Fish. *J. Biol. Chem*. 274(13): 9076-9082.
- Cunnigham, M.J.; Clifton, D.K. and Steiner, R.A. (1999):** Leptin's actions on the reproductive axis: perspectives and mechanisms. *Biol. Reprod*. 60: 216-222.
- Curtis, S.E. (1983):** Environmental Management in Animal Agriculture. Ames press, Iowa 50010 U.S.A. pp. 143-163.
- David T. A.; Daniel, L.; Grinwich, Y. S. M. and Jiri Zamecnik.(1974):** Inhibition of ovulation in rabbits by intra-follicular injection of indomethacin and prostaglandin F antiserum ,*Life Sci.*, Volume 14, Issue 1: 129-140.

- Dennefors, B.; Hamberger, L.; Hillensjb, T.; Holmes, P.; Janson, P.o.; Magnusson, C. and Nilsson, L. (1983):** Aspects concerning the role of prostaglandins for ovarian function. Act a Obstet. Gynecol. Scand. Suppl., 113: 31-41.
- Dharmarajan, A.M.; Sueoka, K.; Miyazaki, T.; Atlas, S.J.; Ghodgaonkar, R.B.; Dubin, N.H.; Zirkin, B.R. and Wallach, E.E. (1989):** Prostaglandin and progesterone secretion in the in-vitro perfused pseudopregnant rabbit ovary. Endocrinol, 124: 1198-1203.
- Diaz, P.; Gonsalvez, L.F. and Rodrigung, J.M. (1987):** Relationship of colour of the vulva with reproductive traits in Rabbits ITEF, 18(72): 52.
- Djiane, J.; Delouis, C. and Kelly, P. A. (1979):** Prolactin receptors in organ culture of rabbit mammary gland effect of cycloheximide and prolactin. Proc Sec. Exp. Biol. Med., 762: 342-345.
- Dodge, J.C. and Badura, L.L. (2002a):** 5HT and 5HIAA dialysate levels within the arcuate nucleus of the hypothalamus: relationship with photoperiod-driven differences in serum prolactin and luteinizing hormone in the Siberian hamster. Brain Res.946:171-178.
- Drake, R.G. and Cook, B. (1979):** The estrogen receptor of rabbit corpus luteum: binding, dissociation, and stability characteristics. Endocrinol. 105: 561-569.
- Drijfhout, W. J. ; van der Linde, A. G. ; de Vries, J. B.; Grol, C. J. and Westerink, B. H. C. (1996):** Microdialysis reveals dynamics of coupling between noradrenaline release and melatonin secretion in conscious rats. Neurosci. Lett. 202, (3): 185-188.

- Drill, Victor A. (1958):** Biological effects of some steroids with progestational activity. Fed. Proc. 18:1040.
- EKholm, C.; Clark, M.R.; Magnusson, C.; Isaksson, O. and Le Maire, W.J. (1982):** Ovulation induced by a gonadotropin releasing hormone analog in hypophysectomized rats involves prostaglandins. Endocrinol. 110: 288.
- Elbanna, I.M. and Gamal, M.H. (1986):** Miniature system for progesterone radioimmunoassay: Economy versus sensitivity and precision. Alex. J. Agric. Res. 31 (3) : 101-113.
- Enjalbert, A.; Ruberg, M. and Kordan, C. (1977):** Neuroendocrine control of prolactin Secretion, in Robyn, G., and Harter, M. (eds.), progress in prolactin physiology and pathology, P. 83, Elsevier, Amsterdam.
- Espey, L. and Lipner, H. (1963):** Measurements of intra-follicular pressures in the rabbit ovary . Am. J. Physiol. 205: 1067-1072.
- Espey, L. and Lipner, H. (1965):** Enzyme-induced rupture of rabbit Graafian follicle. Am. J. Physiol. 208: 208-213
- Espey, L. L., and Rondell, P. (1968):** Collagenolytic activity in the rabbit and sow Graafian follicle during ovulation. Amer. J. Physiol. 214: 326-329.
- Espey, L. L. (1970):** Effect of various substances on tensile strength of sow ovarian follicles. Am. J. Physiol., 219: 230-233.

- Etches, R.J. and Cunningham, F.J. (1976):** The effect of an injection of pregnenolone, progesterone, deoxycorticosterone or corticosterone on the time of ovulation and oviposition in the chicken. *Br. Poult.Sci.* 17: 637-642.
- Etches, R.J. (1977):** The temporal relationship between ovulation and an injection of progesterone or corticosterone in the hen, *Gallus domesticus*. *Biol.Reprod.* 16: 255-257.
- Evans, W.S.; Cronin, M.J. and Thorner, M.O. (1982):** Hypogonadism in hyperprolactinaemia: proposed mechanisms. In: Ganong WF, Martini L, eds. *Front neuroendocrinol.*, Vol. 7. New York: Raven Press: 77-122.
- Ferguson, E.M.; Ashworth, C.J.; Edwards, S.A.; Hawkins, N. and Hepburn, M.G. (2003):** Effect of different nutritional regimes before ovulation on plasma concentration of metabolic and reproductive hormones and oocyte maturation in gilts. *Repr.* 126: 61-71.
- Ferland, L.; Labrie, F.; Euvrard, C. and Raynaud J.P. (1979):** Antidopaminergic activity of estrogens on prolactin release at the pituitary level in vivo. *Mol. Cell. Endocrinol.*, 14: 199-204.
- Fernández-Fernandez, R.; Aguilar, M.; Tena-Sempere, M; Pinilla, L. (2005):** Effects of polypeptide YY3-36 upon luteinizing hormone- releasing and gonadotropin secretion in prepubertal rats: in vivo and in vitro studies. *Endocrinol.* 146(3): 1403-1410.
- Ferreia, S.; Monacada, S. and Vane, J. (1971):** Indomethacin and aspirin abolish prostaglandin release from the spleen. *Nat. New. Biol.* 231(25): 237-239.

- Flower, R. J.; Gryglewski, R.; Herbaczynska-Cedro, K. and Vane, J. R. (1972):** Effects of anti-inflammatory drugs on prostaglandin biosynthesis. *Nature New Biol.* 238: 104-106.
- Flower, R.J. (1974):** Drugs, which inhibit prostaglandin biosynthesis. *Pharmac. Rev.* 26: 33-67.
- Foulkes, N.S.; Borjigin, I. ;Snyder, S.H. and Seassone-Corsi.(1996):** Transcriptional control of circadian hormone synthesis via the CREM feedback loop. *Proc Natl Acad Sci USA* 93: 14140-14145.
- Fox, R.R. and Krinsky, W.L. (1968):** Ovulation in the rabbit related to dosage of human chorionic gonadotropin and pregnant mare's serum. *Proceeding of the society for Experimental Biology and Medicine* 127: 1222-1227 (ABA 36, 4014).
- Frandsen, R.D. (1986):** Anatomy and physiology of farm animals, Fourth edition, Lea and febiger, philadelphia, USA.
- Fraps, R.M. and Dury, A. (1943):** Occurrence of premature ovulation in the domestic fowl following administration of progesterone. *Proc. Soc. exp. Biol. Med.* 52: 346-349.
- Freeman, M.E.; Kanyicska, B.; Lerant, A. and Nagy, G. (2000):** Prolactin: structure, function, and regulation of secretion. *Physiol. Rev.* 80: 1523-1631.
- Furr, B.J.A.; Bonney, R.C.; England, R.J. and Cunningham, F.J. (1973):** Luteinizing hormone and progesterone in peripheral blood during the ovulatory cycle of the hen *Gallus domesticus*. *J. Endocrinol.* 57:159-169.

- Fuxe, K.; Lofstrom, A. and Agnati, L. (1977):** Functional Morphology of the Median Eminence. On the Involvement of Catecholamines in the control of FSH, LH, and prolactin Secretion in Hubinot, P.O., Hermite M.L., and Robyn, C. (eds.), progress in Reproductive Biology, Vol. 2, Clin. Reprod. Neuroendocrinol., P. 41, Karger, Basel.
- Fuxe, K.; Hokfelt, T. and Andersson, K. (1978):** The transmitters of the hypothalamus, in Cox, B., Morris, I.D., and Weston, A.H. (eds. pharmacology of the hypothalamus, P. 31, University park press, Baltimore.
- Gado, M.S.A. (1996):** Endocrine physiology: Hormones and Neurotransmitters. 2nd ed. Golden stars press. (In Arabic).
- Ganguly, S.; Coon, S.L. and Klein, D.C. (2002):** Control of melatonin synthesis in the mammalian pineal gland: the critical role of serotonin acetylation. Cell Tissue Res. 309: 127-137.
- Gastel, J.A.; Roseboom, P.H.; Rinaldi, P.A.; Weller, J.L. and Klein, D.C.(1998):** Melatonin production: proteasomal proteolysis in serotonin *N*-acetyltransferase regulation. Science. 279: 1358-1360.
- Giles, W. and Bisits, A. (2007):** "Preterm labour. The present and future of tocolysis". Best Pract Res. Clin. Obstet. Gynaecol. 21 (5): 857-868.

- Girod, C., M. Cure; Czyba, J.C. and Durand, N. (1964):** The effect of epiphysectomy on the anterior hypophyseal gonadotropic cells of the golden hamster (*mesocricetus auratus waterh.*) Comptes rendus des séances de la Société de biologie et de ses filiales. 158: 1636-1637.
- Goldman, B.D. (2001):** Mammalian photoperiodic system: formal properties and neuroendocrine mechanisms of photoperiodic time measurement. J. Biol. Rhythms. 16: 283-301.
- Goldman, B.; Gwinner, E.; Karsch, F. J.; Saunders, D.; Zucker, I. and Gall, G. F. (2004):** Circannual rhythms and photoperiodism. Pages 107–142 in J. C. Dunlap, J. J. Loros, and P. J. DeCoursey, eds. Chronobiology: biological timekeeping. Sinauer, Sunderland, MA.
- Gondos B., (1969):** Ultrastructure of the germinal epithelium during oogenesis in the rabbit. J. Exp. Zool, 172: 465-480.
- Gorman, M.R. and Zucker, I. (1997):** Environmental induction of photononresponsiveness in the Siberian hamster, *Phodopus sungorus*. Am J. Physiol. Regul. Integr. Comp. Physiol. 272: 887-895.
- Grattan, D.R. (2001):** The actions of prolactin in the brain during pregnancy and lactation. Prog. Brain Res. 133: 153-171.
- Grinwich, D. L.; Kennedy, T. G. and Armstrong, D. T. (1972):** Dissociation of ovulatory and steroidogenic actions of luteinizing hormone in rabbits with indomethacin an inhibitor of prostaglandin biosynthesis. Prostaglandins. 1:89.

- Grosse, J.; Maywood, E. S.; Ebling, F. J. P. and Hastings, M. H. (1993):** Testicular regression in pinealectomized Syrian hamsters following infusions of melatonin delivered on non-circadian schedules. *Biol. Reprod.* 49: 666-674.
- Gunduz, B. and Stetson, M.H. (2001):** A test of the coincidence and duration models of melatonin action in Siberian hamsters: the effects of 1-hr melatonin infusions on testicular development of intact and pinealectomized prepubertal *Phodopus sungorus*. *J. Pineal Res.* 30: 97-107.
- Gutknecht, G.D.; Duncan, G.W. and Wyngarden, L.J. (1972):** Inhibition of prostaglandin F-2a or LH induced luteolysis in the pseudopregnant rabbit by 71β -estradiol. *Proc. Soc. exp. Biol. Med.* 139: 406-410.
- Hafez, E.S.E. (1970):** Reproduction and breeding technique for laboratory animals. Lea febiger , philadelphia , USA . , 13: 305.
- Halász, b.; Köves, k. and Molnár, j. (1988):** Neural control of ovulation. *Hum. Reprod.* Vol. 3, No. 1, pp. 33-37.
- Hamada, V.; Wright, K.H. and Wallach, E.E. (1978):** In vitro reversal of indomethacin- blocked ovulation by prostaglandin F2a. *Fertil. Steril.* 30: 702-706.
- Hapgood, J.P.; Sadie, H.; van Biljon, W. and Ronacher K. (2005):** Regulation of expression of mammalian gonadotrophin-releasing hormone receptor genes. *J. Neuroendocr.*, 17: 619-638.

- Hardeland, R. (2005):** Antioxidative protection by melatonin: multiplicity of mechanisms from radical detoxification to radical avoidance .*Edocrinol.* 27(2): 119-130.
- Harkness, J.E. (1988):** Rabbit behavior as related to environmental stress. *J. Appl. Rabbit Res.* 11: 227-236.
- Harper, M.J.K. (1961):** The time of ovulation in the rabbit following the injection of luteinizing hormone. *J. Endocrinol.* 22: 147-152.
- Harris, G. W. (1952):** Hypothalamic Control of the Anterior Pituitary Gland." In WOLSTEN-HOLME, G. E'. W. (Ed.): *Ciba Foundation Col-loquia on Endocrinology.* London, Churchill, Vol. 4.
- Harris, D.J.; Cheeke, P.R. and Patton, N.M. (1982):** Effect of diet, light and breeding schedule on rabbit performance. *J. Appl. Rabbit Res.* 5: 33-37.
- Hassanein, M.A. (1980):** Reproductivity of rabbits under different heat conditions. M.Sc.thesis, Fac.Agric, Cairo Univ, Cairo, Egypt.
- Haynes, N.B.; Cooper, K.J. and Kay, MJ. (1973):** Plasma progesterone concentration in the hen in relation to the ovulatory cycle. *Br. Poultry Sci.* 14: 349-357.
- Heape, W.(1905):** Ovulation and degeneration of ova in the rabbit. *Proc. Roy. Soc. B*, 76. p.260.
- Heigo, K.; Takahide, M.; Toshio, N. and Akira, K.(1983):** Co-operation of progesterone and prostaglandins in ovulation induced by human

chorionic gonadotrophin in immature rats primed with pregnant mare serum gonadotrophin. J. Endocrinol. 96: 387-393.

Hilliard, J. and Eaton, L.W. (1971): Estradiol-17 β , progesterone and 20 α hydroxypregn-4-en-3-one in rabbit ovarian venous plasma. II. From mating through implantation. Endocrinol. 89: 522-527.

Hilliard, J.; Chung-Ning P.; Rex, J. S.; Ruth P. and Charles, H. S. (1974): Secretion Rates of Estradiol, Testosterone, and Progesterone from Right and Left Rabbit Ovaries Cannulated Concurrently or Successively. Biol. Reprod. 10: 364-369.

Hixon, J.W. and Hansel, W. (1974): Evidence for preferential transfer of prostaglandin F2 α to the ovarian artery following intrauterine administration in cattle. Biol. Reprod. 11: 543-552.

Hoffman, L.H. (1974): Luteal regression induced by arachidonic acid in the pseudopregnant rabbit. J. Reprod. Fert. 36: 401-404.

Holmes, P.V.; Janson, P.O.; Sogn, J.; Källfelt, B.; LeMarie, W.J.; Åhrén, K.B.; Cajander, S. and Bjersing, L. (1983): Effects of prostaglandin-F2 α and indomethacin on ovulation and steroid production in the isolated perfused rabbit ovary. Acta Endocrinologica., 104: 233-239.

Holmes, P.V., Sogn, J., Schillinger, E. and Janson, P.O. (1985): Effects of high and low preovulatory concentrations of

progesterone on ovulation from the isolated perfused rabbit ovary. J. eprod. Fert. 75: 393-399.

Holt, J.A.; Keyes, P.L.; Brown, J.M. and Miller, J.B. (1975): Premature regression of corpora lutea in pseudopregnant rabbits following the removal of polydimethylsiloxane capsules containing 17β estradiol. Endocrinol. 97: 76-82.

Horton, E.W. and Poyser, N.L. (1973): Elongation of oestrous cycle in the guinea pig following subcutaneous or intrauterine administration of indomethacin. Br. J. Pharmacol. 49: 98-105.

<http://www.sleepdex.org/melatonin.htm> (2010): Melatonin.

<http://en.wikipedia.org/wiki/Melatonin> (2010): Melatonin.

<http://en.wikipedia.org/wiki/Prostaglandin> (2010): Prostaglandin.

Hunzicker-Dunn, M. and Birnbaumer, L. (1976): Adenylyl cyclase activities in ovarian tissues. II. Regulation of responsiveness to LH, FSH and PGE, in the rabbit. Endocrinol. 99: 185-197.

Hunzicker-Dunn, M. and Jungmann, R.A. (1978): Effect of an ovulatory dose of human chorionic gonadotropin or luteinizing hormone on the multiplicity of follicular and luteal protein kinases. Endocrinol. 103: 431-440.

Hunzicker-Dunn, M. (1982): Epinephrine-sensitive adenylyl cyclase activity in rabbit ovarian tissues. Endocrinol. 110: 233-240.

- Hunzicker-Dunn, M. and Miller, J.B. (1983):** Comparative aspects of corpus luteum function. In *Progress in Hormone Biochemistry and Pharmacology*, pp. 329-138. Eds M. Briggs & A. Corbin. Eden Press Inc., Montreal.
- Humes, J. L.; Bonney, R. J.; Pelus, L.; Dahlgren, M. E.; Sadowski, S. J.; Kuehl, F. A., Jr. and Davies, P. (1977):** Macrophages synthesis and release prostaglandins in response to inflammatory stimuli. *Nature*. 269: 149-151.
- Ibrahim, F.A.A. (1985):** Studies on some factors affecting reproductive performance, milk production and pre weaning growth in rabbits M.Sc. thesis, Fac. Agric, Cairo Univ, Cairo, Egypt.
- Illnerova,H., and Vanecek, J.(1988):** Entrainment of the rat pineal rhythm in melatonin production by light. *Reprod. Nutr. Dev.*, 28 (2B): 515-526.
- Inmaculada, M.; Antonio, G. Santana; Marcial Plá and Alberto, R.(1994):** Induction of ovulation in rabbits by pure urinary luteinizing hormon .*Hum. Reprod.*, Vol. 9, No. 3, pp. 413-416.
- Iyeghe-Erakpotobor, G.T.; Aliyu, R. and Uguru, J.(2005):** Evaluation of concentrate, grass and legume combinations on performance and nutrient digestibility of grower rabbits under tropical conditions *African J. Biotech.* Vol. 4 (20), pp. 2004-2008.
- Janson, P.O.; Albrecht, I. and Ahrén, . (1975):** Effects of prostaglandin F2 α on ovarian blood flow and vascular resistance in the pseudopregnant rabbit. *Acta, endocr. Copenh.* 77: 337-350.

- Jensen, N. E. and Tuxen, T. (1981):** Report from the Rabbit Testing Station, 1981 [in Danish]. Bere- fra Statens Husdyrbrugs for*. No. 534, pp. 1-35. Copenhagen, Denmark.
- Jochle, W.; Tomlinson, R.V. and Anderson, A.C. (1973):** Prostaglandin effects on plasma progesterone levels in the pregnant and cycling dog (beagle). Prostaglandins. 3: 209-217.
- Kalra, P.S. and Kalra, S.P. (1986):** Steroidal modulation of the regulatory neuropeptides: Luteinizing hormone, neuropeptide Y and endogenous opioid peptides.J. Steroid Biochem. 25: 733-740.
- Kamwanja, L. and Hauser, E. (1983):** The influence of photoperiod on the onset of puberty in the female rabbit. J. Anim. Sci. 56:1360-1365.
- Kappauf, B.H. and Van Tienhoven, A. (1972):** Progesterone concentration in peripheral plasma of laying hens in relation to the time of ovulation. Endocrinol. 90: 1350-1355.
- Karim, S. M. M. and Devlin, J. (1967):** Prostaglandin content of amniotic fluid during pregnancy and labour. J. Obstet. Gyn. Br. Comm., 74: 230-234.
- Katz, E.; Dhamarajan, A.M.; Sueoka, K.; Ghodgaonkar, R.B.; Dubin, N.H. and Wallach, E.E.(1989):** Effects of systemic administration of indomethacin on ovulation, luteinization, and steroidogenesis in the rabbit ovary. Am. J. Obstet. Gynecol . 161: 1361-1366.

- Kayisly, U.; Selam, B.; Guzelogly –Kayisli, O.; Demir R and Arici, A. (2003):** Human chorionic gonadotropin contributes to maternal immune tolerance and endometrial apoptosis by regulating Fas_Fas ligand system .J. Immunol. 171(5): 2305-2313.
- Kaynard, A.H.; Pau, K.Y.F.; Hess, D.L. and Spies, H.G. (1990):** Gonadotropin- releasing hormone and norepinephrine release from the rabbit mediobasal and anterior hypothalamus during mating-induced luteinizing hormone surge. Endocrinol. 127 : 1176-1185.
- Kazuyoshi, T. and Shuji, S. (1980):** initiation of follicular maturation and ovulation after removal of the litter from the lactating rat. J. Endocrinol. 87: 393-400.
- Keiichi K., Miyako S., Teizo S., Tsuyoshi Y., Akira Yachi, N. F. and Takashi M.(1993):** Bromocriptine-induced reversible lysosomal change and reduction of prolactin and growth hormone messenger RNA in cultured GH₃ cell lines, Endocr. Pathol., Volume 4, Number 1: 28-33.
- Kennaway, D.J.; Dunstan, E.A.; Gilmore, T.A. and Seamark, R.F.(1984):** Effects of pinealectomy, oestradiol and melatonin on plasma prolactin and LH secretion in ovariectomized sheep. J. Endocrinol. 102: 199-207.
- Keyes, P.L. and Nalbandov, A.V. (1967):** Maintenance and function of corpora lutea in rabbits depend on estrogen. Endocrinol. 80: 938-946.

- Klein, D.C., and J.L.Weller.(1972):**Rapid light-induced decrease in pineal serotonin N-acetyltransferase activity. *Science*. 177: 532-533.
- Klein, D.C. (1985):** Photoneural regulation of the mammalian pineal gland. In Evered, D. and Clark, S. (eds), *Photoperiodism, Melatonin and the Pineal*. Ciba Found. Symp., 117, Pitman, London, pp. 38-56.
- Kobayashi, Y., Wright, K. H., Santulli, R. and Wallach, E. E. (1981):** Ovulation and ovum maturation in the rabbit ovary perfused in vitro. *Biol. Reprod.* 24: 483-490.
- Komoto J, Yamada T, Watanabe K, Takusagawa F (2004):** Crystal structure of human prostaglandin F synthase (AKR1C3). *Biochem.* 43 (8): 2188-2198.
- Koos, R.D.; Clark, M.R.; Janson, P.o.; Ahrin, K.E.B. and LeMaire, W.J. (1983):** Prostaglandin levels in preovulatory follicles from rabbit ovaries perfused in vitro. *Prostaglandins*. 25:71: 5-24
- Kulick, R.; Chaiseha, Y.; Kang, S.; Rozinboim, J. and El-Halawani, M. (2005):** The relative importance of vasoactive intestinal peptide and peptide histidine isoleucine as physiological regulators of prolactin in the domestic turkey. *Gen. Comp. Endocrinol.*, 142(3): 267-273.
- Kumar, T.R.; Wang, Y.;Lu, N. and Matzuk, M.M.(1997):** Follicle stimulating hormone is required for ovarian follicle maturation but not male fertility. *Nat. Genet.*,15: 201-204.

- Lafond, J.; Ducharme, J.R.; and Collu, R. (1986):** Inhibition of prolactin release and blockade of adenohypophyseal cell cyclic AMP accumulation are two dissociable effects of dopaminergic and non-dopaminergic drugs. *Mol. and cell. endocrinol.* 44 : 219-225.
- Laguë, P.C.A.; Van Tienhoven, and Cunningham, F.J. (1975):** Concentration of estrogen, progesterone and LH during the ovulatory cycle of the laying chicken. *Biol. Reprod.* 12: 590-598.
- Lands, W. E. M. and Rome, L. H. (1976):** in *Prostaglandins: Chemical and Biochemical Aspects*, ed. Karim, S. M. M. (MTP, London) pp. 87-138.
- Lau, I.F.; Saksena, S.K. and Chang, M.C. (1978):** Periovulatory steroid concentrations in HCG treated rabbits. *Horm. Res.*, 9: 26-30.
- Lebas, F. (1983):** Small-Scale rabbit production: Feeding and Management systems. *Wild. Anim. Rev.* 46: 11-17.
- Lebas, F.; Coudert, P.; Rouvier, R. and de Rochambeau, H. (1986):** The rabbit; Husbandry, health and production *FAO, Animal Production and Health Series*, 21: 60-62 and 152-157.
- Lebas, F.; Theau-Clement M.; Remy B.; Drion P. and Beckers J.F. (1996):** production of Anti-PMSG Antibodies and its relation to the productivity of rabbit does. *World Rabbit Sci.*, 4: 57-62.
- Lee, J.B. (1980):** Prostaglandins and the renin - angiotensin axis. *Clin Nephrol.*, 4: 159-163.

- Lee, V.H. and Dunbar, B.S.,(1993):** Developmental expression of the rabbit 55-kDa zona pellucida protein and messenger RNA in ovarian follicles. *Dev. Biol.*, 155: 371-382.
- Lee, V.H.; Britt J.H. and Dunbar, B.S. (1996):** Localization of laminin proteins during early follicular development in pig and rabbit ovaries. *J. Repro. Dev*, 108: 115-122.
- LeMaire, W.J.; Clark, M.R.; Chainy, G.B.N. and Marsh, J.M. (1980):** The role of prostaglandins in the mechanism of ovulation. In: Tozzini RJ, Reeves G, Pineda RL (eds.), *Endocrine Physiopathology of the Ovary*. Amsterdam: Elsevier/North-Holland Biomedical Press, pp. 207-217
- Lerant, A.; Freeman, M.E. (1998):** Ovarian steroids differentially regulate the expression of PRL-R in neuroendocrine dopaminergic neuron populations: a double label confocal microscopic study. *Brain Res.*, 802: 141-154.
- Lerner, A.; Case, J.D.; Takahashi, Y.; Lee, T.H. and Mori, W. (1958):** Isolation of melatonin, the pineal gland factor that lightens melanocytes .*J. Am. Chem. Soc.* 80 (10): 2587.
- Lerner, A. B. (1999):** My 60 years in pigmentation. *Pigm. Cell Res.*, 12: 131-144.
- Lesurtel, M.; Graf, R.; Aliel, B.; Walther, D.J.; Tian, Y.; Jochum, W.;Gachet, C.; Bader, M. and Clavien, P.A. (2006):** Platelet -derived serotonin mediates liver regeneration .*Science*. 312(5770): 104-107.
- Levine, J.E.; Pau, K.Y.F.; Ramirez, V.D. and Jackson, G.L. (1982):** Simultaneous measurement of luteinizing

hormone releasing hormone and luteinizing hormone release in unanesthetized, ovariectomized sheep. Endocrinol. 111: 1449-1455.

Levine, J.E. and Duffy, M.T. (1988): Simultaneous measurement of luteinizing hormone (LH) – releasing hormone, LH, and follicle – stimulating hormone release in intact and short – term castrate rats. Endocrinol. 122: 2211-2221.

Lincoln, G. A., (1979): Pituitary control of testis. British medical bulletin.35(2): 167-172.

Lincoln, G.A. and Short, R.V. (1980): Seasonal breeding: nature's contraceptive. Recent Prog. Horm. Res., 36: 1-52.

Lincoln, G.A.; Anderson, H. and Loudon, A. (2003): Clock genes in calendar cells as the basis of annual time keeping in mammals –a unifying hypothesis .J. Endocrinol. 179(1): 1-13.

Lipner, H. (1973): Mechanism of mammalian ovulation In: Handbook of physiology. Sec.7: Endocrinology (R.O.Greep and E.B.Astwood, eds.), vol.II, Female reproductive system. Am. Physiol. Soc.Chapt. 18, p. 409-437. Washington.

Lipton, J.; Kleemann, G.; Ghosh, R.; Lints, R., and Emmons, S.W. (2004): Mate searching in *Caenorhabditis elegans*: a genetic model for sex drive in a simple invertebrate. J. Neurosci. **24**: 7427-7434.

- Loer, C.M. and Kenyon, C.J. (1993):** Serotonin -deficient mutants and male mating behavior in nematode *Caenorhabditis elegans*. *J. Neurosci.*, 13(12): 5407-5417.
- Mady, M.E.; Khalifa, R.M. and El-Alamy, M.A. (1990):** Effect of light regime and el toxin on the response of female rabbits to coitus. *J. Appl. Rabbit Res.* 12: 241-243.
- Maertens, L. and Luzi, F.(1995):** Effect of diluents and storage time of rabbit semen on the fertility of does reared under two different lighting schedules. *World Rabbit Sci.* 3: 57-61.
- Maestroni, G.J. (2001):** The immunotherapeutic potential of melatonin. *Exp. Opin. Invest. Drugs* 10(3): 467-476.
- Maher, F.J.; Hirszel, P. and Lasrich, M. (1980):** Modulation of peritoneal transport rates by prostaglandins. *Advances in Prostaglandin and Tromboxane Research*. Raven Press, New York, Vol. 7: 695-700.
- Maher, F.J.; Hirszel, P. and Lasrich, M.(1981):** Prostaglandin effects on peritoneal transport. *Proc of the II Intern Symp on Perit Dial*. West Berlin: 65-69.
- Mancini, T.; Casanueva, F.F. and Giustina, A. (2008):** Hyperprolactinemia and prolactinomas. *Endocrinol. Metab. Clinics of North America* 37(1): 67.
- Marc, E. Freeman; BE' LA Kanyicska; Anna Lerant and and GYO" RGY nagy. (2000):** Prolactin: Structure,

Function, and Regulation of Secretion. *Physiol. Rev.*, Vol. 80, No. 4.

- Maronde, E.; Pfeffer, M.; Molina, C.A.; Korf, H.W. and Stehle, J.H. (1999):** Inducible Cyclic AMP Early Repressor Protein in Rat Pinealocytes: A Highly Sensitive Natural Reporter for Regulated Gene Transcription. *Mol. Pharmacol.* 56: 279-289.
- Matondo, R.B.; Punt, C.; Homberg, J.; Toussaint, M.J.; Kisjes, R.; Korporaal, S.J.; Akkerman, J.W.; Cuppen, E. and de Bruin, A.(2009):**Deletion of the serotonin transport in rats disturbs serotonin homeostasis without impairing liver regeneration .*Am . J, Physiol. Gastrointest. Liver physiol.* 296(4): 963-968.
- Matthews, B.D.; Seamark, R.F.; and Guerin, M.V.(1992):** Plasma melatonin profiles of Romney Marsh sheep in natural photoperiod and in acutely extended darkness. *J. Reprod. Fertil.*, 95: 869-875.
- Maywood, E. S.; Buttery, R. C.; Vance, G. H.; Herbert, J. and Hastings, M. H. (1990):** Gonadal responses of the male Syrian hamster to programmed infusions of melatonin are sensitive to signal duration and frequency but not to signal phase nor to lesions of the suprachiasmatic nuclei. *Biol. Reprod.* 43: 174-182
- Maywood, E.S.; Hastings, M.H.; Max, M.; Ampleford, E.; Menaker, M., and Loudon, A.S.(1993):** Circadian and daily rhythm of melatonin in the blood and pineal gland of free-running and entrained Syrian hamsters. *J.Endocrinol.*136: 65-73.

- McCord, C. P., and Allen, F. B.(1917).** Evidence associating pineal gland function with alterations in pigmentation. J. Exp. Zool. 23: 207-224.
- McCracken, J.A. (1971):** Prostaglandin F2 α and corpus luteum regression. Ann. N. Y. Acad. Sci. 180: 456-472.
- McCracken, J.A.; Carlson, J.C.; Glew; Goding, J.R.; Baird, D.T.; Green, K. and Samuelson, B. (1972):** Prostaglandin F2 α identified as a luteolytic hormone in sheep. Nature, New Biol. 238: 129-134.
- McNeilly, A.S. (1980):** Prolactin and the control of gonadotropin secretion in the female. J. Reprod. Fertil. 58: 537-549.
- McNeilly, A.S.; Glosier, A.; Jonassen, J. and Howie, P.W. (1982):** Evidence for direct inhibition of ovarian function by prolactin. J. Reprod. Fertil. 65: 559-569.
- McNeilly, A.S. (2001):** Lactational control of reproduction. Reprod. Fertil. Dev., 13: 583-590.
- McNitt, J.I.; Patton, N.M.; Cheeke, P.R. and Lukefahr, S.D. (1996):** Rabbit production, 7th Edition, Inter State Publishers Inc. Danville, Illinois, p.45.
- Medical Pharmacology (2003):** prolactin, Doug Bayliss.
- Mena, F.; Martínez-Escalera, G.; Aguayo, D.; Clapp, C. and C. E. Grosvenor(1982):** Latency and duration of the effects of bromocriptine and prolactin on milk secretion in lactating rabbits. J. Endocrinol. 94: 389-395.

- Mendez, J.; De Blas, J.C. and Fraga MJ (1986):** The effect of diet and remating interval after parturition on the reproductive performance of the Commercial does rabbit. *J. Anim. Sci.* 62: 1624-1634.
- Meyers, K. and Poole, W.E. (1958):** Sexual behavior cycles in the wild rabbit *Oryctolagus Cuniculus* (L.) C.S.I.R.O. Wild. Res. 3: 144- 145.
- Meyers, K. and Poole, W.E. (1962):** Oestrus behavior cycles in the rabbit. *Oryctolagus Cuniculus* (L.) Nature (London) 195: 358-359.
- Miller, J.B. and Keyes, P.L. (1978):** Transition of the rabbit corpus luteum to estrogen dependence during early luteal development. *Endocrinol.* 102: 31-38.
- Miller, J.B. and Toft, D.O. (1983):** Characterization and physiological variation of estrogen receptors in rabbit corpora lutea throughout pregnancy and pseudopregnancy: the effect of hysterectomy and sustained estradiol treatment. *Biol. Reprod.* 29: 620-629.
- Miller, J.B.; LaBarbera, A.R. and Hunzicker-Dunn, M. (1986):** Estradiol suppression of Luteinizing hormone (LH)/human chorionic gonadotropin receptors and LH-sensitive adenylyl cyclase without decreased adenosine 3',5'-monophosphate content in rabbit corpora lutea. *Endocrinol.* 110: 2016-2023.
- Mills, T.M. and Osteen, K.G. (1977):** 17 β -Estradiol receptor and progesterone and 20 α -hydroxy-4-pregnen-3-one content of the developing corpus luteum of rabbit. *Endocrinol.* 101: 1744-1750.

- Mitchell, M.D.; Romero, R.J.; Edwin, S.S. and Trautman, M.S. (1995):** Prostaglandins and parturition. *Reprod. Fertil. Dev.*, 7: 623-632.
- Molitch, M.E. (1992):** Pathologic hyperprolactinemia. *Endocrinol Metab Clin North Am.* 21(4): 877-901.
- Mollo, A.; Veronesi, M.C.; Battocchio, M.; Cairoli, F. and Brecchia, G., Boiti, C. (2003):** The effects of alfaprostol (PGF₂ α analogue) and eCG on reproductive performances in post partum rabbits. *World Rabbit Sci.* 11: 63-74.
- Montgomery, G.W.; Martin, G.B.; Le Bars, J. and Pelletier, J. (1985):** Gonadotrophin release in ovariectomized ewes fed different amounts of coumestrol. *J. Reprod. Fertil.* 73(2): 457-463.
- Montgomery, G.W. and Hawker, H. (1987):** Seasonal reproduction in ewes selected on seasonal changes in wool production. *J. reprod. Fert* 79:207-213.
- Moore, K.E. (1987):** Interactions between prolactin and dopaminergic neurons. *Biol. Reprod.*, 36: 47-58.
- Mori, T.; Kohda, H.; Kinoshita, Y.; Ezaki, Y.; Morimoto, N. and Nishimura, T. (1980):** Inhibition by indomethacin of ovulation induced by human chorionic gonadotropin in immature rats primed with pregnant mare serum gonadotropin. *J. Endocrinol.*, 84: 333-341.
- Morton, D., Verga, M., Blasco, A., Cavani, C., Lavazza, A., Maertens, L., Miradito, L., Rosell, J.M., Stauffacher, M., Szendro, Z. (2005):** The impact of the current housing and husbandry systems on the health and welfare of farmed domestic rabbits.

Scientific Report EFSA-Q-2004-023. Annex to the EFSA Journal, vol. 267: 1-31.

- Mrugala, M.; Zlomanczuk, P.; Jagota, A. and Schwartz, W.J. (2000):** Rhythmic multi-unit neural activity in slices of hamster suprachiasmatic nucleus reflect prior photoperiod. *Am. J. Physiol. Regulatory Integrative Comp Physiol.* 278: 987-994.
- Munalulu, M.; Hillier, K. and Peddie, M.J. (1987):** Effect of human chorionic gonadotrophin and indomethacin on ovulation, steroidogenesis and prostaglandin synthesis in preovulatory follicles of PMSG-primed immature rats. *J. Reprod. Fertil.*, 80: 229-234.
- Nelson, R.J. (2005):** An introduction to behavior endocrinology 3rd ed. Sinauer Associates Massachusetts p.100
- Niacaris, T. and Avery, L. (2003):** Serotonin regulates repolarization of the elegance pharyngeal muscle. *J. Exp. Biol.* 206(pt2): 223-231.
- Nicodemus, N.; Gutierrez, I.; Garcia, J.; Carabano, R. and Deblas, C. (2002):** The effect of remating interval and weaning age on the reproductive performance of rabbit does. *Anim. Res.* 51: 517-523.
- Norman, S.T. Yang; John, M. Marsh and William, J. LeMaire.(1973):** Prostaglandin changes induced by ovulatory stimuli in rabbit graafian follicles. The effect of indomethacin. *Prostaglandins*. Volume 4, Issue 3: 395-404.
- Novy, M.J. and Cook, M.J. (1973):** Redistribution of blood flow by prostaglandin F_{2α} in the rabbit ovary. *Am. J. Obstet. Gynec.* 117: 381-385.

- Novy, M.J. and Liggins, G.C. (1980):** Role of prostaglandins, prostacyclin and thromboxanes in the physiological control of the uterus and in parturition. *Semin Perinatol.* 4: 45-66.
- Nuesslein-Hildesheim, B.; O'Brien, J.A.; Ebling, F.J.; Maywood, E.S. and Hastings, M.H. (2000):** The circadian cycle of mPER clock gene products in the suprachiasmatic nucleus of the Siberian hamster encodes both daily and seasonal time. *Eur. J. Neurosci.* 12: 2856-2864.
- O'Grady, J. P.; Caldwell, B. V.; Auletta, F. J. and Speroff, L. (1972a):** The effects of an inhibitor of prostaglandin synthesis (indomethacin) on ovulation, pregnancy and pseudopregnancy in the rabbit. *Prostaglandins.* 1: 97.
- Oliver, C.; Mical, R.S. and Porter, J.C. (1977):** Hypothalamic – pituitary vasculature : Evidence for retrograde blood flow. *Endocrinol.* 101: 598.
- Orczyk, G.P. and Behrman, H.R. (1972):** Ovulation blockade by aspirin or indomethacin: in vivo evidence for a role of prostaglandin in gonadotropin secretion. *Prostaglandins* 1: 3-21.
- Orunmuyi, M.; Adeyinka , I.A.; Ojo, O.A. and Adeyinka, F.D. (2006):** Genetic parameter estimates for pre-weaning litter traits in rabbits. *Pack.J.Biol.Sci.*, 9(15): 2909-2911.
- Owman, C.h.; Sjoberg, N.o.; Wallach, E.E.; Walles, B. and Wright, K.H. (1979):** Neuromuscular mechanisms of ovulation. In: Hafez ESR (ed), *Human Ovulation.* Amsterdam, Elsevier/North-Holland Biomedical Press, pp. 57-100.

- Partridge, G.G.; Allan, S.J.; Findlay, M. and Corrigan, W. (1984):** The effects of reducing the re-mating interval after production on the reproductive performance of the commercial doe rabbit. *Anim. Prod.* 39: 465-472.
- Patrick, J. O'Grady; Burton V. Caldwell; Frederick J. Auletta and Leon Speroff (1972):** The effects of an inhibitor of prostaglandin synthesis (indomethacin) on ovulation, pregnancy, and pseudopregnancy in the rabbit, *Prostaglandins*. Volume 1, Issue 2: 97-106.
- Pau, K.Y.F. and Spies, H.G. (1986):** Estrogen-dependent effects of norepinephrine on hypothalamic gonadotropin-releasing hormone release in the rabbit. *Brain Res.* 3; 399(1): 15-23.
- Pau, K.Y.F. and Spies, H.G. (1997):** Neuroendocrine signals in the regulation of gonadotropin-releasing hormone secretion. *Chin. J. Physiol.* 40: 181-196.
- Pau, K.Y.F.; Ying J. M.; Jian, H.Y.; Shu, P.Y.; Nathan, A. and Spies, H.G. (1997):** Topographic comparison of the expression of norepinephrine transporter, tyrosine hydroxylase and neuropeptide Y mRNA in association with dopamine β -hydroxylase neurons in the rabbit brainstem. *Mol. Brain Res.*, Volume 48, Issue 2: 367-381.
- Paulmann, N.; Grohmann, M.; Voigt, J.P.; Bert, B.; Vowinckel, J.Bader, M.; Levsek, M.; Fink, H.; Rupnik, M. and Walther, D.J. (2009):** Intracellular serotonin modulates insulin secretion from pancreatic beta -cells by protein serotonylation. *PLOS Biol.* 7(10): 229.

- Pelletier, J. and Ortavant, R. (1975):** Photoperiodic control of LH release in the Ram. *Acta Endocrinologica*. 78 (3): 442-450.
- Peterson, A.J. and Common, R.H. (1971):** Progesterone concentration in peripheral plasma of laying hens as determined by competitive protein binding assay. *Can. J. Zool.* 50: 395-404.
- Peters, R.R. and Tucker, H.A. (1977):** Photoperiod effects on body growth, serum prolactin and growth hormone in spring and summer. *J. Dairy sci. Suppl.* 1, p. 101.
- Pharriss, B. (1971):** Prostaglandin induction of luteolysis. *Ann. N. Y. Acad. Science.* 180: 436-444.
- Picazo, R.A. and Lincoln, G.A. (1995):** Light Control of the Duration of the Daily Melatonin Signal Under Long and Short Days in the Soay Ram. *J. Biol. Rhythms.* 10(1): 55-63.
- Pitrosky, B.; Kirsch, R.; Vivien-Roels, B.; Georg-Bentz, I.; Canguilhem, B. and Pévet, P. (1995):** The photoperiodic response in Syrian hamster depends upon a melatonin-driven circadian rhythm of sensitivity to melatonin. *J. Neuroendocrinol.*, 7: 889-895.
- Poyser, N. L.; Horton, E. W.; Thompson, C. J. and Los, M. (1971):** Identification of prostaglandin F_{2α} released by distension of the guinea-pig uterus in vitro. *Nature, Lond.* 230: 526-528.
- Prendergast, B. J.; Gorman, M. R. and Zucker, I. (2000):** Establishment and persistence of photoperiodic memory in hamsters. *Proceedings of the National Academy of Sciences of the United States of America.* 97(10): 5586-5591.

- Rafel, O. (2001):** La produccion Cunicola en Espaina, in: Jornadas profesionales de cunicultural, caleya Spain, pp. 11-13.
- Rajadevan, P.; Ravindran, V. and Gooneswardene, L.A. (1986):** Some factors influencing reproduction and growth in rabbits. Wild. Rev. Anim. Prod. 22(3): 9-13.
- Ralph, CL. and Fraps, R.M. (1959):** Effect of hypothalamic lesions on progesterone-induced ovulation in the hens. Endocrinol. 65: 819-824.
- Ralph, C.L. and Fraps, R.M. (1960):** Induction of ovulation in the hen by injection of progesterone into the brain. Endocrinol. 66: 269-272.
- Ramirez, V.D. and Beyer, C. (1988):** The ovarian cycle of the rabbit: its neuroendocrine control. In: Knobil E, Neill J (eds.), Physiology of Reproduction. Raven Press, New York, pp. 1873 - 1892.
- Ravault, J.P.; Privat, K.; Fevre-Montange, M.; Brisson, C. and Chesneau, D. (1999):** Regulation of melatonin synthesis in the ovine pineal gland. An in vivo and in vitro study. Adv. Exp. Med. Biol., 460: 133-135.
- Raynaud, F. Vivien-Roels, B. Masson-Pevet, M. and Pevet, P. (1991):** Plasma concentrations of 5-methoxytryptamine, 5-methoxytryptophol and melatonin after 5-methoxytryptamine administration of golden hamsters: physiological implications. J. Neural Transm. [Gen Sect]. 84: 3343.
- Rebollar, P.G.; Ubilla, E.; Alvarino, J.M.; Illera, J.C. and Silvan, G. (1992):** Effect of the level of sexual receptivity on plasma

estradiol and olfactory response during the postpartum period in the rabbit. *Rev. Esp. Fisiol.*, 48(1): 13-17.

Reddy, S.S.; Gupta, E.C.; Ramesh, B. and Satyanarayana, A. (2000): Effects of in breeding on pre-weaning litter weights on broiler rabbits. *Ind. Vet. J.*, 77: 597-599.

Reiter R.J. (1991): Pineal melatonin: Cell biology of its synthesis and of its physiological interactions. *Endocr Rev.*; 12: 151-180.

Reiter, R.J.; Acuna –Castroviejo, D.; Tan, D.X. and Burkhardt, S.(2001): Free radical mediated molecular damage. Mechanisms for the protective actions of melatonin in the central nervous system. *Annals of the New York Academy of sciences* 939: 200-215.

Ribelayga, C.; Gauer, F.' Calgari, C.' Pevet, P. and Simonneaux, V. (1999): Photoneural regulation of rat pineal Hydroxyindole-O-Methyltransferase (HIOMT) messenger ribonucleic acid Expression: An analysis of its complex relationship with HIOMT activity. *Endocrinol.*, 140: 1375-1384.

Ribelayga, C.; Pevet, P. and Simonneaux, V. (2000): HIOMT drives the photoperiodic changes in the amplitude of the melatonin peak of the Siberian hamster. *Am. J. Physiol. Regulatory Integrative Comp Physiol.* 278: 1339-1345.

Riddle, O., Bates, R.W. and Dykshorn, S.W.(1933): The preparation, identification and assay of prolactin—a hormone of anterior pituitary. *Am. J. Physiol.*, 105: 191-216.

Rispoli, L.A. and Nett, T.M.(2005): Pituitary gonadotropin-releasing hormone (GnRH) receptor: structure,

distribution and regulation of expression. Anim. Reprod. Sci. 88(1-2): 57-74.

Robinson, J.E. and Karsch, F.J.(1987): Photoperiodic history and a changing melatonin pattern can determine the neuroendocrine response of the ewe to day length. J. Reprod. Fertil.,80: 159-165.

Rodriguez, J.M.; Agrasal, C. and Esquifino, A. (1989): Influence of sexual receptivity on LH, FSH and prolactin release after GnRH administration in female rabbits. Anim. Reprod. Sc., 20: 57-65.

Roman-Ponce, H.; Thatcher, W.W.; Wilcox, C.J. and Van horn, H.H. (1977): Hormonal relationship and physiological responses of dairy cattle to a shade structure. J. Dairy Sci., Suppl. 1,p. 91.

Rondell, P. A. (1970a): Biophysical aspects of Ovulation. Biol. Reprod. 2, Suppl. 2: 64.

Rondell, P.A. (1970b): Follicular processes in ovulation. Fed. Proc. 29: 1875.

Rondell, P. (1974): Role of steroid synthesis in the process of ovulation. Biol. Reprod. 10: 199-215.

Roseboom, P. H.; Coon, S. L.; Baler, R.; McCune, S. K.; Weller, J. L. and Klein, D. C. (1996): Melatonin synthesis: analysis of the more than 150-fold nocturnal increase in serotonin N-acetyltransferase messenger ribonucleic acid in the rat pineal gland. Endocrinol. 137: 3033-3045.

Ross, S.; Denenberg, V. H.; Frommer, G. P. and Sawin, P. (1959): Genetic physiological and behavioral background of

reproduction in the rabbit. V. Nonretrieving of neonates. J. Mammal. 40: 91-96.

Rouvier, R.M. (1973): Statistical analysis of the breeding performance of female rabbits. Environmental factors, correlation and repeatabilities. J. Livestock. 4: 9-9.

Salisbury, G.W., VanDemark, N. L. and Lodge, J. R. (1978): Physiology of Reproduction and Artificial Insemination of Cattle. 2nd ed. W. H. Freeman Co., San Francisco.

Sartin, J.L.; Cummins, K.A.; Kemppainen, R.J.; Marple, D.N.; Rabe C.H. and Williams, J.C. (1985): Glucagon, insulin, and growth hormone responses to glucose infusion in lactating dairy cows. Am. J. Physiol. 248: 108-114.

Sawyer, C.H. and Radford, H.M. (1978): Effects of intra-ventricular injections of norepinephrine on brain-pituitary-ovarian function in the rabbit. Brain Res. 5;146(1): 83-93.

Schlaff, S.; Kobayashi, V.; Wright, K.H.; Santulli, R. and Wallach, E.E. (1983): Prostaglandin F2 α , an ovulating intermediate in the *in vitro* perfused rabbit ovary model. Prostaglandins. 26: 111-121.

Schmidt, G.; Holmes, P.V.; Owman, C.; Sjoberg, N.O. and B Walles. (1986): The influence of prostaglandin E2 and indomethacin on progesterone production and ovulation in the rabbit ovary perfused in vitro. Biol. Reprod. Vol 35: 815-821.

Schomerus, C. ;Stehle, J.H.; von Gall, C., and Korf, H.W. (2000): Of rodents and ungulates and melatonin: creating a

uniform code for darkness by different signaling mechanisms. J. Biol. Rhythms. 16: 312-325.

Schwartz, W.J.; H. O. de la Iglesia; Zlomanczuk, P.; and Illnerova, H. (2001): Encoding le quattro stagioni within the mammalian brain: photoperiodic orchestration through the Suprachiasmatic Nucleus. J. Biol. Rhythms 16: 302-311.

Shafie, M.M.; Kamar, G.A.R.; Borady, A.M. and Hassanein, A.M. (1984): Reproductive performance of Giza rabbit does under different natural and artificial environmental conditions .Egypt. J.Anim. Prod., 24: 167-174.

Shahabi, N.A.; Norton, H.W. and Nalbandov, A.V. (1975): Steroid levels in follicles and the plasma of hens during the ovulatory cycle. Endocrinol. 96: 962- 968.

Shigeto, K. and Charles H. Sawyer (1963): Effects of hypothalamic estrogen implants on pituitary LH and prolactin in rabbits .Am. J. Physiol., 205: 1073-1076.

Shingh, G.O. (1981): Length of rabbit gestation periods. Amer. Rabbit J. 13: 8-8.

Shodono, M.; Nakamura, T.; Tanabe, Y. and Wakabayashi, K. (1975): Simultaneous determinations of oestradiol-17 β , progesterone and luteinizing hormone in the plasma during the ovulatory cycle of the hen. Acta endocrinol. (Copenh)., 78: 565-573.

Silvia, W.J.; Louis, G.S.; McCracken, J.A.; Thatcher, W.W. and Wilson, L. Jr.(1991): Hormonal regulation of uterine

secretion of prostaglandin F2 α during luteolysis in ruminants. Review. Biol. Reprod. 45: 655-663.

Simonneaux, V. and Ribelayga, C. (2003): Generation of the melatonin endocrine message in mammals: a review of the complex regulation of melatonin synthesis by norepinephrine, peptides, and other pineal transmitters. Pharmacol. Rev. 55: 325-395.

Smith, W. L. and Lands, W. E. M. (1971): Stimulation and Blockade of Prostaglandin Biosynthesis. J. Biol. Chem. 246: 6700-6702.

Smith, J.M.; Jennes, L. (2001): Neural signals that regulate GnRH neurons directly during the oestrous cycle. Reproduction. 122(1): 1-10.

Soliman, K.F.A. and Huston, T.M. (1974): Involvement of the adrenal gland in ovulation of the fowl. Poultry Sci. 53: 1664-1667.

Spies, H.G.; Milliard, J. and Sawyer, C.H. (1968): Maintenance of corpora lutea and pregnancy in hypophysectomized rabbits. Endocrinol. 83: 354-367.

Stahl, S.M.; Mignon, L. and Meyer, J.M. (2009): Which comes first: atypical antipsychotic treatment or cardio metabolic risk? Acta Psychiatr. Scand., 119(3): 171-179.

Steel, R.D. and Torrie, H.J. (1980): Principles and procedures of statistics: A biometrical approach. 2nd ed., McGraw-Hill Inc.

- Steger, R.W.; Matt, K.S. and Bartke, A. (1985):** Interactions of testosterone and short photoperiod exposure on the neuroendocrine axis of the male Syrian hamster. *Neuroendocrinol.* 43: 69-74.
- Stehle, J.H.; Foulkes, N.S.; Molina, C.A.; Simonneaux, V.; Pevet, P. and Sassone-Corsi, P. (1993):** Adrenergic signals direct rhythmic expression of transcriptional repressor CREM in the pineal gland. *Nature.* 356: 314-320.
- Stehle, J.H. (2001):** Of rodents and ungulates and melatonin: creating a uniform code for darkness by different signaling mechanisms. *J. Biol. Rhythms* ,vol. 16 no. 4: 312-325.
- Stetson, M.H. and Watson-Whitmyre, M. (1983):** Physiology of the pineal gland and its hormone melatonin in annual reproductive rodents. In: Reiter, R.J. ed. *The Pineal Gland.* Raven Press, New York, 109-153.
- Strada, S.J.; Klein, D.C.; Wellr, J. and Weiss, B. (1972):** Norepinephrine stimulation of cyclic adenosine monophosphate in cultured pineal glands. *J. Pineal. Res.*, 31(4): 289-293.
- Sugden, D., and Klein, D.C. (1987):** Hydroxyindole-O-methyltransferase. *Methods. Enzymol.* 142: 590-596.
- Sumova, A., Illnerová, H. (1996) :** Melatonin instantaneously resets intrinsic circadian rhythmicity in the rat suprachiasmatic nucleus. *Neurosci. Lett.* 218: 181-184.
- Sutton, S.W.; Toyama, T.T.; Otto, S. and Plotsky, P.M. (1988):** Evidence that neuropeptide Y (NPY) released into the hypophyseal – portal circulation participates in priming

gonadotropins to the effects of gonadotropin – releasing hormone (GnRH). *Endocrinol.* 123: 1208-1211.

Theau-Clément, M.; Poujardieu, B. and Bellereaud, J. (1990):

Influence des traitements lumineux, modes de reproduction et états physiologiques sur la productivité de lapines multipares. *In: Proc. 5èmes Journées de la Recherche Cunicole*, Paris, France, Vol. I, Comm. 7.

Theau-Clément, M. and Roustan, A. (1992): A study on

relationships between receptivity and lactation in the doe, and their influence on reproductive performances. *J. Appl. Rabbit Res.*, 15: 412-421.

Theau-Clément, M. and Mercier, P.(2005): Influence of lighting

programs on the productivity of rabbit does of two genetic types. *World Rabbit Sci.*, 13: 293-294.

Thorpe, P. A. and Herbert, J. (1976): Studies on the duration of the

breeding season and photore-fractoriness in female ferrets pinealectomized or treated with melatonin. *J. Endocrinol.* 70: 255-262.

Terragno, D.A.; Crowshaw, K.; Terragno, N.A. and McGiff, J.C. (1975):

Prostaglandins synthesis by bovine mesenteric arteries and veins. *Circulation Res*; 36 and 37, Suppl I: 176-180.

Terzola, M. (1993): Evening administration of melatonin enhances the

pulsatile secretion of prolactin but no of LH and TSH in normally cycling women. *Clin. Endocrinol.* 39(2): 185-191.

- Testart, J.; Thebault, A. and Lefevre, B. (1983):** In-vitro ovulation of rabbit ovarian follicles isolated after the endogenous gonadotropin surge. *J. Reprod. Fertil.*, 68: 413-418.
- Tindal, J. S. (1967):** Studies on the neuroendocrine control of lactation. In *Reproduction in the Female Mammal*, p. 79. Proc. 13th Easter Sch. agrie. Sci. Univ. Nott. Eds. G. E. Lamming and E. C. Amoroso. Butterworths, London.
- Tindall, G.T.; Kovacs, K.; Horvath, E. and Thorner, M.O. (1982):** Human prolactin-producing adenomas and bromocriptine: A histologic, immunocytochemical, ultrastructural, and morphometric study. *Journal of Clinical Endocrinology and Metabolism*, 55: 1178-1183.
- Torres, S. and Cotton, E. (1976):** Action d'un traitement progestatif sur le declenchement de l'oestrus chez la lapine. Proc. 1st World Rabbit Congress, Dijon, Communication, p. 62.
- Tsafriri, A. and Adashi, A.Y. (1994):** Local nonsteroidal regulators of ovarian function. In the physiology of reproduction. 2nd edn (eds E. Knobel and J.D. Neill), pp. 817-859. Raven Press, NY.
- Turek, F.W.; Desjardins, C. and Menaker, M.(1975):** Melatonin: antigonadal and progonadal effects in male golden hamsters. *Science*. 190(4211): 280-282.
- Ubilla, E. and Rodríguez J.M. (1988):** Influence of systematic induction of parturition in the rabbit during its reproductive life, with a synthetic analogue of PGF2

alpha (Etiproston). In Proc.: 4th World Rabbit Congress, 10-14 October, Budapest, Hungary, 2: 494-503.

Usberti, M.; Mileti, M. and Maiorca, R. (1975): Effect of indomethacin on renal function. *Kidney Int.* 7:197.

Utama, F.E.; Le Baron, M.J. and Nilson, L.M. (2006): Human prolactin receptors are insensitive to mouse prolactin: implications for xenotransplant modeling of human breast cancer in mice. *J. Endocrinol.* 185(3): 589-601.

Uzcategui, M.E. and Johnston, N.P. (1990): Effect of continuous and intermittent photoperiods on the reproductive performance and growth of rabbits. *J. Appl. Rabbit Res.*, 13: 215-219.

Uzcategui, M.E. and Johnston, N.P. (1992): The effect of 10, 12 and 14 hour continuous and intermittent photoperiods on the reproductive performance of female rabbits. *J. Appl. Rabbit Res.* 15: 553-559.

Vanecek, J.; Sugden, D.; Weller, J. and Klein, D.C.(1985): Atypical synergistic alpha 1- and beta-adrenergic regulation of adenosine 3',5'-monophosphate and guanosine 3',5'-monophosphate in rat pinealocytes. *Endocrinol.* 116(6): 2167-2173.

Van den Hurk, R. and Zhao, J. (2005): Formation of mammalian oocytes and their growth, differentiation and maturation within ovarian follicles. *Theriogenology.* 63: 1717-1751.

Van Dorp, D. A.; Beerthuis, R. K. and Nugteren, D. H, (1964): The biosynthesis of prostaglandins, *Biochim. Biophys. Acta.* 90: 204.

- Vane, J. R. (1971)** Nature New Biol. 231: 232-235.
- Vane, J. R. and Williams, K. I. (1972):** Prostaglandin production contributes to the contractions of the rat isolated uterus. Br. J. Pharmacol., 45: 146.
- Van Tienhoven, A. (1961):** The effect of massive doses of corticotropins and of corticosterone on ovulation of the chicken (*Gallus domesticus*). Acta endocr. Copenh. 38: 407-412.
- Vicente, J.S.; Garcia-Ximenez, F. and Viudesde, M.P.C. (1995):** Neonatal performance in 3 lines of rabbit (litter size, litter and individual weights). Ann. Zootech., 44: 255-261.
- Vivien-Roels, B.; Pitrosky, B.; Zitouni, M.; Malan, A.; Canguilhem, B.; Bonn, D. and Pe'vet, P. (1997):** Environmental control of the seasonal variations in the daily pattern of melatonin synthesis in the European hamster, *Cricetus cricetus*. Gen. Comp. Endocrinol. 106: 85-94.
- Volochin, L.M. and Gallardo, A.A. (1976):** Effect of surgical disconnection of the medial basal hypothalamus on post-coital reflex ovulation in the rabbit. Endocrinol. 99: 959-962.
- Wade, G.N. and Jones J.E. (2004):** Neuroendocrinology of nutritional infertility. Am. J. Physiol. Regul. Integr. Com. Physiol. 25: 1277-1296.
- Walter, M.R.; Martinet, L.; Moret, B. and Thibault, C. (1968):** Regulation photoperiodique de l'activite sexuelle chez le lapin male et femelle. Arch. Anat. Histol. Embryol., 51: 773-780.

Walton, A. PH.D. and Hammond, J.M.A. (1928): Observations on ovulation in the rabbit *J. Exp. Biol.*,6: 190-204.

Wayne, N.L.; Malpaux, B.; Moenter, S.M. ; Woodfill, C.J.I. and Karsch , F.J.(1988): Reproductive Refractoriness of the Ewe to Inhibitory Photoperiod Is Not Caused by Alteration of the Circadian Secretion of Melatonin. *J. Neuroendocrinol.* 48: 264-270.

Wayne, N.L.; Malpaux, B.; Robinson, J.E. and Karsch, F.J.(1989): Regulation of the onset of the breeding season of the ewe: importance of long days and of an endogenous reproductive rhythm. *J. Endocrinol.* 122: 269-278.

Weiss, J.M.; Polack S.; Diedrich, K. and Ortmann, O. (2003): Effects of insulin on luteinizing hormone and prolactin secretion and calcium signaling in female rat pituitary cells. *Arch. Gynecol. Obstetr.* 269: 45-50.

Wetterberg, L.; Iselius, L.; and Lindsten, J. (1983): Genetic regulation of melatonin excretion in urine. *Clin. Genet.* 24: 399-402.

Williams, K. I. (1973): Prostaglandin synthesis by the pregnant rat uterus at term and its possible relevance in parturition. *Br. J. Pharmacol.*, 47: 628-629.

Williams, J.B. and Sharp, P.J. (1978): Control of the preovulatory surge of luteinizing hormone in the hen (*Gallus domesticus*). The role of progesterone and androgen. *Endocrinol.* 77: 57-65.

- Wilson, S.C and Sharp, P.J. (1973):** Variations in plasma LH levels during the ovulatory cycle of the hen, *Gallus domesticus*. J. Reprod. Fertil. 35: 561-564.
- Wilson, S.C. and Sharp, P.J. (1976):** The effects of progesterone on oviposition and ovulation in the domestic fowl (*Gallus domesticus*). Br. Poult. Sci. 17: 163-173.
- Wilson, S.C. and Lacassagne, L. (1978):** The effects of dexamethasone on plasma luteinizing hormone and oviposition in the hen. Gen. comp. Endocrinol. 35: 16-26.
- Wurtman, R. J.; Axelrod, J. and Kelly, D. E. (1968):** The Pineal (Academic, New York).
- WWW.IVF.COM/ovind.html:** Ovulation Induction Retrieved on Mars 7, 2010.
- Xiccato, G. (1996):** Nutrition of Lactating does. In: 6th World Rabbit Congress, Toulouse, pp. 29-47.
- Yadav, V.K.; RYU, J.H.; Suda, N.; Tanaka, K.F.; Gindgrich, J.A.; Schutz, G.; Glorieux, F.H.; chiang, C.Y.; Zajac, J.D.; Insogna KLMann, (2008):** Lrp5 controls bone formation by inhibiting serotonin synthesis in the duodenum. Cell, 135: 825-837.
- Yamani, K.A.; Daader, A.H. and Askar, A. (1992):** Effect of re-mating interval on the performance of rabbit, production and reproduction. Options Méditerranéennes – séries g Séminaires, 17: 173-178.

- Yang, H.Y.T. and Neff, N.H. (1976):** Hydroxyindole-O-methyl-transferase: an immunocytochemical study of the neural regulation of the pineal enzyme. *Mol. Pharmacol.* 12: 433-439.
- Yoshimura, Y. and Wallach, E.E. (1987):** Studies of the mechanism (s) of mammalian ovulation. *Fertil. Steril.* 47: 22.
- Yoshimura, Y.; Maruyama, K.; Shiraki, M.; Kawakami, S.; Fukushima, M.,; and Nokamura, Y. (1990):** Prolactin inhibits plasminogen activator activity in the preovulatory follicles. *Endocrinol.* 126 : 631-636.
- Yuh, K.C.M. and Keyes, P.L. (1979):** Properties of nuclear and cytoplasmic estrogen receptor in the rabbit corpus luteum: evidence for translocation. *Endocrinol.* 97: 76-82.
- Zarazaga, L. A.; Malpaux B.; Bodin, L.; and Chemineau. P. (1998):** The large variability in melatonin blood levels in ewes is under strong genetic influence. *Am. J. Physiol.* 274: 607-610.
- Zarazaga, L. A.; Malpaux, B. and Chemineau, P.(2003):** Amplitude of the plasma melatonin nycthemeral rhythms is not associated with the dates of onset and offset of the seasonal ovulatory activity in the Ile-de-France ewe .*Reprod. nutr. Dev.* 43(2): 167-177.
- Zerani M.; Boiti C.; Dall'Aglio C.; Pascucci L.; Maranesi M.; Brecchia G.; Mariottini C.; Guelfi G. and Zampini D. (2005):** Leptin receptor expression and in vitro leptin actions on prostaglandin release and nitric oxide syntheses activity in the rabbit oviduct. *J. Endocrinol.* 185: 319-325.

Zuckerman, S. and Baker, T.G. (1977): The development of the ovary and the process of oogenesis. 2nd edn, Vol1. Pp 42-68. Academic press, New York.