

REFERENCES

- Abd El-Salam, M. and El-Shibiny, S. (1972).
Changes in the proteins of Domiati cheese
during pickling.
J. Dairy Res. 54 : 246.
- Abd El-Salam, M., El-Shibiny, S. and Ahmed, M.S.
(1973).
Inter relationships of some determinations in
assessment on the ripening of Domiati cheese.
Australian J. Dairy Tech. 28 : 61.
- Abd El-Salam M., El-Shibiny S., El-Bagoury E.,
Ayad E. and Fahmi N. (1976).
Effect of lipases on the ripening of Egyptian
Ras cheese.
J. Dairy Res., 45, 491.
- Abd El-Salam, M. Mohamed, A.A. Elain Ayad, Nadia
Fahmy and Safinaz El-Shibiny (1979).
Changes in the quality and chemical composition
of Ras cheese by some commercial enzyme pre-
parations.
Egyptian J. Dairy Sci., 7 : 63-74.
- Abd El-Salam M., El-Shibiny S., Moneib A., Aboul Heiba,
A. and El-Khamy A. (1981).
Addition of lipase in the manufacture of pickled
soft cheese from whole milk and skim milk powder.
Egyptian J. Dairy Sci., 9, 143.
- Abd El-Salam M., El-Shibiny S., El-Koussey L. and
Haggag H. (1983).
Domiati cheese made with ultrafiltered recon-
stituted milk and lipolysed recombined cream.
J. Dairy Res. 50, 237.

- Abou-Dawood, A.E. (1968).
Hydrolyzates of milk protein.
Ph.D. Thesis, Cairo Univ. Egypt.
- Alals, N. (1955).
Preparation of pepsin extract from dried pig
stomachs.
C.F. Chem. Abstr., 73, 45676.
- American Public Health Association (1960).
Standards method for the examination of dairy
products.
Amer. Publ. Health Assoc. Inc., 11th, ed.,
New York.
- Amer, S.N. (1963).
A study in drying liquid rennet extract.
Ph.D. Thesis, Cairo Univ. Egypt.
- Amer, S.N. Naghmoush M.R.; El-Batawy; M.A.; Anis. S.M.K.
and Moussa; A.E. (1983).
Effect of propionic acid and potassium sorbate
as preservatives on the clotting and proteolytic
activities of calves and bovine rennets during
the extracting period.
Egyptian J. Dairy Sci., 11 : 299-307.
- Aplla, M.; Kyla-Siurola, A.L. and Antila, V. (1972).
Enzymic effects of various microbiological.
rennets on cheese ripening.
Meijeritieteeellinen Akkakauskiria, (31), 3-14.
C.F. Dairy Sci. Abstr. 35 : 2666.
- Bagdy, D. and Banga, I. (1957).
Pancreatic elastase.
Acta Physiol. Acad. Sci. Hung. 11 : 371.
C.F. Method in enzymology 1962 V (665-673).

Barrett, A.J., and Tawab, G.A. (1956).

The estimation of the total volatile fatty acids in cheese.

J. Dairy Res. 33 : 277.

Bergmann (1942).

A classification of proteolytic enzymes

Advances in Enzymol., 2, 49 (1942).

Ed. by F.F. NORD, Fordham university, New York, N.Y.

Block, R.D. (1958).

A manual of paper chromatography and electrophoresis.

Acad. Press INC, New York.

Bosund, I. (1962).

The action of benzoic and salicylic acids on the metabolism of microorganisms.

Adv. Food Res., 11, 331-353.

British Standards Institution (1955).

Publication No. 696 British Standards House, London.

Buruiana, L.M. Farag, S.I. (1983).

The variation of amino acids in Telema cheese during pickling.

Egyptian J. Dairy Sci., 11 : 53.

Casetellani, Niven A.G., (1955).

Factors affecting the bacteriostatic action of sodium nitrite.

Appl. Microbiol. 3 : 154-159.

Chalmers, C.H. (1955).

Bacteria in relation to the milk supply,
4th. ed. Edward Arnold Ltd., London.

Chernikov, M.P. and Stan, E. Ya (1970).

Rate of hydrolysis of α_s -B and K-casein nby
tryspin and chymotrypsin and action of
denaturing factors on enzymic hydrolysis of
K-casein.

Biokhimiya. 35 : 463-69.

C.F. D.S.A. 32 : 4328.

Chow, B.F. and Peticolas, Mary-Ann (1948).

A rapid method for the determination of pro-
teolytic activation of enzyme preparations.
J. Biol. Chem. 181 : 17-24.

Cochrans, W.G. (1950).

Estimation on bacterial densities by means of
the most probable number.
Biometrics, 6 : 102-116.

Desnuelle, P., Naudet, M., and Constantin, M.J. (1950).

Advances in Lipid Research, (1965).
Ed. by Rodolfr paoletti and David Kritchevshy
Pub. by A.O. New York.

Desnuelle, P., Constantin, M.J., and Baldy, J. (1955).

C.F. Advances in lipid Research.
Ed. by Rodolfr Paoletti and David Kritchevshy
Pub. by A.O. New York.

Desnuelle P. (1961).

Pancreatic lipase.
Advances in enzymology 23 : 129.
Ed. by F.F. NORD
Fordham university, New York, N.Y.

- Difco manual of dehydrated culture media and reagents,
Ninth Ed. (1965).
Difco Laboratories, Detroit 1, Michigan, U.S.A.
- Dolezalek, J. and Hoza, I. (1969).
Effect of pluicillium roqueforti on milk fat.
D.S.A. 33 : 4216.
- El-Abbasy, Faiza and Wahba, A.A. (1986).
Studies on camel pepsin 2-manufacture of
Domiat cheese with cammel pepsin.
Egyptian J. Dairy Sci., 14 : 187-194.
- El-Hawary, M.A., Elhami, M., Hassan, H.N. and Mehanna,
N.M. (1983).
A process for the production of a milk clotting
enzyme from chicken Gizzards.
J. Agric. Res. Tanta Univ. 9 (3).
- El-Kenawi, M.M. (1977).
Studies on the use of hydrogenated vegetable
oils in substituting milk fat for making filled
soft cheese.
M.Sc. Thesis, Cairo Univ. Egypt.
- El-Koussy, L.A. (1966).
Studies on soft cheese manufacture from pasteurized
milk.
Ph.D. Thesis, Ain-Shams Univ. Cairo, Egypt.
- El-Neshawy, A., Abdel Baky, A. and Farahat, S. (1982).
Enhancement of Domiat cheese flavour with animal
Lipase preparations.
Dairy Industries, 47 : 30.
-

El-Neshawy, A., Abdel Baky, A. and Farahat, S. (1983).
Enhancement of Domiati cheese flavour with animal
lipase preparations.
Food Chemistry, 10 : 121.

El-Sadek, G.M. and Mahmoud, S.A.Z. (1958).
Practical and applied microbiology (in arabic)
Anglo Publisher Cairo, Egypt.

El-Shibiny, S. (1968).
A study on the coagulating enzymes from plant
sources.
Ph.D. Thesis Cairo Univ. Egypt.

El-Shibiny, S. and Abd El-Salam, M.H. (1976).
A quantitative disc electrophoretic technique
to follow protein breakdown in cheese.
Milchwissenschaft 31 : 80.

El-Shibiny, S., Soliman, M., El-Bagoury, E., Gad., A.
and Abdel Salam, M. (1978).
Development of volatile fatty acids in Ras
cheese.
J. Dairy Res., 45 : 497.

El-Shibiny, S., Mohamed, A., El-Deen, H., Ayad, E.
and Abdel Salam, M. (1979).
Effect of protein breakdown in Ras cheese
in the use of commercial enzyme preparations.
Egyptian J. Dairy Sci., 7 : 141.

El-Soda, M.; Hussein, S. and Ezzat, N. (1985).
Acceleration of Ras cheese ripenning with
commercial enzyme preparations.
J. Dairy Sci., 68 suppl. 1, 71.

- Emmons ,D.B., Reiser, B., Giroux, R.N. and Stanley, D.W. (1974).
Bovine pepsine for cheese making.
J. Dairy Sci. 57 (5) 590-592.
- Fahmi, A.H. and Sharara, H.A. (1950).
Studies on Egyptian Domiati cheese.
J. Dairy Res. 17 : 312-28.
- Fahmi, A.H. and Amer S.N. (1962).
A study on the preparation of liquid rennet extract (in Arabic) Megallet El-Eloom El-Zeraeia, Cairo University, 15 : 10.
- Fahmi, A.H. and Hamdi. A.E.M. (1962).
Rennet extract from sheeps' vells as compared with that from calves (in Arabic). Megallet El-Eloom El-Zeraeia, Faculty of Agriculture, Cairo University, 14, (1).
- Fahmi, A.H., Amer, S.N. and El-Batawy, M.A. (1979).
Adult bovine vells as a source of rennet.
Egyptian J. Dairy Sci. 7 : 33.
- Fox, P.F. (1969).
Milk clotting and proteolytic activities of rennet and of bovine pepsin and porcine pepsin.
J. Dairy Res. 36 : 427-433
- Fox, P.F. and Walley, B.F. (1971).
Influence of sodium chloride on the proteolysis of casein by rennet and by pepsin.
J. Dairy Res. 38, 165.
-

Furtado, M.M. (1983).

A new method for accelerating the ripening of a camembert-type cheese. Novo metodo para aceleraramaturacao de un, queijo similar as camembert.

Revista do Instituto de laticinos candido Tostes 38 : 27-30.

C.F. D.S.A., 46 : 3410.

Georgiev, I. and Kozhev, A. (1964).

Utilization of dry pepsin rennet in the manufacture of white pickled cheese and Kachkaval. Selskostop. Nauka 1(7)(7/8) 855-6

C.F. D.S.A. 26(2) : 381 (1964).

Girgis, E.S., Amer, S.N., Naghmoush M.R., Anis S.M.K. and El-Batawy M.A. (1983).

A study on some of the properties of sheep's rennet during extraction and storage as affected by the pH of the extraction solution. Egyptian J. Dairy Sci., 11 : 223-231.

Glick, D., and King, C.G., (1933).

Advances in lipid research.

Ed. by Rodolfo paeoletti and David Kritchevshy
Pub. by A.O. New York.

Grand, A.G., and Ernostrom, C.A., (1964).

Effect of pH and sodium chloride on activation of prorenin.

J. Dairy Sci., 47 : 1181

Greuv, P. (1968).

Quality improvement of "Vitosha" Kachkaval cheese by use of rennet paste and Lipolytic enzyme preparations.

C.F. D.S.A. 30 : 1903.

- Hamed, M.G. (1955).
A study of the yield and pickling of Domiati cheese.
M.Sc. Thesis, Ain Shams University.
- Harper, W.J. (1957).
Lipase systems used in the manufacture of Italian cheese. II. Selective hydrolysis.
J. Dairy Sci. 40 : 556.
- Harrigan, W.F. and Margaret E.M. (1966).
Laboratory methods in microbiology.
Academic press, London and New York.
- Hassan, H.N.; El-Hawary, M.; Mehanna N. M. and Elhami M. (1983).
Extraction of a milk coagulant from chicken gizzards cortex.
J. Agric. Res. Tanta Univ. 9 (4) 1983.
- Hawk, P.B. and Summerson, W.H. (1953).
Practical physiological chemistry.
Blackiston Co., New York.
- Hefnawy, A.S.H. (1986).
Accelerated ripening of Ras cheese by using some enzymes.
Egyptian J. Dairy Sci., 14 : 59-63.
- Helmy, Z.A. (1956).
Bacteriological and chemical studies on Domiati cheese.
M.Sc. Thesis, Cairo University, Egypt.

Henriques, S. and Gjaldack, M. (1913)
C.F. Mostafa (1979).

Heseltine, W.W. (1952).

Sodium propionate and its derivatives as
bacteriostatics and fungistatics.
J. Pharm. pharmacol. 4, 577-581.

Hezag, R.O. and Margelis, M.Z. (1909).
Physiol. Chem. 60, 298.
C.F. Abu-Dawood (1968).

Hofi, A.A., Tawab, G.A., Radi, M. and Fawzi, N. (1966).
I- Fat examination and development of total
volatile acidity. Annals of Agric. Science.
Faculty of Agric. Ain Shams Univ., Vol. 8 No. 1

Hofi, A., Mahran, G., Farahat, S., Ashour, M. and
Khorshid, M. (1973).
The use of casein hydrolysate in white soft
cheese making.
Egyptian J. Dairy Sci., 1: 159.

Hofi, A.A., El-Shibiny, S.; Mahran G.A.; Farahat, S.M.
and Abd El-Baky, A.A. (1975).
The quality and chemical composition of market
Domlatti cheese.
Egyptian J. Dairy Sci. 3 (2) 135-138.

Horisberger, M.; Sozz, T., and Pousaz, R., (1976).
Process for production of a milk clotting
enzyme, A swiss patent 582-196(Fr) Societe
Desproduits Nestle Sa.

Hoskins, J.K. (1936).

Pub. Health Repts., 44, 393-405.

Ismail, A., El-Koussy, L., Aboul Ela.W. and Moustapha R. (1980).

Effect of adding trypsin and pepsin to brine solution on the ripening soft cheese,
Egyptian J. Food Sci., 8 : 13.

Jolly, T. and Kosikowski, F.V. (1978).

Effect of added microbial and animal lipases on protein hydrolysis in Blue cheese made with pasteurized milk.
J. Dairy Sci., 61 (5).

Kalmikova, L. and Prodanski, P. (1977).

Comparative study of effect of some hydrolysates on ripening of Dutch type hard cheese made from cow's skim milk. III. Vkusava Promishlenost (1976) 23 : 45-50.
C.F. D.S.A. 39 (9) : 4875.

Kates, H.M. (1972).

Techniques of lipidology. American elsevier publishing Co., Inc., New York.

Keller, P.J. Cohen, E. and Neurath H. (1956).

Purification and properties of procarboxypeptidase.
J. of Biol. Chem. 223 : 457.

Kosikowski, F.V. of Mocquot, G. (1958).

Advances in cheese technology, FAO Agric. Studies
No. 38.-Food and Agric. Org. of the UN, Rome.

Kosikowski, F.V. (1970).

Cheese and fermented milk foods, 3rd ed.
published by author. Dept. of Food Sci.
Cornell Univ., Ithaca, New York.

Kosikowski, F.V. and Tiwasaki, T. (1975).

Potential of enzymes in continuous cheese
making.

J. Dairy Sci., 58 (7) : 994-1000.

Kosikowski, F.V., and Tiwasaki, T. (1975).

Changes in Cheddar cheese by commercial enzyme
preparation.

J. Dairy Sci. 58 : 963.

Kunitz, M., and Northrop, J.H. (1935).

C.F. Mostafa (1979).

Kunitz M. (1939).

Effect of the formation of inert protein on
the kinetics of the autocatalytic formation
of trypsin from trypsinogen.

J. Gen. Physiol. 22 : 293.

Kunitz, M. (1946).

New crystalline enzymes from chymotrypsin.

J. Gen. Physiol. 22 : 429.

Kunitz, M. (1947).

Proteolytic activity toward casein and Hemoglobin.

J. Gen. Physiol. 30 : 291.

Kushner, D.J. and Hugo, W.B. (1971).

Inhibition and destructuon of the microbial cell. London-New York: Academic Press, P.259-283.

Law, B.A. (1981).

Accelerated ripening of cheddar cheese with microbial proteinases.

Netherlands milk and Dairy Journal. 35 : 313-317.

Law, B.A. and Wigmore, A. (1982).

Accelerated cheese ripening with food grade proteainase.

J. Dairy Res. 49 : 137-146.

Law, B.A. (1983).

Accelerated ripening of cheese.

International Dairy Federation. Doc. No. 157

C.F. Egyptian J. Dairy Sci., 12 (1984).

Law, B.A. (1984).

Accelerated ripening of cheese. Advances in the microbiology and biochemistry of cheese and fermented milk. National Inst. For Res. in Dairying, shinfiled Reading 209-229.

C.F. D.S.A. 47 (2): 1019.

- Ling, E.R. (1963).
A text book of dairy chemistry, Vol. 1 and 2.
Third Ed. Chapman and Hall, London.
- Lowry, O.H.; N.J., Rosebrough, A.L. Farr, and R.J.
Randall (1951).
Protein measurement with the folin phenol
reagent.
Journal of Biological chemistry 193 : 265-275.
- Mackie, T.J. and McCartney, J.E. (1948).
Hand Book of practical Bacteriology, Eighth
Ed. E. & S. livingstone L.T.D. Edinburgh and
London.
- Mahmoud, S.A.Z., Khader, A.E., Salem, O.M., Moussa,
A.M. and Kebary, K.M. (1983).
Studies on Blue veined cheese 11-Amino and
fatty Acids. Minufiya J. Agric. Res., 6 : 207.
- Mandl I. (1962).
Pancreatic elastase.
Method in enzymology V : (665-673).
Ed. Sidney P. Colowick and Nathan, O. Kaplan
Academic Press New York and London.
- Mogakyan, A. and Stepanyan (1962).
Manufacture of quick ripening pickled cheese.
Mol. Prom. 23 (1) 27-28 in Russian.
- Mogensen, M.T.S. (1948).
Meddelande Nr. 21 fra Statens Mejeriforsok,
Alnarp. C.F. Ismail, A.A. and Hansen, K.,
Milchwissenschaft 27 (9), 556 (1972).

- Montasser A.A. (1986).
Properties and some uses of ultrafiltrated milk.
Ph.D. Thesis, Zagazig Univ. Egypt.
- Mostafa, R.A.L. (1979).
Effect of some enzyme added to pickling solution
on soft cheese ripening.
M.Sc. Thesis, Zagazig University.
- Murrell, W.G.; Olsen, A.M. and Scott, W.J. (1950).
Enumeration of heated spores. II- Experiments.
Aust. J. Sci. Res. B. 3 : 234.
- Naghmoush M.R., Moussa A.E., Anis S.M.K., El-Batawy
M.A. and Amer S.N. (1984).
Effect of propionic acid and potassium sorbate
on some properties of calf and adult bovine
rennet extracts during storage.
Egyptian J. Dairy Sci., 12 : 29-36.
- Naguib, M.M. (1968).
Bacteriological and chemical studies on some
factors affecting the quality of Domiati
cheese.
Ph.D. Thesis, Ain-Shams Univ., Egypt.
- Naguib, M.M. Naguib, Kh. El-Erian A.F. and El-Shenawy
M. (1979).
Effect of storage temperature on bacteriolo-
gical and biochemical properties of liquid
rennet.
Egyptian J. Dairy Sci., 7 : 209-214.
- Nakanishi, T. and Jtch, M. (1974).
Shortening of period for cheese ripening by
addition of special proteases.
International Dairy Congress IE, 343-344.

Nasr M. (1983).

Acceleration of Romi cheese ripening by addition of fungal esterase lipase powder.

Egyptian J. Dairy Sci., 11 : 309-315.

Nieuwenhof, F.F.J. and Hup. G. (1971).

Gas-chromatographic determination of free fatty acids in cheese.

Neth. Milk Dairy J. 25 : 175.

Northrop; J.H. and Kunitz, M. (1932).

J. Gen. Physiol., 16, 267.

C.F. Mostafa, R.A.L. (1979).

Omar, M.M. Abdel Baky, A.A. Rabie A.M. and Ashour M.M. (1986).

Free fatty acids and quality of Domiati cheese made from dried milks as affected by an added lipase.

Egyptian J. Dairy Sci., 14 : 225-230.

Quastel, J.H. (1927).

The effect of chemical and physical changes in environment on resting bacteria.

Biochem. J. 21, 148-168.

Renald, R. Dinella, Meng. H.C. and Park C.R. (1960).

Properties of Intestinal Lipase.

The Journal of Biological Chemistry, 11, 235

Richardson, G.H. Nelson, S.H. and Farnham, M.G. (1971).

Gastric lipase characterization and utilization in cheese manufacture.

J. Dairy Sci. 54 : 643.

- Ridha, S.H.; Crawford, R.J.M. and Tamime, A.Y. (1984).
The use of food grade neutral proteinase to
accelerate cheddar cheese ripening.
Egyptian J. Dairy Sci., 12 : 63-76.
- Said, M. and Mahran, M. (1984).
Acceleration of white soft cheese ripening by
using some bacterial growth factors.
Egyptian J. Dairy Sci., 12 : 219.
- Schlottke, E. (1941).
Lipases.
Advances in Lipid Research (1965).
Ed. by Rodolfo Paoletti and David Kirshenbaum
Pub. by Academic Press, New York.
- Scott, R. (1972).
The cheese process-microbiology and enzymology-1-
proc. Biochem. 7 (6) : 33.
- Shipe, W.F., Lee, C. and Senyk, G.F. (1975).
Enzymes other than rennets in dairy technology
Journal of Dairy Science, 58 : 1123.
- Silverman, G.J., and Kosikowski, F.V. (1953).
Observations on cheese flavor production by pure
chemical compounds.
J. Dairy Sci. 36 : 574. (Abstr.)
-

Singh, S., and Kristoffersen, T. (1969).
Factors affecting flavor development in cheeder
cheese slurries.
J. Dairy. Sci. 53 : 533.

Skikimi, T., Toyokazu Kobayashi and Keisuke
Hattori (1979).
Mode of inhibition of activities of trypsin
and chymotrypsin by potassium thiocyanate
Enzyme 24 : 348-352.

Soliman, M., El-Shibiny, S., Mohamed, A. and
Abdel Salam, H. (1980).
Effect of added proteolytic enzyme preparations
on the development of volatile fatty acids in
Ras cheese.
Egyptian. J. Dairy Sci., 8 : 49.

Sood, V.K. and Kosikowski, F.V. (1979).
Accelerated cheddar cheese ripening by added
microbial enzymes.
J. Dairy Sci. 62 (12) : 1865-1872.

Steel, R.G.D. and Torrie, J.H. (1960).
Principles and procedures of statistics,
McGrow Hill, New York.

Tahoun, M.K; Ismail, A.A.A.; Soliman, N., and Wahba,
A. (1982).
Some coagulating agent and lipase effect on
provolone cheese from Buffalo milk. I. pro-
duced yield, Acidity and free fatty acids.
Alex. Agric. Res. 30 : 237-248.

- Tarassuk, N.P. and Frankel, E.N. (1964).
On the mechanism of activation of Lipolysis and
the stability of lipase system of normal milk.
J. Dairy Sci. 38 : 438.
- Tauber, H. (1949).
A Text Book of the chemistry and Technology of
enzymes 129, New York: John Wiley and Sons, Inc.
- Teama, Z.A.Y. (1967).
Studies on some factors affecting the yield
and ripening of Domiati cheese.
Ph.D. Thesis, Ain-Shams Univ. Egypt.
- Tomar, S.S. Malik R.K. and Mathur D.K. (1983).
Production of milk clotting enzyme by Bacillus
Subtillis K-26.
Egyptian J. Dairy Sci., 11 : 243-254.
- Vakaleris, D.G. and Price, W.V. (1959).
A rapid spectrophotometric method for measuring
cheese ripening.
J. Dairy Sci. 42 : 264-275.
- Wahba A.A. and El-Abbassy Faiza, (1984).
Studies on the use of chicken pepsine on Domiati
cheese making.
Egyptian J. Dairy Sci., 12 : 77-82.
- Walker, J.R.L. (1961).
Some volatile compounds in New Zealand cheddar
cheese and their possible significance in
flavor formation. IV. The addition of flavor
compounds to cheese curd to simulate
cheddar flavor.
J. Dairy Res. 28 : 1
-

Wirotama, I.P.G., and Ney K.H. (1974).

Provolone cheese flavour. Zeitschrift für
Lebensmittel-Untersuchung und Forschung.

154 : 67-72.

C.F. Tahoun et al. (1982).

Zein, G.N. Moussa, A.M. Mahmoud, S.A.Z. and Kamaly
K.M. (1979).

The development of free amino and fatty acids
in Domaiti cheese during pickling.

Egyptian J. Dairy Sci., 7 : 183-190.

.....