

# CONTENTS

	<b>Page</b>
<b>I. INTRODUCTION</b>	<b>1</b>
<b>II. REVIEW OF LITURATURE</b>	<b>5</b>
2.1. General components of prickly pear fruits	5
2.2. Chemical composition of prickly pear fruits:	6
2.2.1. Chemical composition of juice:	6
2.3. Enzymes in prickly pear juice	13
2.4. Pigments of prickly pear:	14
2.5. Production of prickly pear juice:	19
2.6. Thermal process of fruit juices:	23
2.7. Concentrated Prickly pear juice:	24
2.8. Importance of rheological measurements	26
2.8.1..Rheological properties of fruit juice and concentrates	28
<b>III. MATERIALS AND METHODS</b>	<b>31</b>
3.1. Materials	31
3.1.1. Prickly pear fruits:	31
3.1.2. Preparation of prickly pear pulp:	31
3.1.3. Preparation of prickly pears nectar:	31
3.1.4. Preparation of prickly pear concentrate	33
3.2. Analytical methods and measurements	33
3.2.1.Chemical analysis:	33
3.2.2. Estimation the slowest heating point inside the cans	40
3.2.3. Determination of heat penetration data	40
3.2.4..Temperature conversion for different initial temperatures	41
3.2.5. Studying the thermostability of PME enzyme	42
3.2.6. Evaluation of thermal process of prickly pear nectar	42
3.2.7. Incubation test for cans for routine production control	45
3.2.8. Microbiological analysis of prickly pear	45
3.2.9. Rheological measurements	49
3.2.10. Sensory evaluation	52
3.2.11. Statistical analysis	52
<b>IV. RESULTS AND DISCUSSION</b>	<b>53</b>
Part I: Frozen prickly pear pulp	53
4.1..General and approximate chemical composition of prickly pear fruits	53
4.2. Chemical composition of raw prickly pear pulp	55

	Page
4.3. The mineral content	58
4.4. Microbiological load of raw prickly pear pulp	58
4.5. Effect of frozen storage at -18°C on chemical composition of prickly pear pulp.	60
4.5.1. Approximate chemical of frozen prickly pear pulp	60
4.5.2. Effect of frozen storage on chemical composition of prickly pear pulp	62
4.5.3. Effect of frozen storage on minerals content of prickly pear pulp	65
4.6. Effect of frozen storage at -18°C on microbial load of prickly pear pulp	65
4.7. Sensory evaluation of frozen prickly pear pulp	72
Part II: Canning of prickly pear nectar	74
4.2.1..D-values and Z-values of pectin methylesterase (PME) enzyme	74
4.2.2..Determination of D-value and Z-value of pectin methylesterase for prickly pear nectar at modified pH 5.0	74
4.2.3. Evaluation of thermal process of prickly pear nectar	77
4.2.4. Incubation test of canned prickly pear nectar	83
4.2.5..Effect of canning process on some chemical properties of prickly pear nectar	83
4.2.6..Microbiological status of canned prickly pear nectar	90
4.2.7. Sensory evaluation for canned prickly pear nectar	92
Part III: Production of concentrated prickly pear	94
4.3. Juice process for concentrate	94
4.3.1..Chemical composition of prickly pear pulp and concentrate	94
4.3.2. Sensory evaluation of prickly pear concentrates	98
4.3.3. Sensory evaluation for canned prickly pear nectars prepared from concentrate	100
4.3.4. Rheological properties of prickly pear pulp and concentrates	102
4.3.5. Effect of temperature on flow behavior of prickly pear juice and concentrate	107
<b>SUMMARY</b> .....	111
<b>REFERENCES</b> .....	123
<b>ARABIC SUMMARY</b> .....	

## LIST OF TABLES

Table No.	Title	Page
1	General and approximate chemical composition of prickly pear fruits (mean $\pm$ SE)	54
2	Chemical composition of raw prickly pear pulp (means $\pm$ SE)	57
3	Microbiological load of raw prickly pear pulp	59
4	Effect of freezing storage at $-18^{\circ}\text{C}$ for 12 months on major approximate chemical constituents of prickly pears pulp	61
5	Effect of freezing and storage at $-18^{\circ}\text{C}$ for 12 months on some chemical composition of prickly pear pulp	63
6	Effect of freezing and storage at $-18^{\circ}\text{C}$ on minerals content of prickly pear (mg/kg) on wet weight basis	66
7	Effect of freezing and storage at $-18^{\circ}\text{C}$ on microbiological load of prickly pear pulp (after being pasteurized at $85^{\circ}\text{C}/3$ min) as (cfu/ml).	68
8	Sensory evaluation of prickly pear pulp stored at $-18^{\circ}\text{C}$ for 12 months (means of 10 panelists $\pm$ SE)	73
9	D-values and Z-value for the pectin methylesterase of prickly pear nectar at pH 5.0	75
10	Evaluation of the carried out thermal process times as enzyme activity retention for prickly pear nectar in cans ( $\varnothing$ 65x110 mm)	80
11	Evaluation of thermal process times as % enzyme activity retention for prickly pear nectar in cans ( $\varnothing$ 65x110 mm) at constant initial temperature $50^{\circ}\text{C}$	82
12	Results of incubation test of prickly pear nectar processed at $100.9^{\circ}\text{C}/20$ min (can size $\varnothing$ 65x100 mm) [pH value: 5.0, TSS: 15.5°Brix, incubation: 7 days at $55^{\circ}\text{C}$ ]	84

Table No.	Title	Page
13	Results of incubation test of prickly pear nectar processed at 100.9°C/20 min (can size Ø 65x100 mm) [pH value: 5.0, TSS: 15.5°Brix, incubation: 10 days at 25°C)	85
14	Effect of canning process on some chemical properties of prickly pear (PP) nectar (means $\pm$ SE)	88
15	Effect of canning process on microbiological status of prickly pear (PP) (nectar pH = 5).	91
16	Sensory evaluation of canned prickly pear nectar processed at different temperatures (mean of 10 panelists $\pm$ SE).	93
17	Chemical composition of prickly pear pulp and its concentrates (on wet weight basis)	95
18	Effect of concentration method on the sensory evaluation of prickly pear (mean of 10 panelists $\pm$ S.E.).	99
19	Sensory evaluation of canned prickly pear nectar prepared from PP concentrates (mean of 10 panelists $\pm$ SE)	101
20	Rheological parameters of prickly pear concentrate, pulp and nectar	104
21	Arrhenius type constant relating the effect of temperature and viscosity at 10 rpm on prickly pear concentrates, pulp and nectar	109

## LIST OF PICTURES & FIGURES

Table No.	Title	Page
Picture (1)	Microtitre plate after filling by different media which will be used to enumerate total mesophilic bacteria, gram-negative bacteria, coliform group and <i>E. coli</i>	48
Picture (2)	Schematic diagram of a typical four culture method using a single microtiter for enumeration of total mesophilic microbial load (rows A and B), gram-negative bacteria (rows C and D), coliform count (rows E and F) and <i>E. coli</i> (rows G and H).	69
1	Effect of pasteurization (85°C/3 min) on microbiological load of prickly pear pulp	70
2	Comparative between normal method and four culture method during frozen storage period for total plate and gram negative count	71
3	D values for pectinmethylesterase enzyme	76
4	Z value for pectinmethylesterase enzyme	76
5	Heating penetration curves for prickly pear nectar (Ø 65x110 mm) thermally processed at 100.9°C for 20 min	78
6	Heating penetration curves for prickly pear nectar (Ø 65x110 mm) thermally processed at 110.2°C for 20 min	79