





REFERENCES



6. REFERENCES

- Abd-Alla, A.A. (1996):** Studies on intercropping corn (*Zea mays* L.) on some field crops. Ph.D. Thesis Fac. Agric. Minufiya Univ. Egypt.
- Abdalla, M.M.F.; El-M.A. El-Metwally and W.K. Mohamed (1999a):** Effect of intercropping soybean and maize on their yields and yield components. Zagazig J. Agric. Res., 26 (6): 1495-1520.
- Abdalla, M.M.F.; El-M.A. El-Metwally and R.A. Gadallah (1999b):** Performance of five soybean stocks and maize (Cairo 1 cv) under intercropping and solid cultures. Zagazig J. of Agri. Res. 26 (6): 1535-1551.
- Abd-El-Gawad, A.A.; A.S. Edris and A.M. Abo-Shetaia (1985):** Intercropping soybean with maize. 3-Competitive relationships and yield advantages. Ann. Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt. 30 (1): 237-248.
- Abd-El-Lateaf, E.M. (1993):** Effect of mungbean (*Phaseolus aureus* Roxb) intercropping with maize (*Zea mays* L.) on productivity and land use efficiency. Egypt. J. Appl. Sci., 8 (5): 32-45.

Abd-El-Lateaf, E.M. (2000): Effect of maize – mungbean and maize cowpea intercropping patterns on light intensity, yield and land use efficiency. 3rd Int. Crop Sci. Cong., 17-22 Aug., Hamburg, Germany.

Abu-Kresha, M.A. (1993): Effect of intercropping four maize varieties with soybean on yield and yield components. Egypt. J. Appl. Sci., 8 (7): 693-699.

Akhtaruzzaman, M.A.; M.A. Rahman; M.F.M. Maniruzzaman; M.M. Hague and M.E. Akande (1993): Effect of planting systems and nitrogen levels on grain yield of maize intercropping with mungbean. Annals of Bangladesh Agric., 3 (1): 13-18 (C.F. Computer Search).

Aly, A.M.; S.K. Badr and M.H.M. Greish (1996): Effect of variety, plant population and nitrogen application on grain yield of two maize varieties. Proc. 7th Conf. Agron. 9-10 Sept., 71-80.

Andrewes, D.J. and A.H. Kassam (1976): The importance of multiple cropping in increasing world food supplies. P.1-10 in papendick, R.I., P.A. Sanchez and G.B. Triplett. (eds) Multiple cropping Spec. Publ. No. 27, A.M. Soc. of Agron., Madison, Wis.

A_o.O.A.C. (1975): Official of Tentative Methods of Analysis Association of Official Agricultural Chemists, Washington, D.C.

Ashour, N.I.; T.G. Behairy; E.M. Abdel-Lateef and M.M. Selim (1991): A preliminary study on the potentiality of intercrop of mungbean (*Vigna radiata* L.) with Dwarf grain sorghum (*Sorghum bicolor* Moench) in Egypt. Bull N.R.C. Egypt, 16 (1): 53-60.

Assey, A.A.; E.M. Zeidan; A.G. Eraky; M.A. Mohamed and A.A. Sarhan (1992 a): Intercropping soybean with maize: 2 Effect of intercropping, soybean plant population and N. fertilization on yield and components relations of maize and soybean. Proc. 5th Conf. Agron. Zagazig, 13-15 Sept. Vol. (2) 516-528.

Assey, A.A.; O.A.A. Zeiton; A.A.H. El-Khawaga and A.I. Abdel-Hameed (1992 b): Yield of intercropped corn and soybean as affected by fertilization and maize population density. I Maize yield and yield attributes. Proc. 5th Conf. Agron. Zagazig, 13-15 Sept. Vol. (2): 529-545.

Assey, A.A.; A.A.H. El-Khawaga; O.A.A. Zeiton and A.I. Abdel-Hameed (1992 c): Yield of intercropped corn and soybean as affected by fertilization and maize populations density. II soybean yield and yield attributes. Proc. 5th Conf. Agron. Zagazig, 13-15 Sept., Vol. (2): 546-563.

Assey, A.A.; A.A.H. El-Khawaga; O.A.A. Zeiton and A.I. Abdel Hameed (1992 d): Yield of intercropped corn and soybean as affected by fertilization and maize

population density III maize and soybean protein and oil contents. Proc. 5th Conf. Agron. Zagazig, 13-15 Sept. Vol. (2): 564-574.

Attia, A.N.; A.E. Sharif; A.M. Salama; A.S. Kamel and M.M.

Bader (1999): Biological efficiency of intercropping systems of soybean with maize under different NP fertilization levels and row direction. J. Agric. Sci. Mansoura Univ., 24 (1): 31-42.

Badr, S.K.; A.M. Aly and M.N. Sharif (1993): Response of different maize genotypes to plant population density. Menofiya J. Agric. Res., 18 (3): 1573-1582.

Bhandari, Al; M.L. Kaper; D.S. Rana (1988): Studies on the economics of planting patterns and fertilizer use on intercropping system of maize (*Zea mays* L.) and green gram (*Vigna radiata*). International J. of Tropical Agric. 1-29, 83-87.

Buriro, V.A.; K. Ahmed; A.M. Kumbbar; G.H. Jamro and M.A. Sutrbbar (1989): Effect of intercropping on growth, yield and yield components of maize. Sarhad J. of Agric. 5: 228-238 (C.F. Field Crop Abst., 44: 5296).

Chowdhury, M.K.; E.L. Rosario (!993): Nitrogen utilization efficiency as affected by component population in maize – mungbean intercropping. Tropical Agric. Res.

Institute, Joydebpur, Gazipur, Bangladesh 70: 3, 199-204.

De Wit, C.T. (1960): On competition. Verslage Vanland – bouwkundige onderzoekingen 66 (8): 1-28, Wageningen, the Netherlands.

El-Danasoury, M.A.M. (2003): Studies on intercropping maize with mungbean. M.Sc. Thesis, Fac. Of Agric. Al-Azhar Univ. Egypt.

El-Douby, K.A.; K.E. El-Habbak; H.E. Khalil and M. Attia (1996): Effect of some intercropping patterns on growth and yield of maize and soybean. Annals of Agric. Sci., Moshtohor, Egypt. 34 (3): 919-933.

El-Douby, K.A. and S.A. Allam (2001): Effect of intercropping pattern and nitrogen fertilizer level on growth and yield of maize and soybean. J. Agric. Sci. Mansoura Univ. 26 (5): 2593-2609.

El-Habbak, K.E. and G.M. Shams El-Din (1996): Response of some maize genotypes to nitrogen fertilizers. Annals of Agric. Sci., Moshtohor, 34 (2): 529-547.

El-Hasawy, H. I. K. (2001): Effect of topping on some maize cultivars. M.Sc. Thesis, Fac. of Agric. Moshtohor, Zagazig University (Benha Branch).

- El-Hennawy, M.A.; M.E. El-Bially (1997):** Studies on mungbean – grain sorghum intercropping. Ann. Agric., Sci., Moshtohor 35 (2): 745-757.
- El-Hosary, A. A. And M. I. M. Salwau (1989):** Effect of N-levels and plant density on yield and some agronomic characters in maize (*Zea mays* L.) Annals, Agric. Sci., Moshtohor. Vol. 27(2): 783-795.
- El-Nagar, G.R.; A.Y. Allam and Anaam H. Glal (2002):** Response of maize and mung bean to different systems. Assiut J. Agric. Sci., 33 (5): 117-129.
- El-Wakil, N. M. H. (2002):** Response of some cultivars of maize to plant density and nitrogen fertilization. M.Sc. Thesis Fac. of Agric. Moshtohor, Zagazig University (Benha Branch).
- Girges, N.I. (1998):** Effect of intercropping some summer crops and herbicides on the yield and associated weeds. M.Sc. Thesis, Fac. of Agric., Moshtohor Zagazig Univ., Egypt.
- Hefni, El-S. H.M.; F.I. Gaballa; M.H.M. Eid and El-S. A.F. Khedr (1984 a):** Studies on intercropping soybean in maize fields. I- on growth measurements. Ann. Agric. Sci., Moshtohor, 21: 281-291.

Hefni, El-S. H.M.; F.I. Gaballa; M.H.M. Eid and El-S. A.F.

Khedr (1984 b): Studies on intercropping soybean in maize fields. II- on yield and yield components. Ann. Agric. Sci., Moshtohor, 21: 295-313.

Kamel, A.S.; M.N. Sherif; M.A. El-Masry; S.K. Badr and

M.A. Abd El-Aziz (1990): Intercropping of some intercropping patterns in relation to land equivalent ratio and competitive relationships. Ph.D. Thesis, Fac. Of Agric. Moshtohor Zagazig Univ., Egypt.

Kamel, A. S.; Badr, S. K.; Aly, M.A.; Sherif, M. N. And El-

Masry, M. A. (1992): Genotype Evaluations of Maize and soybean for Adapting varieties to intercropping in Egypt. Egypt J. Appl. Sci., 7(2): 474-482.

Khalil, H. E. A. (1994): Evaluation of some intercropping

patterns in relation to land equivalent ratio and competitive relationships. Ph.D. Thesis, Fac.; Agric. Moshtohor. Zagazig Univ., Egypt.

Lamloum, M.M. (2006): Evaluation of some maize varieties

when intercropped with soybean. Ph.D. Thesis, Fac. Of Agric., Minia Univ., Egypt.

Mahmoud, E.A. and M.A. Khalifa (1983): Effect of some

intercropping patterns on growth and yield, maize and soybean. Proc.1st Conf. Egypt Soc. Agron. I- Cereal Crops (1): 209-223.

- McGilochrist, G.A. (1965):** Analysis of competition experiments. *Biometeries*, 21: 975-985.
- Metwally, A.A.; El-A. El-Metwally; M.M. Shafik and S.A. Safina (2003):** Tolerance of some maize varieties to intercropping. The 10th Conf. Egyptian Soc. Crop Sci. El-Arish, Egypt, 279-293.
- Mohamdain, I.E.E. (2004):** Ecological and physiological studies on intercropping mungbean with maize in relation to yield. Ph.D. Thesis, Institute of Environmental Studies and research Ain Shams Univ., Egypt.
- Mutanal, S.M. (1987):** Weed smothering ability of legumes in maize (*Zea mays* L.) based intercropping system. *Mysore. J. Agric. Sci.* 21: 22-23.
- Panda, P.K.; H. Sen; A. Mukherjee and M.R. Satapathy (2003):** Studies on the effect of NK fertilization on the performance of yambean-pigeonpea intercropping system and its residual effect on the succeeding mung. *Legume Research*, 24 (4): 235-241.
- Putnam, D.H.; S.J. Herbert and A. Vargas (1985):** Intercropped corn-soybean density studies. I- yield complementarily, *Experimental Agriculture (UK)* 21: 41-51.
- Radford, P.J. (1967):** Growth analysis formula. Their use and Abuse. *Crop Sci.*, 7:171-175.

- Said, El. M. and E.M.A. Gabr (1999):** Response of some maize varieties to nitrogen fertilization and planting density. J. Agric. Sci. Mansoura Univ., 24 (4): 1665-1675.
- Salem, M. S.; A. Roshdy and F. I. Gaballa (1983):** Grain yield of maize in relative to variety plant population and nitrogen application. Annals of Agric. Sci. Moshtohor, 20:91-105.
- Saxen, S.C. and A.S. Chandel (1986):** Effect of maize on physio-agronomic attributes of soybean in maize soybean intercropping. India J. of Agron. Sci., 56: 771-775.
- Sayed Galal, J.R.; M.M.F. Abdalla and A.A. Metwally (1985):** Intensifying land nutrient equivalent ratios by intercropping corn and soybean in Egypt. Shanhua Taiwan; Asian Vegetable Res. And Development Center, 101-106 (C.F. Field Crop Abst. 40, 5110).
- Shafik, M.M. and A.M. Soliman (1999):** Effect of intercropping grain sorghum and soybean on yield and yield components. Proc. 1st Conf. Recent Technologies in Agric. Cairo Univ., 27-29 Nov. Vol. 11: 277-283.
- Shafshak, S.E.; G.Y. Hammam; S.A. Sedhom and K.A. El-Douby (1994):** Intercropping maize and soybean under various population densities as well as different planting dates. Zagazig J. Agric. Res. 21 (3A) 729-747. Zagazig Univ., Egypt.

- Shams, A.S.A. (2002):** Effect of biological and mineral fertilizer on growth and yield of maize intercropping with soybean. M.Sc., Thesis, Fac. Agric., Moshtohor Zagazig Univ., Egypt.
- Sherief, S.A.M. (1993):** Studies on nitrogen fertilizer requirements under different patterns of soybean – maize intercropping under some African Environmental conditions. M.Sc. Thesis, African studied, Cairo Univ. Egypt.
- Shivay, Y.S.; R.P. Singh and E.S. Cpandy (1997):** Response of nitrogen in maize (*Zea mays* L.) based intercropping system. Indian J. of Agric. 44 (2): 261-266.
- Steel, R.G.D. and J.H. Torrie (1980):** Principles and procedures of statistics. Mc. Grew Hill Book Co. New York 481 P.
- Sticker, F.C. (1964):** Row width and plant production studies. 6th edition. Iowa State Univ. Press Ames. Iowa U.S.A.
- Swiffy, H.R.A. (2006):** Effect of some intercropping patterns and different population densities on yield of maize and soybean. M.Sc. Thesis of Agric., Cairo Univ., Egypt.
- Zeidan, M.F. El.K. and A.A. Bahr (2001):** Response of mungbean varieties to different row spacing under new reclaimed sandy soil. Egypt. J. Agron. 23: 99-110.