

# REFERENCES

REFERENCES

---

- Abildgaard, U. (1968):  
Highly purified antithrombin III with heparin cofactor activity prepared by disc electrophoresis.  
Scand. J. Clin. Lab Invest., 21:89.
  
- Alberechtsen, O.K. (1957):  
The fibrinolytic activity of human tissue.  
Br. J. Haematol, 3:284.
  
- Alberechtsen, O.K. (1958):  
The fibrinolytic agents in saline extracts of human tissues.  
Scand. J. Clin Lab. Invest., 10:91.
  
- Alkjaersig, N., Lauren, B., and Fletcher, A.P. (1972).  
The response of blood coagulation system after acute thrombotic stroke.  
J. Clin. Invest., 51:2.

— Al Mondhiry H. (1975):

Disseminated intravascular coagulation experience in  
a major Cancer center.

Thromb Diath Haemorrh 34:181-93.

---

— Ambrus, C.M., and Markus, G. (1960):

Plasmin-antiplasmin complex as a reservoir of  
fibrinolytic enzyme.

Am. J. physiol., 199:491.

---

— Aster RH (1969):

Studies of the fate of platelets in rats and man.

Blood 34:117.

— Astrup, T., Alberechtsen, O.K., Classen, M., and  
Ramussen, J. (1959):

Thromboplastic and fibrinolytic activity of human  
aorta.

Circ. Res., 1:969.

- Astrup, T. (1965):  
Assay and content of tissue thromboplastin in  
different organs.  
Thromb. Diath. Haemorrh. 14:401.
  
- Back, N., Ambrus, J.L. and Mink, I.B. (1961):  
Distribution and fate of I 131 Labelled Components  
of fibrinolysin system.  
Circ. Res., 9:1208..
  
- Bajaj S.P., Rapaport SI, Barclay SJ, Herbst KD (1983a):  
Acquired hypoprothrombinemia due to non neutralizing  
antibodies to prothrombin.  
Mechanism and Management 50:345.
  
- Baker, W.C., Bang, N.U., Nachman, R.L., Rafaat, K. &  
Horowitz, H.I. (1964):  
Hypofibrinogenemic hemorrhage in acute myelogenous  
leukaemia treated with heparin, with autopsy  
findings of widespread intravascular clotting.  
Annals of Medicine, 61, 116.

- Baumgartner HR, Tschopp TB, Weiss HJ (1977):  
Platelet interaction with collagen fibrils in flowing blood II. Impaired adhesion-aggregation in bleeding disorders. A Comparison with subendothelium.  
Thrombosis and Hemostasis 37::17-28.
  
- Bennett, M..B. (1970):  
Further studies on an inhibitor of plasminogen activation release of inhibitor during coagulation and thrombus formation.  
Thromb. Diath.. Haemorrh., 23:553..
  
- Bernard, J., Mathe, G., Boulay, J., Ceoara, B. & Chome, J. (1959):  
La Leucose aigue a promyelocytes.  
Etude portant sur 20 observations. Schweizerische Medizinische.  
Wochenschrift, 89, 604-608.

- Bernard, J., Lasneret, J., Chome, J., Levy, J.P. & Boiron, M. (1963):  
A cytological and histological study of acute promyelocytic leukaemia.  
Journal of Clinical Pathology, 16, 319.
  
- Bernard J, Levy JP, Varet B. (1976):  
Hematologie.  
Paris: Flammarion
  
- Bernick, M.M., and Kwaan, H.O (1967):  
Origin of fibrinolytic activity in cultures of human kidney.  
J. Lab. Clin. Med., 70:650.
  
- Bick RL. (1979):  
Alterations of hemostasis associated with malignancy: etiology. pathophysiology, diagnosis and management.  
Semin Thromb Hemost 5:1-26.

- Bidwell E, Denson K.W.E., Dike G.W.R., Augustin R, Lloyd GM (1966):  
Antibody nature of the inhibitor to antihemophilic globulins.  
(factor VIII).  
Nature 210:746.  

---
  
- Biggs, R. (1960):  
Thrombin  
Br. J. Haematol., 16:175.
  
- Biggs, R, Denson, K.W.E., Akman, N., Borrett, R., and Huddon, M.E. (1970):  
Antithrombin III and antifactor Xa.  
Br. J. Haematol., 19:283.
  
- Bithell TC et al (1967):  
Radioactive diisopropyl flourophosphate as a platelet label: an evaluation of in vitro and in vivo technics.  
Blood 29:354.

- Boggs, D.R., Wintrobe, M.M., and Cartwright, G.E (1962):  
The acute leukaemias.  
Medicine, 41:163-225.
  
- Born GV (1970):  
Observations on the change in shape of blood  
plateletes brought about by adenosine diphosphate.  
J physiol 209:487.  

---
  
- Bouroncle, BA, Wiseman, B.K., Doan, C.A. (1958):  
Leukaemic reticulo endotheliosis.  
Blood 13; 609.
  
- Brain, M.C., Azzopardi, J.G., Baker, L.R.I., Pineo,  
G.F., Roberts, P.D. & Dacie, J.V. (1970):  
Microangiopathic haemolytic anaemia and mucin-forming  
adenocarcinoma.  
British Journal of Haematology, 18, 183.

- Brakman, P., Snyder, J., Henderson E.S. and Astrup T. (1970):  
Blood coagulation and fibrinolysis in acute leukaemia.  
British Journal of haematology, 18, 135.
  
- Brass EP et al (1976):  
Fibrin Formation: the role of the fibrinogenfibrin monomer complex.  
Thromb Haemost 36:37.
  
- Brodsky, I. and Seigel, N.H. (1970):  
Disseminated intravascular coagulation.  
Med. Clin. N. Am., 54:555.
  
- Brown JE, Carton CL, Hougie C (1981):  
The effect of naturally occurring antibodies to factor VIII on an immunoradiometric assay for factor VIII coagulant antigen: Observations on a cross-reacting material-positive (CRM+) hemophiliac with a factor VIII inhibitor.  
Journal of laboratory and Clinical Medicine 97:65.

- Cash JD. (1977):

Disseminated intravascular coagulation. in: Poller L,  
ed.

Recent advances in blood coagulation.

Edinburgh: Churchill-Livingstone 293-311.

---

- Cattan, A.D. and Denson, K.W.E. (1964):

Interaction of contact factor and factor IX.

Thromb. Diath. Haemorrh., 11:155.

- Cattan, A., Schwarzenberg, L., Amiel, J.L., Schneider,  
M., Schlumberger J.R. & Mathe, G. (1966)

Syndrome de fibrinogenopenie au cours de leucemies  
aigues. Role determinant des cellules leucemiques.

Etude "in vitro" de leur pouvoir fibrinolytique.

Revue Francaise d'Etudes Cliniques et Biologiques,  
II, 155.

- Chuang TF et al (1972):

The intrinsic activation of factor X in blood  
coagulation.

Biochem Biophys Acta 273:287.

---

- Clarke, N. & O'Meara, R.A.Q. (1966):  
Intracellular location of thromboplastic activity in  
the cells of human chorion.  
British Journal of Haematology, 12, 536.
- Colman, R.W., Matter, L. and Sherry, S. (1969):  
Studies of prekallikrein-kallikrein enzyme system of  
human plasma. I. Isolation and purification of  
plasma kallikreins.  
J. Clin. Invest., 48:11.
- Colman, R.W. and Rodriguez-Erdmann, F, (1970):  
Terminology of intravascular coagulation (Letter).  
New Eng. J. Med., 282:99.
- 
- Colman, R.W., Robboy, S.J. and Minna, J.D. (1972):  
DIC: An approach  
Am. J. Med., 52:679.

- Conley L, Hartmann R (1952).  
A hemorrhagic disorder caused by circulating  
anticoagulant in patients with disseminated lupus  
erythematosus.  
Journal of Clinical Investigation.
  
- Cortellazzo S, Viero P, Barbui T, Colucci M, Semeraro N  
(1983):  
Impaired production of mononuclear cell  
procoagulant activity in chronic Lymphocytic  
leukaemia.  
J Clin Pathol 36:37-40.
  
- Damus, P.S., Hicks, M. and Rosenberg, R.D. (1973):  
Anticoagulant action of heparin.  
Nature, 246:355.  

---
  
- Davie, E.W. and Ratnoff, O.D. (1964):  
Water-fall sequence for intrinsic blood clotting.  
Science, 145:1310.

- Davis, R.B. and White, J.G. (1968):  
Localization of 5-hydroxytryptamine in blood  
platelets: An autoradiographic and ultrastructural  
study.  
Br. J. haematol., 15:93.
- Day, H.J., Holmsen, H. and Hovig, T. (1969):  
Subcellular particles of human platelets.  
Scand. J. Haematol. (suppl.), 7:1.
- De Gruchy, C.C. (1978):  
Clinical haematology in medical practice. The Eng.  
Lang.  
Book Soc and Blackwell Scien. Pub., Oxford, London,  
Edinburgh; 439; 476.
- 
- Didisheim, P., Trom Bold, J.S., Vandervoort, R.L.E. &  
Mibashan, R.S. (1964):  
Acute promyelocytic leukaemia with fibrinogen and  
factor V deficiencies.  
Blood, 23, 717.

- Donati MB, Poggi A. (1980):

Annotation: malignancy and haemostasis.

Br. J. Haematol 44:173-82.

- Donati MB, Poggi A, Semeraro N. (1981):

Coagulation and Malignancy. In: Poller L, ed. Recent advances in blood coagulation.

Edinburgh: Churchill Livingstone, 227-59.

- Edson, J.R., Krivit, W., White, J.G. & Sharp, H.L.  
(1967):

Intravascular coagulation in acute stem cell leukaemia successfully treated with heparin.

Journal of Pediatrics, 71, 342.

- Edwards RL, Rickles FR, Bobrove AM (1979):

Mononuclear cell tissue factor: cell of origin and requirements for activation.

Blood 54:359-70.

- Edwards, RL, Rickles FR (1980):

The role of monocyte tissue factor in the immune response.

In: Pick E, ed Lymphokine reports Vol 1. New York:

Raven press, 181-210.

- Edwards RL, Rickles F, Cronlund M. (1981):

Abnormalities of blood coagulation in patients with cancer. Mononuclear cell tissue factor generation.

J Lab clin Med 98:917-28.

- Esnouf MP and Williams WJ (1962):

The isolation and purification of bovine-plasma protein which is a substrate for the coagulant protein of Russell's viper Venom,

Biochem J 84:62.

- Evensen, S.A. and Hjort, P.F. (1970):

Disseminated intravascular coagulation

Haematol. Bluttransfus. 9:109.

- Fagerhal, M.K. and Abildgaard, U. (1970):  
Immunological studies of human antithrombin III.  
Scand. J. Haematol., 7:10.
  
- Feinstein DI, Rapaport SI, Chong MNY (1969):  
Immunologic characterization of factor VIII  
inhibitors.  
Blood 34:85.
  
- Feinstein DI, (1978):  
Acquired inhibitors of factor V.  
Thrombosis and Haemostasis 663.  

---
  
- Ferguson JH, Johnston CL, Howell D.A.. (1957):  
Anti-AcG: a specific circulating inhibitor of the  
labile clotting factor.  
Proceeding of the Society of Experimental Biology and  
Medicine 95:567.

- Fletcher, A.P., Akjaersig, N. and Sherry, S. (1962):  
Pathogenesis of coagulation defects developing during  
pathological plasma proteolytic (fibrinolytic) state.  
I. The significance of fibrinogen breakdown products.  
J. Clin. Invest., 41:896.
  
- Gaardner, A., Jonsen, J., Laland, S., Hellem, A.J. and  
Owren, P.A. (1961):  
Adenosine diphosphate in red cells as a factor in  
the adhesiveness of human platelets.  
Nature, 192:531.  

---
  
- Garg, S.K. & Niemetz, J. (1973):  
Tissue factor activity of normal and leukaemic cells.  
Blood, 42, 729.
  
- Girolami, A. & Cliffton, E.E. (1966):  
Fibrinolytic and proteolytic activity in acute and  
chronic leukaemia.  
American Journal of Medical Sciences, 251, 638.  

---

- Glas, P. and Astrup, T. (1970):  
Thromboplastin and plasminogen activator in  
tissues of the rabbit  
Amer. J. Phys. 219:1140.
- 
- Goldstone L.A. (1983):  
Statistics.
- Gordon, S., Unkeless, J.C. & Cohn, Z.A. (1974):  
Induction of macrophage plasminogen activator by  
endotoxin stimulation and phagocytosis; evidence for  
a two-stage process.  
Journal of Experimental Medicine, 140, 995.
- 
- Gouault-Heilmann, M., Varet, B., Romano, C & Jossso, F.  
(1972):  
Activite thrombo-plastique des leucocytes "Vitro"  
et coagulation intravasculaire au cours des  
leucemies.  
Pathologie et Biologie, 20, Suppl. 56.

- Goualt-Heilmann, M., Chardon, E., Sultan, C., and Josso, F. (1975):  
The procoagulant factor of leukaemic promyelocytes:  
Demonstration of immunologic cross reactivity with  
human brain tissue factor.  
Br. J. haematol. 30:151-158.
  
- \_ Goutner A. Beguin S. Josso F. (1975):  
Tissue factor activity of cultured human lymphocytes.  
Biomedicine 22:298-302.
  
- \_ Gralnick, H., and Henderson, E. (1970):  
Acquired coagulation factor deficiencies in  
leukaemia.  
Cancer 26:1097,
  
- \_ Gralnick, H.R., Bagley, J. & Abrell, E. (1972):  
Heparin treatment for the hemorrhagic diathesis of  
acute promyelocytic leukaemia.  
American Journal of medicine, 52, 167.

- Gralnick, H.R. & Abrell, E. (1973):  
Studies of the procoagulant and fibrinolytic activity  
of promyelocytes in acute promyelocytic leukaemia.  
British Journal of Haematology, 24, 89.
  
- Griffin J.H. (1978):  
The role of surface in the surface-dependent  
activation of Hageman factor (factor XII).  
Proceedings of the National Academy of Sciences  
75:1998-2002.
  
- Guarini A, Gugliotta L, Claudi Timoncini, Leonarda  
chetti, Lucia Catani Domenico Russo and Sante Tura  
(1985):  
Procoagulant cellular activity and disseminated  
intravascular coagulation in acute non-lymphoid  
leukaemia.,  
Scand J Haematol 34:152-156.
  
- Han T, Dadey B (1979):  
In vitro functional studies of mononuclear cells in  
patients with CLL.  
Cancer 43:109-17.

- Hardaway, R.M., Neimes, R.E., Burns, J.W., Mock, H.P.  
and Trenchak, P.T. (1962):  
Role of epinephrine in irreverssible haemorrhagic  
shock.  
Annals Surg., 156:57.
- 

- Harvey R. Gralnick, Sally Marchesi, and Harry Givelber.  
(1972):  
Intravascular. Coagulation in acute leukaemia:  
Clinical and subclinical abnormalities.  
Blood 40: No. 5 (November).

- Haslam, R.J. (1967):  
Mechanisms of blood platelet aggregation.  
In physiology of haemostasis and thrombosis.  
S.A. Johnson and W.H. seegers, Eds, Springfield III:  
Charles C. Thomas, P. 88.

- Hayhoe, F.G.J. (1960):  
Leukaemia—Research and clinical practice.  
J. and A. Churchill LTD; 6, 13.

- Heimark R.L., Kurachi K, Fujikawa K, Davie EW (1980):  
Surface activation of blood coagulation, fibrinolysis  
and Kinin formation.  
Nature 286:456-460.  
—
  
- Hemker HC and Kahn MJ (1967):  
Reaction sequence of blood coagulation.  
Nature 215:1201.  
—
  
- Highsmith, R.F. and Rosenberg, R.D. (1974):  
The inhibition of human plasma by human  
antithrombin, heparin cofactor.  
J. Biol. Chem. 249:4335.  
—
  
- Hiller E, Saal JG, Reithmuller G. (1977):  
Procoagulant activity of the activated monocytes.  
Hemostasis 6:347-50.
  
- Hillestead, L.K. (1957):  
Acute promyelocytic leukaemia.  
Acta Med. Scand. 159:189-194.

- Holmgren, H. and Wilander, O. (1937):  
Beitrag zur kenntnis der chemie and function der  
Ehrlicheschen Mastzellen.  
Zeitschrift fur Mikroskopisch-Anatomische.  
Forschung, 42:242.
  
- Holmsen, H., Day, H.J., and Stromorken, H. (1969).  
The blood platelet release reaction.  
Scand. J. Haematol. (Suppl.), 8:1.
  
- Hoots WK, Carrell NA, Wagner RH, Cooper H.A, McDonagh J.  
(1981):  
A naturally occurring antibody that inhibits fibrin  
polymerization.  
New England Journal of Medicine 304:857.
  
- Horowitz, H.I. (1972):  
In haematological principle and practice.  
Eds. C.E. Mengel, E. Frei and R. Nachman.  
Year Book med. Publ., P. 637.

- Hougie, C. (1969):  
Circulating anticoagulant in recent advances in blood  
coagulation.  
Ed. L. Poller, P. 197.  
Boston: Little, Brown Company.
  
- Jamieson GA (1974):  
Interaction of platelets and collagen.  
In Baldini MG and Ebbe S (Eds): platelets:  
production, function, transfusion, and storage.  
New York, Grune & Stratton, Inc.
  
- Jobin F and Esnouf MP (1967):  
Studies on the formation of the prothrombin-  
converting complex,  
Biochem J 102:666.  

---
  
- Johnson AJ, McCarthy WR (1959):  
The lysis of artificially induced intravascular  
clots in man by IV infusion of streptokinase.  
Journal of clinical Investigation 38:1627-1643.

- Karpatkin S. (1967):  
Studies on human platelet glycolysis. Effect of  
glucose, cyanide, insulin, citrate, and  
agglutination and contraction on platelet  
glycolysis.  
J. Clin. Invest: 46:409.
  
- Kies MS. Posch JJ. Gioina JP. Rubin RN. (1980):  
Hemostatic function in Cancer patients.  
Cancer 46-831-7.
  
- Klein, P.D. and Seegers, W.H. (1950):  
The nature of plasma antithrombin activity.  
Blood, 742.  

---
  
- Kociba GJ, Loeb WF, Wall RL (1972):  
Development of procoagulant (tissue thromboplastin)  
activity in cultured leucocytes.  
J. Lab Clin Med 79:778.

- Korneberg A. Treves A. Rachmilewitz. EA, Fibach E  
(1982):  
Generation of procoagulant activity (PCA) by phorbol-  
esters induced macrophages derived from a leukemic  
promyelocytic cell line (HL-60).  
Blood 59-1061-6.
  
- Korneberg, Treves A, Eliezer A. Rachmilewitz and Fibach  
E (1983):  
Generation of procoagulant activity (PCA) by  
macrophage-like cells derived from acute and chronic  
myeloid leukaemia cells in response to phorbol  
esters.  
Scand J. Haematol 31, 102-108.
  
- Kowalski, E., Kopec, M. and Wegrzynowicz, S. (1964):  
Influence of fibrinogen degradation products on  
platelets aggregation, adhesiveness and viscous  
metamorphosis.  
Thromb. Diath. Haemorrh., 10:406.

- Kwaan, H.C. and Astrup, T. (1963):  
Localisation of fibrinolytic activity in the eye.  
Arch. Pathol., 76:595.
  
- Kwaan, H.C. (1969):  
Endothelial fibrinolytic activity.  
In: S.A. Johnson and M.M.  
Guest (Eds). Dynamics of thrombus formation and  
dissolution.  
Lippincott, philadelphia.
  
- Kwaan, H.C. (1972):  
Diabetes, 21:108.
  
- Laki K (1968):  
Fibrinogen,  
New York, Marcel Dekker, Inc.
  
- Larrieu, M.J. (1971):  
Action of fibrinogen degradation product and fibrin  
soluble monomer complexes on platelets aggregation.  
Scand. J. Haematol. Suppl., 13:273.

- Larrieu, M.J. (1972):

Les troubles de la coagulation au cours des leucemies  
a promyelocytes.  
Actualites Hematologiques, 6 serie, P 18. Masson,  
Paris.

- Leavy, R, Kahn. S, and Brodsky I (1970):

Disseminated intravascular coagulation<sup>a</sup>  
complicattion of chemotherapy in acute myelogenous  
leukaemia.  
Cancer 26:142.

- Lechner K (1971):

Acquired inhibitors in iso-and autoimmune disease.  
Thrombosis et Diathesis Haemorrhagica,  
Supp 65:227.

—

- Lechner K (1974):

Acquired inhibitors in nonhemophilic patients.  
Haemostasis 3:65.

- Lerner, R.G., Goldstein, R. & Cummings, C. (1971):  
Stimulation of human leucocyte thromboplastin activity by endotoxin.  
Proceedings of the Society for Experimental Biology and Medicine, 138, 145.  

---
  
- Lerner, R., Goldstein, R. & Cummings, G. (1971):  
Endotoxin stimulation of thromboplastic activity generated by leucocytes. (Abstract).  
Clinical Research, 19, 461.
  
- Levy GA, Schwartz BS, Edgington TS. (1981):  
The Kinetics and metabolic requirements for direct lymphocyte induction of human procoagulant monokines by bacterial lipopolysaccharide.  
J. Immunol 127:357-63.

- Levy-Toledano S, Caen JP, Breton-Gorius J, Rendu F, Cywiner-Golenzner C, Dupuy E, Legrand Y, Madouf J (1981):  
Gray platelet Syndrome: alpha granule deficiency.  
Its influence on platelet function.  
Journal of Laboratory and Clinical medicine 98:831-848.
  
- Lewis, J., (1957):  
Studies of hemostatic mechanisms in leukaemia and thrombocytopenia.  
Amer. J. Clin Path 28:433,
  
- Leya H.I., Keku E, Richards F III, Spurr CL. (1979).  
Monocyte and granulocyte defect in chronic lymphocytic leukaemia.  
Am J. Pathol. 95:43-54.
  
- Lisiewicz J. (1978):  
Mechanisms of haemorrhage in leukaemias.  
Semin Thromb Hemost 4:241-67.

- Loeliger, E.A. and Hers, J.F. (1957):  
Chronic antithrombinaemia (antithrombin V) with  
haemorrhagic diathesis in case of rheumatoid  
arthritis with hypergammaglobulinaemia.  
Thromb. Diath. Haemorrh., 1:499.
- Loewy AG (1972):  
Some thoughts on the state in nature biosynthetic  
origin, and function of factor XIII,  
Ann NY Acad Sci 202:41.  

---
- Lorand L (1972):  
Fibrinoligase: the fibrin-stabilizing factor system  
of blood plasma.  
Annals of the New York Academy of Science 202:6.  

---
- Lorand L (1977):  
Hemorrhagic disorders of fibrin-Stabilization.  
In: Ogston D, Bennett B (ed) Haemostasis,  
Biochemistry,  
Physiology and Pathology. Wiley, london, P 405.

- Lyberg T. Ivhed I. Prydz H. Nilsson K. (1983):  
Thromboplastin as a marker for monocyte  
differentiation.  
Br. J. Haematol 53:327-35.
  
  - Lyttleton, J.W. (1950):  
Biophysical studies on thrombin and antithrombin and  
Kinetics of their reaction.  
Thesis for the degree of Ph. D. in University of  
London.
  
  - Lyttleton, J.W. (1954):  
The antithrombin activity of human plasma.  
Biochem. J., 58:8.
  
  - Macfarlane, R.G. (1964):  
An enzyme cascade in the blood clotting mechanism  
and its function as a biochemical amplifier.  
Nature (London), 202:498.
-

- Macfarlane, R.G. and Ash, B.J. (1964):  
The activation and consumption of factor X in  
recalcified plasma.  
Br. J. Haematol., 10:217.  
---
  
- Macfarlane R.G. (1966):  
The basis of the cascade hypothesis of blood  
clotting.  
Thromb Diath Haemorrh 15:591.
  
- Mannucci, P.M. (1973):  
FDP levels in intravascular haemolysis.  
Br. Med. J., 24:492.
  
- Marcus. A.J. (1969):  
Platelet function.  
N. Engl. J. Med., 280:1213, 1278,1330.  
---
  
- Marcus, A.J., Safier, L.B. and Ullman, J.L. (1971):  
Functions of platelet membrane: In circulating  
platelets. S.A. Jhonson, Ed.  
New York Academic Press, P. 241.

- Marder, V.J. (1971):  
Identification and Purification of fibrinogen  
degradation products produced by plasmin:  
Considerations on the structure of fibrinogen.  
Scand. J. Haematol., Suppl., 13:21.
  
- Marder, V.J. and Badzynski, A.Z. (1972):  
Classification of fibrinogen derivatives.  
Thromb. Diath. Haemorrh., Suppl., 51:267.
  
- Martin M, Fiebach BJO, FeldKamp M (1983):  
Ultrahohe Streptokinase Infusions Behandlung bei  
Peripheren Gefassverchlussen. Deutsche.  
Medizinische Wochenschrift 108:167-171.  

---
  
- McConnell, D., Johnson, J.G., Young, I. and Holemans,  
R. (1966):  
Localisation of plasminogen activation activity in  
kidney tissue.  
Lab. Invest., 15:980.

- McGee, P. Rothberger, H. and Tung-Kuang Lee (1984):  
Selective increases of procoagulant activity in  
rabbit lymphoid populations in vitro following  
stimulation with endotoxin: Dependence on anatomic  
source.  
Thromb Haemostas (Stuttgart) 51 (2) 228-231.
  
- McKay, D.G., Lataur, J.G. and Parrish, M.H. (1970):  
Activation of Hageman factor by - adrenergic  
stimulation.  
Thromb. Diath. Haemorrh., 23:417.
  
- McKay, D.G. (1973):  
Intravascular coagulation acute and chronic.  
In. G. Schmer and P.E. Stranajord, Eds.:  
Coagulation current research and clinical  
application, New York,  
Academic Press Inc., P. 45.
  
- McNicol GP and Davies JA (1973):  
Fibrinolytic enzyme system,  
Clin Haematol 2:23.

- Menashi S, Weintroub H, Crawford N (1981).  
Journal of Biological chemistry 256:4095-4101.  
—
- Merskey, C. (1972):  
In R. Biggs, Ed. Human blood coagulation,  
haemostasis and thrombosis, P. 444.  
Blackwell Scientific Publications, Oxford.
- Mombelli G. Roux A. Haeberlia. Straub PW. (1982):  
Comparison of 125 I-Fibrinogen kinetics and  
fibrinopeptide A in patients with disseminated  
neoplasias.  
Blood 60:381-8.
- Muller-Berghans, G. (1969):  
Pathophysiology of DIC.  
Thromb. Diath. Haemorrh., Suppl. No. 36:45.
- Nurano G (1974):  
The molecular structure of fibrinogen, Semin  
Thromb Hemost 1:1

Mustard JF and Packham MA (1970):

Factors influencing platelet function:

Adhesion, release, and aggregation,

Pharmacol Rev 22-97.

--

- Myers TJ, Rickles FR. Barb CE. Cronlund M. (1981):

Fibrinopeptide A in acute leukaemia: relationship of  
activation of blood coagulation to disease activity.

Blood 57:518-25.

Natroi H, Yamaguchi T, Yasuda K, Egami K, Tanaka K,

Kaji M (1982):

A case of acute myelomonocytic leukaemia  
complicating with disseminated intravascular  
coagulation (DIC).

Rinsho Ketsueki 23 (19) 1912-7 (Eng Abstr-Jpn).

—

Niemitz, J. and Nossel, H.L. (1967):

Method of purification and preparation of anti-Xla  
(inhibitor of contact reaction product).

Thromb. Diath. Haemorrh., 17:335.

- Niemetz, J. & Fani, K. (1971):  
Role of leukocytes in the generalized Shwartzman  
reaction.  
Nature, 232, 247.  
—
- Niemetz, J. (1972):  
The role of protein synthesis on the generation of  
tissue factor activity by leukocytes.  
Proceedings of the Society for Experimental  
Biology and Medicine, 139, 1276.  
—
- Niemetz, J. (1972):  
Coagulant activity of leukocytes: tissue factor  
activity.  
Journal of Clinical Investigation, 51, 307.
- Niemetz, J. & Fani, K. (1973):  
Thrombogenic activity of leukocytes.  
Blood, 42, 47.

- Nilsson, I.M. Sjoerdsma, A. & Waldenstrom, J. (1960):  
Antifibrinolytic activity and metabolism of E.  
aminocaproic acid in man.  
Lancet, 1, 1322.
  
- Norris DA, Weston( ( WL, Tubergen DG, Rose B, Odom LF.  
(1980):  
Monocyte Chemotaxis in leukaemia patients.  
J Lab clin Med 95:609-15.
  
- Nossel, H.L. and Niemitz, J. (1965):  
Abnormal inhibitor of the blood coagulation contact  
reaction product.  
Blood, 25:712.
  
- Nossel, H.L., Rubin, H., Drillings, M. and Hsieh, R.  
(1968):  
Inhibition of Hageman factor activation.  
J. Clin. Invest., 47:1172.

- O'Brein, J.R. (1970):  
Some effect of mucopolysaccharide strains on  
platelet aggregation.  
J. Clin. path., 23:784.
  
- Ogston, D., McAndrew, G.M. & Ogston, C.M. (1968):  
Fibrinolysis in leukaemia.  
Journal of clinical pathology, 21, 136.
  
- Ogston, D., Bennett, N.B. Herbert, R.J. and Douglas,  
A.S. (1973):  
The inhibition of urokinase on  $\gamma$ -2-macroglobulin.  
Clin. Sci., 44:73.
  
- O'Meara, R.A. & Thorne, R.D. (1961):  
Some properties of the cancer coagulative factor.  
Irish Journal of Medical Science, 423, 106.  

---

- Osterud B, Rapaport S.I. (1977):  
Activation of factor IX by the reaction product of tissue factor and factor VII: additional pathway for initiating blood coagulation.  
Proceedings of the National Academy of Sciences  
74:5260-5264.
  
- Othaess A.B, Prydz H, Bjorklid E, Berre A. (1972):  
Phospholipase C from bacillus cereus and its use in studies of tissue thromboplastin.  
Eur J Biochem 27:238-43.
  
- Peck SD, Reiquam CW. (1973):  
Disseminated intravascular coagulation in cancer patients: supportive evidence.  
Cancer 31:1114-9.
  
- Pentice, C.R.M., Turpie, A.G., Hassaneir, A.A., McNicol, G.P. and Douglas, A.S. (1969):  
Changes in platelet behaviour during Arivan therapy.  
Lancet, 1:44.

- Pineo, G.F. & Brain, M.C. (1970):  
Activation of blood coagulation by epithelial  
glycoprotein. (Abstract).  
Blood, 36, 834,
  
- Pitlick FA (1975):  
Concanavalcin A inhibits tissue factor coagulant  
activity.  
J. Clin Invest 55:175-9.
  
- Poon MC, Wine AC, Ratnoff OD, Bernier GM (1975):  
Heterogeneity of human circulating anticoagulants  
against antihemophilic factor (factor VIII).  
Blood 46:409.
  
- Prydz H, Allison AC. (1978):  
Tissue Thromboplastin activity of isolated human  
monocytes.  
Thromb Haemost 39:582-91.

- Quigley, H.J. (1967):  
Peripheral leukocyte thromboplastin in promyelocytic  
leukaemia.  
(Abstract) Federation Proceedings, 26, 648.
- \_ Rand, J.J., Moloney, W.C. & Sise, H.S. (1969):  
Coagulation defects in acute promyelocytic  
leukaemia.  
Archives of Internal Medicine, 123, 39.  
—
- Ratnoff OD (1972):  
Studies of the product of the reaction between  
activated Hageman factor (factor XII) and the  
plasma thromboplastin antecedent (factor XI).  
J. Labs Clin. Med 80:704.
- \_ Rickles, F.R., Hardin, J.A., Pitlick, F.A., Hoyer, L.W.  
& Conrad, M.E. (1973):  
Tissue factor activity of lymphocyte cultures from  
normal individuals and patients with hemophilia A.  
Journal of Clinical Investigation, 52:1427.

- Rickles FR, Levin J, Hardin JA, Barr CF, Conrad ME Jr.  
(1977):  
Tissue factor generation by human mononuclear  
cells: effects of endotoxin and dissociation of  
tissue factor generation from mitogenic response.  
J. Labs clin Med 89; 792-803.
  
- Rickles FR, Edwards RL (1983):  
Activation of blood coagulation in Cancer:  
Trousseau's syndrome revisited  
Blood 62:14-31.
  
- Rivers RPA, Hathaway WE, Weston WL (1975):  
The endotoxin-induced coagulant activity of human  
monocytes.  
Br J. Haematol 30:311-6.
  
- Robert L. Drapkin, MD, Timothy S. Gee, MD, Monroe D.  
Dowling, MD, Zalmen Arlin, MD, Susan Mckenzie,  
Sanford Kempin, MD, and Bayard Clarkson MD. (1978):  
Prophylactic heparin therapy in acute promyelocytic  
leukaemia.  
Cancer 41:2484-2490.

\_ Robinson, D.S. and French, J.E. (1953):

The role of albumin in the interaction of chyle and plasma in the rat.

Quat. J. Exp. Physiol., 38:233.

■ ■ ■ ■ ■

- Rosenthal, R.L. (1963):

Acute promyelocytic leukaemia associated with hypofibrinogenemia.

Blood, 21, 495.

- Rotherberger H. Zimmerman TS, Spiegelberg HL. vaughan

JH. (1977):

Leucocyte procoagulant activity. Enhancement of production in vitro by IgG and antigen-antibody complexes.

J. Clin Invest 59:547-77.

■ ■ ■ ■ ■

\_ Rothberger H, Zimmerman T.S, Vaughan (1978):

Increased production and expression of tissue thromboplastin-like activity in vitro by allogeneically stimulated human leucocytes.

J. Clin Invest. 62:649-55.

- Rothberger H, Dove F, Lee T.K, McGee MP, Kardon B.  
(1983):  
Procoagulant activity of lymphocyte-macrophage  
populations in rabbits: selective increases in  
marrow, blood and spleen cells during shwartzman  
reactions.  
Blood 61:712-7.
  
- Sarji KE, Stratton RD, Wagner RH, Brinkhous KM (1973):  
Nature of von willebrand factor: a new assay and a  
specific inhibitor.  
Proceedings of the National Academy of Science of  
the USA 70:2814.
  
- Sawyer, W.D., Fletcher, A.P., Alkjaersig, N. and Sherry,  
S. (1960):  
Studies on the thrombolytic activity of human plasma.  
J. Clin. Invest., 39:426.
  
- Schreiber, A.D., Kaplan, A.P. and Austen, K.F. (1973):  
Plasma inhibitor of component of fibrinolytic  
pathway in man.  
J. Clin. Invest., 52:1394.

- Schwartz BS, Edgington T.S. (1981):

Immune complex induced human monocyte procoagulant activity.

J. Exp. Med 154:892-906.

---

- Seegers, W.H. (1954):

An antithrombin reaction related to prothrombin activation.

Am. J. Physiol., 176:97.

---

- Shapiro SS, Carrol KS (1968):

Acquired factor VIII antibodies: further immunologic and electrophoretic studies.

Science 160:786.

---

- Snellman, O., Sylveen, B. and Jules (1951):

Analysis of native heparin lipoprotein complex including the identification of heparin complemeent (heparin cofactor) obtained from extract of tissue mast cells.

Biochem. Biophys. Acta, 7:98.

- Sobel, G.W., Mottler, S.R., Jones, N.W., Dowdy, A.B.  
and Guest, M.M. (1952):  
Urokinase, an activator of plasma profibrinolysin  
extract from urine.  
Am. J. Physiol., 171:768.
- 
- Stachurska, J., Latallo, Z. and Kopec, M. (1970):  
Inhibition of platelet aggregation by dialysable  
fibrinogen degradation products.  
Thromb. Diath. Haemorrh., 23:91.
- Straub, W. and Duckert, F. (1961):  
The formation of extrinsic prothrombin activator.  
Thromb. Diath. Haemorrh., 5:402.
- Sultan, C., Heilmann-Gouault M., and Tulliez M. (1973):  
Relationship between blast-cell morphology and  
occurrence of a syndrome of disseminated  
intravascular coagulation.  
British Journal of haematology, 24:255.

- Thiery JP and Bessis M (1956):  
Mecanisme de la plaquettogenese: Etude "in vitro  
Par microcinematographie.  
Rev Hematol 11:162.
  
- Van Ginkel CJW, Van Aken WG, de Boer JIH, Vreeken J.  
(1977):  
Stimulation of monocyte procoagulant activity by  
adherence to different surfaces.  
Br. J Haematol 37:35-45.
  
- Vercellotti GM, Mosher DF (1982):  
Acquired factor XI deficiency in systemic lupus  
erythematosus  
Haematologica 48:250.
  
- Verstract, M., Vermylen, C., Vermylen, J. &  
Vandenbroucke, J. (1965):  
Excessive consumption of blood coagulation components  
as cause of hemorrhagic diathesis.  
American Journal of Medicine, 38:899.

- Watanabe, K., Kondo, K. Ogawa, T., and Hasegawa, M.  
(1974):  
Development of procoagulant (tissue thromboplastic)  
activity of leukaemia cells in acute promyelocytic  
leukaemia.  
Jpn. J. Clin. Hematol 15:405-414.
- Weisbart RH Kacena A, Golde Did, Costea NV. (1980):  
Impaired cellular interactions involving lymphocytes  
from patients with chronic lymphatic leukaemia and  
ataxia-telangiectasia.  
J. Labs Clin Med 96:114-8.
- Weiss JH, Tschopp TB, Baumgartner HR (1975):  
Impaired interaction (adhesion-aggregation) of  
platelets with the subendothelium in storage pool  
disease and after aspirin ingestion-a comparison with  
von Willebrand's disease.  
New England Journal of Medicine 293:619-623.
- 
- White, J.G. (1969):  
The submembrane filaments of blood platelets.  
Am. J. Path., 56:267.

- White JG (1971):  
Ultrastructural physiology and cytochemistry of blood  
platelets.  
In Brinkhous KM and Shermer RW (Eds):  
The platelet, Baltimore, The Williams & Wilkins Co.
  
- Willians WJ. Beutler E, Erslev AJ, Bundles RW, eds.  
(1977):  
Hematology.  
New York: McGraw:Hill,
  
- Wilson, P.A., McNicol, G.P. and Douglas, A.S. (1968):  
The effect of fibrinogen degradation products on  
platelets aggregation.  
J. Clin. Path., 21:147.
  
- Wybran J, Chantler S, Fudenberg HH. (1973):  
Isolation of normal T cells in chronic lymphatic  
leukaemia.  
Lancet 1:126-9.

- Yin, E.T., Wessler, J. and Stoll, P.J. (1971):  
Identity of plasma activated factor X inhibitor with  
antithrombin III and heparin cofactor.  
J. Biol. Chem., 246:3712.  
—
- Zacharski, L.R. & Ross McIntyre, O. (1971):  
Procoagulant synthesis by cultured fibroblasts  
triggered by cell adhesion.  
Nature, 232, 338.  
—
- Zacharski, L.R., Boyer, L.W. & McIntyre, O.R. (1973):  
Immunologic identification of tissue factor  
(thromboplastin) synthesized by cultured fibroblasts.  
Blood, 41, 671.
- Zeldis, S.M., Nemerson, Y. Pitlick, F.A. & Lentz,  
T.L. (1972):  
Tissue factor (thromboplastin): Localization to  
plasma membranes by peroxydase-conjugated  
antibodies.  
Science, 175, 766.  
—

- Zur M., Nemerson Y. (1980):

Kinetics of factor IX activation via the extrinsic pathway. Dependence of Km on tissue factor.

Journal of Biological chemistry 255:5703-5707.

---

Concentration of Procoagulant in Normal Persons as Control Group

No.	1	2	3	4	5	6	7
1	1.792200	0.805760	0.460740	0.341270	0.226380	0.341270	
2	0.282829	0.247080	0.270230	0.084390	0.100140	0.096710	0.067220
3	1.931322	4.078403	0.511990	2.252910	0.236450	0.270230	0.216850
4	0.282829	2.252910	0.969350	0.090290	0.199250	0.096710	0.093430
5	8.228820	6.643960	2.873309	0.715740	0.282829	0.216850	0.296170
6	0.759070	0.805760	0.395376	0.511990	0.415780	0.437530	0.176100
7	1.931322	2.084320	4.474880	0.570650	1.102096	0.759070	0.310320
8	0.805760	0.358200	0.511990	0.226385	0.715740	0.078970	0.090290
9	0.150240	0.325330	0.076420	0.128996	0.111396	0.039570	0.081620
10	0.325330	0.310320	0.207820	0.128996	0.226385	0.044240	0.049630
11	0.805760	0.162520	0.078970	0.096710	0.049630	0.024840	0.046840
12	2.252910	1.102096	2.084320	0.856128	1.177060	1.102096	1.444121
13	0.638029	0.395376	0.169140	0.031951	0.031133	0.030340	0.028833
14	0.415780	1.033040	0.156230	0.162520	0.034570	0.046840	0.061220
15	0.437530	0.589420	0.395376	0.059370	0.046840	0.124285	0.270230
16	0.216850	0.096710	0.236450	0.046840	0.008945	0.063140	0.023660
17	0.169140	0.100140	0.128996	0.078970	0.014721	0.005214	0.007067
18	0.805760	0.638029	0.139111	0.090290	0.226380	0.162520	0.084390
19	0.570650	0.437530	0.638029	0.358200	0.236450	0.041827	0.069386
20	1.258580	0.341270	0.176100	0.133930	0.119790	0.282829	0.107470
21	1.102096	0.358200	3.725170	1.177060	0.715740	0.325330	0.296170
Mean	1.198000	1.104000	0.890000	0.388000	0.299000	0.219000	0.191000
S.D.	1.733000	1.581000	1.276000	0.527000	0.343000	0.272000	0.311000

Concentration of Procoagulant in CLL Cases

No.	1	2	3	4	5	6	7
1	0.096710	0.270230	0.071630	0.216850	0.715740	0.084390	0.021020
2	0.460742	0.036470	0.038500	0.014721	0.020539	0.090290	0.046840
3	0.032790	0.071630	0.226380	0.052640	0.039570	0.034570	0.034570
4	0.052640	0.051109	0.037470	0.043010	0.090290	0.045520	0.036470
5	0.084390	0.015699	0.045520	0.076420	0.015038	0.037470	0.024244
6	0.358200	0.258330	0.216835	0.115490	0.176100	0.063140	0.044240
7	0.124285	2.093430	0.081620	0.065140	0.090290	0.055870	0.078970
8	0.030340	0.011729	0.015699	0.017135	0.016397	0.009288	0.031951
9	0.087280	0.052640	0.067220	0.039570	0.040680	0.026743	0.022030
10	0.029570	0.017135	0.006369	0.017519	0.015364	0.006592	
11	0.055870	0.044240	0.055870	0.039570	0.017914	0.031951	0.023666
12	0.511990	0.460740	0.437530	0.415780	0.358200	0.236450	0.096710
13	0.139111	0.063140	0.065142	0.019613	0.033669	0.019170	0.017519
14	1.444121	0.910525	0.325330	0.236450	0.119790	0.216850	0.169140
15	0.395376	0.076428	0.216850	0.183420	0.169140	0.045520	0.021022
16	0.207820	0.128990	0.216850	0.081620	0.073980	0.087280	
17	0.325330	0.176100	0.041827	0.076428	0.103730	0.051109	0.162520
18		0.511990	0.485510	0.139111	0.128996	0.191135	0.096710
19	0.100140	0.031133	0.039570	0.049630	0.052640	0.031951	0.031133
20	0.061220	0.076420	0.030340	0.039570	0.037470	0.049630	0.021020
Mean	0.242000	0.168000	0.136000	0.097000	0.116000	0.073000	0.054000
S.D.	0.330000	0.226000	0.143000	0.099000	0.163000	0.067000	0.048000

Concentration of Procoagulant in Lymphoma Cases

No.	1	2	3	4	5	6	7
1	0.007067	0.003068	0.002941	0.015364	0.024244	0.031133	0.037470
2	0.910525	0.119790	0.111396	0.063140	0.059370	0.067220	0.036470
3	0.191135	0.076423	0.069386	0.063140	0.078970	0.067220	
4	0.511990	0.358200	0.282829	0.258330	0.460740	0.156230	0.183420
5	1.102096	0.805760	0.589420	0.415780	0.460740	0.437530	0.511990
6	0.052640	0.199250	0.020069	0.007865	0.103730	0.183420	0.018740
7	2.873300	1.258580	1.549829	1.792200	1.665470	0.856120	1.444121
8	2.084320	1.347336	0.511990	0.715740	0.460740	0.437530	0.395376
9	1.347336	1.102096	0.358200	0.395376	0.133930	0.100140	0.067220
10	1.177060	0.376210	0.199250	0.150240	0.111396	0.128996	0.100140
11	3.409620	2.252910	0.570650	0.207820	0.139111	0.078970	0.039570
12	0.376210	0.236450	0.029570	0.015301	0.036470	0.012460	0.024840
13	0.119790	0.073980	0.059370	0.028114	0.023105	0.022030	0.009647
14	3.127028	0.093430	0.325330	0.059370	0.199250	0.216850	
15	0.395376	0.176100	0.063140	0.258330	0.162520	0.100140	0.048210
16	0.376210	0.103730	0.247080	0.395376	0.096710	0.107470	0.247080
17	1.549829	0.856128	0.437530	0.310320	0.715740	0.358200	0.310320
18	0.675470	0.638029	0.570650	0.376210	0.310320	0.207820	
19	0.183420	0.087280	0.119790	0.084390	0.081620	0.078970	
20	0.258330	0.437530	0.169140	0.258330	0.139111	0.589420	0.090290
21	0.805760	0.270230	0.759070	1.665470	0.589420	0.415780	0.395376
22	0.226380	0.207820	0.156230	0.078970	0.078970	0.038500	0.059370
23	0.675470	0.376210	0.236450	0.076420	0.017519	0.044240	0.028114
Mean	0.981000	0.490000	0.324000	0.334000	0.268000	0.207000	0.213000
S.D.	1.009000	0.557000	0.344000	0.474000	0.364000	0.216000	0.335000

Concentration of Procoagulant in ALL - L1

No.	1	2	3	4	5	6	7
1	0.002215	0.002860	0.002334	0.003705	0.005951	0.006369	0.008009
2	0.039570	0.016760	0.012210	0.006396	0.005852	0.004245	0.005852
3	0.150240	0.169140	0.124280	0.176100	0.096710		
4	0.103730	0.100140	0.247080	0.485510	0.162520	0.162520	
5	0.437530	0.063140	0.026743	0.020060	0.028114	0.021020	0.010020
6	0.341270	0.162520	0.199250	0.081620	0.078970	0.052640	
7	0.415780	0.037470	0.589420	0.008307			
8	0.759070	0.310320	0.325330	0.759070	0.296170	0.162520	0.100140
9	0.226385	0.038500	0.096710	0.040680	0.069386	0.100140	0.048210
10	1.258580	0.063140	0.139111	0.128996	0.084390	0.124285	0.081620
11	0.008156	0.005387	0.002860	0.003112	0.005048	0.006156	0.004661
12	0.084390	0.107470	0.045520	0.111390	0.236450	0.078970	0.061220
Mean	0.234000	0.098000	0.174000	0.165000	0.102000	0.062000	0.032000
S.D.	0.247000	0.096000	0.193000	0.256000	0.108000	0.067000	0.040000

Concentration of Procoagulant in ALL - L2

No.	1	2	3	4	5	6	7
1	0.341270	0.570650	0.437530	1.033040	0.247080	0.111396	
2	0.715740	0.341270	0.100140	0.039570	0.358200	0.216850	0.024244
3	0.036470	0.054220	0.031133	0.039570	0.030340	0.027410	
4	0.049630	0.055870	0.051109	0.057590	0.040680	0.039570	0.032790
5	8.024840	0.005951	0.004054	0.003705	0.002159	0.003875	0.003760
6	0.540320	0.376210	0.247080	0.856120	0.111390	0.415780	0.169140
7	9.200380	5.995600	7.383040	6.643900	8.228820		
8	1.258580	1.792200	0.759070	0.675470	0.183420		
9	0.216850	0.144540	0.090290	0.052640	0.067220	0.045520	0.018740
10	0.247080	0.236450	0.024840	0.012460	0.033669	0.011967	0.016761
Mean	1.263000	0.957000	0.913000	0.941000	0.930000	0.109000	0.044000
S.D.	2.815000	1.846000	2.286000	2.043000	2.567000	0.142000	0.062000

Concentration of Procoagulant in AML cases

No.	1	2	3	4	5	6	7
1	0.065140	0.084390	0.019170	0.048213	0.059370	0.041827	0.041827
2	0.008009	0.001583	0.000614	0.000592	0.000576	0.001457	0.002744
3	0.570650	0.169140	0.133930	0.150240	0.103730	0.119790	0.071630
4	0.437530	0.270230	0.139111	0.176100	0.115490	0.183420	0.258330
5	0.049630	0.150240	0.036470	0.018740	0.024840	0.023105	0.020060
6	0.437530	1.102096	0.759070	1.177060	0.570650	0.511990	0.093430
7	2.439050	4.921170	3.725170	3.127028	5.425010	1.102096	0.144540
8	3.127028	5.995600	0.805760	1.444121	0.156230	0.485510	0.090290
9	0.603157	0.183420	0.282829	0.128990	0.124280	0.119790	0.057590
10	0.910525	0.341270	0.156230	0.090290	0.207820	0.216850	0.199250
11	2.439050	0.511990	0.270230	0.076420	0.046840	0.183420	0.032790
12	2.252910	1.102096	0.437530	0.191135	0.067220	0.034570	0.024840
13	0.032790	0.038500	0.096710	0.057591	0.035506	0.044240	0.081620
14	0.024244	0.008307	0.013532	0.002860	0.025450	0.008618	0.029570
15	0.039570	0.061220	0.024244	0.018740	0.016397	0.026743	0.016760
16	0.715740	0.570650	0.638029	0.133930	0.139111	0.156230	0.226380
Mean	0.885000	0.970000	0.471000	0.428000	0.445000	0.204000	0.460000
S.D.	1.054000	1.797000	0.908000	0.835000	1.335000	0.285000	1.478000

Concentration of Procoagulant in AML Promyelocytic Cases

---

No.	1	2	3	4	5	6	7
1	0.054220	0.076428	0.638029	0.078970	0.150240	0.376210	0.017519
2	4.474880	2.644980	0.910525	0.638029	0.570650	0.511990	0.247080
3	5.425010	4.078403	2.644980	1.033040	0.437530	0.437530	0.341270
4	11.619102	6.643900	5.995600	4.921170	4.078403	2.084320	1.665470
5	4.921170	3.127028	2.644980	1.792200	1.258580	0.910525	0.570650
6	3.127028	2.439050	1.665470	1.258580	0.910525	0.638029	0.511990
Mean	4.937000	3.168000	2.417000	1.620000	1.234000	0.826000	0.559000
S.D.	3.801000	2.158000	1.945000	1.717000	1.445000	0.645000	0.577000

---