

REFERENCES

Abbott, W.M., Wieland, S.S Austen, W.G. (1974)

Structural changes during preparation of autogenous grafts. Surgery 76 : 1031

Angell, W.W. Cohn R. (1968) :

Late complications from plastic replacement of aortic abdominal aneurysms.

Arch Surg. 97 : 696.

Axthelm, S.C. (1978) :

Antegenicity of venous allografts.

Ann. Surg. 189 : 289.

Blasidell F.W. (1980) :

Axillofemoral and Femorfemoral grafts operative techniques in vascular surgery: John , J.Bergan: 626-640.

Balderman, S.C., Maran, J.M., Scanlon, P.J. and Pifarre,

R. : (1980) : Predictors of late aortocoronary graft patency:intraoperative phasic flow versus angio graphy.

J. Thoracic cardiac-vascular surg.79:724.

Barker, W.F. (1975) :

Peripheral arterial disease

Philadelphia, W.B. Saunders.

Barker, W.F. (1978) :

Aorto-iliac occlusive disease vascular surgery

edited by Najarian and delaney.

Symposium specialist Inc.

Bauc, A.E. and Shaw, R.S. (1980) :

Bypass grafts using the obturator foramen :

operative techniques in vascular surgery

edited by John J. Bergan: 641-648.

Bergan J.J., Tays, J.T. and Flinin, W.R. (1982)

Prosthetic grafts for the treatment of lower

limb ischaemia: present status.

B.J. Surg. Vol. 69.

Berger, K., Saurave . L., Rao , A. and Wood (1972) :

Healing of arterial prosthesis in man, its

incompleteness.

Ann. Surg., 175 , 118.,

Berger, R.L., Romero, L. Chudhry, A.G. and Dobnik, D.

B. : (1983) :

Graft replacement of the thoracic aorta with
a sutureless technique.

Ann. Thoracic . Surg. 35 : 231.

Brewster, D.C. and Darling, R.C. (1978) :

Optimal methods of aortoliliac reconstruction
Surgery 84 : 739.

Brody , W.R., Kasek , J.C., Agle W.W. (1972) :

Changes in vin grafts following aortocoronary
bypass included by pressure and ischemia .

J. Throacic cardiovasc. Surg. 64 : 847 .

Beals, J. (1970)

The radiological assessment of disease of
profunda femoris artery .

Br. J. Radiology 44 : 854.

Bernhard, V.M. Ray , L.I., and Militello (1976) :

The role of angioplasty of the profunda femoris
artery in revascularization of the ischemic limb

Surg. Gynecol. Obst. 142 : 480.

Bernhard, V.M. (1979) :

The role of prorundoplasty in Revascularization
of the lower extremities.

Surg. Clinics of North America Vol. 59, No. 4

Burnham S.J. Flangigan , D.P., Goodreau, J.J. et al.,

(1978) :

Non-vein bypass in below knee reparation for
lower ischamia.

Surgery 84 : 417 - 24

Carmichael, D., and Barnes W. (1979) :

Obstruction of the ureter due to a false aneurysm.

Surgery 86 : 769 - 771

Charlesworth, D. (1980) :

Arterial replacement, in recent advances in surgery
surgery No. 10 edditted by selwyn taylor churchill
livingstone.

Cooley, D.R. (1979) :

Revascularization of the ischemic myocardium

J. Thoracic cardiovasc. Surg. 78 : 301.

Carnley, J.J. and Hafner, C.D. : (1981) :

Newer prosthetic material compared with auto-
genous saphenous vein for occlusive arterial
disease of lower extremity.

Surgery 89 : 2-7 .

Crawford E.W., Manning L.G., Kelly T.F." Re-Do"(1977) :

Surgery after operations for aneurysm and
occlusion of the abdominal aorta. Surgery

81-41-52 .

Crawford , E.S., Palamara, A.E., Saleh, S.A. Roehm, O.

F. (1979) .

Aortic aneurysm : current status of surgical
treatment surg. Clin. North Am. 59 : 597.

Grick , J. Curry, P.V.L., Sowton, E.G., Deverall ,

P.B. and Yates, A.K., (1981) :

Longterm functional results of coronary artery
bypass surgery.

J. Cardiovascular surg. 22 : 508.

Dardik , H. Ibrahim, I.M. and Dardik, I.J. (1978) :

Gluteraldehyde stabilized Human Umbilical cord
vein as a vascular prosthesis in Dardik(H.(Ed.)
Graft Materials in Vascular Surgery Miami ,
Symposia specillist P. 279 .

Dardik H., Dardki I. Strom M.G. et al., (1976) :

Intravenous rupure of the artrosclerotic aneurysm
of the abdominal aorta. Surgery 80-647-651.

Dardik H., Baier, R.E., Meenaghan, M. et al., (1982)

Morphologic and biophysical assessment of long
term human umbilical cord vein implants used as
vascular condiutis.

Surg. Gynecol. Obstet. 88 : 143.

Darling, R.C. et al., (1979) :

Aorto iliac reconstruction.

Surg. Clinic. North . Am. 59 : 565.

Darling , R.C, Brewster, D.C. and La Salle (1983).

A comparison of saphenous vein with various systh-
etic grafts for femorpoplittial reconstruction.

Surg. Clin. North. Am. 82 : 266.

Davison, J. Benckart, D. Adwards, W.H., Mulherin,

J.L., (1983) :

The role of graft material in aortic reconstructive surgery.

Ann. Surg. 197 : 714.

De Bakey, M.E., Henly, W.S., Cooley, D.A., Crawford,

E.S., Moris , G.C.: (1981)

Surgical treatment of dissecting aneurysms of the aorta. Circulation 24 : 290.

Deriu, G. P. and Ballotta, E. (1983) :

Natural history of ascending thrombosis of the abdominal aorta.

Am. J. Surg. 145 : 652.

Deterling, R.A. and Clauss, R.H. (1970) :

long-term fata of aortic arterial homografts

J. Cardiovasc. Surg. 11 : 35.

De Weese , J.A., and Rob, C.G., (1977) :

Autogenous venous grafts 10 years alater.

Surgery 82 : 775 - 84.

Donns, A.R. : (1974) :

Aorto iliac occlusive disease.

Surg. Clinico North Am. 54 : 195.

Edwards W.S. (1976) :

Multiple sequential femoral tibial grafting for
severe ischemia.

Surgery 80 : 722 - 728.

Effer, D.B., Sones, F.M., Favalorac, R. Groves, L.K. :

Coronary edoarterectomy with patch graft recon-
struction.

Clinical experience with 34 cases.

An . Surgery . 162 : 590 (1965) .

Eugene, J. Goldstone, J. Moore, W. (1977)

15 years experience with subcutaneous bypass
grafts for extremeity ischemia.

Ann. Surg. 186 177 .

Flanigan, D.P. : (1982) :

Elimination of iatrogenic impotence and improve-
ment of sexual function after aortoiliac revascula-
risation.

Arch. Surg. 117 : 544 - 550.

Ford, W.B., Wholey, M.H., Zikria, E.R., Miller, W.H.

Samadani S.R., Koirmattur, A.G.Sullivan, M.F:

Percutaneous transluminal angioplasty in the management of occlusive disease involving the coronary arteries and saphenous vein bypass grafts.

J. Thoracic. Cardiovascular Surg. 79:1(1980)

Fry, W.J. Brink , B.E. and Thompson, N.W. (1970) :

New techniques in the treatment of extensive fibromuscular disease involving the renal arteries.

Surgery, 68 : 959 .

Fry, W.J. (1979) :

Renal artery Reconstruction.

Surg. Clin. of North . Am. Vol. 59 , No. 4 .

555 - 562.

Garrett, H.E. Demmis, E.W., De Bakey , M.E. (1973):

Aorto-coronary bypass with sphenous vein graft.

Jama 223 : 792.

Grahma, J.C., Cameron, A.P., Ismial, H.et al.,(1983)

Axillofemoral and femorofemoral grafts a 6 years experience with emphasise on the relationship of preoperative flow Br. J. Surg. Vol. 70

Grow , J.B. Brontigan, C.O. (1975) :

Use of a Fogarty biliary catheter to create
a bloodless field for saphenous vein coronary
artery anastomosis.

J. Thorac. Cardiovascular surg. 69:105.

Haimov, M. Gibon, F. and Jacobson, J.H. :(1979)

The expanded polytetrafluorethylene graft.

Three years experience with 362 grafts.

Arch. Surg. 114 ; 673 - 7.

Harrison J.H. :(1958) :

Synthetic materials as vascular prosthesis .

Am. J. Surg. 95 : 16.

Hallett J. W. Brewster, D.C. and Darling R.C.(1982) :

Manual of patient care in vascular surgery.

Little, Brown and Company Boston.

Holcroft , J. W. Conti, S. and Blausdell, F.W.(1979)

Extraanatomic bypass grafts.

Surg. Clin. North Am. 59 :649.

Johnson , W.C. Logerfo , F.W. Vollman, R.W. ,Corson,

J.D., O'Hare E.T., Mannic, J.A., Nabseth,

D.C. (1977) :

IS axillo - bilateral femoral graft an effective
substitute for aortic bilateral iliac /femoral
grafts. Ann. Surg. 186 : 123.

Kempezinski, R.F. : (1979) :

Physical characteristics of implanted polytetra-
fluoroethylene grafts. A preliminary report .

Arch. Surg. 114 : 917 -919.

King, R.B. Kenneth, A.M. , Scott, D.F. et al.,(1983):

The choice of operation in aorto-iliac reconst-
ruction for intermittent claudication.

World J. Surg. 7 , 334:339.

Krause , A.H. Chapman, R.D. Biglow, J.C. Salomon ,

N. , Okies, J.E. , Page, U.S.: (1983) :

Early experience with the intraluminal graft
prosthesis.

Am. J. Surg. 145 : 619.

Krippaehne , W.W. and Porter, J.M. (1981)

Arterial substitutes in textbook of surgery
edited by Sabiston D., Saunders , Philadelphia.

Liddcoat, J.E., Bekassay , S.M., Ding, M.H , Complete

occlusion of the infrarenal abdominal aorta:

Management and result in 64 Patients

Surgery 77 : 467.

Liebman P.R. and Barnes R.W. (1984) .

Complications of vascular surgery and Trauma

in textbook of complications in surgery and

trauma edited by Grononfield L.J.

Lillehei R.C. (1978) :

Profundoplasty in vascular surgery edited by

Najarian and Delaney Miani, Symposia specialists

Lye, C.R. , Sumner, D. and Strandness D.E.(1976) :

The effects of femoropopliteal vein grafts

failure on limb function.

Ann. Surg. 183 : 38.

Lytle ,B.W. Doop, F.D. & thurer, R.L. & Groves,L.K.,

Taylor . P.C. & Cosgrove, D.M. : (1980) :

Isolated left anterior desconding coronary
atherosclerosis .

Long - term comparison of internal mammary
artery and Venous autografts.

Circulation 61 : 869.

Mac Donald, D.A. (1960)

Block flow in arteries , London: Edward Arnold
(Publishers) Ltd.

Maini, B.S. et al., (1978) :

Effects of arterial reonstruction on limb Salavage.

Arch. Surg. 113 : 1297.

Malone , J.A., Goldstone, J. and Moore, W.S. (1978) :

Autogenous profundoplasty the key, to long term
patency ins seoncdary repair of aorto femoral graft
occlusion.

Ann. Surg. 188 : 817.

Mannick J.A. (1979) :

Femoro-popliteal and femorotibial reconstruction

Surg. Clin. of North Am. Vol. 59, No. 4.

Martin, P. , Frawley, ; J.E. and Baralar, A.P. et al., (1972):

on the surgery of atherosclerosis of the profunda
femoris artery.

Surgery 71 : 182.

Martin, P. & Bouhoutsos , K; (1977) :

The medium term results after profundoplasty

Br. J. Surgery 64 : 174.

Matsumoto, M. Matso, H. Ohara, T. Yoshioka, Y.

Abe, H. : (1978) :

A two dimensional echo cardiographic approach
to dissecting aneurysm of the aorta to prevent
false positive diagnosis.

Radiology 127 : 493.

Miller, D.W., Ivey , T.D. Biley, WW Johnson D.D.

Hessel E. A. : (1981)

The practice of coronary artery bypass surgery.
in 1980.

J. Thoroac Cardiovasc. Surg. 81 : 423.

Mills, N.L., Oschner, J.L. (1976) :

Valvulotomy of valves in the sphenous vein graft
before coronary artery surgery.

J. Thorac. Cardiovasc. Surg. 71 : 878.

Morris G.D., Edwards, W. cooly , D.A. et al., (1961):

Surgical importance of prfunda femoris artery.
Analysis of 102 cases with combined aortio iliac
and femoro popliteal occlusion disease treatment
by revascularized deep femoral artery.

Arch. Srug. 82 : 53.

Nunth E.D. et al., (1969) :

Quantitiative correlation of distal arterial
outflow and patancy of femoropopliteal reversed
saphenous vein graft.

Surgery 85 : 197 - 206.

O'donnell , M. et al.,(1977) :

Realistic expection for patients having lower
extremeity bypass surgery for limb salvage.

Arch. Surg. 112: 1356 - 1363.

Parsonnet, V., Tiro, A. Brief, D.K. et al., (1978)

The fibro-collagenous tube as a small artery prosth-
esis. In Dardik H. (Ed.) graft materials in vascular
Miami Symposia Sepcialists.

Pierce , K. et al., (1982) :

Evaluation of end to side and end to end proximal anastomosis in aortobifemoral bypass

Arch. Surg. Vol. 117.

Queral, M. et al., (1979) :

Pelvic haemodynamics after aortoiliac reconstruction .

Surgery 86 : 799 - 809.

Railthel, D. and Goitl, H. (1980) :

Small artery reconstruction with a new vascular prosthesis.

World J. Surg. 4 223 - 230

Rains, A, J. and Richie, H.D.

Arterial diseases, shaper 10, Bailey , love's short proctice of surgery.

Rob, CH. G. (1978) :

Alternatives to be used when t he saphenous vein is not available vascular surgery edited by Najarian and Delaney - symposia specialists.

Robicsek F., Daugherty H.K., Mullen D.C., Tam W.,

The prevention of suture line insufficiency
using cuffed synthetic vascular grafts.

Ann. Thorac Surg. 1971, 11: 57.

Roe, B.B. (1982) :

Methylene Blue to visualize washed out coronary
arteries.

Ann. Thoracic surg. 34 : 95 .

Sadeghi H. Morin, D. : (1982) .

Single aortotomy for multiple aortcoronary
saphenous vein bypass grafts.

Ann. Thorac. Surg. 34 : 89.

Sako, Y., (1978) :

Technical tactics in arterial surgery, vascular
surgery edited by Najarian and delaney Miami ,
Symposia specialists.

Sauvage L.R., Berger, K. and Wood S.J. et al., (1971):

An external velour surface for porous arterial
prostheses.

Surg. 70 : 940.

Sauvage L.R., Berger, K. Mansfield, P.B. , wood

S.J. and Smith J.C. et al., (1974)

Futures directions in the development of arterial prostheses for small and medium caliber arterial .

Surg. Clinics. North Am. 54 : 213.

Sauvage, L.R., Berger, K. and Bauros, D'sa, A.A.,

Dacron arterial prostheses in Dardik H. (ed)

Graft materials in vascular surgery Miami,

Symposia specialist , P. 153.

Sawyer J.L. et al., (1967): Development following

arterial reconstruction with prosthetic

grafts . Arch Surg. 1967 , 95 : 802.

Saw, R.S., and Baue A.E. : (1963) :

Management of spesis complicating arterial

reconstructive surgery.

Surgery , 53 : 75 - 86.

Slaney G. and Ashton, P. : (1980) :

Reconstruction of t he aorta-in reconstructive

procedures in surgery book edited by Gibrary

Bevan.

Soyer T. , Lempinen, M. and Cooper, P. et al.,(1972):

A new venous prosthesis.

Surgery 72 : 864.

Sparkes, C.H. (1970) :

Die grown reinforced arterial grafts.

Ann. Surg. 171 : 787.

Stevens, B. Hashim, S.W. Hammond G.L., Stansel H.C.

Gatehouse, J. Kopt, G.S., Caha A.S. (1983):

Optimal Methods of repair of descending thoracic
aortic transections and aneurysms.

Am.J. Surg. 145 : 508.

Stilles , Q.R.: (1979) :

Technique of saphenous vein aorto-coronary
bypass grafting.

J. Thorac . Cardiovasc. Surg. 78:305.

Stanley, J.C. Grewerts, B.L. ,Bove, E.L. et al.,(1975):

Reno-vascular hypertension secondary to
Arterial fibromuscular dysplasia .

Arch . Surg. 110: 561 - 566.

Stoney , R.J. and Wylie, E.J. (1970) :

Arterial autografts.

Surgery, 67 : 18 .

Stoney R.J., Ehrenfeld, W.K. Wylei, E.J. (1977)

Revascularisation methods in chronic visceral.

ischemia caused by athersclerosis. Ann Surg.

186 - 468.

Strong W.W., Moggio R.A., Stansel H.C (1974) :

Acute aortic dissection; 12 year medical and
surgical experience.

J. Thorac Cardivasc. Surg. 68 : 815.

Szilagyí D.E., Elliott J. Hagenan , J.H. and Smith

R.F. and Dalomo C.A. (1973) :

Biologic fate of autogenous vein implants as
arterial substitutes.

Ann. Surg. 178 : 232.

Zeiologyi D.E. Elliott J. Smith R.F . et al., (1975) :

Secondary arterial repair. The management of
late failures in reconstructive arterial surgery.

Arch. Surg. 110-485.

Szilagyí D.E. (1979) :

Management of complication after arterial reconstruction.

Surg. Clin. North America 59 : 659.

Szilagyí D.E., Hageman, J.H. Smith R.F. et al., autogenous vein grafting in femoropopliteal arteriosclerosis surgery 86 : 836 - 851.

Takeuchi, Y., Suma, K. (1981) :

Non-reversed saphenous vein grafting: an improved technique of aortocoronary bypass surgery.

Tanake, T. et al., (1981) :

Wall Reinforcement with Highly Porous Dacron Mesh in Aortic surgery.

Annals Surgery 191 : 452-455.

Van Det R.J., and Brands C. (1981) :

The obturator foramen bypass: An lateranative procedure in iliofemoral artery revascularization surgery 89 : 543 - 547 .

Veith, F.J. Moss, C.M., Fells, S.C. et al., (1978) :

Expanded PTFE grafts in reconstructive arterial surgery preliminary report of the first 110 consecutive cases for limb salvage. JAMA 240 : 1867 - 9.

Wesolowski S.A. Fries C.C., Karlson KE,

De Bakey ME, Sawyer PN : (1961) :

Porosity , primary determinant of the ultimate fate of synthetic vascular grafts.

Surg. 50 : 91 , 1961.

Wesolowski, S.A. (1978) :

Long term behaviour of prosthetic implants for arterial reconstruction vascular surgery edited by Najarian and Delaney, Miami, Symposia specialists.

Wolfe, W.G. et al., (1983) :

Surgical treatment of acute ascending aortic dissection.

Ann. Surg. 197 : 738.

Wylie, E.J. Perloff, D. and Stoney, R.J. (1969) :

Autogenous tissue revascularisation techniques in surgery for renovascular hypertension
An. Surg. 170 , 416.

Ziemer, G., Dohring, W. Bast H.G., (1981) :

Evaluation of coronary artery bypass grafts patency by computed tomography in the early postoperative period.

J. Cardiovasc. Surg. 22 : 508.