

REFERENCES



References

- Adinolfi M. (1986): Recurrent abortion, follicular abortion sharing and the deliberate immunisation with partner cells. A controversial topic. *Human Reprod* 1: 45-48
- American college of obstetricians and Gynecologists (1987): Methods of midtrimester abortion. Tech Bull No 109, October.
- Austin C.R. & Short R.V. (1982): (eds) reproduction in mammals. Book 1: Germ cells and fertilization. Cambridge: Cambridge university Press.
- Benirschke. K, (1981): The placenta: How to examine it and what you can learn. *Contemp OB.Gyn* 77:117.
- Benirschke. K, (1986): The endometrium in Ken SEC. Jaffe RB (eds): Reproductive endocrinology: Physiology, pathophysiology and clinical management. Philadelphia, Saunders, P 385.
- Benirschke. K, Kaufmann P (1990): Pathology of the human placenta, 2nd ed, New York springer-verlag. PP.280-283.



Berry. C.L (1980): The examination of fetal and embryonic material in diagnostic histopathology laboratories. J. Clin. Path. 33, 317:326

Block MF, Merrill. JA. (1982): Hydatidiform mole with coexistent fetus. Obstet Gynecol 60:129.

Beer, AE. Bilingham. R.E. (1986): Immunobiology of mammalian reproduction. Adv. Immunol 14: 84.

Bur ME, Greene GL, Press MF (1987): Estrogen receptor localization in formalin fixed, paraffin embedded endometrium and endometriotic tissues. In. J. Gynecol pathol 6:140-151.

Cacciatore B., Stenman U-H & Klostalo P (1990): Diagnosis of ectopic pregnancy by vaginal ultrasonography in combination with a discriminatory serum HCG level of 1000 1u/L (IRP). Br J. Obstet Gynaecol 97, 904-8.

Cardwell MS (1987): Ultrasound diagnosis of abruptio placentae with fetomaternal hemorrhage. Am. J. Obstet Gynecol 157. 358-359.

Centers for disease control (1989): Risks associated with human parovirus B19 infection. MMWR 38:81-97.



-
- Chamberlain G. (1982): Recurrent miscarriage and pre-term Labour in: Harley TMB (ed) Clinics in Obstetrics and Gynecology, Vol. 9 Saunders, London, pp 115-130.
- Charles D, Larsen B. (1990) Spontaneous abortion as a result of infection in: Huisjes MJ, Lind T (eds). Clinics in Obstetrics and Gynaecology: Early Pregnancy failure Churchill Livingstone, Edinburgh, pp 161-176.
- Check JH, Chase JS, Wu GH, Adelson HG, Teichman M, Rankin A (1987): The efficacy of progesterone in achieving successful pregnancy I. Prophylactic use during luteal phase in anovulatory women. *Int. J. Fertil* 32:135.
- Conran RM, Hitchcock CL, Popek EJ, Norris HJ, et al (1993): Diagnostic considerations in molar gestations. *Hum. Pathol* 24:41-48.
- Cotton D.W.K and Stephenson.. T.G. (1992): Histopathology for minor surgery. *Histopathology* 20, 455:456.
- Coulam CB, Moore SB, O'Fallon WM (1987): Association between major histocompatibility antigen and reproductive performance *AM. J. Reprod immunol. Microbiol* 14:54.
-



- Darby MJ, Caritis SN, Shen-Sch Warzs (1989): Placental abruption in the preterm gestation: An association with chorioamnionitis. *Obstet Gynecol* 74:88-92.
- De Cherney A, Rolan MI (1984): Evaluation and management of habitual abortion - *Br J. Hosp. Med.* April: 261 - 268.
- De Wolf F, Brosens I, Renaer M (1980): Fetal growth retardation and the maternal arterial supply of the human placenta in the absence of Sustained hypertension. *Br.J. Obstet. Gynaecol* 87:678-685.
- De Wolf F, Carreras Lo, Moerman P, et al (1982): Decidual vasculopathy and extensive placental infarction in a patient with repeated thromboembolic accidents, recurrent fetal loss, and a lupus anticoagulant AMJ *Obstet Gynecol* 142:829-234.
- Dorfman SF (1984): Deaths from ectopic pregnancy. United states 1979 to 1980. *Obstet Gynecol.* 62:344.
- Dorfman SF, Grimes DA, Cates W Jr, Binkin NJ, Kafrisen ME, O'reilly KR (1984): Ectopic pregnancy mortality, united states, 1979 to 1980: clinical aspects. *Obstet Gynecol* 64: 386-389.



- Feinberg BB, Tan NS, Gonik B, Brath Pe, Walsh SW (1991): increased progesterone concentrations are necessary to suppress interleukin 2-activated human mononuclear cell cytotoxicity. *Am. J. Obstet Gynecol* 165:1872-1876.
- Felding C., Møkelsten A.L & Villerslev L. (1991): First trimester legally induced abortion the amount of aspirated tissue in relation to gestational age. *Arch. Gynecol Obstet.* 249, 149:151.
- Fox H; Bennington J.L; Knox J. Eds (1984): Major problems in Pathology. Philadelphia: W.B Saunders, 95 - 148.
- Fog Pedersen J, Molsted-Pedersen L (1989): Ultrasound studies on fetal growth in: Sutherland HW, Stowers JM, Pearson DWM (eds) Carbohydrate metabolism in pregnancy and the newborn IV. Springer-verlag. Berlin, PP 83-93.
- Franciosi RA, Tattersall P (1988): Fetal infection with human parvovirus B19. *Hum. Pathol.* 19:489-491.
- Fukunaga M, Ushigome S, Sugishita M (1993): Application of flow cytometry in diagnosis of hydatidiform Moles. *Mod Pathol* 6:353-359.
-



- Garcia AGP, Marques RLS, Lobato YY, et al (1985): Placental pathology in congenital rubella. *Placenta* 6:281-295.
- Genest DR (1992): Estimating the time of death in stillborn fetuses: II. Histologic evaluation of the placenta; a study of 71 still borns. *ObstetGynecol* 80:585-595.
- Hanley J.G, Rajaraman S, Behmann S, Denbury J.A (1988): Anovel neuronal antigen identified by sera from patients with systemic lupus erythematosus. *Arthritis Rheum* 31: 1492-1499.
- Harlap, S, Shiono PH. (1980): Alcohol, smoking and incidence of spontaneous abortions in the first and second trimester. *Lancet* 2:173.
- Harlap S, Shiono PH, Ramcharan S (1980): A life Table of spontoneous abortions and the effects of age, parity and other variables in porter. IH, Hook EB (eds): *Human Embryonic and fetal death*. New York, Academic. P 145.
- Harris E.N, Asherson R.A, Hughes GRV (1988): Antiphospholipid antibodies: Auto antibodies with a difference. *Annu Rev. Med.* 39: 261 - 261.



- Heatley M.K. (1994): Fetal tissue as a diagnostic aid in hydatidiform mole Br. J. Obstet Gynecol 101, 448-449.
- Hendrickson MR, Kempson RL (1980): The approach To endometrial diagnosis. A system of Nomenclature, in: Bennington JL (eds): surgical pathology of the uterine corpus. Philadelphia, London, Toronto, WB Saunders, Co, PP 99-157.
- Henshaw R.C., Cooper K., El Refay H., Smith N.C. & Templeton A.A. (1993): Medical management of miscarriage: Non-surgical uterine evacuation of incomplete and inevitable spontaneous abortion. B.M.J 306, 894-5.
- Huisjes H.J. (1984): Spontaneous abortion. In: Lind. T (ed). Current review in obstetrics and gynaecology. Edinburgh: Churchill livingston, P.P. 1-197.
- Huisjes H.J & Lind. T. (1990): in Huisjes J.J. & Lind. T. (Eds) early pregnancy failure. Edinburgh: Churchill livingstone, PP. 253-255.
- Huisjes HJ (1990a): Introduction to spontaneous abortion; The concept. In : Huisjes J, Lind T (eds). Clinical obstetrics and gynecology: early pregnancy failure. Churchill livingstone, Edinburgh, PP 1-4.



- Jacobson L; Riemer RK, Goldfien AC., Lykins D, Sitteri PK; Roberts JM, (1987): Rabbit myometrial oxytocin and alpha & adrenerge receptos are increased by estrogens but are differentially regulated by progesterone. *Endocrinology* 120:184.
- Jauniaux E, Hustin. J, (1992): Histological examination of first trimester spontaneous abortions. The impact of materno-embryonic interface; features, *Histopathology*, 21: 409-414.
- Kadar N, Caldwell BR, Remero R: 1981B: A method of screening for ectopic pregnancy and its indication. *Obstet Gynecol* 58:162.
- Kalousek DR (1991): Pathology of abortion. In: Kraus FT, Danjanov. I, Kaufman N (eds) *pathology of reproductive failure*. Baltimore, William & Wilkins, PP. 228-256.
- Kaufman RH, Noller K, Adam E, Irwin J, Gray M, Jefferies JA, Hilton J: (1984): Upper genital tract abnormalities and pregnancy outcome in diethyl stilbesterol exposed progeny. *AM J. Obstet Gynecol* 148:973.
-



Knox. W.F, Fox H. (1984): villitis of unknown etiology. Its incidence and significance in placentae from a British population. *Placenta*. 5: 395 - 402

Kurman Rj. Main (S, Chen H.C (1984) intermediate trophoblast. A distinctive form of Trophoblast with specific morphological, biochemical and functional features - *Placenta* 5: 349 - 370.

Kurman RJ, Young RH, Norris HJ, et al (1984): Immunocytochemical localization of placental lactogen and chorionic gonadotrophin in the normal placenta and trophoblastic tumours with emphasis on intermediate trophoblast and the placental site trophoblastic tumour. *Int. J Gynecol Path* 3:101-121.

Kurman RJ (1991): The morphology, biology and pathology of intermediate Trophoblast-a look back-to the present. *Hum pathol* 22: 847-855.

LaBarrere C; Althabe O, Telenta M (1982): Chronic villitis of unknown aetiology in placentae of idiopathic small for gestational age infants. *Placenta* 3:309-318.



- LaBarrere C, McIntyre JA, Faulk WP (1990): Immunohistologic evidence that villitis in human normal Term placentas is an immunologic lesion. *Am. J. Obstet Gynecol* 162:515-522.
- Lage JM, Mark SD, Roberts DJ, Goldstein DP, et al (1992): A flow cytometric study of 137 fresh hydropic placentas: Correlation between types of hydatidiform moles and nuclear DNA ploidy. *Obstet Gynecol* 79:403-410.
- Ma. H.K, Wong L.C. & Ngan H.Y.S. (1990): The modern management of trophoblastic disease. In Bonnar J. (Ed): *Recent Advances in Obstetrics and Gynecology*, Vol. 16. Edinburgh: Churchill livingstone, PP. 3-23.
- Mazur, MT, Hendrickson MR, Kempson RL (1983): Optically clear nuclei. An alteration of endometrial epithelium in the presence of trophoblast. *Am. J. Surg Pathol* 7:415.
- Mazur MT (1989): Metastatic gestational chorio carcinoma. Unusual pathologic variant following therapy. *Cancer* 63:1370-1377.
- Mostoufi-Zadeh M, Weiss LM, Driscoll SG. (1985): Non immune hydrops fetalis. A challenge in perinatal pathology. *Human Pathol.* 16:785-789.
-



Munsick RA (1982): Clinical test for placenta in 300 consecutive menstrual aspirations. *Obstet Gynecol*; 60:738-41.

Novak. R.W. Malone. J.M. & Robinson HB. (1990): The role of the pathologist in the evaluation of first trimester abortions. *Pathol. Annu.* 25, 297-311.

Pengo V, Thiagarajan P, Shapiro SS, Heine JJ (1987): Immunological specificity and mechanism of action of IgG Lupus anticoagulants. *Blood.* 70: 69-76.

Plouffe. LJ, White EW, the St, Sweet CS, Layman LC, Whitman GF, MC donough Pg (1992): etiologic factors of recurrent abortion and subsequent reproductive performance of couples: Have we made any progress in the past 10 years - *AM J. Obstet. Gynecol* 167:313.

Quinn. PA. Shewchnck, AB. Shuber. J. Lie. KI, Ryan E, Sheu. M, Chipman. M.I. Nocilla DM. (1983a): Efficacy of antibiotic therapy in preventing spontaneous pregnancy loss among couples colonized with genital mycoplasma. *Am. J. Obstet Gynecol* 145:239.



- Quinn PA, Shewchuck. AB, Shuber. J. Lie. KI, Ryan, E, Sheu. M, Chipman MI (1983b): serologic evidence of reaplasma urea lyticum infection in, women with spontaneous pregnancy loss. AM. J. Obstet Gynecol 145:245.
- Quinn. PA, Peti C.M., Barking. M, Butancy J. Derzko. C, Gysler.M, Lie. KI, Shewchuck. AB, shuber. J., Ryan E, Chipman. MI (1987): Prevalence of antibody to chlamydia trachomatis in spontaneous abortion and infertility AM. J. Obslet. Gynecol 156:291.
- Ramsey E.M. (1985): What we have learned about placental circulation. J. Reprod Med. 30:312.
- Rayne SC, Kraus FT (1993): Placental thrombi and other vascular lesions. Classification, morphology and clinical correlations. Pathol Res. Pract 189: 7-27
- Redline RW, Abramowsky CR (1985): Clinical and pathologic aspects of recurrent placental villitis. Hum. Pathol. 16:727-731.
- Regan (1991): Recurrent miscarriage. Br Med J 302: 543-544.



- Robinson HP, de Crespigny LJC, Harvey J, Hay DL (1985): ectopic pregnancy potentials for diagnosis using ultrasound and urine and serum pregnancy tests. Aust NZ. J. Obstet gynecol 25:49.
- Romero R, Kadar N, Castro D, Jeanty P, Hobbins JC, De cherney AH. 1988: The value of adnexal sonographic findings in the diagnosis of ectopic pregnancy AM. J. Obstet. Gynecol 158:52.
- Rubin GL Gates WJR, Cold J, et al (1990): fetal ectopic pregnancy after legally induced abortion J. AMA; 244:1705.
- Salafia CM, Mang am HE, Weigl CA, et al (1989): Abnormal fetal heart rate patterns and placental inflammations. Am J. Obsete Gynecol 160:140-147.
- Scott JR, Rote NS. Branch. DW. (1987): Immunologic aspects of recurrent abortion and fetal death. Obstet Gynecol 70:645.
- Shmoys S, Kaplan C. (1990): Parovirus and pregnancy. Clin Obstet Gynecol 33:268:275.



Shi. W, Krilis S.A, Chong B.H et al (1990): Prevalence of lupus anticoagulant and anti cardiolipin antibodies in a healthy Population. Aust NZ. J. Med. 20: 231 - 236.

Silverstein AJ, Kanbour AL (1981): Repetitive idiopathic fetal hydrops. Obstet Gynecol 57. (suppl) 185-21s.

Silver MM (1988): Massive placental infarction due to the lupus anticoagulant. Mod pathol. 1: 85A.

Simpson JL, Geves, 1980: Chromosomes and reproductive failure Fertil Steril 33:107.

Simpson JL, Mills JL, Holmes. LB, Ober. C.I. Aarons. J. Jovanovic. L, kno PP. RA. (1987): Low fetal loss rates after ultrasound proved viability in early pregnancy. JAMA. 258:2555.

Smith C, Gregori CA, Breen JL (1978): Ultrasonography in threatened abortion Obstet. Gynecol 51:173.

Stagno S, Whitley RJ (1985): Herpes virus infection of pregnancy. Part I. Cytomegalovirus and epstein barr virus infections. N. Eng. J. Med 313:1270-1274.



Stanhope. CR, Stuart GCE, Curtiskl. (1983): Primary ovarian hydatidiform mole; review of the literature and report of a case. *Am. J. Obstet Gynecol* 145:886.

Stirrat G. (1990): recurrent miscarriage: Clinical associations, causes and management. *Lancet* II, 728-33.

Stray-pedersen B, stray-pedersen S, etiologic factors and subsequent reproductive performance in 195 couples with a prior history of habitual abortion. *AM J. Obstet Gynecol* 148:140.

Sutherland HW, Pritchard CW. 1986: increased incidence of spontaneous abortion in pregnancies complicated by maternal diabetes mellitus. *AM. J. Obstet Gynecol* 155:135.

Thompson J.S. Thomson M.W. (1991): *Genetics in Medicine* 5th ed. Philadelphia: W.B Saunders. 217.

Treffers P.J. (1990): Uterine causes of early pregnancy failure - a critical evaluation in: Huisjes J. H & Lind. T. (Eds) *Early pregnancy failure*. Edinburgh. Churchill Livingstone, pp. 114-47.



Wan SK, Lam. PWY. Pau. MY, Chan. JKC (1992): Multiclefted nuclei. A helpful feature for identification of intermediate trophoblastic cells in uterine curetting specimens. AM J. Surg path 16:1226-1232.

Wilkinson P.J. (1989) :Ignorance about Listeria B.M.J 299, 276-7.

Wilson R.D, Kendrick V, Wittmann B.K, M.G. Gillvray B, (1986): Spontaneous abrotion and pregnancy outcome after normal first trimester. Ultra-sound examination. Obstet. Gynecol. 67: 352.

Yamashita K, Nakamura. T, Shimitu T, Ohno H (1986): Monoclonal antibodies to human choriocarcinoma. AMJ Reprod. Immunol. Microbiol. 11:130-134.