



References

REFERENCES

- Adler, M.W, (1980): Trends for gonorrhoea and pelvic inflammatory disease in England and Wales and for gonorrhoea in a defined population. *Am. J. Obstet. Gynaecol.*, 138: 880.
- Alza Corporation, (AC.), (1976): The progestasert: intrauterine progesterone contraceptive system: release related 65 Ug/day progesterone for one year. Palo Alto, California, AC, 61P.
- Anderson, K; Odland, V, and Rybo G, (1994): Levonorgestrel-releasing and copper releasing (Nova T) IUCD during five years of use: A randomized comparative trial. *Contraception.* 49 (65-73).
- Andrade, A.T.L, and Pizarro, E.P, (1987): Quantitative studies on menstrual blood loss in IUD- users. *Contraception*, 36(1): 129-144 Jul.
- Azzam, M.E.A; Abdel Fattah, F.H; Wafa, G.S, and Youssef, M.K, (1995): The procopper - Azzam's IUCD a clinical trial. *Ain Shams Med. Journal*, Vo.46.4, 5& 6, P.: 645.
- Azzam, M.E.A; Makhoulf, H.A.M, and Abdel Fattah, A.H, (1990): The procopper - Azzam's IUCD a preliminary clinical trial. *Ain Shams Med. Journal*, Vo.41.7-8 & 9, P.:435.

Bartlett, J.B; Moon, N.E; Goldstein, P.R; Goren, B; Onderdonk, A.B, and Polk, B.F, (1978): Cervical and vaginal bacterial flora. Ecologic niches in the female lower genital tract. *Am. J. Obstet. Gynaecol.*; 130: 658-81.

Batar, I; Lampe, L.G and Allonen, H (1991): Clinical experiences with intrauterine devices inserted with and without tail. *Int. J. Gynecol. Obstet.*, 36(2): 137-40.

Bhagavan, B.S, and Gupta, P.K, (1978): Genital actinomycosis and

(U.D). *Cytopathologic diagnosis and clinical significance.*

Pathol., 9: 567-78.

Blanc, B, (1989): Contraception using intrauterine devices (IUDs). Indications, contraindications, risks. *Revue Du Praticien.* Oct., 11: 39 (23): 2083-7.

Booth, M; Beral, V.A, and Guillebaud, J, (1980): Effect of age on pelvic inflammatory disease in nulliparous women using a copper 7 intrauterine contraceptive device. *Br. Med. J.*, 281: 114.

Brenner, P.F; Cooper, D.L, and Mishell, D.R, (1975): Clinical study of a progesterone- releasing intrauterine contraceptive device. *Am. J. Obstet. Gynaecol.*, 121: 704.

Brenner, R.W, and Gehring, S.W, (1967): Pelvic actinomycosis in the presence of an endocervical contraceptive device. *Obstet. Gynaecol.*, 29: 71.

- Bromham, D.R (1992): Intrauterine contraceptive devices and pelvic inflammatory disease. *Fertility Control, Review*, Vol. 1 (3): 21-23.
- Brown, W.L, (1982): Variation of vaginal bacterial flora. A preliminary report. *Ann. Int. Med.*, 96 (6): 931.
- Burkman, R.T, (1981): Women's health study. Association between intrauterine device and pelvic inflammatory disease. *Obstet. Gynaecol.*, 57: 269-276.
- Burkman, R.T, (1988): The sequelae of IUD use. Contraception as a general reproductive health program for international education in gynaecology and obstetrics. 1:31.
- Burkman, R.T, (1991): Intrauterine devices. Current opinion in obstetrics and gynaecology. Aug., 3(4): 482-5.
- Chang, C.C; Tantum, H.J, and Kinel, F.A, (1970): The effect of intrauterine copper and other material in implantation in rats and hamsters. *Fertility and Sterility*, 21: 274.
- Chatwani, A, and Amin - Hanjani, S, (1994): Incidence of actinomycosis associated with intrauterine devices. *Journal of reproductive medicine*, Aug.; 39(8): 585-7.
- Chi, I.C and Farr, G (1994): The non- contraceptive effects of levonorgestrel- releasing intrauterine contraceptive device. *Advantage. Contracept.* Dec.; 10 (4): 271-85.
-

- Cole, L.P; Pots, D.M; Aranda, C; Behlilovic, B, Etman-SMoreno, J, and Randic, L, (1985): An evaluation of the Tcu 380 Ag and multiload Cu 375. *Fertil. Steril.*, 43: 214-217.
- Coopleson, L.W and Barry Brown L.G, (1973): Estimation of the screening error rate from the observed detection rates in repeated cervical cytology. *Am. J. Obstet. Gynaecol.* 119 (7): 953- 958.
- Cramer, D.W; Schiff, I; Schoenbaum, S.C; Gibson, M and Belisle, S (1985): Tubal infertility and the intrauterine device. *N. Engl. J. Med.*; 312: 941-7.
- Cuadros, A, and Husch, J.G, (1972): Copper on intrauterine devices stimulates leucocytes exudation. *Am. Assoc. Adv. Sci.*, 175: 175.
- David, A.E, (1987): IUD complication in perspective, *contraception.* 36(1): 159-165.
- David, A.G, (1989): The intrauterine device: *Clinical obstetrics and Gynaecology*, Vol. 32, No. 2, June.
- Davis, H.J, (1970): The shield intrauterine device. A superior modern contraceptive. *Am. J. Obstet. Gynaecol.*, 106: 455.
- Dawood, M.Y and Brinbaum, S.J. (1975): Unilateral tuboovarian abscess and an intrauterine contraceptive device. *Obstet. Gynaecol.*; 46: 429.

- De Moraes -Reuhsen, M; Mc-Neil, R.E; Frost, J.K; Gupta, P.K; Diamond, L.A, and Honiberg, B.M, (1980): Amoebae resembling *Entamoeba gingivalis* in the genital tract of IUD users. *Acta. Cytol.*; 24: 413-420.
- El-Badrawi, H.H, and Hafez, E.S.E, (1980): Physiological mechanism of IUDs. In: Hafez, E.S.E, Van Os, W.A.A, (eds). *Medicated intrauterine devices: Physiological and clinical aspects*. Nijhoff, Amsterdam, 60-83.
- El-Badrawi, H.H; Hafez, E.S.E; Bamhart, M.I; Fayad, M, and Shafeek, A, (1981): Ultrastructural changes in human endometrium with copper and non-medicated IUDs in utero. *Fert. Steril.*; 36: 41-49.
- El-Mahgoub, S, (1975): d- Norgestrel slow-releasing T device as an intrauterine contraceptive. *Am. J. Obstet. Gynaecol.*; 123, 133.
- Erkko, R and Liukko, P, (1977): Intrauterine device and ectopic pregnancy. *Contraception*, 16: 569.
- Eschenbach, D.A; Buchanan, T.M; Pollock, H.M, et al., (1975): Polymicrobial etiology of acute pelvic inflammatory disease. *N. Engl. J. Med.*, 293: 166.
- Eschenbach, D.A; Harnisch, J.P, and Holmes, K.K, (1977): Pathogenesis of acute pelvic inflammatory disease role of contraception and other risk factors. *Am. J. Obstet. Gynaecol.*, 128: 838.
-

- Eschenbach, D.A (1980): Epidemiology and diagnosis of acute pelvic inflammatory disease. *Obstet. Gynecol.*, 55: 142.
- Eschenbach, D.A (1984): Acute pelvic inflammatory disease. *Urol. Clin. North. Am.*, 11: 65-81.
- Farley, T.M, Rosenberg, M.J; Rowe, P.J; Chen, J.H and Keirik, D (1992): Intrauterine devices and pelvic inflammatory disease; an international perspective. *Lancet*, 339-785-8.
- Gardner, H.L, and Dukes, C.D, (1955): *Haemophilus vaginalis* vaginitis: a newly defined specific infection previously classified "non specific" vaginitis. *Am. J. Obstet. Gynaecol.*, 1955: 69: 962.
- Gibbs, R.S, (1987): The role of β -lactamase inhibitor combinations in the management of obstetric - gynecologic infections, microbiology of the female genital tract. *Am. J. Obstet. Gynaecol.*, 491-495.
- Gibbs, R.S; Blanco, J.D and Bernstein, S, (1985): Role of aerobic gram negative bacilli in endometritis after cesarean section. *Rev. Infect. Dis.*, 7: S690.
- Ginsburg, D.S; Stern, J.L; Hammound, K.A, et al. (1980): Tuboovarian abscess: a retrospective review. *Am. J. Obstet. Gynecol.*, 138:: 1055.
- Gold, S.H; Israel, R and Ledger, W.J (1977): Unilateral tuboovarian abscess: a distinct entity. *Am. J. Obstet. Gynecol.*, 127: 807-810.
-

- Goldere, M.J; Watt, B; Loudon, N; Milne, I.J.R, Loadon, J.O.O, and Vesseg, M.P, (1980): Vaginal microbial flora in normal young women. *Br. Med. J.*, 1: 1450-55.
- Grimes, D.A (1987): Intrauterine device and pelvic inflammatory disease: recent development. *Contraception*, 36: 97-100.
- Guderian, A.M, and Trobough, G.E, (1986): Residues of pelvic inflammatory disease in intrauterine device users: A result of the intrauterine device or chlamydia trachomatis infection? *Am. J. Obstet. Gynaecol.*, 154: 497-503.
- Gupta, P.K, (1982): Intrauterine contraceptive device: vaginal cytology, pathologic changes and their clinical implications, P.:108.
- Gupta, P.K; Hollander, D.H, and Frost, J.K: Actinomycetes in cervico-vaginal smears: an association with IUD usage, *Acta. Cytol.*, 20: 295.
- Hagar, W.D, Douglas, B; Mojmuder, B; Naib, Z.M; Williams, O.J; Ramsey, C, and Thomas, J, (1979): Pelvic colonization with actinomyces in women using IUDs. *Am. J. Obstet. Gynaecol.*, 35: 680-84.
- Hagenfeldt, K, (1972): Intrauterine contraception with the copper- T device. Effect of trace elements in the endometrium, cervical mucus and plasma. *Contraception*, 6: 37.

- Hare, M.J; Joone, E, and Taylor- Robinsion, D, (1981): Follicular cervicitis: Colposcopic appearances and association with chlamydia trachomatis. Br. J. Obstet. Gynaecol., 88: 174.
- Hatcher, R.A; Stewart, F; Trussell, J.; Lowal, D; Guest, F; Stewart, G.K, and Cates, W: Contraceptive technology (1994-1996). 16 Revised Edition Chap, (14); 347-377.
- Haukkamaa, M; Stranden, P; Jousimies- Somer, H, and Siitonen, A, (1987): bacterial flora of the cervix in women using an intrauterine device. contraception. Nov., Vol. 36, No. 5.
- Haukkamaa, M; Stranden, P; Jousimies- Somer, H, and Siitonen, A, (1986): Different methods of contraception. Am. J. Obstet. Gynaecol., 154: 497-503, 520-524.
- Henderson, S.R, (1973): Pelvic actinomycosis associated with an IUD. Obstet. Gynaecol., 41: 726.
- Hilson, C.G; Vaitanen, E, and Widholm, O, (1981): Bacterial cultures from intrauterine devices removed from patients with pelvic inflammatory disease. Acta. Obstet. Gynaecol. Scand. 60: 565.
- Holub, W.R; Reyner, F.C, and Forman, G.H, (1971): Increased levels of serum immunoglobulins G and M in women using intrauterine contraceptive devices. Am. J. Obstet. Gynaecol, 88: 174.

- Horn, L.K. and Bilek, K (1996): Reactive and areactive actinomycosis infection of the female genitals and differentiation of pseudo-actinomycosis. *Zentralbl-Gynakol*; 117 (a): 466-71 (English abstract).
- Jackson, R; Newton, J.R; Emens, M.J, et al. (1991): Effects of a chlorhexidine- coated intrauterine device on the bacteriology of the uterine cavity. *Ad. Contracept.*; 7; 55-66.
- Jones, M.C; Buschmann, B.O; Dowling, E.A, and Pollock, H.M, (1979): The prevalence of actinomyces like organisms found in cervico vaginal smears of 300 IUD wearers. *Acta Cytol.*, 23: 282-86.
- Jovanovic, R; Barcone, C.M; Van Natta, F.C, and Congema, E, (1988): Preventing infection related to insertion of an intrauterine device. *Journal of Reproductive Medicine*. Apr.; 33(4): 347-52.
- Kahn, H.S, and Tyler, C.W: An association between the Dalkon shield and complicated pregnancies among. *Am. J. Obstet. Gynaecol.*; 125: 83.
- Kanbour, A; Hager, J; Ryan, J, and Kionky, B, (1980): The significance of the presence of actinomyces in papniclaou smears in IUD users. *Acta. Cytol.*, 24: 76-77.
- Kaufman, D.W; Watson, J; Rosenberg et al., (1983): The effect of different types of IUDs on the risk of pelvic inflammatory disease, *JAMA*, 250: 759.
-

- Kivijarvi, A; Timonen, H; Rajamaki, A and Cronroes, M, (1986): Iron deficiency in women using copper IUD. *Obstet. Gynaecol.*, 67: 95.
- Kivijarvi, A; Jarvinen, H and Gronroos, M, (1984): Microbiology of vaginitis associated with the intrauterine contraceptive device. *Br. J. Obstet. Gynaecol.*, 91: 917-923.
- Kivijarvi, A; Jarvinen, H and Gronroos, M, (1984): Microbiology of vaginitis associated with the intrauterine contraceptive device. *Br. J. Obstet. Gynaecol.*; 91: 917-923.
- Kleinman, D; Sarov, I and Insler, V (1989): Inhibition of chlamydia trachomatis growth in endometrial cells by copper; possible relevance for the use of the copper IUD. *Contraception*; 39: 665-76.
- Kosonen, A, (1980): Corrosion of copper in utero. Medicated intrauterine devices: physiological and clinical aspects. Nijhoff, Amsterdam, P.:22-29.
- Landers, D.V and Sweet, R.L (1985): Current trends in the diagnosis and treatment of tuboovarian abscess. *Am. J. Obstet. Gynecol.*; 151: 1098.
- Lapido, O.A; Farr, G; Otolorin, E; Konje, J.C; Cox, P and Champion, C.B (1991): Prevention of IUCD- related pelvic infection; the efficacy of prophylactic doxycycline at IUD insertion. advantage. *Contraception*. 7(1): 43-54.

Larsson, B, Rodou, S and Patek, E, (1981): Pelvic inflammatory disease among women using copper IUD, progestasert, oral contraceptive pills or vaginal contraceptive pills: A 4-years prospective investigation. *Contraceptive device system* - Jul 2 (3): 237-42.

Law, R.J, (1979): Diagnostic value of ultrasound in problems relating to IUDs. In: Hafez E.S.E., Van Os WAA (eds). *Medicated IUDs*

and polymeric delivery systems.

Lee, N.C; Rubin. G.L, and Bouruchi, R, (1988): The IUDs and pelvic inflammatory disease: New results from the women's health study. *Obstet. Gynaecol.*

Lee, N.C; Rubin, G.L; Ory, H.W, and Burkman, R.T (1983): Type of IUDs and the risk of pelvic inflammatory disease. 62: 1-6.

Leo Pine, Ernest, M. Curtis, and Jun M. Brown, (1985): Actinomyces and IUDs: Aspects of the fluorescent antibody stain. *Am. J. Obstet. Gynaecol.*; 152: 287-90.

Linder, J.B.E.M, Plantema, F.H.F, and Hoogkamp-Korstamje, J.A, (1978): Quantitative studies of the vaginal flora of healthy women and of obstetric and gynaecological patients. *J. Med. Microbiol.*, 11: 23-241.

Lippes, J, (1975): Infection and IUD. *Contraception*, 12: 103-106.

- Liukko, P.E, Errkkola, R.L, and Laakso, L, (1977): Ectopic pregnancies during use of low dose progestogens for oral contraception. *Contraception*, 16: 575.
- Lomaz, C.W; Harbert, G.M, and Thornton, W.N, (1976): Actinomycosis of the female genital tract. *Obstet. Gynaecol.*, 48: 341.
- Lougren, T; Pettersson, K; Lundberg, B, and Punnonen, R, (1978): Effect of Cu⁺⁺ ions on the binding of estrogen to the human myometrial estrogen binding protein. *contraception*, 18: 2: 181.
- Luukainen, T, (1979): Testing the clinical performance of IUD. In: Hafez ESE, Van Os WAA (eds). *Medicated IUDs and Polymeric delivery systems*.
- Luukkainen, T, (1991): Presentation at FIGO-13th World Congress of Obstetrics and Gynaecology, Singapore.
- Luukkainen, T, (1993): The levonorgestrel- releasing IUD. *The British Journal of Family planning* 19: 221-224.
- Luukainen, T; Allonen, H; Haukkamma, M; Latheenmaki, P; Nilsson, C.G, and Toivonen, J, (1986): Five years experience with levonnorgestrel releasing IUDs. *Contraception*, 33: 139-148.
- Luukkainen, T; Allonen, H; Nielsen, N.C; Nygren, K.G.L, and Pyorala, T, (1983): Five years' experience of intrauterine contraception with Nova-T and copper T-200. *Am. J. Obstet. Gynaecol.*, 147: 885-892.

- Luukkainen, T; Nilsson, C.G; Lahteenmaki, P.L, et al., (1986): Five years experience with a levonorgestrel releasing IUCD. *Contraception*; 33: 139-148.
- Malhotra, N, and Chaudhury, R.R, (1982): Current Status of intrauterine devices. Intrauterine device and pelvic inflammatory disease and ectopic pregnancy. *Obstetrical and gynaecological survey*. Jan., 37(1): 1-8.
- Manara L.R (1981): Management of tuboovarian abscess. *JADA*; 81(7): 476.
- Mandouvalos, H and Gouskos, A (1981): A germicidal effect of pure electrolytic copper on the gonococcus. *Contracept. Deliv. System*, 2: 225-31.
- Mardh, P.A: Vaginal ecosystem. *Am. J. of obstet. and Gynaecol.*; Vol. 165, N₄P₂, 1163-1176.
- Martinez-Manautou, J; Maqueo, M; Aznar, R; Pharriss, B.B, and Zafforoni, A, (1975): Endometrial morphology in women exposed to uterine systems releasing progesterone. *Am. J. Obstet. Gynaecol.*, 121: 175-179.
- Martinez-Manautou, J; Maqueo, M; Aznar, R; Pharriss, B.B, and Zafforoni, A, (1974): Endometrial morphology in women exposed to uterine systems releasing progesterone. *Am. J. Obstet. Gynaecol.*, 121: No. 2, 175-179.
-

- Mc-Meili, R.E, and de-Moraes-Rueshen, M, (1978): Amoeba trophozoites in cervico- vaginal smear of a patient using an intrauterine device. *Acta. Report. Acta. Cytol.*, 22: 91-92.
- Mead, P.B; Beecham, J.B, and Maeck, J.S, (1976): Incidence of infections associated with the intrauterine contraceptive device in an isolated community. *Am. J. Obstet. Gynaecol.*; 125: 79.
- Middleton, J.C, and Kennedy, M, (1975): The biological actions of endouterine copper. *Contraception*, 2:209-225.
- Mishell, D.R, and Moyer, D.L: Association of pelvic inflammatory disease with the intrauterine device. *Clin. Obstet. Gynaecol.*, 12: 179.
- Mishell, R; Prabodh, K; Gupta, John, K; Theodore, M, and King, (1978): Cytologic detection and clinical significance of *Actinomyces Israelli* in women using intrauterine contraceptive devices. *Am. J. Obstet. Gynaecol.*, 131: 295.
- Morse, A.S, and Fitzgerald, J, (1974): Effect of progesterone on *Neisseria gonorrhoeae*. *Infect. Immun.*, 10: 1370.
- Newton, G and Osborne, (1977): The significance of mycoplasma infection. *J. Reprod. Med.*; 19: 39.
- Newton, G; Osborne, Grubin, L, and Pratson, L, (1982): Vaginitis in sexually active women: relationship to nine sexually transmitted organisms. *Am. J. Obstet. Gynaecol.*, Vol. 142, No. 8: 962-967.

- Newton, W and Keith, L.G. (1985): Role of sexual behavior in the development of pelvic inflammatory disease. *J. Reprod. Med.*; 30: 82-88.
- Nilson, C.G; Johansson, E.D.B; Jackancz, T.M, and Luukkainen, T, (1975): Biodegradable polyactate as a steroid- releasing polymer: intrauterine administration of d-norgestrel. *Am. J. Obstet. Gynaecol.*; 122, 90-5.
- Nutting, E, and Muller, M, (1975): The effect of a copper intrauterine device during the early stages of pregnancy in the rabbit. *Fertility and Sterility*, 26: 838.
- O'Brien, F.B; Stewart, W.C; and Sturtevant, F.M, (1983): Incidence of pelvic inflammatory disease in clinical trials with Cu-7 (intrauterine copper contraceptive): A statistical analysis. *Contraception*, 27: 111.
- O'Connor, K.F; Bagg, M.N; Croley, M.R and Schabel, S.I (1989): Pelvic actinomycosis associated with intrauterine devices. *Radiology*, 170 (2): 559-60.
- Odendaal, H.J. (1990): The management of acute pelvic inflammatory disease. In Bonnar, J. (Ed), recent advances in obstetrics and gynaecology, Churchill- Livingstone, Edinburgh, PP., 165-183.
- Ortiz, M.E, and Croxato, H, (1987): The mode of action of IUDs. *Contraception*, 18, 37-53.

- Ory, H.W. (1981) : The women's health study. Ectopic pregnancy, and intrauterine contraceptive devices. New perspectives. *Obstet. & Gynaecol.*, 57: 137.
- Osser, S; Gullberg, B; Lieholm, O et al. (1980): Risk of pelvic inflammatory disease among intrauterine device users irrespective of previous pregnancy. *Lancet*; 1: 386.
- Pap-Akeson, M; Solheim, F and Thorbert, G et al (1989): Inserting IUDs threads together with the device into the uterine cavity reduces the incidence of genital tract infection. *Br. J. Fam. Plann.*; 15: 11-4.
- Peek, J.C, and Mathews, C.D, (1986): The pH of cervical mucus, quality of semen, and outcome of the postcoital test. *Clinical Reproduction and Fertility*, 4. 217-225.
- Persson, K, and Hansson, H, (1979): Prevalence of nine different microorganisms in the female genital tract. *Br. J. Vener. Dis.*, 55: 429.
- Petter Fylling, and Magne Fagerhol, (1978): Experience with two different medicated intrauterine devices: A comparative study of the progestasert and Nova-T. *Fertility and Sterility*, Vol. 31, No. 2, February, 138-141.
- Pheifer, R.A; Forsythe, P.S and Durfee, M.A, (1978): Non-specific vaginitis. *N. Engl. J. Med.*; 298: 1429.
-

References

- Philip, B, and Mead, (1993): Epidemiology of bacterial vaginosis. *Am. J. Obstet. Gynaecol.*, 169: 446-9.
- Pillay, B; Gregory, A.R and Subbiah, M (1994): Cytopathologic changes associated with intrauterine contraceptive devices: a review of cervicovaginal smears in 350 women. *Med. J. of Malaysi*; 49 (1): 74-7.
- Potts, D.M; Champion, C.B; Kozuh-Novak, M et al. (1991): IUD's and PID: A comparative trial os strings versus stringless devices. *Advances in contraception*, 7 (2-3): 231-40.
- Pump, R.C; and Buesching, W.J, (1988): Bacterial vaginosis in virginal and sexually active female: evidence against exclusive sexual transmission. *Am. J. Obstet. Gynaecol.*; 158: 935-9.
- Rioux, J.E, (1993): The intrauterine device today. *Journal Socg. Oct.*; 15(8): 921-4.
- Rosado, A; Hicks, J.J; Aznar, R, and Mercado, E, (1974): Intrauterine contraception with the progesterone-T device. Interference with the metablic activity and capacitation of spermatozoa. *Contraception*, 9, 9.
- Senanayake, P, and Kramer, D.G, (1980): Contraception and the ethiology of pelvic inflammatory disease: new perspectives. *Am. J. Obstet. Gynaecol.*, 138: 852-860.

- Senanayake, P and Kramer, D.G (1985): Contraception and the etiology of pelvic inflammatory disease: New Perspectives. *Am. J. Obstet. Gynaecol.*; 138: 825-860.
- Schiffer, M.A; Elguezabel, A.L, Sultana, M, et al., (1975): Actinomycosis infections associated with intrauterine contraceptive devices. *Obstet. Gynaecol.*, 45: 67.
- Scommegna, A; Pandya, G.N; Christ, M; Lee, A.W and Cohen, M.R, (1970): Intrauterine administration of progesterone by a slow-releasing device. *Fertil. Steril.*, 21, 201.
- Sinei, S.K.A; Schulz, K.F; Lamptey, P.R et al. (1990): Preventing IUCD- related pelvic infection; the efficacy of prophylactic doxycycline at insertion. *Br. J. Obstet. Gynecol.*; 97: 412-19.
- Sivin, I, and Stern, J (1994): Health during prolonged use of levonorgestrel 20µg/d and the copper Tcu 380 A intrauterine contraceptive devices: a multicenter study. *Fertility and Sterility*, Vol. 61, No.1, (70-77).
- Skangalis, M; Mahoney, C.J and D'Leary, W.M (1982): Microbial presence in the uterine cavity as affected by varieties of intrauterine contraceptive devices. *Fertil. Steril.*; 37: 263-269.
- Soper, D.E (1994): Pelvic inflammatory disease. In: advances in obstetrics and gynecology. Vol. 1; Rock, J.A, et al. (Eds); Mosby-year book, Inc.; P.P.:85-98.

- Sparks, R.A; Purrier, B.G, Watt, P.J, and Elestein, M.A (1979): IUD and Pelvic inflammatory disease. Abstract 31, Amsterdam.
- Sparks, S.K.A; Prrier, B.G.A; Watt, P.J and Elstein, M (1981): Bacteriological colonisation of uterine cavity: Role of tailed intrauterine contraceptive device. Br. Med. J.; 282: 1189-1191.
- Spence, M.R, Gupta, R.K, Frost, J.K, and King, T.M (1978): Cytological detection and clinical significance of actinomyces *Ispariti* in women using IUD's. Am. J.Obstet. Gynaecol., 131:295.
- Sprague, D.S; Bullough, C.H; Rashid, S and Roberts, S.A (1990): Screening for and treating chlamydia trachomatis and nisseria gonorrhoeae before contraception use and subsequent pelvic inflammatory disease. Br. J. Fam. Plann., 16(2): 54-8.
- Stadel, B.V, and Schlesselman, S (1984): Extent of surgery for pelvic inflammatory disease. In relation to duration of IUD-use. Obstet. Gynaecol.; 63(2): 171-178. Feb.
- Sweet, R.L and Gibbs, R.S (1995): Pelvic inflammatory disease. In: infections diseases of the female genital tract; 3rd ed., Mitchell C.W. (Eds), Baltimore, Maryland. P.P., 379-421.
- Targum, S.D, and Wright, N.H, (1974): Association of IUD's and pelvic inflammatory disease. A retrospective pilot study. Am. J. Epidemiol., 100: 262-71.

- Task Force on Intrauterine Devices, Special Program of Research, Development and Research Training in Human Reproduction, World Health Organization. PID associated with fertility regulating agents. *Contraception* 30: 1-21, (1984).
- Tatum, H.J, and Connell, E.B, (1986): A decade of intrauterine contraception: 1976 to 1986. *Fertil. Steril.*, 46, 173-192.
- Taylor, E.S; McMillan, J.H.; Greer, B.E.; Drogemuller, W and Thompson, H.E (1975): The intrauterine device and tubo-ovarian abscess. *Am. J. Obstet. Gynecol.*; 123: 338.
- Toivonen, J; Luukanien, T and Allonen, H (1991): Protective effect of intrauterine release of levonorgestrel on pelvic infection: three year's comparative experience of levonorgestrel and copper-releasing intrauterine devices. *Obstet. Gynecol.*, 77(6): 960-1.
- Tietze, C: Contraception with intrauterine device. *Am. J. Obstet. Gynaecol.*, 96: 1043.
- Townsend, S (1991): Many women can use IUCDs without increasing risk of PID. *Network*; 12 (2): 10-2.
- Van Os, W.A.A, (1983): Intrauterine devices. *Progress in obstetric and gynaecology*. 3 (23): 292-302.
- W. David Hager, and B. Majudar, (1979): Pelvic actinomycosis in women using IUCDs. *Am. J. Obstet. Gynaecol.*, 133: 60.
-

- Wanab, S; Al-Taieb, A; Senity, A; Saleh, E; Saker, A.K; Hamiy, and M. Hegab, (1985): Effect of copper-T intrauterine device on cervico-vaginal flora. *Int. J. Gynaecol. Obstet.*; 23: 153-156.
- Watt, B.E; Goldacre, M.J; London, N.S, Annad, D.J, and Vessey, N.B, (1981): Prevalence of bacteria in the vagina of normal young women. *Int. Obstet. Gynaecol.*, 88: 583.
- Wentz, A.C: Contraception and family planning: in Novak's text book of gynaecology, Jones, H.W, and Burnett, L.S (eds). Eleventh Edition: Lunn Brown, C., Chap. 8: (204-240).
- Westrom, L (1975): Effect of acute pelvic inflammatory disease on infertility. *Am. J. Obstet. Gynecol.*; 121: 707.
- Westrom, L, (1987): Pelvic inflammatory disease: Bacteriology and sequelae. *Contraception*, 36(1): 111-128, Jul.
- Westrom, L; Bengtsson, L.P; Mardh, P.D, (1976): The risk of pelvic inflammatory disease in women using intrauterine contraceptive devices as compared to non- users. *Lancet*, 2: 221-224.
- Westrom, L.; Joesoef, R.; Reynolds, B, et al. (1982): Pelvic inflammatory disease and fertility: sex transm. Dis.; 19: 185-192.
- WHO, (1990): Comparative trials of Tcu 380. A multi load 750, T 220 C & Nova T. *Contraception* 142: 141-158.

- Willson, J.R, and Ledger, W.J, (1968): Complications associated with the use of intrauterine contraceptive devices in women of middle and upper socioeconomic class. *Am. J. Obstet. Gynaecol.*, 100: 649.
- Willson, J.R, Ledger, W.J; Bollinger, C.C, and Andros, G.J, (1965): The margulies intrauterine contraceptive device. *Am. J. Obstet. Gynaecol.*, 92: 62.
- World Health Organization (WHO) (1966): *Tech. Rep. Series: Basic and clinical aspects of intrauterine devices. No.332, Geneva.*
- World Health Organization (WHO) (1984): Association between acute pelvic inflammatory disease (PID) and contraceptive use in developing and developed countries. *Contraception*. July, Vol. 30, No. 1.
- World Health Organization (WHO), (1987): Mechanism of action, safety and efficacy of intrauterine devices. Geneva, WHO, (Technical Report Series, 753). P.: 91.
- World Health Organization (WHO), (1990): Special program of research, development and research training in human reproduction: Task force on the safety and efficacy of fertility regulating methods. *Contraception*, 42/2:141-58.
- Wright, N.H, (1969): Natural history of contraceptive practice among post- partum loop acceptors, *obstet. Gynaecol.*, 33: 361.

- Wright, N.H, and Laemmle, P. (1968): Acute pelvic inflammatory disease in an indigent population. *Am. J. Obstet. Gynaecol.*, 101: 979.
- Yair Gibor, M.D, and Constance Mitchell, (1980): selected events following insertion of the progestasert system. Alza Corporation, Palo Alto, California 94304, Vol. 21, No. 5.
- Zipper, G.A; Tatum, H.G; Pastene, L; Medel, M, and Rivera, M, (1969): Metallic copper as intrauterine contraceptive adjunct to the T device. *Am. J. Obstet. and Gynaecol.*, 105: 1274.
- Zipper, J.A; Tatum, H.J, Medel, M; Pastene, L, and Rivera, M, (1971): Contraception through the use of intrauterine metals. Copper as an adjunct to the T-device. *American Journal of Obstetric and Gynaecology.* 109: 771.
- Zorlu, C.G; Aral, K; Cobanoglu, O; Gurler, S and Gokmen, O (1993): Pelvic inflammatory disease and intrauterine devices: prophylactic antibiotics to reduce febrile complications. advantage. *Contracept.*, 9 (4): 299-302.