

REFERENCES

Ahmed, M. M; moustafa, H. H; Abbasy, A. F; et al.:

The evaporation test for detecting rupture of fetal membranes.

J. Egyptian, obstet. Gynecol., 3:25;(1988)

Al-Zaid, N. S.; Bou-Resli, M. N.; Goldspink, G.:

Bursting pressure and collagen content of fetal membranes and their relation to premature rupture of the membranes.

Br. J. Obstet Gynaecol., 87: 227; (1980).

Arias, F. and Tamich, P. :

Etiology and outcome of low birth weight and preterm infants.

Obstet. Gynecol., 60:277;(1982)

Artal, R.; Burgeson, R. E. and Hobel, C. J.:

An invitro model for the study of enzymatically mediated biomechanical changes in the chorioamniotic membranes.

Am. J. Obstet. Gynecol., 133: 656, (1979).

Askenazi, S. S. and Perlman, M.:

Pulmonary hypoplasia: lung weight and radial alveolar count as criteria of diagnosis.

Arch. Dis. Child., 54: 614; (1979).

Atlay, R. D. and Sutherst, J. R.:

PROM confirmed by intraamniotic injection of dye (Evans blue T. 1824).

Am. J. Obstet. Gynecol., 108: 993, 1970.

Barrett, J. M. and Boehm, F.H. :

Comparison of aggressive and conservative management of premature rupture of the membranes

Blanco, J. D.; Gibbs, R. S. and Krebs, L. F.:

Inhibition of group B streptococci by amniotic fluid from patients with intra-amniotic infection and from control subjects.
Am. J. Obstet. Gynecol., 147: 247; (1983).

Blachman, I. R.; Alger, L. S. and Crenshaw, C.:

Fetal and neonatal outcomes associated with premature rupture of the membranes.
Clinical Obstetrics and Gynecology., 29 (4):
December, (1986).

Block, M. F. ; Kling, O. R. and Crosby, W. M. :

Antenatal glucocorticoid therapy for the prevention of respiratory distress syndrome in the premature infant.
Obstet. Gynecol. , 50 :186; (977)

Bobitt, J.; Hayslip, C. and Damato, J.:

Amniotic fluid infection as determined by transabdominal amniocentesis in patients with intact membranes in premature labor.
Am. J. Obstet. Gynecol., 140: 947,;(1981).

Bourne, G. L.:

The human amnion and chorion.
Chicago, yearbook, (1962).
Quoted from Pritchard, J. A.; Macdonald, P. C. and Jant, N. F. :Williams Obstetrics, 17th edition. Appleton century-crofts, U. S. A., Ch., 6 PP. 97 : 115; (1985).

Brame, R. G. and Mackenna, J.:

Vaginal pool phospholipids in management of premature rupture of membranes.
Am. J. Obstet. Gynecol., 145: 992; (1983).

Broekhuizen, F. F.; Gilman, M. and Hamilton, P. R.:

Amniocentesis for Gram stain and culture in preterm premature rupture of membranes.
Obstet. Gynecol., 66: 316; (1985).

Cederquist, L.L.; Zervoudakis, I.A.; Ewool, L. C. et al.,:

The relationship between prematurely ruptured membranes and fetal immunoglobulin production.
Am. J. Obstet. Gynecol., 134: 784; (1979).

Cefalo, R. C and Hellegers, A. H.:

The effect of maternal hyperthermia on maternal and fetal cardiovascular and respiratory function.
Am. J. Obstet. Gynecol., 131: 687; (1978).

Chao, A.; Jams, P. H. and Khalil, M. A.:

The ferning test for detection of amniotic fluid contamination in umbilical blood samples.
Am. J. Obstet. Gynecol., 162: 1207; (1990).

Charles, D. and Edwards, W. R.:

Infectious complications of cervical cerclage.
Am. J. Obstet. Gynecol., 141: 1065; (1981).

Charles, D. and Hurry, D. J.:

Chorioamnionitis.
Clinics in Obstet and Gynecol., 1: 123, (1983).

Cowett, R. M. ; Hakasan, D.O. ;Kocon, R. W. ; et al. :

Untoward neonatal effect of intraamniotic administration of methylene blue.
Obstet. Gynecol. ,48/;745;(1976)

P. ;Chalmers, I; Keirs, M. J. :

The effect of corticosteroids administration before preterm delivery :an overview of the evidence from controlled trials.
Br. J. Obstet. Gynaecol. 97:11 ;(1990)

Dacie, Y.V. and Lewis, S.M. :

Practical haematology. Sixth ed., Churchill Livingstone, Edinburgh. London Melbourne and New York PP. 132-432; (1989).

Daikoku, N. H.; Kaltreider, F.; Johnson, T. R. B. et al.,:

Premature rupture of membranes and preterm labor: neonatal infection and perinatal mortality risks. Obstet. Gynecol., 58: 417; (1981).

Davies, B. R. and Lomeli, R. M.:

Pressure malformations from a chronic leakage of amniotic fluid.

Am. J. Obstet. Gynecol., 147: 838; (1983).

Davies, P. A. ; Robinson, R. J. ; Scopes, J. W. ; Tizard, J. P. ; Wijjlesworth, J. S. :

Medical care of newborn babies, Simb, London, P.29;(1972)

Dewhurst, J.:

Embryology, development of the membrane and formation of amniotic fluid in basic science in obstetrics and gynecology. Dewhurst, J.; Des wit, M.; Chamberlain, G. V. P. Churchill livingstone, London. PP. 18-41;(1986).

Duff, P. ; Sanders, R. ; Gibbs, R. S. :

The course of labor in term patients with chorioamnionitis. Am. J. Obstet. gynecol. 151: 1020;(1985)

Egan, D. and O'Herlihy, C.:

Expectant management of spontaneous rupture of membranes at term. Obstet. Gynecol., 8: 243; (1988).

Eggers, T. R.; Doyle, L. W. and Pepperell, R. J.:

Premature rupture of the membranes obstet.
Gynecol., 54: 226; (1979).

Ernest, J. M.; Swain, M. ; Block, M.S.; Nelson, L.H.;
Hatjis, C.G. and Meis, P.J.:

C-reactive protein: a limited test for managing
patients with preterm labor or preterm rupture of
membranes?
Am.J.Obstet. Gynecol., 156:449; (1987)

Evaldson, G.; Lagrelius, A. and Winiarski, J.:

Premature rupture of the membranes.
Acta. Obstet. Gynecol. Scand., 59: 385; (1980).

Evans, M. I.; Hajj, S. S. N.; Devoe, L. D. et al.,:

C-reactive protein as a predictor of infectious
morbidity with premature rupture of membranes.
Am. J. Obstet. Gynecol., 138: 648; (1980).

Fadel, H. E.:

Diagnosis and management of obstetric emergencies.
Addison-Wesley Publishing Company. Melano_Park,
Ch. 7. PP. 78-88; (1982).

Farb, H.F.; Arneser, M.; Geistler, P. et al.:

C-reactive protein with premature rupture of
membranes and premature labor.
Obstet.Gynecol., 62:49; (1983).

Fayez . J. A. ;Hassan, A. A.; Jamas, H. S. ;Miller, G.L.:

Management of spontaneous rupture of membranes at
term.
Obstet. Gynecol. , 52: 17 ;(1978)

Fisk, N. M.; Fysh, J. ; Cild, A. G.; Gotenby, P. A. ;

Jeffery, H. and Brodfield, A. H.:
Is c -reactive protein really useful in preterm
premature rupture of the membranes ?
Br. J. Obstet. Gynaecol., 94:1159; (1987)

Fliegner, J. R.; Fortune, D. W. and Eggers, T. R.:

Premature rupture of the membranes, oligohy dramnios
and pulmonary hypoplasia.
Am. J. Obstet. Gynecol., 197: 901; (1981).

Friedman, M. L. and Mcelin, T. W.:

Diagnosis of rupture fetal membranes.

Am. J. Obstet. Gynecol., 104: 545; (1969).

Galask, R. P.; Larsen, B. and Ohm, M. J.:

Infection in maternal-fetal medicine. In Sciarra, J.
(ed). An overview of obstetrics and gynecology. Mat
ernal and fetal medicine. Harper and Row. New
York, Ch. 33; (1979).

Galask, R.P.; Larsen, P. and Snyder, I.S.:

Amniotic fluid induced ultraminocytopathology
of escherichia coli.
Am.J.Obstet. Gynecol., 118:921;(1974).

Garite, T. J.:

Premature rupture of membranes.
Obstet. Gynecol., 7: 1, 1984.

Garite, T. J.:

Premature rupture of the membranes: The enigma of
the obsteterician.
Am. J. Obstet. Gynecol., 151: 1001;(1985).

Garite, T. J. and Freeman, R. K. :

Chorioamnionitis in the preterm gestation.
Obstet. Gynecol., 59 :539;(1982)

Garite, T. J. ;Freeman, R. K.;Linzey, E. M. and Braly,P. :

The use of amniocentesis in patients with pre mature
rupture of membranes.
Obstet. Gynecol.,54:226;(1979)

Garite, T. J.; Freeman, R. K. and Linzey, E. M.:

Prospective randomized study of corticoste rioids in
the management of P.R.O.M and the pre mature
gestation.
Am. J. Obstet. Gynecol., 141: 508;(1981)

Garite, T. J.;Keegan, K. A.;Freeman, R. K.;Nageatte,M.P.:

A randomised trial of ritodrine tocolysis ver sus
expectant management of membrnes with premature
rupture of membranes at 25 to 30 weeks of gestation.
Am. J. Obstet. Gynecol. , 157:388; (1987)s

Garite,T. J. and Peters, E. C. :

Premature rupture of membranes : The enigma of the
obstetrician
Am. J. obstet. Gynecol. , 151:1040 ; (1985)

Gibbs, R. S. and Blanco, J. D.:

Prematur rupture of membranes.
Obstet. Gynecol., 60:671;(1982)

Gibbs, R. S. ; Blanco, J. D. and Hnilics, V. S. :

Inorganic phosphorus and zink concentration in
amniotic fluid :correlation with intraamniotic
infection and bacterial inhibitory activity.
Am. J. Obstet. Gynecol.,143 :163; (1982)

Gibbs, R. S. ; Castillo, M. S. and Rodgers, P. J.:

Management of acute chorioamnionitis.
Am. J. Obstet. Gynecol.;136:709; (1980)

Garite, T. J. ;Freeman, R. K.;Linzey, E. M. and Braly,P. :

The use of amniocentesis in patients with pre mature
rupture of membranes.

Obstet. Gynecol.,54:226;(1979)

Garite, T. J.; Freeman, R. K. and Linzey, E. M.:

Prospective randomized study of corticoste rioids in
the management of P.R.O.M and the pre mature
gestation.

Am. J. Obstet. Gynecol., 141: 508;(1981)

Garite, T. J.;Keegan, K. A.;Freeman, R. K.;Nageatte,M.P.:

A randomised trial of ritodrine tocolysis ver sus
expectant management of membrnes with premature

rupture of membranes at 25 to 30 weeks of gestation.
Am. J. Obstet. Gynecol. , 157:388; (1987)s

Garite,T. J. and Peters, E. C. :

Premature rupture of membranes : The enigma of the
obstetrician

Am. J. obstet. Gynecol. , 151:1040 ; (1985)

Gibbs, R. S. and Blanco, J. D.:

Prematur rupture of membranes.
Obstet. Gynecol., 60:671;(1982)

Gibbs, R. S. ; Blanco, J. D. and Hnilics, V. S. :

Inorganic phosphorus and zink concentration in
amniotic fluid :correlation with intraamniotic
infection and bacterial inhibitory activity.

Am. J. Obstet. Gynecol.,143 :163; (1982)

Gibbs, R. S. ; Castillo, M. S. and Rodgers, P. J.:

Management of acute chorioamnionitis.

Am. J. Obstet. Gynecol.;136:709; (1980)

Gorodeski, I. G.; Morde Khai, P. and Ensler, V.:

Diagnosis of rupture of the fetal membranes by
glucose and fructose measurements.
Obstet. Gynecol., 53: 611, 1979.

**Gravett, M. G.; Eschenbach, D. A.; Speigel-Brown, C.A. and
Holmes, K. K.:**

Rapid diagnosis of amniotic fluid infection by gas-
liquid chromatography.
N. Engl. Med., 306: 725, (1982).

Gunn, G.C; Mishell, D.R. and Morton, D.G.:

Premature rupture of the fetal membranes: a review.
Am. Obstet. Gynecol., 106:489; (1970).

Guttenberg, T.J.; Askvik, k. and Jorgensen, T.:

Serumlactoferrin and c-reactive protein in mother
and newborn after preter rupture of membranes.
Acta Obstet. Gynecol.Scand., 65:203; (1986).

Handwarker, S. M. ; Nergsh, A. T.; Verma, U. L.; et al. :

Correlation of maternal serum c- reactive protein
with outcome of tocolysis.
Obstet. Gynecol. , 63:220; (1984)

Hanson, H.:

Revival of the extraperitoneal cesarean section.
Am. J. Obstet. Gynecol., 130: 102; (1978).

Hauth, J.C.; Cilstrop, L.C.; Hankins, C.D. and Connor, K.D.:

Term maternal and neonatal complications of acute
chorioamnionitis.
Obstet. Gynecol., 66:59; (1985).

Hawrylyshyn, P.; Bernstein, P.; Milligan, J., E. et al.,:

Premature rupture of membranes: the role of
C-reactive protein in prediction of chorioam-

Hibbard, B. M.; Rosen, M. and Gray, O. P.:

Principles of obstetrics, 1st published. Butterworth and Co. LTD, England. Ch. 4, PP. 90-107, (1988).

Hollander, D.I.; Nagey, D.A.; Pupkin, M.J. and Abase, F.C.:

Premature membrane rupture: an active approach.
Am. J. Obstet. Gynecol., 155:280; (1986).

Holliday, H. L. and Hirata, T.:

Perinatal listeriosis: a review of twelve patients.
Am. J. Obstet. Gynecol., 133:102; (1979)

Hurlimann, J.; Thorbecke, G. J. and Hochwald, G. M.:

Extraperitoneal cesarean section: a new need for old skills. A preliminary report.
Am. J. Obstet. Gynecol., 125: 51; (1966).

Iams, J. D. and Barrows, H.:

Management of preterm prematurely ruptured membranes: A retrospective comparison of observation versus use of steroids and timed delivery.
Am. J. Obstet. Gynecol., 150: 977; (1984)

Ismail, M.A.; Zinaman, M.J.; Lowensohn, R.I.; Moawad, A.H.:

The significance of c-reactive protein level in woman with premature rupture of membranes.
Am. J. Obstet. Gynecol., 151:541; (1985).

Jannetta, O.:

A new simple test for detecting rupture of the fetal membranes.
Obstet. Gynecol., 63:575; (1984).

Johnson, J. W.; Daikoku, N. H.; Niebyl, J. R. and Witter, F.R.:

Premature rupture of the membranes and prolonged latency.
Obstet. Gynecol., 57: 547, (1981).

Kappy, K. A. ; Cetrulo, C. L. ; Kuppel, R. A. , et al :

Premature rupture of membranes : a conservative approach.
Am. J. Obstet. Gynecol. 134:655;(1979).

Keirse, M.J.; Ohlsson, A.; Treffres, P.; and Kanhai, H.H.:

Prelabor rupture of membranes preterm. In ;
Chalmers, I.; Enkin, M. and Keirse, M.J. (eds) effective
care in pregnancy and childbirth.
Oxford university
Press, Oxford, PP:666-693;(1989).

Knox, I. G. and Hoerner, J. R.:

The role of infection in P.R.O.M.,

Am. J. Obstet. Gynecol., 59: 90, (1950).
Quoted from Naeye, R. L.: factor that predispose to
premature rupture of membranes.
Obstet. Gynecol. , 60:93; (1982).

Kurki, t.; Teramo, K.; Ylikorkala, O. and Paovanen, J.:

C- Reactive protein in preterm premature rupture of
the membranes.
Arch. Gynecol. Obstet., 247: 31;(1990)

Larsen, B.; Snyder, I. S. and Galask, R. P.:

Bacterial growth inhibition by amniotic fluid In
vitro evidence for bacterial growth inhibiting
activity.
Am. J. Obstet. Gynecol., 119: 492; (1974).

Larsen, J. W. ; Jrwies, K. R.; Leniham, J. P. , et al:

Significance of neutrophils and bacteria in the
amniotic fluid of patients in labor.
Obstet. Gynecol. , 47: 143; (1976).

Leonidas, J. C.; Bhan, I.; and Betty, E. C.:

Radiographic chest contour and pulmonary air leaks
in oligohydramnios related pulmonary hypoplasia
(patter's syndrome).
Invest. Radiol., 17: 6;(1982).

Lebherz, T.B.; Hellman, L.P.; Madding, R. et al.:

Double-blind study of premature rupture of the membranes.
Am.J. Obstet. Gynecol., 87:281; (1963).

Listwa, H. W.; Dobek, A. S.; Carpenter, J. et al.:

The predictability of intrauterine infection by analysis of amniotic fluid.
Obstet. Gynecol., 47: 143; (1976).

Mancini, G.; Carbonara, A.O. and Heremans, J.F.:

Immunochemical quantitation of antigens by single
cardial immunodiffusion.

Immunochem. 2 : 235; (1968).

Martin, D. H.; Koustsky, L.; Eschenbach, D. A. et al.,:

Prematurity and perinatal mortality in pregnancies complicated by maternal chlamydia trachomatis infections.
JAMA 247: 1585; (1980).

Mcintoch, N.:

Dry lung syndrom after oligohydramnios.
Arch dis.child., 63:190; (1988).

Mead, P. B.:

Management of the patient with premature rupture of the membranes.
Clinics in perinatal, 7: 243; (1980).

Mehanna, M. A. ; Wafa, G. A. ; Farid , A. :

Evaluation of diagnostic methods of premature rupture of membranes.
J. Egyptian Obstet. Gynecol. , 3: 27; (1988).

Miller, J. M.; Hill, G. B.; Welt, S. I. and Pupkin, M. J.:

Bacterial colonization of amniotic fluid in the presence of ruptured membranes.
Am. J. Obstet. Gynecol., 137: 451; (1980).

Moberg, L. J.; Garite, T. J. and Freeman, R. K.:

Fetal heart rate patterns and fetal distress in patients with preterm premature rupture of membranes.
Obstet. Gynecol., 64: 60; (1984).

Morales, W.J. and Lim, D.:

Bacterial colonization in premature rupture of membranes .

Am. J. Obstet. Gynecol., 157:1; (1987).

Naeye, R. L.:

Coitus and associated amniotic fluid infections.
N. Engl. J. Med., 301:1198; (1979).

Naeye, R. L.:

Factors that predispose to premature rupture of membranes.
Obstet. Gynecol., 60: 93; (1982).

Naeye, R. L. and Peters, E. C.:

Causes and consequences of P.R.O.M.
Am. J. Obstet. Gynecol., 145: 998; (1981).

Naeye, R. L. and Ross, S. M.:

Amniotic fluid infection syndrome.
Clinics in Obstet. and Gynecol., 3: 593; (1982).

Nimrod, C.; Gitting, F. V.; Machin, G.; Campbell, D. and Wesenberg, R.:

The effect of very prolonged membrane rupture on fetal development.
Am. J. Obstet. Gynecol., 148: 540; (1984).

O'Herlihy, C. and Turner, M. J.:

Management of antepartum spontaneous membrane rupture.
Eur. J. Obstet. Gynaecol. Reprod. Biol., 35: 173; (1991).

Ohlsson, A.:

Treatments of preterm premature rupture of the membranes:
Am. J. Obstet. Gynecol., 160: 890; (1989).

Ohlsson, A.; Shennan, A. T. and Rose, T. H.:

Review of causes of perinatal mortality in a regional center 1980-1984.

Am. J. Obstet. Gynecol., 157: 443; (1987).

Ohlsson, A. and Vearncombe, M.:

Congenital and nosocomial sepsis in infants borne in a regional perinatal unite: cause, outcome and white blood cell response.
Am. J. Obstet. Gynecol., 156: 407; (1987).

Ohlsson, A.; Wang, E.:

An analysis of antenatal tests to detect infection in preterm premature rupture of the membranes.
Am. J. Obstet. Gynecol., 162: 809-813; (1990).

Oliver, E. B.; Gotschlick, E. C. and Teh-Yungliu:

Primary structure of human c-reactive protein.
J. Biol. Chem., 254: 489; (1979).

Peltola, H. O.:

C-reactive protein for monitoring of infection of the central nervous system.
Lancet, 1: 980; (1982).

Perkins, R. P.:

The neonatal significance of selected perinatal events among infants of low birth weight. The influence of ruptured membranes.
Am. J. Obstet. Gynecol., 142: 7;(1982).

Perlman, M.; Williams, J. and Hirsh, M.:

Neonatal pulmonary hypoplasia and prolonged leakage of amniotic fluid.
Arch. Dis. Child., 51: 349;(1976).

Potkul, R. K.; Moawad, A. H. and Ponto, K.L.:

The association of subclinical infection with preterm labor : the role of c-reactive protein.
Am. J. Obstet. Gynecol., 153:642; (1985).

Pritchard, J. A.; Macdonald, P. C. and Gant, N. F.:

Williams obstetrics, 17th edition. Appleton century-crofts, U.S.A., Ch. 6, PP. 97-118, Ch. 17, P331-353;(1985).

Queenan, J.T.:

Modern management of the Rh problem. 2nd. ed. Hagerstown, MD., Harper and Row, PP. 180., (1977).
Quoted from sweet, R. L. and Gibbs, R. S.: Infectious diseases of the female genital tract. 1st. edition. Williams and Wilkins, Baltimor, Ch. 15, pp.246-282;(1985).

Reece, E.A.; Chervenok, F.A.; Moya, F.R. and Hobins, J.G.:

Amniotic fluid arborization effect of blood mechanicum and pH alterations.
Obstet. Gynecol., 64: 2;(1984).

Rochelson, B. L.; Richardson, D. A. and Macri, J. N.:

Rapid assay possible application in diagnosis of premature rupture of the membranes.
Obstet. Gynecol., 62: 414;(1983).

Romem, Y. and Artal, P.:

C-reactive protein as a predictor for chorioamninitis in cases of premature rupture of membranes.
Am. J. Obstet. Gynecol., 150:546;(1984).

Romem, Y. ; Greenspoon, T. and Artal, R.:

Clinical chorioamninitis analysis of the incubation period in patients with preterm premature rupture of membranes.

Am. J. Perinatal, 2: 314;(1985).

Schilevert, P.; Johnson, W. and Galask, R. P.:

Bacterial growth inhibition by amniotic fluid. VI. Evidence for a Zinc-peptide antibacterial system.
Am. J. Obstet. Gynecol., 125: 906; (1977).

Schreiber, J. and Benedetti, T.:

Conservative management of preterm premature rupture of the fetal membranes in a low socioeconomic population.
Am. J. Obstet. Gynecol., 136: 92;(1980).

Schutte, M.E.; Treffess, P.E.; Kloosterman, G.J. et al.,:

Management of premature rupture of membranes: the risk of vaginal examination to the infant.
Am. J. Obstet. Gynecol., 146: 395;(1983).

Schwarz, R. H.:

Chorioamnionitis. In progress in Obstetrics and Gynecology Volum 2. Studd.
J. Churchill Living-stone, London, PP. 18-28, (1982).

Seigel, J. D. and McCracken, G. H.:

Sepsis neonatorum.

Sever, J.L.; Larsen, J.W.; Jr.; and Grossman, J.H.:

Chorioamnionitis. In handbook of perinatal infections. Ed. Little Brown and company. Boston, Ch. 14;(1979).

Smith, R. P.:

Atechnic for the detection of rupture of the membranes, a review and preliminary report. Obstet. Gynecol., 48: 172;(1976)

Skinner, S. J. M.; Comas, G. S. and Liggins, G. G.:

Collagen content of human amniotic membranes. Obstet. Gynecol., 57: 487;(1981).

Soper, D.E.; Mayhall, C.G. and Dalton, C.D.:

Risk factor for intraamniotic infection: a prospective epidemiologic study. Am. j. Obstet. Gynecol., 161:562;(1989).

Stedman, C.M.; Crawford, S.; Staten, E. and Cherny, W.B.:

Management of preterm premature rupture of membranes: assessing amniotic fluid in the vagina for phosphatidylglycerol. Am. J. Obstet. Gynecol., 140:34;(1981).

Stubblefield, P.G. and Heyl, P.S.:

Treatment of premature labor with subcutaneous terbutalin. Obstet. Gynecol., 59:457;(1982).

Sweet, R. L. and Gibbs, R. S.:

Infectious diseases of the femal genital tract. 1st edition. Williams and Wilkins, Baltimor, Ch. 15, PP. 246-262;(1985)

Tamara, R. K.; Sabbagha, R. E.; Deep, R.; Dooley, S.L. and Socol, M. L.:

Diminished growth in fetuses born preterm after spontaneous labor or rupture of membranes.
Am. J. Obstet. Gynecol., 148: 1105;(1984).

Thamas, I. T. and Smith, D. W.:

Oligohydramnios, cause of the nonrenal features of potter's syndrome, including pulmonary hypoplasia.
J. Pediatr., 84: 811;(1974).

Taylor, J. and Garite, T. J.:

Premature rupture of membranes before fetal viability.

Obstet. Gynecol., 64: 615;(1984).

Theunissen, I. and Van-Lierde, M.:

Preterm premature rupture of the membranes: neonatal outcome in 215 cases of an active conservative management.
J. Perinat. Med., 17: 423-432;(1989).

Varner, A. M.; Campbell, R. P.:

Conservative treatment of premature rupture of membranes.
Am. J., obstet. Gynecol., 135:147; (1981).

Vintzileos, A. M.; Compbell, W. A.; Nochimsan, D. J.:

Preterm premature rupture of the membranes: A risk factor for development of abruptio placentae.
Am. J. Obstet. Gynecol. 156: 1235;(1987).

Waeye, R. L.:

Factors that predispose to premature rupture of the fetal membranes.
Obstet. Gynecol, 60: 93, 1982.

Wager, G. P.; Hanley, L. S.; Farb, H. F. and Knox, G.E.:

Evaluation of gas-liquid chromatography for the rapid diagnosis of amniotic fluid infection: A preliminary report.
Am. J. Obstet. Gynecol., 152: 51;(1985).

Walf, R. L.; Olinsky, A.:

Prolonged rupture of fetal membranes and neonatal infection.
Am. J. Obstet. Gynecol., 12: 43-46;(1982).

Wennergren, M.; Krantz, M. and Karlsson, K.:

Interval from rupture of the membranes to delivery and neonatal respiratory adaptation.
Br. J. Obstet. Gynaecol., 93: 799;(1986).

Whitefield, C. R. :

Miscellaneous Disorders complicating pregnancy. In Dewhurst, s text book of obstetrics & gynecology for post graduate, 4th edition. whitefield, C. R. Blackwell Scintific Puolica tion, London PP, 327-337; (1986).

Wilson, J. C.; Levy, D. L. and Wilds, P. L.:

Premature rupture of membranes prior to term: Consequences of non-intervention.
Obstet. Gynecol., 60: 601;(1982).

Wolfson, R.N.; Zador, I.E.; Halvorsen, P. et al.:

Biparital diamtre in premature rupture of membranes: error in estimation gestational age.
J.C.U., 11: 371;(1983).

Yoder, P. R., Gibbs, r. S.; Blanco, J. D.; Castaneda, Y. S. and StClair, P. J.:

A prospective, controlled study of maternal and perinatal outcome after intra-amniotic infection at term.
Am. J. Obstet. Gynecol., 145: 695; (1983).

Yonekura ,M. L.; Wallace, R. & Eglonton, G.:

Amnionitis-optimal operative management:
Extraperitoneal cesarean section versus low
cervical transperitoneal cesarean section.third
Annual Meeting, Society of perinata obstetricians,
abstract 24 A, San Antonio, Jan.:(1983).
Quoted from Sweet, R. L.&Gibbs,R. S.: Intraam
niotic infections (Intrra uteine infection in late
pregnancy(. In infectious disease of the female
genital tract. Sweet, R. L. & Gibbd., R.S., William
and Wilkins, Baltimore PP., 263-276;(1985).

Zlatnick, F.; Cruikshank, D.; Petzold, C. and Galask,R.:

Amniocentesis in the identification of inapparent
infection in preterm patients with premature rupture
of the membranes.

J. Reprod. Med., 29: 656:(1984).