

A stylized graphic of a scroll with the word "References" written on it. The scroll is depicted with a black outline and a white interior, featuring a rolled-up top edge and a circular fastener on the left side. The word "References" is written in a bold, black, sans-serif font, slanted upwards from left to right.

References

REFERENCES

1. *Abundis EM, Ortiz MG, Ferrannini E (1996):* Hyperinsulinaemia in glucose tolerant women with pre-eclampsia. *Am. J. Hypertens*; 9: 610.
2. *American College of Obstet. Gynecol. (1986):* Management of pre-eclampsia technical Bulletin no. 91.
3. *Axelrod L. (1991):* Insulin, prostaglandins and the pathogenesis of hypertension. *Diabetes*. 40; 1223.
4. *Baldi S, Natali A (1996):* In vivo effect of insulin on intracellular calcium concentration. Relation to insulin resistance. *Metabolism*.
5. *Ballegeer VC, Spitz B, DeBaene LA, an Assche AF. (1992):* Platelet activation and vascular damage in gestational hypertension. *Am. J. Obstet. Gynecol* 166; 629.
6. *Bauman W, Maimen M (1988):* An association between hyperinsulinaemia and hypertension during the third trimester of pregnancy. *Am. J. Obstet. Gynecol.* 159; 446.

7. Beaufils M, Uzan S, Donsimoni R, Colan JC. (1985): prevention of pre-eclampsia by early anti-platelet therapy. *Lancet*; 840.
8. **Becker RA, Hayashi RH, Frauks R.C. (1978):** effects of positional changes and sodium balance on the renin angiotensin - aldosterone system and prostaglandins in normal pregnancy. *J. Clin. endocrinol. Metab.* 46; 467.
9. **Beer AE (1978):** possible immunologic bases of pre-eclampsia, eclampsia. *Semin. Perinatol*: 2; 39.
10. **Belizan J.M, Villar J. (1988):** The Relationship between calcium intake and pregnancy induced Hypertension Up To Date evidence. *Am. J. Obstet. Gynecol*; 158:898.
11. **Belizan J.M, Villar J., Gonzalez L., Bargel E. (1991):** Calcium supplementation to prevent hypertensive disorders of pregnancy. *N. Eng. J. Med*; 325: 1399.
12. **Benedetti T.J, (1989):** Pre-eclampsia a hyperdynamic disease model. *Am. J. Obstet. Gynecol*; 160 : 1447.
13. **Berson S.A, Yalow R.S, (1970):** Insulin antagonists and insulin resistance: *Diabetes Mellitus: Therapy and practice.* NewYork, McGrow – Hill, PP; 388.

14. ***Bleicher S.J, O'sullivan J.B, (1964):*** Carbohydrate metabolism in pregnancy. N. Eng. J. Med; 271 : 868.
15. ***Braubaker D.B, Ross M.G, (1992):*** The function of elevated plasma Fibronectin in pre-eclampsia. Am. J. Obstet. Gynecol; 166 : 526.
16. ***Brosens I, Robertson W.B, Dexon H.J, (1967):*** the physiological. Response of the vessels of the placental bed to normal pregnancy J. pathhol. Bacteriol, 93:569.
17. ***Broughton. Pipkin F. and Symonds E.M, (1986):*** Pregnancy induced Hypertension, Prostaglandins and their inhibitors clinical obstet. Gynecol. Lancaster M.T.P, PP; 337.
18. ***Broughton. Pipkin F. and Symonds E.M. (1992):*** Changes in human platelet angiotensin II binding sites associated with early pregnancy. Am. J. Obstet. Gynecol; 166:255.
19. ***Broughton Pipkin, P.C and Rubin (1994):*** pre-eclampsia, the disease of theories. Br. Med. Bulletin. 50: 381.
20. ***Brown M.A, Whitworth J.A, (1992):*** The kidney in hypertensive pregnancies. Am. J. Kidney Dis; 20: 424.

-
21. **Burt R.L, Davidson I.W.F, (1974):** insulin half – life and utilization in normal pregnancy. *Obstet. Gynecol*; 43 : 161.
 22. **Bussolino F, Benedetto C, et al, (1980):** Maternal vascular prostacyclin activity in pre-eclampsia (letter). *Lancet II* : 702.
 23. **Campbell S, pearce J.M, (1983):** New Doppler technique for assessing uteroplacental blow flow. *Lancet*; 1 : 675.
 24. **Campbell S, pearce J.M, Hackett G, (1986):** Quantitative assessment of uteroplacental blow flow: early pregnancies. *Obstet Gynecol*; 68: 649.
 25. **Catalano M. Patrick, Elaine D. Tyzbir et al (1991):** longitudinal changes in insulin release and insulin resistance in non obese pregnant women. *Am. J. obst & Gynecol* 165; 1667.
 26. **Chesley L.C, Annito J.E, Gosgrove R.C (1968):** The familial Factor in toxemia of pregnancy. *Obstet. Gynecol*: 32; 303.
 27. **Chesley L.C, (1971):** Hypertensive Disorders in pregnancy, *Williams Obstetrics*. 14th edition, PP: 120-128.

28. *Chesley L.C, (1974):* A short history of pre-eclampsia. *Obstet. Gynecol.* 43; 599.
29. *Chesley L.C, (1985):* Diagnosis of pre-eclampsia. *Obstet. Gynecol* 65; 423.
30. *Chesley L.C, Cooper D.W, (1986):* Genetics of hypertension in pregnancy. Possible single gene control of pre-eclampsia and eclampsia in the descendants of eclamptic women. *Br. J. Obstet. Gynecol:* 93; 898.
31. *Christensen. N.J, (1983):* Acute effects of insulin on cardiovascular Function and noradrenaline uptake and Release. *Diabetologia;* 25:377-81.
32. *Christianne J.M, Sandra T, Friedman S.A. (1995):* Plasma from pre-eclamptic women increaes human endothelial cell prostacyclin prodcutioin. *Am. J. Obstet. Gynecol.* 172; 976.
33. *Clark B.A, Halvorson L., Sachs B., Epstien FH. (1992):* Plasma endothelin levels, pre-eclampsia: Elevation and correlation with uric acid levels and renal impairment. *Am. J. Obstet. Gynecol;* 166; 692.

-
34. **Consins L, Rea C, (1988):** Longitudinal characterization of insulin sensitivity and body Fat quantitation in normal and gestational diabetic pregnancies Diabetes; 37 (Suppl 1): 251 A.
 35. **Cooper D.W, Liston W.A, (1979):** Genetic control of severe pre-eclampsia. J. Med. Genet; 16:409.
 36. **Cooper D.W, Deane E.M, Marshal P., Gallery E.D.M. (1988):** C₃ allotypes in pregnancy hypertension and eclampsia. Hum. Hered. 38; 52.
 37. **Cunningham G.G, Gaut N.F., (1989):** Prevention of pre - eclampsia. A reality. N. Eng. J. Med; 321: 606.
 38. **Davey D.A, Mac Gillivray I., (1968):** The classification and definition of Hypertensive disorder of pregnancy. Clin. Exp. Hypertens. B5. PP, 97-133.
 39. **Davey D.A, Mac Gillivray I., (1988):** The classification and definition of hypertensive disorder of or pregnancy. Am. J. Obstet. Eynecol. 158; 892.
 40. **De fronzo R.A, (1981):** Effect of insulin on Renal Sodium metabolism: A Review with clinical implications. Diabetologia; 21:165.

41. *De Fronzo R.A, Ferrannini E. (1991):* Insulin resistance, a multi-faceted syndrome responsible for N.I.D.D.M., Obesity, Hypertension, dyslipidaemia, and atherosclerotic C.V. diseases. *Diabetes care* 14; 173.
42. *Dekker. G. A, Sibai B.M, (1991):* Early detection of pre-eclampsia. *Am. J. Obstet. Gynecol.* 165:160.
43. *De Wolf; Brosens I, (1980):* The human placental bed: Electron microscopic study of trophoblastic invasion of spiral arteries. *Am. J. Obstet. Gynecol;* 137 : 58.
44. *Douglas J.T, Shah M, Forbes C.D, (1982):* Plasma Fibrinopeptide A and B. thromboglobulin in pre-eclampsia and Pregnancy Hypertension. *Thromb. Haemost;* 47:54.
45. *Dunlop W, (1981):* Serial changes in Renal haemodynamics during normal human pregnancy. *Br. J. Obstet. Gynecol.* 88 : 1 .
46. *Dusting G.J, Moncada S, Vane J.R. (1982):* Prostacyclin: its biosynthesis, actions and clinical potential. *Adv. Prostaglandin, thromboxane, leukotriens. Resp;* 10; 5, 59-
47. *Easterling T.R, Benedtti T.J, Schmucker BC. et al. (1990):* Maternal haemodynamics in normal and pre-

- eclamptic pregnancies. longitudinal study. *Obstet. Gynecol*; 76: 1061.
48. *Entman S.S, Richardson L.D, (1983):* Clinical applications of the altered iron kinetics of toxemia of pregnancy. *Am. J. Obstet. Gynecol*; 146: 568.
49. *Everett R.B, Worley R.J, Macdondd PC (1978):* Effect of prostaglandine synthetase inhibitors and pressor response to angiotensin II in human pregnancy. *J. Clin. endocrinol. Metab*; 46: 1007.
50. *Fay R.A, Bromham D.R, Books J. A. (1985):* Platelet and uric acid in the prediction of pre - eclampsia. *Am. J. Obstet. Cynecol.* 152; 1038.
51. *Ferrannini E., Buzzigoli G., Bonadonna R. (1987):* insulin resistance in essential hypertension. *N. Eng. J. Med*; 317: 350.
52. *Ferranninni E, Mitchell B.D, (1991):* Hyperinsulinaemia: The key Feature of a cardiovascular and metabolic Syndrome. *Diabetologia*; 34:416.
53. *Fitzgerald D.J, Fitzgerald G.A. (1987):* Endogenous biosynthesis of arachidonic acid epoxides in humans.

- increased formation in pregnancy - induced hypertension. Proc. Natl. Acad. Sci; 87: 5893.
54. **Fredrika P, LASSE V (1986):** Renal prostacyclin and thromboxane in Normotensive and pr-eclamptic pregnant women and their infants. J. clin. Endocrinol. Metab 63:1307.
55. **Friedman EA, Neff R.K, (1976):** Pregnancy outcome as Related to Hypertension, Oedema, and proteinuria. NewYork, Wiley, P: 13.
56. **Friedman S, A. (1988):** Pre-eclampsia: A review of the role of prostaglandins. obstet. Gynecol; 71: 122.
57. **Ganong F.W. (1995):** A review of medical physiology. 17 ed. 306.
58. **Gant N.F, Chand S., Whalley P.J. (1974):** A clinical test useful for predicting the development of acute hypertension in pregnancy. Am. Obstet. Gynecol; 120:1.
59. **Gant N.F, Whalley P., Chand S., et al (1977):** A prospective study of angiotensin II pressor responsiveness in pregnancies complicated by chronic essential hypertension. Am. J. obstet. Gynecol; 127: 369.

-
60. **Gerretsen J., Huisjes H., (1983):** Trophoblast alterations in the placental bed in relation to physiological changes in spiral arteries. Br. J. Obstet. Gynecol. 90 : 34.
 61. **Goode, G.K., Miller, Z.P. and Heagerty, A.M. (1995):** Hyperlipidaemia, hypertension and coronary heart disease. Lancet. 345 : 362.
 62. **Goodman R.P, Killam A.P, et al (1982):** prostacyclin. Production during pregnancy : Comparison of production during normal pregnancy and pregnancy complicated by Hypertension. Am. J. Obstet. Gynecol; 142 : 817.
 63. **Granstrom E, Diczfalusy U (1982):** Thromboxane A₂ : Bio synthesis and effects on platelets. Adv. Prostaglandin Thromboxane, leukotriene. Res. 10:15.
 64. **Graves. S.W, (1987):** The possible Role of digitalis Like Factors in pregnancy induced Hypertension. Hypertension; 10 : 184-6.
 65. **Greer I.A, Walker J.J (1985):** Immunoreactive Prostacycline and Thromboxane metabolites in normal pregnancy and the puerperium. Br. J. Obstet. Gynecol. 92 : 381.

66. **Gusdon J.P, Anderson S.G, Mayo W.J. (1977):** A clinical evaluation of the “roll over test” for pregnancy induced Hypertension. *Am. J. obstet. Gynecol*; 127: 1.
67. **Gusdon JP, Buckale U.M, (1984):** A digoxin like immunoreactive substances in pre-eclampsia. *Am. J. Obstet. Gynecol*; 150 : 83.
68. **Haeger M, Unanda M, Norder - Hansson B. (1992):** Complement, neutrophil and macrophage activation in women with severe pre-eclampsia and the HELLP syndrome - *obstet. Gynecol*; 79: 19.
69. **Hamberg M, Svensson J. (1975):** Thromboxane: A new group of Biologically active compounds derived from prostaglandin endoperoxides. *Proc. Natt. Acad. Sci. USA*; 72 : 2994.
70. **Hirai N, Yanaihara T., Nakayama T., (1988):** Plasma levels of Atrial Natriuretic peptides during normal pregnancy and pregnancy complicated by hypertension. *Am. J. obstet*; 159: 27.
71. **Hoenbeck C., Reaven G.M. (1987):** variations in insulin-stimulated glucose uptake in healthy individuals with

- normal glucose tolerance. *J. Clin. endocrinol. Metab*; 64: 1169.
72. **Hughes EC (ed). (1972):** obstetric, Gynecology terminology, Philadelphia, Davis.
73. **Irgen - Moller L., Hemmingsen L. (1986):** Diagnostic value of micro albuminuria in pre-eclampsia. *Clin. Chem. Acta*; 157: 295.
74. **Jaffe E.A. (1987):** Cell biology of endothelial cells. *Hum. Pahtol*; 18: 234.
75. **Jensen BA, Brocks V. (1989):** Plasma Fibronectin Concentration in Pre-eclampsia. *Acta. Obstet. Gynecol. Scand*; 66 : 25.
76. **Julius S., Jamerson K, (1994):** Sympathetics, insulin resistance and coronary risk in hypertension. *J. Hyperten*; 12: 495.
77. **KAAJA R, Tikkanen M, Viinikka L. (1995):** Serum insulin, lipoproteins and urinary prostanoid metabolites in normal and hypertensive pregnancy. *obstet. Gynecol*; 85: 353.

-
78. **Karlberg GE, Ryden. G., (1984):** Changes in renin - angiotension - aldosteron and kallikrien - kinin system during normal and hypertensive pregnancy. Acta. obst. Scand. (Suppl); 118-17.
 79. **Koullapis EN, Nicolaidis KH, collins WP. (1982):** plasma prostanoidsin pregnancy - induced hypertension. Br. J. obstet Gynecol; 89: 617.
 80. **Laivuori H, Tikkanen M (1996):** Hyperinsulinaemia 17 years after pre-eclamptic first pregnancy J. Clin. Endocrinol. Metab; 81: 2908.
 81. **Landsberg L. (1991):** Hypertension as an insulin resistance disorder. Amsterdam : Excerpta. Medica. international congress series pp 133.
 82. **Lazarchick J, Stabbs T.M (1986):** Predictive value of Fibronectin levels in normotensive gravid women destined to become pre-eclamptic. Am. J. Obstet. Gynecol. 154 : 1050.
 83. **Lockwood CJ, Peters J.H. (1990):** increased plasma levels of EDI[†] cellular fibronectin precede the clinical signs of pre-eclampsia. Am. J. obstet. Gynecol; 162: 358.

-
84. *Lopez-Jaramillo P, Naravaz M. (1989):* Calcium supplementation reduces the risk of pregnancy induced hypertension in an andes population. Br. J. obstet. Gynecol; 96 pp 648.
 85. *Lorentzen, B.J, Henriksen, T (1994):* Increased lipolytic activity and high ratio of free fatty acids to albumin in sera from women with PE Leads to triglyceride accumulation in cultured endothelial cells.
 86. *MacGrillivray (1968):* Some observations on the incidence of pre-eclampsia. J. Obstet. Gynecol. Br. Emp; 65: 536.
 87. *Makila U.M, Vilnikkal. (1981):* increased Thromboxane A₂ Production but normal prostacyclin by the placenta in Hypertensive pregnancies. Prostaglandins 27 : 87.
 88. *Marcoux S, Brirson J, Fabia J (1991):* Calcium intake from diary products and supplementation and the risks of pre - eclampsia and gestational hypertension. Am. J. epidemiol; 133; 1266.
 89. *Martensson L, Wallenburg HCS (1984):* uterine venous concentration of 6-keto-pGF_{1α} in normal pregnancy and in pregnancy induced hypertnesive women. Society for gynae

- cologic investigations. 31st annual meeting, San Fransisco, California. March 21-24 p 243.
90. *Masaaki S, Ikebuchi M, Shinozakik. (1996):* mechanism and clinical implication of insulin -resistance syndrome. Diabetes 45 (suppl. 3): 552.
91. *Mastrogiannis D, O’Grien W, Krammer J., (1991):* Potential role of endothelin 1 in normal and hypertensive pregnancy. Am. J. Obstet. Gynecol; 165: 1711.
92. *Mitchell B.F, Rogers K, (1993):* The dynamics of prostaglandin metabolism in human Foetal membranes and dicidea around the time of parturition. J. clin. Endocrinol. Metab; 77 : 759.
93. *Modan M, Halkin H (1985):* Hyperinsulinaemia; link between hypertension. Obesity and glucose intolerance. J. clin. Invest; 75 : 809.
94. *Moutquin JM, Rainville C, Giroux Raynauld. (1985):* A prospective study of blood pressure in pregnancy, prediction of pre-eclampsia. Am. J. obstet. Gynecol; 151: 191.

95. **Myatt L, Brewer, (1991):** The action of nitric oxide in the perfused human fetal placental circulation. *Am. J. Obstet. Gynecol*; 164 : 687.
96. National high blood pressure education program working group report of high blood pressure in pregnancy. (1990) *Am. J. Obstet. Gynecol*; 163: 1691.
97. **Nova. A, Sibai BM, (1991):** Maternal plasma level of endothelin is increased in pre-eclampsia. *Am. J. Obstet. Gynecol*; 165 : 724.
98. **O'Brien W. (1995):** predicting pre-eclampsia. *Obstet. Gynecol*; 75: 445.
99. **Odendaal, H.Z., Pattinson, R.C and Bam. R. (1990):** Aggressive or expectant management for patients with severe pre-eclampsia between 28-34 weeks' gestation: a randomized controlled trial. *Obstet. Gynecol* 76 : 1070.
100. **O'Grady J, Moti MJ, (1980):** Effects of intravenous infusion of prostacyclin (PGI₂) in man. *Prostaglandins*; 19:319.
101. **Oian P, Fadnes Ho, (1986):** Transcapillary Fluid balance in pre-eclampsia. *Br. J. Obstet. Gynecol*; 93 : 235.

102. **Page EW. (1972):** On the pathogenesis of pre - eclampsia and eclampsia. J. Obstet. Gynecol. Br. Commonw; 79:883.
103. **Page EW, christian son R. (1976):** The importance of mean arterial pressure in the middle trimester upon the outcome of pregnancy. Am. J. Obstet.Gynecol; 125: 740.
104. **Pickles CJ,Brnkman CR, Stainer K. et al (1989):** Changes in peripheral venous tone before the onset of hyprtension in women with gestational hypertension. Am. J. Obstet. Gynecol; 160: 678.
105. **Pitnenborg R, Dexon G. (1980) :** Trophoblastic invasion of human dicideua from 8 to 18 weeks of pregnancy placenta; 1 : 3.
106. **Pignenborg R, Anthory J, Davey D. (1991):** Placental bed spiral arteries in pregnancy induced hypertension. Br. J. Obst. Gynecol; 98: 648.
107. **Pignenborg R, Hanssens M, McFodyen (1994):** A study of placental bed spiral arteries and tropholast invasion in normal and severe pre-eclamptic pregnancies. Br. J. Obst. Gynecol. vol 101; 669.

108. **Pritchard JA, Cunningham F.G, Mason RA. (1976):** Coagulation changes in eclampsia. Their frequency and pathogenesis. *Am. J. Obstet. Gynecol*; 124: 855.
109. **Potter, Z. M and Nestel, P.Z. (1979):** The hyperlipidemia of pregnancy in normal and complicated pregnancies. *Am. J. Obstet Gynecol* – 133 : 165.
110. **Reaven GM. (1988): Banting lecture (1988):** Role of insulin resistance in human disease. *Diabetes*; 37: 1595.
111. **Redman CWG, Jones DD (1977):** Plasma urate and serum deoxycytidylate deaminase measurement for the early diagnosis of pre-eclampsia. *Br. J. Obstet. Gynaecol*; 84 : 904.
112. **Redman CWG, Jefferies M. (1988):** revised definition of pre-eclampsia. *Lancet* I: 809.
113. **Redman CWG et al. (1991):** C₄ and plasma protein in Hypertension during pregnancy with or without proteinuria. *BMJ* 302; 218.
114. **Remuzzi G, Misiani R, Muratore D. (1979):** Prostacyclin and human foetal circulation. *Prostaglandins*; 18: 341.

-
115. **Roberts JM, Taylor RN, Musci T. J. et al. (1989):** pre-eclampsia: an endothelial cell disorder. *Am. J. Obstet. Gynecol*; 161: 1200.
 116. **Rodgers GM, Taylor RN, (1989):** pre-eclampsia is associated with a serum factor cytotoxic to human endothelial cells. *Am. J. obst. Gynecol*; 159: 908.
 117. **Rodriguez M.H., Masaki DI, Mestman J, Kamar D. (1988):** calcium/creatinine ratio and microalbumin-uria in the prediction of pre-eclampsia. *Am. J. obstet. Gynecol*; 159: 979.
 118. **Robinson JS, Redman CWG (1991):** The Concentrations of prostaglandin E and F_{13,14}, dihydro 15-0x0 – pristaglandin F and TxB₂ in tissues obtained from women with or without Pre-eclampsia. *Prostaglandin Med* 3 : 323.
 119. **Rosenkranz B., Fischer C (1980):** Metabolism of prostacyclin and 6-keto-prostaglandin F₁ in Man. *J. Biol. Chem* 255; 10194.
 120. **Sagen N, Koller O, Haram K. (1982):** Haemoco-ncentration in severe pre-eclampsia. *Br. J. obstet. Gyn*; 89: 802.

121. *Sagen N, Nilsen S.T (1984)*: Serum urate as a predictor of foetal out come in severe pre - eclampsia - eclampsia. Acta. obst. Gynecol. scand; 63: 71.
122. *Saleh AA, Farag A, Norman G (1988)*: Haemostasis in hypertensive disorders of pregnancy. Obstet. Gynaecol; 71 : 719.
123. *Sanchez - Ramos L, Jones DC, Cullin M.T. (1991)*: Urinary calcium as an early marker for pre-eclampsia. Obst. Gynecol; 77: 685.
124. *Schiff E, Peleg E, Goldenberg M. (1989)*: The use of low dose aspirin to prevent P.I.H. and lower the ratio of thromboxane to prostacyclin in relatively high risk pregnancy N. Eng. J. Med; 321.
125. *Shen D.C, Shieh S.M, Fuh M.T. (1993)*: resistance to insulin-stimulated glucose uptake in patients with hypertension. J. Clin. Endocrinol - Metab; 66: 580.
126. *Sherwin. R. (1996)*: Diabetes Mellitus - Cecil text book of medicine. vol. 3 P. 258.
127. *Sibai BM, Anderson GD, McCubbin J.H. (1982)*: Eclampsia: II Clinical significance of laboratory findings. obstet. Gynecol; 59: 163.

128. **Sibai BM, Villar MA (1989):** Clinical significance of elevated mean arterial blood pressure in second trimester. Am. J. Obstet. Gynaecol. 160; 419.
129. **Sibai BM, Mereer B, Sarinoglu C. (1991):** Severe pre-eclampsia in the second trimester: recurrence, risk, and long term prognosis. Am. J. obstet. Gynecol; 165: 1408.
130. **Sibai, B.M; Mercr, B.M., Schiff, E and Friedman, S.A. (1994):** Aggressive versus expectant management of severe pre-eclampsia at 28-32 weeks gestation: A randomized controlled trial. Am. J. Obstet. Gynecol 171-818.
131. **Socol ML, Weiner C.P., Louis G. (1985):** platelet activation in pre-eclampsia. Am. J. obstet. Gynecol; 151: 494.
132. **Sower JR, Ram JL et al., (1993):** Hyperinsulinaemia, insulin resistance and hyperglycaemia: Contributing factors in the pathogenesis of hypertension and atherosclerosis. Am. J. Hypertens 6 : 2605.
133. **Sower J.R, Saleh. A, Sokal K.(1995):** Hyperinsulinaemia and insulin resistance are associated with pre-eclampsia

-
- in African - American women. Am. J. Hypertension; 8.
134. *Sperroff L, Dorfman GS, (1977):* Prostaglandins and pregnancy Hypertension. Clin Obstet Gynecol 4 : 635.
135. *Sperroff. (5th edition) (1994):* clinical endocrinology and infertility.
136. *Spellacy WN, Goetz FC (1963):* Plasma insulin in normal Late pregnancy. N. Eng. J. Med; 268 : 988.
137. *Spitz B, Vermynen J et al: (1983):* Preliminary Observations on treatment of pregnancy induced Hypertension with a thromboxane synthetase inhibitor. Am. J Obst. Gynecol; 148 : 216.
138. *Steel SA, Pearce JM, Chamberlain G.V (1988):* Doppler ultrasound of the uteroplacental circulation as a screening test fr severe pre - eclampsia. Eur. J. obstet. Gynecol. Reprod. Biol; 28: 279.
139. *Stubbs TM, Laza chick J, Horger E.O. (1984):* Plasma fibronectin levels in pre-eclampsia. A possible biochemical marker for vascular endothelial damage. Am. J. obstet. Gynecol; 150: 885.

140. *Strickland DM, Cox K, Grant NF (1986)*: The relationship between abortion in the first pregnancy and the development of P.I.H in subsequent pregnancy. Am. J. Obstet. Gynecol; 154 : 146.
141. *Suhonen, L. and Teramo, K. (1993)*: Hypertension and pre-eclampsia in women with gestational glucose intolerance Acta. J. Obstet. Gynecol. Scand 72 : 269.
142. *Sutherland A, Cooper D.W. (1981)*: A etiology of pre-eclampsia. Br. J. obstet. Gynecol; 88: 785.
143. *Taufield P.A, Ales K.L, Resnick. et al. (1987)*: Hypocalciuria in pre-eclampsia. N. Eng. J.Med; 316: 715.
144. *Toylor R.N., Varma M., (1990)*: Women with pre-eclampsia have higher plasma endothelin levels than women with Normal pregnancy. J. Clin. Endocrinol, Metab. 71; 1675.
145. *Trofatter K.F, Howel M.L, Green berg C.S. (1989)*: The use of fibrin D-dimmer in screening for coagulation abnormalities in pre-eclampsia; 73: 735.
146. *Van Asche et al (1992)*: Platelet activation and vascular damage in gestational Hypertension. Am. J. Obstet. Gynecol; 166: 629.

-
147. *Van Asche, Spitz B. (1993):* Increased Thromboxane Formation in Diabetic Pregnancy as a possible Contributor to pre-eclampsia. *A,m. J. Obstet. Gynecol* 168 : 84.
 148. *Wallenberg HCS, Dekker GA. (1986):* Low dose aspirin prevents pregnancy induced hypertension and pre-eclampsia in angiotensin Sensitive primigravidae. *Lancet* 1; 1 – 3.
 149. *Wallenburg H.C, Rotmans N. (1987):* prevention of recurrent idiopathic foetal growth retardation by low dose aspirin. *Am. J. Obstet. Gynecol;* 157: 1230.
 150. *Walsh S.W. (1985):* pre-eclampsia: An imbalance in placental prostacyclin, thromboxane production. *Am. J. obstet. Gynecol;* 152: 235.
 151. *Wang Y, Walsh Sw., (1992):* Placental Lipid peroxide and thromboxane are increased and prostacyclin is decreased in women with pre-eclampsia. *Am. J. Obstet. Gynecol.* 167; 946.
 152. *Weiner C.P., Brandt J., (1982):* plasma anti-thrombin II activity. An aid in diagnosis of pre-eclampsia. *Am. J. Obstet. Gynecol;* 142: 275.

153. Williams obstetrics 19th edition (1993) p. 763.
154. *Yamaguchi M, Mori N. (1985):* 6 keto PGG_{1α}, TXB₂, 13, 14-dihydro, 15 keto PGF concentration of normotensive and pre-eclamptic patients during pregnancy, delivery and post partum period. Am. J. obstet. Gynecol; 151: 121.
155. *Ylikorkale L, Pelonen F. (1986):* Renal prostacyclin, TXB₂ in normotensive and pre-eclamptic pregnant women and their infants. J. Clin. Endocrinol. Metabol; 63: 1307.
156. *Zammit V, Whitworth J, brown M. (1996):* pre-eclampsia. The effects of serum on endothelial cell prostacyclin - endothelin and cell membrane integrity. Am. J. obstet. Gynecol; 174: 737.
157. *Zemel M.B, Zemel PC, Berry S. (1990):* Altered platelet calcium metabolism as an early predictor of increased peripheral vascular resistance and pre-eclampsia in urban blackwomen. New. Eng. J. Med; 323: 343.