

## REFERENCES

- Abdel-Aziz, A.; Attia, M. W. and Fared, LA. (1989):*  
*Listeria monocytogenes during pregnancy and neonatal period.*  
 Thesis, Zagazig University, Banha Branch P. 100.
- Allah, JAL; Cavalieri, S.J. and Bierman, M.H. (1989):*  
*Listeria monocytogenes peritonitis in a patient on continuous*  
*ambulatory peritoneal dialysis. Nebr. Medi, 74 (10) : 303, quoted*  
*from computer abstracts.*
- Allerberger, F.; Langer, B. and Hirsch, O. (1989):*  
*Listeria monocytogenes cholecystitis.*  
*Gastroenterol., 27 (3) : 145.*
- Anderson, G. a (1975):*  
*Listeria monocytogenes cause septicemia in pregnancy. (Obstet.*  
*Gynecol., 46 : 102.*
- Andriole, (1975):*  
*Bacterial infections. hi Burrow G.N, Ferris IT (eds) : Medical*  
*complications during pregnancy. Philadelphia, WB saunders : pp.*  
*382 - 394.*
- Armstrong, D. (1985):*  
*Listeria monocytogenes. In principles and practice of infectious*  
*diseases, published by saunders Co., 2nd edition, P. 1177.*
- Armstrong, R. W. and Fang, P.C. (1993):*  
*Brain stem Encephalitis due to listeria monocytogenes, a case report*  
*and review. Clinical Infectious Diseases, 16 : 689.*
- Auckenthal, R.; Pointer, P.; Verschraegen, G.; Bernard, D.; Claeys, G.;*  
*Shoji, AL; Stevens, M.S. and Schuster, G. (1993):*  
*Continous monitoring blood culture system. European congress of*  
*clinical Microbiology and infectious disease I .*

*Axemo, P.; Ching, C; Machungo, F.; Osman, N.B. and Bergstrom, S. (1993):*

Intrauterine infection and their association with still birth and preterm birth in Maputo Mozambique. *Gynecol. Obstet. Invest.*, 35 : 108.

*Bahaa El Din, ILK.; Souod, I. and Kamel, M.A. (1991):*

Acute phase reactants in neonatal sepsis. M. Sc. Thesis in pediatrics, Cairo University, p. 96.

*Baker, C.J.; Barrett, F.F. and Yow, M.D. (1975):*

The influence of advancing gestation on group B streptococcal colonization in pregnant women. *Am. J. Obstet. Gynecol.*, 122 (7) : 820.

*Baker, D.A. (1986):*

Viral infections in the female genital tract "clinical perspectives in obstetrics and gynecology series, 128. New York. Berlein. Hedielberg. Tokyo.

*Haley, J.E.; Kliegman, R.M. and Boxerbaum, B. (1986):*

Fungal colonization in very low birth weight infants. *pediatrics*, 78 (2) : 225.

*Haley, J.E. (1988):*

Neonatal sepsis : The potential for immunotherapy. *Clin. Perinatol.*, 15 : 755.

*Barnett, J.A. and Sanford, J.P. (1969):*

Bacterial shock *J:A.M.A.*, 209 : 1514.

*Baron, E.J. and Finegold, S.M. (1990):*

Organisms commonly isolated from blood. *Baily & Scott's Diagnostic Microbiology*, 8th Ed. St. Louis. Baltimore. Pheladelphia Toronto.

*Baumgart, S. and Mg S.E. (1983):*

Bacteremia. *American Journal of Diseases of Children*, 137 - 461.

- Behrman, R.E. and Vaughan, V.C. (1992):**  
Neonatal sepsis. Nelson Text book, Fourteenth Edition, published by Saunders company, 501 : 14th Ed.
- Bennett, I.L. and Beeson, P.B. (1954):**  
Bacteremia. *Journal of Biology and medicine* 26 241.
- Bennett, P. and Fisk, N. (1993):**  
Chorioamnionitis and pre-term delivery *Obst. & Gynecol.*, 7. (1) 25.
- Bennett, R.; Bergdahl, S. and Eriksson, M. (1989):**  
The outcome of neonatal septicemia during fifteen year. *Acta, Pediatr. Scand*, 78 : 40.
- Bennett, R.; Eriksson, M. and Mellen, B. (1985):**  
Changes in the incidence and spectrum of neonatal septicaemia during fifteen year. *Acta. Pediatr. Scand*, 74 687.
- Berche, P.; Gaillard, J.L. and Richared, S. (1988):**  
Invasiveness and intra-cellular growth of *listeria monocytogenes* infection, 16 (2) : 145.
- Berenguer, J.; Sclera, J. and Diaz, M.D. (1991):**  
Listeriosis in patients infected with human immunodeficiency virus. *Reviews of infectious Diseases.*, 13 : 115.
- Bernal, A.; Hansell, D.J.; Khong, T. Y.; Keeling, J. W. and Turnbull, A.C. (1989):**  
Prostaglandin E production by the fetal membranes in unexplained preterm labor and preterm labor associated with chorioamnionitis. *Br. J. obstet. Gynecol.*, 96 : 1133 - 9.
- Bodey, G. P.; Buckley, M.; Sathe, Y.S. and Freireich, E.J. (1966):**  
Quantitative relationship between circulating leukocytes and infection in patients with acute leukemia. *Ann. Intern. Med.*, 64 : 328.
- Bortolussi, R. and Seeliger, H.P.R. (1990):**  
Listeriosis in Remington : *Infectious Diseases in the fetus and newborn infant*, 812, 10 Ed. Published by Saunders Co., J.J. Klein, 10 (eds.).

- Brad!)*, M.D. and *Donald, R.; Ostergard, M.A. (1970)* :  
"Septic incomplete abortion" A retrospective study of 20 years  
experience obst. & Gynecol., 35 709 - 713.
- Brumfitt, W. and Percival, A. (1971)*:  
Antibiotic combinations. *Lancet*, 1 387.
- Bula, C.; Bilk, J. and Mean, F. (1988)*:  
Epidemic food born listeriosis in western switzerland. Abstracts of  
the 28th Interscience conference on Antimicrobial Agents and  
chemotherapy. Los Angeles, Oct., 26.
- Bunning, V.K.; Donnelly, C.W. and Pealer, J.T. (1988)*:  
Thermal inactivation of listeria monocytogenes within bovine milk  
phagocytes. *Appl. Environ. Microbiol.*, 54 (2) : 364.
- Bussel, J.B.; LaGamma, E. F. and Giuliano, M. F. (1988)*:  
Intravenous gammaglobulin for prophylaxis of late sepsis in VLI3W  
infants : A randomized placebo controlled trial. *Pediatr. Res.*, 23 :  
471.
- Campbell, D.M. (1990)*:  
Human listeriosis in scotland. *J. Inf.*, 20 : 241.
- Carl, J.; Baker, Fred, F.; Barrett, Martha, D. and Yow (1975)*:  
The influence of advancing gestation on group B streptococcal  
colonization in pregnant women.  
*Am. J. Obst., Gynecol.*, 22 (7) : 820 - 823.
- Cauchi, M.N.; Gilbert, G.L. and Brown, J.B. (1984)*:  
Maternal infections during pregnancy and in the puerperium. *The  
clin. Path. of pregnancy and the newborn infant*, 1255.
- Chan, R.; Munro, I? and Tomlinson, P. (1986)*:  
Septicaemia. *Journal of clinical pathology*, 39 : 89.
- Charles, D. (1980)*:  
*Infections in obstetrics and Gynecology*, Philadelphia, W.B.  
Sanders, P. 323.
- Cherry, W. (1970)*:  
Endotoxin shock. *Stag. CAM. North Am.* 50 403.

*Christensen, R.D.; Harper, T.E. and Rothstein, G. (1986):*

Granulocyte Macrophage progenitor cells in term and preterm infants. *J. Pediatric*, 109 : 1047.

*Clark, R.A. (1978):*

Disorders of granulocyte chemotaxis. In : *Leukocyte chemotaxis*, 307. Raven press, New York.

*Cloherty, J.P. (1985):*

Neonatal hyperbilirubinaemia. In : *Cloherty, J.P. and stark, A.R. (eds.); Manual of Neonatal Care*, W.B. Saunders Co., 2nd ed., P. 250.

*Compognone, P. and Singer, D.B. (1986):*

Neonatal sepsis due to non lypable H. influenzae. *Am. J. Dis. Child.*, 140 :117.

*Cox, S.M.; MacDonald, P.C. and Casey, M.L. (1988):*

Assay of bacterial endotoxin (Lipopolysaccharide) in human amoniotic fluids : potential usefulness in diagnosis and management of preterm labor. *Am. J. Obstet. Gynecol.*, 159 : 99 - 106.

*Cross, A.J.; Haworth, E. and Spencer, R.C. (1986):*

Bacteremia. *Journal of Hospital infection* 7 : 74.

*Cruickshank, R.; Duguid, J.P. and Marmion, B.P. (1975):*

Laboratory tests for identification of bacteria. In : *medical microbiology*, 11: 170, 12 Ed. W.B. Saunders. Co.

*Cruikshank, D.P. and Warenski, J.C. (1989):*

First trimester maternal listeria monocytogenes sepsis and chorioamnionitis with normal neonatal outcome. *Obstetrics and Gynecology*, 73 (3-2): 469.

*Decker, W.H. and Hall, W. (1966):*

Treatment of abortions infected with Cl.welchii. *Am. J. Obest. Gynecol.*, 95 : 394.

*Deventer, S.J.H. and Buller, H.R. (1988) :*

Septicaemia. *Lancet*, 1 : 605.

- Dijk, W.C.; Verbrugh, H.A.; Vandertol, M.E.; peters, R.; Peterson, P. K.; Quie, P. G. and Verhoef, J. (1980):*  
Interaction of phagocytic and bacterial cells in patients with bacteremia caused by gram - negative rods. *J. Infect Dis.*, 141 : 441.
- Dobson, S. R.M. and Baker, C.J. (1992):*  
Enterococcal sepsis in neonates : Features by age at onset and occurrence of focal infection. *Pediatrics*, 85 : 165.
- Domingo, P.; Serra, J. and Sambeat, A.M. (1992):*  
Pneumonia due to listeria monocytogenes. *Clinical infectious Dis.*, 14 : 787.
- Donowitz, L. G.; Haley, C.E. and Gregory, W.W. (1987):*  
Neonatal intensive care, bacteremia emergence of gram - positive bacteria major pathogens. *Am. J. Infect. Control.*, 15 : 141.
- Duguid, J.P.; Marmion, B.P. and Swain, R.H.A. (1978):*  
In medical microbiology, 1 : 283. 13th Ed., Published by living - stone.
- Duma, R.J.; Weinberg, AN; Medrek, Th. E. and Kunz, I.J. (1969):*  
Streptococcal infections. A bacteriological and clinical study of streptococcal bacteremia. *Medicine*, 48 : 87.
- Edwards, M.S. and Baker, C.J. (1990):*  
Streptococcus agalactiae (group B streptococcus). In : Mandell, G.L., Douglas, R.G., Jr. Bennet. J.E. (eds.) : Principles and practice of infectious diseases, 1554, Published by livingstone.
- Enocksson, K; Wretling, B. and B.O. Anzen (1990):*  
Listeriosis during pregnancy and in neonates.  
*Scand Infect.*, 71 : 89.
- Eykyn, S.J. and Philips, I. (1990):*  
Bacteremia, septicemia and endocarditis Topley and Wilson's. Principles of Bacteriol. Viral. and immunity, 8th Ed. Vol. 3 : 203 : 286 London Edward Arnold.
- Faidas, A.; Shepard, D.L. and James, L. (1993):*  
Magnetic resonance imaging in listerial brain stem Encephalitis. *Clinical Infectious Diseases*, 16 : 186.

*Farber, J.M. and Losos, J.Z. (1988):*

*Listeria monocytogenes*, a food born pathogen. *CMAJ.*, 138 : 413.

*Feignin, R.D.(1992):*

Infectious diseases bacterial infection. In *Nelson Textbook*, 745. 14th Ed. Published by Saunders Company.

*Ferrieri, I'. (1990):*

Neonatal susceptibility and immunity to major bacterial pathogens. *Bacterial pathogens Rev. Infect. Dis.*, 12 : 5394.

*Fiedler, IC (1988):*

Biochemistry of the cell surface of *Listeria* strains. *Infection*, 16 (2) : 92.

*Finegold, S.M. (1973):*

- Oratory and clinical aspects. Charles C Thomas, Springfield, 38 - 42.

*Finland, M. (1970):*

Changing ecology of bacterial infections as related to antibacterial therapy. *J. Infect. Dis.*, 122 : 419.

*Fleming, D.W.; Cochi, S.L. and MacDonalad, K. (1985):*

Pasteurized milk as a vehicle of infection in an outbreak of listeriosis. *Eng. J. Med.*, 312 : 404.

*Frederiksen, B. and Samuelsson, S. (1992):*

Feto - maternal listeriosis in Denmark, 1981 - 1988. *J. Infect.*, 24 (3) : 277.

*Freid, M.A. and Vostik, S. (1968):*

The importance of underlying disease in patients with gram - ye bacteremia *Arch Intern. Med.*, 121 : 418.

*J.L.; Berche, P. and Mounier, J. (1988):*

Penetration and intracellular growth of *Listeria monocytogenes* in the human Enterocyte - like cell line Caco - 2 : An in vitro model of pathogenesis. *Infect. Immun.*, 55 : 123.

*Ganguli, L.A. and Kenney, M.G.L. (1985):*

Septicaemia. *Journal of clinical pathology* 38 : 1146.

*Gellin, B.G. and Broome, C V. (1989):*

Listeriosis. JAMA, 261: 1313.

*Genie, .1. IV and R.A. (1988):*

Neonatal sepsis progress in diagnosis and management.  
Drug, 36 : 784.

*Gibbs, R.S.; Castillo, M.S. and Rodgers, P.J. (1980):*

Management of acute chorio - aminonitis. Am. J. Obstet. Gynecol.,  
136 709.

*Gibbs, R.S.; Blanco, ID. (1981):*

Streptococcal inection in pegnancy, a study of 48 bacteremias. Am.  
.1. Obstet. Gynecol., 140 : 405.

*Gibbs, R.S.; Romero, K; Hillier, S.L.; Eschenbach, D.A. and Sweet,  
R.L. (1992):*

A review of premature birth and subclinical infection. Am. J. Obstet.  
Gynecol., 166 : 1515 - 28.

*Gilstrap, L.C.; Cunningham, F.G. and Whalley, P.J. (1981):*

Acute pyelonephritis in pregnancy : An antespective study. Obstet.  
Gynecol., 57 : 409 - 413.

*Gladstone, LM.; Ehrenkranz, R.A. and Edberg, S. (1990):*

A ten - year review of neonatal sepsis comparison with previous  
fifty - year experience. J. Ped. Inf. Dis., 9 : 819.

*Glasgow, L. A. and Overall, LC (1987):*

The foetus and neonatal infant : Nelson textbook of pediatric, 425,  
13 Ed. Published by saunders.

*Gransden, W R.; Eykyn, S.J. and Phillips, L (1985):*

British Medical Journal : Journal of Antimicrobial chemotherapy in  
the press 290 : 505.

*Gray, M.L. and Killinger, A.H. (1966):*

Listeria monocytogenes and listeric infections. Bacterial Rev.,  
30 : 309 - 382.

*Jungkind, D. and Milian, J. (1986):*

Septicaemia - Journal of clinical microbiology, 23 : 262.

*Kass, E.H. (1960):*

Bacteriuria and pyelonephritis of pregnancy.

Arch intern. Med., 205 : 194.

*Khong, T.Y.; Frappell, J.M. and Steel, H.M. (1986):*

Perinatal listeriosis - A report of six cases

Brit. Obst. & Gyn., 93 : 1083.

*King, H. and Schumacher, H.B. Jr. (1952):*

Splenic studies. I. Susceptibility to infection after splenectomy performed in infancy. Ann Surg., 136 : 239.

*Kite, P.; Millar, Al. R. and Gorham, P. (1988):*

Comparison of five tests in diagnosis of neonatal bacteremia. Arch. Dis. Child., 63 : 639.

*Klein, J.O. and many, S.M. (1990):*

Bacterial sepsis and meningitis. Infectious Dis. of the Fetus and newborn infant, 601. Published by saunders Co.

*Klempner, M.S. and Wolff, S.M. (1980):*

The neutrophil in host defence : Congenital, acquired and drug - induced abnormalities. Infections in the abnormal host, P. 11 (ed. Michael, H. Grieco). Yorke Medical Books, USA.

*Kliegman, R.M. and Feigin, R.D. (1992):*

Staphylococcal infection. Nelson Textbook, P:703, 14 Ed. published by W.B. Saunders.

*Lallemant, A. V; Gaillard, A.D.; Paradis, H.P. and Chippaux, C.G. (1992):*

Fetal listeriosis during the second trimester of gestation. Ped. path, 12 : 665- 671.

*Lamont, R.J.; Postlethwaite, R. and MacGowan, A.P. (1986):*

Listeria monocytogenes and its role in human infection.

J. Infection, 17 : 7.

*taros, R.K. (1982):*

Haemorrhagic and endotoxin shock.  
Am. J. Obst. Gynecol., 110: 1041.

*Larsen, J. W. (1982):*

Influenza and pregnancy. Clin. Obstet. and Gynecol., 25 (3) : 599.

*Larsson, S.; Cronberg, S. and Winblad, S. (1987):*

Clinical aspect on 64 cases of Juvenile and adult listeriosis in Sweden. Acta. Med. Scand., 204: 503.

*Lascolea, L.J. and Dryia, D. (1981):*

Septicaemia. Journal of clinical microbiology 13 : 478.

*Latham, R.II.; Runing, K. and Stamm, W.E. (1983):*

Urinary tract infections in young adult women used by staphylococcus saprophyticus. Jama, 250 : 3063.

*Leading article (1980) :*

Infection complicating severe granulocytopenia. Lancet, 1 : 25.

*Ledger, W.J. (1978):*

Bacterial infections complicating pregnancy. Clinics in obstet and Gynecol., 21 : 455.

*Lehtonen, O.P.; Ruuskanen, O. and Hollo, P.O. (1984):*

Group A streptococcal infection in newborn.  
The lancet, 22 - 29, 1473.

*Lillehe, R. C; Dietzman, R. H. and Movsas, S. (1967):*

Treatment of septic shock. Mod. Treatment, 4 : 321.

*Lopez - Bernal, A.; Hansell, D.J. and Khong, T. Y. (1989):*

Prostaglandin F<sub>2</sub> production by the fetal membranes in unexplained preterm labor and preterm labor associated with chorioamnionitis.  
Br. J. Obstet. Gynecol., 96 : 1133 -9.

*Lovett, J.; Francis, D. W. and Hunt, J. M. (1987):*

Evidence of transmission of listeria monocytogenes by food. J. of food production, 50 : 188.

*Maclean, F. and Tom McAllister, R. (1990):*

Antimicrobial therapy in obstetrics and gynecology Ed. by Allan, B. Maclean Blackwell Scientific publications, Oxford, London.

*Macnaughton, C (1962):*

*Listeria monocytogenes* in abortion. Lancet, 484.

*Marget, W. and Seeliger, H.P.R. (1988):*

*Listeria monocytogenes* infection, therapeutic, possibilities and problems. Infection, 16(2): 175.

*Mascola, L.; Sorvillo, F. and Neal, J. (1989):*

Surveillance of listeriosis in Los Angeles (1985 - 1986, a first year's report. Arch. Intern. Med., 149 (7): 1569.

*Maurice, N.; Cauchi Gwendolyn, L; Gilbert, James, B. and Brown (1984):*

Perinatal sepsis and nosocomial infection the clinical pathology of pregnancy and the newborn infants, 201 - 225 Edward Arnold.

*Mazzulli, T and Salit, I.E. (1991):*

Pleural fluid infection caused by *Listeria monocytogenes* case report and review. Reviews of Infectious Diseases, 13 : 564.

*McCracken, G.11. Jr. and Freij, B.J. (1987):*

Perinatal bacterial diseases. In Feigin R.D., Chryy, J.D. (eds.) : Text book of pediatric infectious Diseases, 940, Published by W.b. Saunders Co.

*McGregor, J.A.; Lawellin, D.; Franco - Buff, A. and Todd, J.K. (1991):*

Phospholipase C activity in micro - organisms associated with reproductive tract infection. Am. J. Obstet. Gynecol., 164 : 682 - 6.

*Michael, B. (1985) :*

Listeriosis and Milk. N. Engl. J. of Medicine, 14 : 428.

*Mitsuyama, M.; Takeya, K. and Nomoto, K. (1978):*

Three phases of phagocyte contribution to resistance against *Listeria monocytogenes*. J. Gen. Microbiol., 106 : 165.

*Phillips, I. and King, A. (1990) :*

Hospital - Acquired Bacteremia. Journal of Antimicrobial chemotherapy in the pens.

*Pirie, J.H.H. (1940):*

Listeria change of name for a genus of bacteria. Nature, 145 : 264.

*Polin, R.A. and Gene, J.W. (1992) :*

Neonatal sepsis. Advances in pediatric infectious diseases Mosby year Book Inc., 7 : 25, 2nd Ed., W.B. Saunders Co.

*W.J. and Brady, K. (1991):*

Mechanical factors in the etiology of premature rupture of the membranes. Clinical obstet. and Gynecol., 34 (4) : 702,

*Ponce de Leon S. and Wenzel, R.P. (1984):*

Bacteremia. American Journal of Medicine, 617 : 639.

*Porter, LA. (1989):*

Listeria : Erysipelothrix. In : Mackie and McCartney practical medical microbiology, 13th ed. Vol. II, 11 : 387, Edited by Collee, J.G. Published by Livingstone.

*Quie, P.G. and Cates, K.L. (1978):*

Clinical manifestations of disorders of neutrophil chemotaxis In leukocyte chemotaxis, 307, (ed. John, J. Gallin and Paul, G. Quie). Raven press. New York.

*Ralovich, I. (1984):*

Listeriosis research : present situation and perspective. Budapest. Akademiai Kiado. Quoted from computer abstract.

*Reller, L.B.; Murray, P.R. and MacLowry, J.D. (1982):*

Blood cultures camitech IA. American Society of Microbiology Washington Dc.

*Rocourt, J.; Andurier, A. and Courtieu, A.L. (1986):*

Differentiation biochimique des groupes génomiques de Listeria monocytogenes sensu lato. Annales Microbiol. (Inst. Pasteur), 134 A : 65.

*Romero, R.; Hobbins, J. C. and Mitchell, M.D. (1988):*

Endotoxin stimulates prostaglandin E2 production by human amnion. *Obstet. Gynecol.*, 71: 227.

*Samuelson, S.; Rothgardt, N. P. and Carvajal, A. (1990):*

Human Listeriosis in Denmark, 1981 - 87 including an out break. *N mho* 1985 - 87 including an out break. November 1985 - March, 1987 : *J. Infect.*, 20 : 251.

*Schimpff, S.C. (1980) :*

Infection pevention in patients with cancer and granulocytopenia. In : *Infections in the abnormal host*, P. 26 (ed. Michael H, Grieco). Yorke Medical Books, USA.

*Schoonmaker, J.N.; Lawellin, D.W.; Lunt, B. and McGregor, J.A. (1989):*

Bacteria and inflammatory cells reduce chorioamniotic membrane integrity and tensile strength *obstet. Gynecol.*, 74 : 590.

*Schuchat, A.; Deaver, R.A. and Wenger, J.D. (1992):*

Role of foods in sporadic listeriosis. *JAMA*, 267 (15): 2041.

*Schwarze, R.; Bauermeister, C.D. and Ortle, S. (1989):*

Perinatal listeriosis in Dersden 1981 - 1986, Clinical and microbiological findings in 18 cases. *Infection*, 17 (3) : 131.

*Seeliger, II. P.R. (1989):*

Listeriosis - history and actual developments. *Infection*, 16 (2) : 80.

*Seeliger, IL P.R. and Langer, B. (1988):*

*Methods of* detection, isolation and identification of *listeria monocytogenes* and related species from clinical samples, food and environmental sources. Ernst Rodenwaldt symposium of listeriosis, Ege university IZMIR, (mated from computer abstract.

*Serhan, CN.; Fridovich, J. and Goetz!, E.J. (1982):*

Leukotriene 134 and phosphatidic acid are calcium ionophores. *J. Biol. Chem.*, 257 : 4746.

*Sethi, S. K.; Ghafoor, M.A. and Vandepitte, J. (1989):*

Outbreak of neonatal listeriosis in a regional hospital in kuwait. *Eur. J. Pcdiatr.*, 148 (4) : 368.

- Sweet, R. L. and Gibbs, R.S. (1985):**  
Infectious diseases of the female genital tract. 15 246, 1st edition.  
Williams & Wilkins, Baltimore. Ch. 15, P : 246 - 262 and Ch. 16, P  
:263 - 276.
- Tenney, .L. IL and Reller, L.B. (1982):**  
Septicaemia. Journal of clinical Microbiology, 15 : 558.
- Topalovski, M.; Fang, .S.S. and Boonpasal, Y. (1993):**  
Listeriosis of the placenta : clinicopathologic study of seven cases.  
Am. J. Obstet. and Gynecol., 169 : 616.
- Uldbjerg, N.; Ulmsten, V. and Ekman, G. (1983):**  
The ripening of the human uterine cervix in terms of connective  
tissue biochemistry. Clin. Obstet. and Gynecol., 26 : 14.
- Valkenburg, M.H.; Essed, G.G. and Polters, IL. V. (1988):**  
Perinatal listeriosis underdiagnosed as a cause of preterm labour.  
Eur. obstet. Gynecol. Reprod. Biol., 27 (4) : 283.
- Vander Elst, C. W.; Fcp, S.A.; DCH, K.; Bernal, A.L.; Dphil, E.O.G.  
and Smith, C.C.S. (1991):**  
The role of chorioamnionitis and prostaglandins in preteen labor.  
Obstet. Gynecol., 77 (5) : 672.
- VanFurth, R.; Stuiter, W. and Van Dissel, J.T. (1988):**  
Roles of factor increasing monocytopoiesis (EIM) and macrophage  
activation in host, resistance to listeria Monocytogenes. Infection, 16  
(2) : 137.
- Vesikari, J.; Janas, M. and Gronroos, P. (1985):**  
Neonatal septicaemia. Arch. Dis. Child., 60 : 542.
- Watkins, .L and Meath, K.P.J. (1981):**  
Isolation and enumeration of listeria monocytogenes from swage,  
sludge and river water W.H.O. Appl. Bacteriol., 50 :
- Weckbach, L.S. and Staneck, J.L. (1986):**  
Septicaemia. Journal of clinical microbiology, 23 700

*W.H.O. Report, (1987):*

*Listeria monocytogenes and listeriosis, 69 1.*

*Wilkinson, P.C. (1980):*

*Leukocyte locomotion and chemotaxis : effects of bacteria and viruses. Rev. Infect. Dis., 2 : 293.*

*Workowski, K.A. and Flaherty, J.P. (1992):*

*Systemic Bacillus species infection mimicking listeriosis of pregnancy. Clinical infectious diseases, 14 : 694.*

*Zlatn Gellhaus, TM.; Benda, J.A.; Koontz, and*

*Burmeister, L.F. (1990):*

*Histologic chorioamnionitis. Microbial infection and pematurnity. Obstet. Gynecol., 76 : 355.*