

REFERENCES

American College of Obstetricians and Gynecologists (1986):

Management of diabetes mellitus in pregnancy. Technical Bulletin no. 92, May.

American College of Obstetricians and Gynecologists (1994):

Diabetes and pregnancy. Technical Bulletin no. 200, December.

American Diabetes Association (1986):

Gestational diabetes mellitus.

Ann. Intern. Med., 105: 461

American Diabetes Association (1995):

Medical management of pregnancy complicated by diabetes, 2nd ed.

Jovanovic-Peterson L (ed.) Alexandria, Virginia, ADA.

Ames B.N. (1979):

Science, 204: 587.

Ames B.N. (1982):

“Mutagens in our environment” Sorsa M. and Vainio H., (eds.),

Liss A. R., New York, p. 3.

Ames B.N. (1983):

Dietary carcinogens and anticarcinogens.

Science, 221: 1256 - 64.

Ames B.N., Cathcart R., Schwiers E., et al. (1981):

Uric acid provides an antioxidant defence in humans against oxidant-and-radical-caused aging and cancer: a hypothesis.

Proc. Natl. Acad. Sci. USA, 78: 6858 - 62.

Ames B.N., Shigenaga M.K., and Hagen T. M. (1993):

Oxidants, antioxidants, and the degenerative diseases of aging.

Proc. Natl. Acad. Sci. USA, 90: 7915 - 22.

Anderson R., and Theron A.J. (1990):

Physiological potential of ascorbate, β -carotene and α -tocopherol individually and in combination in the prevention of tissue damage, carcinogenesis and immune dysfunction mediated by phagocyte-derived reactive oxidants. In: Bourne G.H. (ed.), Aspects of some vitamins, minerals and enzymes in health and disease. World Rev. Nutr. Diet. Basel: Karger, 62: 27 - 58.

Arai K., Iizuka S., Tada Y., et al. (1989):

Increase in the glucosylated form of erythrocytes Cu-Zn superoxide dismutase in diabetes and close association of the non enzymatic glucosylation with the enzyme activity.

Biochim. Biophys. Acta., 924 : 292 - 6.

Araujo V., Ruiz E., Llovera M., et al. (1998):

Impact of oxygen therapy on antioxidant status in newborns, relationship with infection risk.

Biofactors, 8 (1-2): 143 - 7.

Aruoma O.I., and Halliwell B. (1987):

Superoxide-dependent and ascorbate-dependent formation of hydroxyl radicals from hydrogen peroxide in the presence of iron. Are lactoferrin and transferrin promoters of hydroxyl-radical generation?

Biochem. J., 241 : 273 - 8.

Ashour M., Salem S., Hassaneen H., et al. (1999):

Antioxidant status and insulin-dependent diabetes mellitus (IDDM).

J. Clin. Biochem. Nutr., 26 : 99 -107.

Azmy M.A., and Algawhary E.T. (1998):

Oxidative stress in insulin-dependent diabetes mellitus.

Egypt J. Med. Lab. Sci., (ESIC), Vol. 7, No. 2, 53 - 61.

Ballard J.L., Rosevn B., Khoury J.C., et al., (1993):

Diabetic fetal macrosomia: Significance of disproportionate growth.

J. Pediatr., 12: 115 - 9.

Ballin A., Brown E.J., Koren G., et al. (1988):

Vitamin C-induced erythrocyte damage in premature infants.

J. Pediatr., 113: 114 - 20.

Bannister J.V., Bannister W.H., and Rotilio G. (1987):

CRC Crit. Rev. Biochem., 22 : 111.

Bast A., Haenen G.R.M.M., and Doelman C.J.A. (1991):

Oxidants and antioxidants: state of the art.

Am. J. Med., 91 (3C): 2 S - 13.

Basu T.K., Tze W.J., and Leichter J. (1989):

Serum vitamin A and retinol binding protein in-patient with insulin-dependent diabetes mellitus.

Am. J. Clin. Nutr., 50 : 329 - 31.

Bates J.H., Young I.S., Galway L., et al. (1997):

Antioxidant status and lipid peroxidation in diabetic pregnancy.

Br. J. Nutr., 78 : 523 - 32.

Bayes J.W. (1991):

Role of oxidative stress in development of complications in diabetes.

Diabetes, 40: 405 - 12.

Baynes J.W. (1991):

Role of oxidative stress in the development of complications in diabetes mellitus.

Diabetes, 40: 405 - 12.

Beckman J.S., Chen J., Ischiropoulos H., et al. (1994):

Oxidative chemistry of peroxynitrite.

Meth. Enzymol. 233: 29 - 40.

Beckman J.S., Ye Y.Z., Anderson P.G., et al. (1994):

Extensive nitration of protein tyrosines in human atherosclerosis detected by immunohistochemistry.

Biol. Chem. Hoppe. Seyler., 375: 81 - 8.

Belanger S., Lavoie J.C., and Chessex P. (1997):

Influence of bilirubin on the antioxidant capacity of plasma in newborn infants.

Biol. Neonate, 71 (4): 233 - 8.

Bender D.A. and Bender A.E. (1997):

Vitamin E and selenium. In: nutrition a reference handbook 1st ed.

Oxford/ New York/ Melbourne/ Toronto, 261 - 426.

Bendich A. (1990):

Antioxidant nutrients and immune functions: introduction.

Adv. Exp. Med. Biol., 262: 1 - 12.

Bendich A., Machlin L.J., Scandurra O., et al. (1986):

The antioxidant role of vitamin C.

Free Radic. Biol. Med., 2: 419 - 44.

Berk M., Mimouni F., Miodovnic M., et al., (1989):

Macrosomia in infants of insulin dependent diabetic mothers

Pediatrics, 83: 1029 - 34.

Berkowitz K., Reyes C., Sadaat P., et al. (1996):

Comparison of fetal lung maturation in well dated diabetic and non-diabetic pregnancies.

Am. J. Obstet. Gynecol., 174: 373.

Berkus M.D. Langer O., Siler-khodr T., et al. (1996):

Insulin secretion and insulin sensitivity postpartum.

J. Soc. Gynecol. Invest., 3 : 295.

Bernhard K., Ritzel G., and Steiner K.U. (1954):

Helv. Chim. Acta, 37: 306.

Beyer W.F., and Fridovich I. (1990):

Superoxide dismutase mimic prepared from desferrioxamine and manganese dioxide. In: *Methods in enzymology* vol. 186, Academic Press, Inc., (23): 242 - 9.

Blech D.M., and Borders C.L. (1983):

Hydrogen peroxide anion, HO_2^- , is an affinity reagent for the inactivation of yeast Cu, Zn-superoxide dismutase: modification of one histidine per subunit.

Arch. Biochem. Biophys., 244 : 579 - 86.

Bloomgarden Z.T. (1997):

Antioxidants and diabetes.

Diabetes Care, 20 (4): 670 - 3.

Bolli R. (1988):

Oxygen-derived free radicals and post ischemic myocardial dysfunction ("stunned myocardium").

J. Am. Coll. Cardiol., 12 : 239 - 49.

Breimer L.H. (1988):

Ionizing radiation-induced mutagenesis.

Br. J. Cancer, 57: 6 - 18.

Brodersen R., and Bartels P. (1969):

Eur. J. Biochem., 10 : 468.

Brownlee M., Cerami A., and Vlassara (1988):

Advanced glycosylation end products in tissue and biochemical basis of diabetic complication.

N. Engl. J. Med., 318: 1315 - 22.

Buchanan T.A., Metzger B.E., Freinkel N., et al. (1990):

Insulin sensitivity and β -cell responsiveness to glucose during late pregnancy in lean and moderately obese women with normal glucose tolerance or mild gestational diabetes.

Am. J. Obstet. Gynecol., 162: 1008 - 14.

Buchanan T.A., Xiang A., Kjos S.L., et al. (1998):

Gestational diabetes: antepartum characteristics that predict postpartum glucose intolerance and type 2 diabetes in Latino women.

Diabetes, 47: 1302 - 10.

Bulkley G.B. (1994):

Evaluating oxidant or antioxidant status: an editorial comment.

Shock, 1: 313 - 4.

Burton G.W., and Ingold K.U. (1986):

Vitamin E: application of the principles of physical organic chemistry to the exploration of its structure and function.

Acc. Chem. Res., 19: 194 - 201.

Burton G.W., and Traber M.G. (1990):

Vitamin E: antioxidant activity biokinetics and bioavailability.

Annu. Rev. Nutr., 120 : 357 - 82.

Carpenter M.W., Canick J.A., Star J., et al. (1996):

Fetal hyperinsulinism at 14 - 20 weeks and subsequent gestational diabetes.

Am. J. Obstet. Gynecol., 87: 89.

Catalano P.M., Bernstein I.M., Wolfe R.R., et al. (1986):

Subclinical abnormalities of glucose metabolism in subjects with previous gestational diabetes.

Am. J. Obstet. Gynecol., 155: 1255 - 63.

Catalano P.M., Tyzbit E.D., Wolfe R.R., et al. (1993):

Carbohydrate metabolism during pregnancy in control subjects and women with gestational diabetes.

Am. J. Physiol., 264: E 60 - 7.

Ceriells A. (1993):

Coagulation activation in diabetes mellitus: the role of hyperglycemia and therapeutic prospects.

Diabetologia, 36: 1119 - 25.

Chari S.P., Noth N., and Rothi A.D. (1984):

Glutathione and its redox system in diabetic polymorphonuclear leucocytes.

Am. J. Med. Sci., 287: 14 - 5.

Chausmer A.B. (1998):

Zinc, insulin, and diabetes.

J. Am. Coll. Nutr., 17 : 2, 109 - 15.

Chen J., Geissler C, Parpia B., et al. (1992)

Antioxidant status and cancer mortality in China.

Int. J. Epidemiol., 21: 625 - 35.

Chojkier M., Houglum K., Solis-Herruzo J., et al. (1989):

Stimulation of collagen gene expression by ascorbic acid in cultured human fibroblasts. A role for lipid peroxidation?

J. Biol. Chem., 264: 16957 - 62.

Chubatsu L. S., and Meneghini R. (1993):

Metallothionein protects DNA from oxidative damage.

Biochem. J., 291: 193 - 8.

Church D.F., and Pryor W. A. (1991):

The oxidative stress placed on the lung by cigarette smoke. In: Crystal R.G., West J.B., (eds.). The lung. Scientific foundations. New York: Raven Press, p. 1975 - 80.

Cochrane C.G. (1991):

Cellular injury by oxidants.

Am. J. Med., 91 (3C): 23 S - 30.

Cocilovo G., Tomasi F., Guerra S., et al. (1990):

Risk factors associated with persistence of glucose intolerance one year after gestational diabetes.

Diabetes Metab., 16 : 187 - 90.

Collier A., Wilso R., Bradley H., et al. (1990):

Free radical activity in type 2 diabetes.

Diabet. Med., 7: 27 -30.

Cominacini L., Garbin U., and Lo Cascio V. (1996):

The need for a 'free radical initiative'.

Diabetologia, 39: 364 - 6.

Conner E.M., and Grisham M. B. (1996):

Inflammation, free radicals and antioxidants.

Nutrition, 12: 274 - 7.

Cousins L. (1995):

Obstetric complications. In diabetes mellitus and pregnancy: principles and practice. 2nd ed. New York, Churchill Livingstone, p. 455 - 68.

Cousins L., Dattel B. J., Hollingsworth D. R., et al. (1984):

Glycosylated hemoglobin as a screening test for carbohydrate intolerance in pregnancy.

Am. J. Obstet. Gynecol., 150: 455.

Coustan D.R. (1995):

Gestational diabetes. In: Diabetes in America. 2nd ed. Washington, DC, U.S. Govt. printing office, (NIH publ. No.95 - 1468), p. 703 - 17.

Coustan D.R., Carpenter M.W., O'Sullivan P.S., et al. (1993):

Gestational diabetes: predictors of subsequent disordered glucose metabolism.

Am. J. Obstet. Gynecol., 168: 1130 - 45.

Coustan D.R., and Imarah J. (1984):

Prophylactic insulin treatment of gestational diabetes reduces the incidence of macrosomia, operative delivery, and birth trauma.

Am. J. Obstet. Gynecol., 150: 836.

Coustan D.R., Nelson C., Carpenter M.W., et al. (1989):

Maternal age and screening for gestational diabetes: A population-based study.

Obstet. Gynecol., 73: 557.

Cowett R.M. (1991):

Diabetes. In: Sweet A.Y. and Brown E.G. (eds.), Fetal and neonatal effects of maternal disease, Mosby-Year Book, Inc., ch. 12, p. 302 - 16.

Cross C. E., and Halliwell B. (1991):

Biological consequences of general environmental contaminants. In: Crystal R.G., West J.B. (eds.), The lung. Scientific foundations. New York: Raven Press, p. 1975 - 80.

Cross C. E., Halliwell B., Borish E. T., et al. (1987):

Oxygen radicals and human disease.

Ann. Intern. Med., 107: 526 - 45.

Cross C. E., Van der Vliet A., O' Neill C.A., et al. (1994):

Oxidants, antioxidants and respiratory tract lining fluids.

Env. Health Perspec., 102 (10) : 185 - 91.

Crouch R., Kimsey G., Priest D.G., et al. (1978):

Effect of streptozotocin on erythrocyte and retinal superoxide dismutase.

Diabetologia, 15: 53 - 7.

Cruikshank D. P., Pitkin R.M., Reynolds W. A., et al. (1980):

Altered maternal calcium homeostasis in diabetic pregnancy.

J. Clin. Endocrinol. Metab., 50: 264.

Crystal R.G. (1991 a):

Introduction.

Am. J. Med., 91 (3C): 1 S.

Crystal R.G. (1991 b):

Oxidants and respiratory tract epithelial injury: Pathogenesis and strategies for therapeutic intervention.

Am. J. Med., 91 (3C): 39 S - 44.

Cunningham F.G., Mac Donald P.C., Gant N. F., et al. (1997):

Diabetes. In: Cunningham F.G., Mac Donald P.C., Gant N. F., et al. Williams obstetrics 20th ed., Appleton and Lange, Stamford, Connecticut, 1203 - 18.

Curet L.B., Joffe G.M., and Kraft J.R. (1996):

Plasma insulin secretion during the three hour glucose tolerance test is a better prediction of perinatal risk than glucose levels.

J. Soc. Gynecol., 3: 130 A.

Damm P., Kuhl C., Bertelsen A., et al. (1992):

Predictive factors for the development of diabetes in women with previous gestational diabetes mellitus.

Am. J. Obstet. Gynecol., 167: 607 - 16.

Darley-Usmar V., Wiseman H., and Halliwell B. (1995):

Nitric oxide and oxygen radicals: a question of balance.

FEBS Lett. 369: 131 - 5.

Dartigues J.F., Dabis F., Gros N., et al. (1990):

Dietary vitamin A, beta carotene and risk of epidermoid lung cancer in south-western France.

Eur. J. Epidemiol., 6: 261 - 5.

Davis K.J.A., Sevanian A., Muakkassah-kelly S.F., et al. (1986):

Uric acid-iron ion complexes: a new aspect of the antioxidant functions of uric acid.

Biochem. J., 235: 747 - 54.

Davis W.B., and Pacht E.R. (1991):

Extracellular antioxidant defences. In: Crystal R.G., West J.B. (eds.),
The lung: scientific foundations. New York: Raven Press, 1821 - 7.

De Fronzo R.A., and Ferrannini E. (1991):

Insulin resistance: a multifaceted syndrome responsible for NIDDM, obesity, hypertension and atherosclerotic cardiovascular disease.

Diabetes Care, 14: 173 - 94.

Demarini S., Mimouni F., Tsang R.C., et al. (1994):

Impact of metabolic control of diabetes during pregnancy on neonatal hypocalcemia: A randomized study.

Obstetrics and Gynecology, 83: 918 - 22.

Demple B., and Harrison L. (1994):

Repair of oxidative damage to DNA: enzymology and biology.

Annu. Rev. Biochem. 63: 915 - 48.

Diplock A.T. (1994):

Antioxidants and disease prevention.

Molec. Aspects Med., 15: 293 - 376.

Diplock A.T. (1995):

Safety of antioxidant vitamins and β -carotene.

Am. J. Clin. Nutr. 62: 1510 S -16.

Dornhost A., and Beard R.W. (1993):

Gestational diabetes: a challenge for the future.

Diabetic Med., 10: 897 - 905.

Dubowitz L.M. and Dubowitz V. (1977):

Gestational age assessment of the newborn. Addison-Wesley Publishing Company 1st (ed.), p. 1-6.

Editorial (1991):

Retinopathy of prematurity.

Lancet, 337: 83 - 4.

Efendic S., Hanson U., Persson B., Wajngot A., et al. (1987):

Glucose tolerance, insulin release, and insulin sensitivity in women with previous gestational diabetes mellitus.

Diabetes, 36: 413 - 9.

Eiserich J. P., Vossen V., O' Neill C.A., et al. (1994):

Molecular mechanisms of damage by excess nitrogen oxides: nitration of tyrosine by gas phase cigarette smoke.

FEBS Lett., 353: 53 - 56.

Eldin A. K., and Appelqvist L. A. (1996):

The chemistry and antioxidant properties of tocopherols and tocotrienols.

Lipids, 31: 671 - 701.

Engelgau M.M., Herman W.H., Smith P.J., et al. (1995):

The epidemiology of diabetes and pregnancy in the U.S.

Diabetes Care, 18: 1029 - 33.

Ensminger A.H., Ensminger M.E., Konlande I.E., et al. (1995):

The concise encyclopedia of foods and nutrition. 5th ed. C.R.C. Press London/Tokyo: 1149-52.

Eriksson U.J. and Borg L.A.H. (1991):

Protection by free oxygen radical scavenging enzymes against glucose-induced embryonic malformations in vitro.

Diabetologia, 34: 325 - 31.

Esterbauer H., Gebicki J., Puhl H., et al. (1992):

The role of lipid peroxidation and antioxidants in oxidative modification of LDL.

Free Radic. Biol. Med., 13: 341 - 90.

Esterbauer H., Striegl G., Puhl H., et al. (1989):

Continuous monitoring of in vitro oxidation of human low density lipoprotein.

Free Radic. Res. Commun., 6: 67 - 75.

Evans P.J., Evans R.W., Kovar I.Z., et al. (1992):

Bleomycin-detection the plasma of premature and full term neonates.

FEBS Lett., 303: 210 - 12.

Fadel H.E., Saad S.A., Davis H., et al. (1988):

Fetal lung maturity in diabetic pregnancies: Relation among amniotic fluid, insulin, prolactin, and lecithin.

Am. J. Obstet. Gynecol., 159: 457.

Farr S.B., D' Ari R, and Touati D. (1986):

Oxygen-dependent mutagenesis in *Escherichia coli* lacking superoxide dismutase.

Proc. Natl. Acad. Sci. USA, 83: 8268 - 72.

Farrell P.M. and Roberts R.J. (1994):

Vitamin E. In: modern nutrition in health and disease. 8th ed. vol. 1. (Shils M.E., Olson J.A. & Shike M., eds.). Lea & Febiger, Philadelphia, PA. pp. 326 - 41.

Favier A.E. (1992):

Hormonal effect of zinc on growth, in children.

Biol. Trace Elem. Res. 32: 383 - 98.

Fish W.H., Cohen M., Franzek D., et al. (1990):

Effect of intramuscular vitamin E on mortality and intracranial haemorrhage in neonates of 1000 grams or less.

Pediatrics, 85: 578 - 84.

Flagg E.W., Coates R.J., and Greenberg R. S. (1995):

Epidemiologic studies of antioxidants and cancer in humans.

J. Am. Coll. Nutr., 14 : 419 - 26.

Foote C. S., (1976):

Photosensitized oxidation and singlet oxygen: consequences in biological systems. In: Pryor W. A. (ed.), Free radicals in biology II. New York: Academic Press, 85 - 133.

Foster D. W. (1994):

Diabetes mellitus. In : Isselbacher K.J., Braunwald E., Wilson I.D. et al. (eds): Harrison's principles of internal medicine, 13th ed. New York, McGraw-Hill, p. 1979.

Frei B., Stocker R., and Ames B.N. (1992):

Small molecule antioxidant defences in human extracellular fluids. In: Scandalios J.G. (ed.), Molecular biology of free radical scavenging systems. New York: Cold Spring Harbor Laboratory Press, 23 - 45.

Freinkel N., and Hadden D. (1985):

Summary and recommendation of the second international workshop- conference on gestational diabetes mellitus.

Diabetes, 34: 123.

Fridovich I. (1974):

Superoxide dismutase.

Adv. Enzymol, 41: 35 - 48.

Fridovich I. (1983):

Superoxide radical: an endogenous toxicant.

Annu. Rev. Pharmacol. Toxicol., 23: 239 - 57.

Fridovich I. (1986 a):

Arch. Biochem. Biophys., 247: 1.

Fridovich I. (1986 b):

Superoxide dismutases.

Methods Enzymol., 58: 61 - 97.

Gabbe S.G., (1980):

Medical complications of pregnancy management of diabetes in pregnancy: six decades of experience. In: Pitkin R.M., Zlatnik F.J. (eds.), Year Book of obstetrics and gynecology. Chicago: Year Book, 37 - 49.

Gandhi J. A., Zhang X.Y., and Maidman J.E. (1995):

Fetal cardiac hypertrophy and cardiac function in diabetic pregnancies.

Am. J. Obstet. Gynecol., Vol. 173: 1132 - 6.

Garner P. R. (1995):

Type 1 diabetes and pregnancy correspondence.

Lancet 346: 966.

Gaziano J.M., Manson J.E., Branch L.G., et al. (1995):

A prospective study of consumption of carotenoids in fruits and vegetables and decreased cardiovascular mortality in the elderly.

Ann. Epidemiol., 5: 255 - 60.

Gerlini G., Arachi S., Gari M.G., et al. (1986):

Developmental aspects of the offspring of diabetic mothers.

Acta Endocrinol., suppl. coplnh., 277: 150 - 5.

Getzoff E.D., Tainer J.A., Weiner P.K., et al. (1983):

Electrostatic recognition between superoxide and copper, zinc superoxide dismutase.

Nature, 306: 287 - 90.

Giugliano D., Ceriello, and Paolisso G. (1990):

Oxidative stress and diabetic vascular complications.

Diabetes Care, 19 (3): 257 -67.

Glass L. (1998):

Infants of diabetic mothers. In: Finberg L., and Saunders W.B.

(eds.), Saunders manual of pediatric practice. USA, 58 - 9.

Gloria-Bottini F., Gerlini G., Lucarini N., et al. (1994):

Both maternal and fetal genetic factors contribute to macrosomia of diabetic pregnancy.

Hum. Hered., 44: 24 - 30.

Godin D.V., and Wohaieb S.A. (1988):

Nutritional deficiency starvation and tissue antioxidant status.

Free Rad. Biol. Med., 5: 165 - 76.

Gopinathan V., Miller N.J., Milner A.D., et al. (1994):

Bilirubin and ascorbate antioxidant activity in neonatal plasma.

FEBS Lett., 349 (2): 197 - 200.

Habib M.P., Dickerson F.D., and Mooradian A.D. (1994):

Effect of diabetes, insulin and glucose load on lipid peroxidation in the rat.

Metabolism, 43: 1442 - 5.

Haddad I.Y., Ischiropoulos H., Holm B.A., et al. (1993):

Mechanisms of peroxynitrite-induced injury to pulmonary surfactants.

Am. J. Physiol. (Lung. Cell. Mol. Physiol.) 265: L 555 - 64.

Haddad I.Y., Pataki G.H.P., Galliani C., et al. (1994):

Quantification of nitrotyrosine levels in lung sections of patients and animals with acute lung injury.

J. Clin. Invest., 94 : 2407 - 13.

Halliwell B., and Aruoma O.I. (1991):

DNA damage by oxygen-derived species. Its mechanism and measurement in mammalian systems.

FEBS Lett., 281: 9 - 19.

Halliwell B., and Gutteridge J.M.C. (1984 a):

Lipid peroxidation, oxygen radicals, cell damage and antioxidant therapy.

Lancet, 1: 1396 - 8.

Halliwell B., and Gutteridge J.M.C. (1984 b):

Oxygen toxicity, oxygen radicals, transition metals and disease.

Biochem. J., 219: 1 - 14.

Halliwell B., and Gutteridge J.M.C. (1985):

The importance of free radicals and catalytic metal ions in human diseases.

Mol. Aspects Med., 8: 89 - 193.

Halliwell B., and Gutteridge J.M.C. (1986):

Oxygen free radicals and iron in relation to biology and medicine: some problems and concepts.

Arch. Biochem. Biophys., 246: 501 - 14.

Halliwell B., and Gutteridge J.M.C. (1989):

Free radicals in biology and medicine. 2nd ed. Oxford, England: Oxford University Press.

Halliwell B., and Gutteridge J.M.C. (1990):

The antioxidants of human extracellular fluids.

Arch. Biochem. Biophys., 280: 1 - 8.

Halliwell B., and Gutteridge J.M.C. (1990*):

Free radical and human disease. In: methods in enzymology vol. 186. Academic press, Inc.

Halliwell B., Gutteridge J.M.C., and Cross C.E. (1992):

Free radicals, antioxidants and human diseases, where we are now?
J. Lab. Clin. Med., 119 (6): 598.

Halliwell B., Hoult J.R.C., and Blake D.R. (1989):

Oxidants, inflammation and the anti-inflammatory drugs.
FASEB J., 2: 2867 - 73.

Halliwell B., Wasil M., and Grootveld M. (1987):

Biologically significant scavenging of the myeloperoxidase-derived oxidant hypochlorous acid by ascorbic acid.
FEBS Lett., 213: 15 - 8.

Hammermuller J.D., Bray T.M., and Bettger W.J. (1987):

Effect of zinc and copper deficiency on microsomal NADPH-dependent active oxygen generation in rat lung and liver.
J. Nutr., 117: 894 - 901.

Hansson U., and Persson B. (1993):

Outcome of pregnancies complicated by type 1 insulin-dependent diabetes in Sweden: acute pregnancy complications, neonatal morbidity and mortality.

Am. J. Perinatol., 10 (4): 330 - 3.

Hayakawa M., and Kuzaya F. (1990):

Free radicals and diabetes mellitus.

Jpn. J. Geriatr., 27: 149 - 54.

Heffner J.E., and Repine J.E. (1989):

Pulmonary strategies of antioxidant defence.

Am. Rev. Respir. Dis., 140: 531 -54.

Hill H.A.O. (1981):

Oxygen, oxidases and the essential trace metals.

Philos. Trans. R. Soc. Lond. Ser. B., 294: 119 - 28.

Hohman T.C., and Beg M.A. (1994):

Diabetic complication: progress in the development of treatment.

Exp. Opin. Invest. Drugs, 3: 1041 - 9.

Huddleston J.F., Cramer M.K., and Vroon D.H. (1993):

A rationale for omitting two hour postprandial glucose determinations in gestational diabetes.

Am. J. Obstet. Gynecol., 169: 257.

Huertas J.R., Palomino N., Ochoa J.J., et al. (1998):

Lipid peroxidation and antioxidants in erythrocyte membranes of full-term and preterm newborns.

Biofactors, 8 (1-2): 133 - 7.

Hunt J.V., Dean R.T., and Wolff S.P. (1988):

Hydroxyl radical production and autooxidation as the cause of protein damage in the experimental glycation model of diabetes mellitus and aging.

Biochem. J., 256: 205 - 12.

Hunt J.V., and Wolff S.P. (1991):

Oxidative glycation and free radical production: a causal mechanism of diabetic complications.

Free Radic. Res. Commun., 12-13 (1): 115 - 23.

Iioka H., Akada S., Hisanaga H., et al., (1991):

Changes in plasma levels of lipid peroxide and vitamin E during pregnancy.

Asia-Oceania Journal of Obstetrics and Gynecology, 17: 357 - 61.

Imlay J.A., and Linn S. (1988):

Science, 240: 1302.

Ingelfinger J.A., Mosteller F.M., Thibodeau L.A. et al. (1994):

Biostatistics in clinical medicine. Mc Graw-Hill Inc, NY.

Ingold K.U., Webb A.C., Witter D., et al. (1987):

Vitamin A remain the major lipid-soluble, chain-breaking antioxidant in human plasma even in individuals suffering severe vitamin E deficiency.

Arch. Biophys., 259: 224 - 5.

Isbir T., Tamer A., Taylor, et al. (1994):

Zinc, copper and magnesium status in insulin-dependent diabetes.

Diabetes Research, 26: 41 - 5.

Jacob R.A., and Burri B.J. (1996):

Oxidative damage and defence.

Am. J. Clin. Nutr., 63: 985 S - 90.

Jacobsen J., and Fedders O. (1970):

Scand. J. Clin. Lab. Invest., 26: 237.

James R.G.III, Howard H., Alberti, et al. (1997):

Report of the expert committee on the diagnosis and classification of diabetes mellitus.

Diabetes Care, volume 20, number 7: 1183 - 97.

Kagan V.E. (1988):

Lipid peroxidation in biomembranes. Boca. Roton. Florida: CRC press 13: 146.

Kagan V.E., Serbinova E.A., and Packer L. (1990):

Antioxidant effects of ubiquinones in microsomes and mitochondria are mediated by tocopherol recycling.

Biochem. Biophys. Res. Commun., 196: 851 - 7.

Kakkar P. (1984):

Modified spectrophotometric assay of superoxide dismutase.

Int J. Biochem. Biophys., 21: 130 - 2.

Kalhan S.C., and Saker F. (1997):

Disorders of carbohydrate metabolism. Metabolic and endocrine disorders. In: Neonatal-perinatal medicine: diseases of the fetus and infant. Fanaroff A.A., and Martin R.J. (eds.), 6th ed. Mosby-Year book, Inc. USA. Chapter 47.

Kardinnal A.F., Kok F.G., Ringstad J., et al. (1993):

Antioxidants in adipose tissue and risk of myocardial infarction: the EURAMIC study.

Lancet, 342: 1379 - 84.

Kaufmann H.P., and Garloff H. (1961):

Fette. Seifen. Anstrichm., 63: 334.

Kaul R., Kaul H.K., Bajpai P.C., et al. (1979):

J. Biosci., 1: 377.

Kayden H.J., and Traber M.G., (1993):

Absorption, lipoprotein transport and regulation of plasma concentrations of vitamin E in humans.

J. Lipid Res., 34: 343 - 58.

Kawamura N., Ookawara T., Suzuki K., et al. (1992):

Increased glycated Cu, Zn, superoxide diismutase levels in erythrocytes of patients with insulin-dependent diabetes mellitus.

J. Clin. Endocrinol. Metab., 74: 1352 - 4.

Kenkt P., Aromaa A., Maatela J., et al. (1990):

Serum vitamin A and subsequent risk of cancer: cancer incidence follow-up of the Finnish Mobile Clinic Health Examination Survey.

Am. J. Epidemiol., 132: 857 -70.

Kenkt P., Reunanen A., Jarvinen R., et al. (1994):

Antioxidant vitamin intake and coronary mortality in a longitudinal population study.

Am. J. Epidemiol., 139: 1180 - 9.

Kjos S.L., Buchanan T.A., and Greenspoon J.S. (1990):

Gestational diabetes: the prevalence of glucose intolerance and diabetes mellitus in the first two months postpartum.

Am. J. Obstet. Gynecol., 163: 93 - 8.

Kjos S.L., Walther F.J., Montoro M., et al. (1990 b):

Prevalence and etiology of respiratory distress in infants of diabetic mothers: Predictive value of fetal lung maturation tests.

Am. J. Obstet. Gynecol., 163: 898.

Knight G., Worth R.C., and Ward J.D. (1993):

Macrosomy despite a well controlled diabetic pregnancy.

Lancet, ii: 1431.

Koletzko B., Decsi T., and Sawatzki G., (1995):

Vitamin E status of low birth weight infants fed formula enriched with long chain polyunsaturated fatty acids.

Int. J. Vitam. Nutr. Res., 65: 101 - 4.

Kooy N.W., Royall J.A., Ye Y.Z., et al., (1995):

Evidence for in vivo peroxynitrite production in human acute lung injury.

Am. J. Respir. Crit. Care Med., 151: 1250 - 4.

Kretzer F.L., Mehta R.S., Johnson A.T., et al., (1984):

Vitamin E protects against retinopathy of prematurity through action on spindle cells.

Nature (lond), 309: 793 - 5.

Krieger-Brauer H., and Kather H. (1992):

Human fat cells possess a plasma membrane bound H₂O₂ generation system that is activated by insulin via a mechanism by passing the receptor kinase.

J. Clin. Invest., 89: 1006 - 13.

Krinsky N.I. (1992):

Mechanism of action of biological antioxidants.

Proc. Soc. Exp. Biol. Med., 200: 248 - 54.

Kuhl C. (1991):

Insulin secretion and insulin resistance in pregnancy and GDM.

Diabetes, 40 (2): 18 - 24.

Lall S.B., Singh B., Gulati K., et al. (1999):

Role of nutrition in toxic injury.

Indian J. Exp. Biol., 37: 109 - 16.

Langer O., Rodriguez D.A., Xenakis E.M.J., et al. (1994):

Intensified versus conventional management of gestational diabetes.

Am. J. Obstet. Gynecol., 170: 1036 - 47.

Lau S.J. and Sarkar (1981):

Biochem. J. 199: 649.

Lepoivre M., Flaman J.M., Bobé P., et al. (1994):

Quenching of the tyrosyl free radical of ribonucleotide reductase by nitric oxide.

J. Biol. Chem., 269: 21891 - 7.

Levander O.A. (1987):

A global view of human selenium nutrition.

Annu. Rev. Nutr., 7: 227 - 50.

Levine M., Rumesy S., Wang Y., et al (1996):

Vitamin C. In: present knowledge in nutrition. 7th ed. (Ziegler E.E., Filer Jr. L.J. eds.). ILSI press, Washington, DC. pp. 146 - 159.

Lindeman J.H.N., Lentjes E.G.W.M., Houdkamp E., et al. (1992):

Effect of an exchange transfusion on plasma antioxidants in the newborn.

Pediatrics, 90 (2 Pt 1): 200 - 3.

Lindeman J.H.N., Van Zoeren-Grobbe D., Schrijver J., et al. (1989):

The total free radical trapping ability of cord blood plasma in preterm and term newborns.

Pediatr. Res., 26: 20 - 4.

Linder M.C. (1996):

Copper in nutrition 7th ed. (Ziegler E.E. and Filer Jr. L.J., eds.) ILIS press, Washington, DC. pp. 307 - 19.

Linder M.C. and Hazegh-Azam M. (1996):

Copper biochemistry and molecular biology.

Am. J. Clin. Nutr., 63: 797 S - 811 S.

Lowenstein C.J., Dinerman J.L., and Shyder S.H. (1994):

Nitric oxide a physiologic messenger.

Ann. Intern. Med., 120: 227 - 37.

LSRO Report (1998):

Journal of Nutrition, November 98

Lucarini N., Gloria-Bottini F., Borgiani P., et al. (1994):

Genetic and non genetic factors in the outcome of diabetic pregnancy.

J. Perinat. Med., 22: 379 - 85.

Luis A., and Navab M. (1993):

Lipoprotein oxidation and gene expression in the artery wall.

Biochem. Pharmacol., 46 : 2119 - 26.

Maddipati K.R., and Marnett L.J. (1987):

Characterization of the major hydroperoxide-reducing activity of human plasma.

J. Biol. Chem., 262: 17398 - 403.

Magee M.S., Walden C.E., and Benedetti T.J., et al. (1993):

Influence of diagnostic criteria on the incidence of gestational diabetes and perinatal mortality.

JAMA, 26: 609 -15.

Mangels A.R., Holden J.M., Beecher G.R., et al. (1993):

Carotenoid content of fruits and vegetables: an evaluation of analytical data.

J. Am. Diet Assoc., 93: 284 - 96.

Marcillat O., Zhang Y., Lin S.W., et al. (1988):

Mitochondria contain a proteolytic system, which can recognize and degrade oxidatively-denatured proteins.

Biochem. J., 254: 677 - 83.

Marklund S.L. (1984):

Extracellular superoxide dismutase in human tissues and human cell lines.

J. Clin. Invest., 74: 1398 - 403.

Martin F.I.R., Heath P. and Mountain K.R. (1987):

Pregnancy in women with diabetes mellitus: fifteen years experience 1970 - 1985.

Med. J. Aust., 146: 187.

Martin W.J.II. (1991):

Injury from drugs. In: Crystal R.G., West J.B. (eds.), *The lung. Scientific foundations*. New York: Raven Press, 1993 - 2002.

Marzil, Buhren V., Schüttler A., et al. (1993):

Value of superoxide dismutase for prevention of multiple organ failure after multiple trauma.

J. Trauma, 35: 110 - 20.

Mathews-Roth M.M. (1993):

Carotenoids in erythropoietic protoporphyria and other photosensitivity diseases.

Ann. N.Y. Acad. Sci., 691: 127 - 38.

Maxwell S.R. (1995):

Prospects for the use of antioxidant therapies.

Drugs, 49 (3): 345 - 61.

Maxwell S.R.J., Thomason H., Sandler D., et al. (1997):

Antioxidant status in patients with uncomplicated insulin-dependent and non-insulin-dependent diabetes mellitus.

Eur. J. Clin. Invest., 27: 484 - 90.

Mayes P.A. (1996):

Structure and function of the lipid-soluble vitamins. In: Harper biochemistry, (24th ed.): Murray R.K., Granner D.K., Mayes P.A., et al. Appleton and Lange, USA. Ch. 53, 614: 24.

Mayne S.T. (1996):

Beta-carotene, carotenoids and disease prevention in humans.

FASEB J.

Mazze R.S., and Krogh C.L. (1992):

Gestational diabetes mellitus: now is the time for detection and treatment.

Mayo. Clin. Proc., 67: 995 - 1002.

McCord J.M. (1985):

Oxygen-derived free radicals in post ischemic tissue injury.

N. Engl. J. Med., 312: 159 - 63.

McDonagh A.F. (1972):

Biochem. Biophys. Res. Commun., 48: 408.

Metzger B.E. (1991):

Organizing committee: summary and recommendations of the third international workshop-conference on gestational diabetes mellitus.

Diabetes, 40: 197 -201.

Metzger B.E., Bybee D.E., Freinkel N., et al. (1985):

Gestational diabetes mellitus. Correlations between the phenotypic and genotypic characteristics of the mother and abnormal glucose tolerance during the first year postpartum.

Diabetes, 34 (2): 111.

Metzger B.E., Cho N.H., Roston S.M., et al. (1993):

Prepregnancy weight and antepartum insulin secretion predict glucose tolerance five years after gestational diabetes mellitus.

Diabetes Care, 16: 1593 - 605.

Meyer M., Schreck R., and Baeuerle P.A. (1993):

H₂O₂ and antioxidants have opposite effects on activation of NF- B AND AP-1 in intact cells: AP-1 as secondary antioxidant-responsive factor.

EMBO J., 12: 2005 - 15.

Miller D.M., and Aust S.D. (1989):

Studies of ascorbate dependent, iron catalyzed lipid peroxidation.
Arch. Biochem. Biophys., 271: 113 - 9.

Moison R.M.W., Palinckx J.J.S., Roest M., et al. (1993):

Introduction of lipid peroxidation of pulmonary surfactant by plasma
of preterm babies.
Lancet, 341: 79 - 82.

Muller D.P.R., Lloyd J.K., and Wolff O.H. (1983):

Vitamin E and neurological function.
Lancet, 1: 225 - 7.

Naylor C.D., Sermer M., Chen E., et al. (1996):

Cesarean delivery in relation to birth weight and gestational glucose
tolerance.
JAMA, 275: 1165 - 70.

Neeld J.B. and Pearson W.N. (1963):

Macro and micromethods for the determination of serum vitamin A
using trifluoroacetic acid.
J. Nut., 74: 454 - 9.

Niki E. (1987):

Antioxidants in relation to lipid peroxidation.
Chemistry and Physics of Lipids, 44: 227 - 53.

Nilsson U.A., Haraldsson G., Bratell B., et al. (1993):

ESR-measurement of oxygen radicals in vivo after renal ischaemia in the rabbit. Effect of pretreatment with superoxide dismutase and heparin.

Acta. Physiol. Scand., 147 : 263 - 70.

Noberasco G., Odetti P., Boeri D., et al. (1991):

Malonydialdehyde (MDA) level in diabetic subjects: relationship with blood glucose and glycosylated hemoglobin.

Biomed. Pharmacol. Therapy, 45: 193 -6.

Nogee L., McMahan M., and Witsett J.A. (1988):

Hyaline membrane disease and surfactant protein, SAP-35, in diabetes in pregnancy.

Am. J. Perinatol., 5: 374.

Noguchi A., Eren M., and Tsang R.C. (1980):

Parathyroid hormone in hypocalcemic and normocalcemic infants of diabetic mothers.

J. Pediatr., 97: 112 - 7.

Nordström L., Spetz E., Wallström K., et al. (1998):

Metabolic control and pregnancy outcome among women with insulin-dependent diabetes mellitus.

Acta. Obstet. Gynecol. Scand., 77: 284 - 9.

Oh W. (1988):

Neonatal outcome and care. In: Reece E.A., Coustan D.R. (eds.), Diabetes mellitus in pregnancy. Edinburgh: Churchill Livingstone, 547.

Ohkawa H. (1979):

Assay for lipid peroxidation in animal tissue by TBA.

Anal. Biochem., 95: 351 - 8.

Olson J.A. (1995):

Benefits and liabilities of vitamin A and carotenoids.

J. Nutr. (FASEB J.), 9: 1547 - 50.)

Olson J.A., and Krinsky N.I. (1995):

Introduction: The colorful, fascinating world of the carotenoids :
important physiologic modulators.

FASEB J., 9: 1547 - 50.

O'Sullivan J.B. (1991):

Diabetes after GDM.

Diabetes, 40 (2): 131 - 5.

Paolisso G., and Giugliano D. (1996):

Oxidative stress and insulin action: is there a relationship?

Diabetologia 39: 357 - 63.

Parker R.S. (1989):

Dietary and biochemical aspects of vitamin E.

Adv. Food Nutr. Res., 33: 157 - 232.

Parsons P.E., Worthen G.E., and Henson P.M. (1991):

Injury from inflammatory cells. In: Crystal R.G., West J.B. (eds.),

The lung. Scientific foundations. New York: Raven Press, 1981 - 92.

Persson B., and Hanson U. (1996):

Fetal size at birth in relation to quality of blood glucose control in pregnancies complicated by pregestational diabetes mellitus.

Br. J. Obstet. Gynaecol., 103: 427 - 33.

Persson B., Hanson U., Hartling S.G., et al., (1991):

Follow up of women with previous GDM: insulin, c-peptide, and proinsulin responses to oral glucose load.

Diabetes, 40 (2): 136 - 41.

Persson B., Stangenberg M., Hanson U., et al. (1985):

Gestational diabetes mellitus (GDM): comparative evaluation of two treatment regimens, diet versus insulin and diet.

Diabetes, 34 (2): 101.

Peter J. Aggett (1994):

Zinc

Annales Nestle, 52: 94 -106.

Peters R.K., Kjos S.L., Xiang A., et al. (1996):

Long-term diabetogenic effect of single pregnancy with previous gestational diabetes mellitus.

Lancet, 347: 227.

Pollak R., Andrisevic J.H., Maddux M.S., et al. (1993):

A randomized double-blind trial of the use of human recombinant superoxide dismutase in renal transplantation, 55: 57 - 60.

Poranen A.K., Ekblad U., Uotila P., et al. (1998):

The effect of vitamin C and E on placental lipid peroxidation and antioxidative enzymes in perfused placenta.

Acta. Obstet. Gynecol. Scand., 77: 372 - 6.

Pryor W.A. (1988):

Free Radical.

Biol. Med., 4: 219.

Putnam F.W., Takahashi N., and Ortel T.L. (1984):

Progress in plasma proteins. In: Arnaud P., Bienvenu J., and Laurent P. (eds.), Marker proteins in inflammation. Vol.2. New York: Walter de Gruyter and Co., 25 - 41.

Randle P.J., Priestman D.A., Mistry S., et al. (1994):

Mechanism modifying glucose oxidation in diabetes mellitus.

Diabetologia, 37 (2): S 155 - 61.

Reece E.A., Gabrielli S., and Abdalla M. (1988):

The prevention of diabetes-associated birth defects.

Semin. Perinatol., 12: 292.

Reilly P.M., Schiller H.J., and Bulkley G.B. (1991):

Pharmacologic approach to tissue injury mediated by free radicals and other reactive oxygen metabolites.

Am. J. Surg., 161: 488 - 503.

Rice-Evans C.A., and Miller N.J. (1996):

Antioxidant activities of flavonoids as bioactive components of food.

Biochem. Sci. Transact., 24: 790 - 5.

Riemersma R.A., Wood D., Macintyre C., et al. (1991):

Risk of angina pectoris and plasma concentrations of vitamin A, C and E and carotene.

Lancet, 337: 1 - 5.

Rimm E.B., Stampfer M.J., Ascherio A., et al. (1993):

Vitamin E consumption and the risk of coronary heart disease in men.

N. Engl. J. Med., 328: 1450 - 6.

Rizzo T., Freinkel N., Metzger B.E., et al. (1990):

Correlation between antepartum maternal metabolism and newborn behavior.

Am. J. Obstet. Gynecol., 163: 1458 - 64.

Rizzo T., Metzger B.E., Burns W.J., et al. (1991):

Correlation between antepartum maternal metabolism and intelligence of offspring.

N. Engl. J. Med., 325: 911 - 6.

Robertson P. Jr., and Fridovich I. (1982):

Arch. Biochem. Biophys., 213: 353.

Rock C.L., Jacob R.A., and Bowen P.E. (1996):

Update on the biological characteristics of the antioxidant nutrients:
vitamin C, vitamin E, and the carotenoids.

J. Am. Diet Assoc., 96: 673 - 702.

Rowe P.M. (1996):

Beta-carotene takes a beating.

Lancet, 347: 249.

Ryan E.A., Imes S., Liu D., et al. (1995):

Defects in insulin secretion and action in women with a history of
gestational diabetes.

Diabetes, 44: 506 - 12.

Sacks D.A. (1993):

Fetal macrosomia and gestational diabetes: what's the problem?

Obstet. Gynecol., 81: 775 - 81.

Salvesen D.R., Brudenell M.J. and Nicolaidis K.H. (1992):

Fetal polycythemia and thrombocytopenia in pregnancies
complicated by maternal diabetes mellitus.

Am. J. Obstet. Gynecol., 166: 1287.

Schmidt K.N., Amstad P., and Baeuerle P.A. (1995):

The roles of hydrogen peroxide and superoxide as messengers in the
activation of transcription factor NF- κ B.

Chem. Biol., 2: 13 - 22.

Schraufstatter I.U., and Cochrane C.G. (1991):

Oxidants: types, sources, and mechanisms of injury. In: Crystal R.G., West J.B. (eds.), *The lung*. Scientific foundations. New York: Raven Press, 1803 - 10.

Schrod L., Neuhaus T., Speer C.P., et al. (1997):

Possible role of uric acid as an antioxidant in premature infants.
Biol. Neonate., 72 (2): 102 - 11.

Schwartz R., Gruppuso P.A., Petzold K., et al. (1994):

Hyperinsulinemia and macrosomia in the fetus of the diabetic mother.
Diabetes Care, 17: 640 - 8.

Sells C.J., Robinson N.M., Brown Z., et al. (1994):

Long-term developmental follow up infants of diabetic mothers.
J. Pediatr., 125 : S 9 - 17.

Sen C.K., and Packer L. (1996):

Antioxidant and redox regulation of gene transcription.
FASEB J., 10: 709 - 20.

Sepe S.J., Connell F.A., Geiss L.S., et al. (1985):

Gestational diabetes. Incidence, maternal characteristics, and perinatal outcome.
Diabetes, 34 (2): 13.

Sevenian A., Davies K.J.A., and Hochstein P.A. (1985):

Conservation of vitamin C by uric acid in blood.
J. Free Rad. Biol. Med., 1: 117 - 24.

Sheila C.V., Love A.H., and Thompson A. (1981):

Zinc and Copper concentrations in hair and serum of pregnant women in Belfast.

Am. J. Clin. Nutr., 34: 280 - 7.

Sies H. (1985):

Oxidative stress: introductory remarks. In: Sies H., ed. oxidative stress. London: Academic Press, 18.

Sies H. (1986):

Biochemistry of oxidative stress.

Angew. Chem. Int. Ed. Engl., 25: 1058 - 71.

Sies H. (1987 a):

Active oxygen species and toxicity. In: Benford D.J., Bridges J.W., and Gibson G.G. (eds.), Drug metabolism: From molecule to man. London, Taylor and Francis, 709 - 21.

Sies H. (1987 b):

Antioxidant activity in cells and organs.

Am. Rev. Respir. Dis., 136: 478 - 80.

Sies H. (1991 a):

Oxidative stress. Oxidants and antioxidants, Academic Press, Orlando, FL, London. pp. 650.

Sies H. (1991 b):

Oxidative stress: from basic research to clinical application.

Am. J. Med., 91 (3C): 31 S - 8.

Sies H. (1993):

Strategies of antioxidant defence.

Eur. J. Biochem., 215: 213 - 9.

Sies H. (1997):

Sies H. (Ed.) Antioxidants in disease mechanisms and therapy. San Diego, C.A., Academic.

Sies H., and Stahl W. (1995):

Vitamin E and C, beta-carotene, and other carotenoids as antioxidants.

Am. J. Clin. Nutr., 62: 1315 S - 21.

Silverman B.L., Metzger B.E., Cho N.H., et al. (1995):

Fetal hyperinsulinism and impaired glucose tolerance in adolescent offspring of diabetic mothers.

Diabetes Care, 18: 611 - 7.

Silverman B.L., Rizzo T., Green O.C., et al. (1991):

Long-term prospective evaluation of offspring of diabetic mothers.

Diabetes, 40 (Suppl. 2): 121 - 5.

Singal P.K., Beamrish R.E., and Dhalla N.S. (1983):

Potential oxidative pathways of catecholamines in the formation of lipid peroxides and genesis of heart disease.

Adv. Exp. Med. Biol., 161: 391 - 401.

Skrha J., Hodinar A., Kvosnicka J., et al. (1996):

Relationship of oxidative stress and fibrinolysis in diabetes mellitus.

Diabet. Med., 13: 800 - 5.

Slot J.W., Genze H.J., Freeman B.A., et al. (1986):

Intracellular localization of copper-zinc and manganese superoxide dismutase in rat liver parenchymal cells.

Lab. Invest., 55: 363 - 71.

Sokol R.J. (1993):

Vitamin E deficiency and neurological disorders. In: Packer L., and Fuchs J. (eds.), Vitamin E in health and disease, Marcel Dekker: New York, pp. 815 - 49.

Stahelin H.B., Gey K.F., Eichholzer M., et al. (1991):

Plasma antioxidant vitamin and subsequent cancer mortality in the 12-year follow-up of the prospective Basel (Switzerland) study.

Am. J. Epidemiol., 133: 766 - 75.

Stahl W., Nicolai S., Brivibak et al. (1997):

Biological activities of natural and synthetic carotenoids: induction of gap junctional communication and singlet oxygen quenching.

Carcinogenesis, 18: 89 - 92.

Stahl W., and Sies H. (1997):

Antioxidant defence: vitamins E and C and carotenoids.

Diabetes, 46 (Suppl. 2): S 14 - 8.

Stahl W., Sundquist A.R., and Sies H. (1994):

Role of carotenoids in antioxidant defence. In: Blomhoff R. (ed.), vitamin A in health and disease. Marcel Dekker, New York, pp. 275 - 87.

Steinberg D., Parthasarathy S., Carew T.E., et al. (1989):

Beyond cholesterol. Modifications of low-density lipoprotein that increase its atherogenicity.

N. Engl. J. Med., 320: 915 - 24.

Stenninger E., Schollin J., and Åman J. (1991):

Neonatal macrosomia and hypoglycemia in children of mothers with insulin-treated gestational diabetes mellitus.

Acta. Paediatr. Scand., 80: 1014 - 8.

Sternlieb J. (1980):

Copper and the liver.

Gastroenterology, 78: 1615 - 28.

Stevens B., and Small R.D.Jr. (1976):

Photochem. Photobiol., 23: 33.

Stocker R., and Peterhans E. (1989 a):

Free Rad. Res. Commun., 6: 57.

Stocker R., and Peterhans E. (1989 b):

Biochem. Biophys. Acta., 1002: 238.

Stocker R., McDonagh A.F., Glazer A.N., et al. (1990):

Antioxidant activities of bile pigments: biliverdin and bilirubin. In: Methods in enzymology, Academic Press, vol. 186, Inc., (31): 301 - 9.

Stocker R., Yamamoto Y., McDonagh A.F., et al. (1987):

Science, 235: 1043.

Street D.A., Comstock G.W., Salkeld R.M., et al. (1994):

Serum antioxidants, and myocardial infarction. Are low levels of carotenoids and alpha-tocopherol risk factors for myocardial infarction?

Circulation, 90: 1154 - 61.

Sundaram R.K., Bhaskar A., Vijayalingam S., et al. (1996):

Antioxidant status and lipid peroxidation in type II diabetes mellitus with and without complications.

Clinical Science, 90: 255 - 60.

Sundaresan M., Yu Z.X., Ferrans V.J., et al. (1995):

Requirement for generation of H₂O₂ for platelet-derived growth factor signal transduction.

Science, 270: 296 - 9.

Suskind R.M., and Suskind L.L. (1993):

Textbook of pediatric nutrition. 2nd ed. New York, 116.

Swinn R.A., Wareham N.J., Gregory R., et al. (1995):

Excessive secretion of insulin precursors characterizes and predicts gestational diabetes.

Diabetes, 44: 911 - 5.

Taylor S.L., Lamden M.P., and Tappel A.L. (1976):

Method for tissue tocopherol analysis.

Lipids, 11 (7): 530 - 8.

Temple R.C., Luzio S.D., Schneider A.E., et al. (1989):

Insulin deficiency in non-insulin dependent diabetes.

Lancet, ii: 293 - 5.

Thompson K.H, and Godin D.V. (1995):

Micronutrients and antioxidants in the pathogenesis of diabetes.

Nutr. Res., 5: 1377 - 410.

Touati D. (1989):

The molecular genetics of superoxide dismutase in E. coli.

Free Rad. Res. Commun., 8: 1 - 9.

Traber M.G., Cohn W., and Muller D.P.R. (1993):

Absorption, transport and distribution to tissues. In: Packer L., and Fuchs J. (eds.), vitamin E in health and disease. Marcel Dekker: New York. pp. 35 -52.

Traber M.G., and Packer L. (1995):

Vitamin E: beyond antioxidant function.

Am. J. Clin. Nutr., 62: 1501 S - 9.

Traber M.G., and Sies H. (1996):

Vitamin E in humans: demand and delivery.

Annu. Rev. Nutr., 16: 321 - 47.

Tsang R.C., Ballard J., and Braun C. (1981):

The infant of diabetic mothers: today and tomorrow.

Clin. Obstet. Gynecol., 24: 125 - 47.

Tuvemo T., Ewald U., Kobba M., et al. (1997):

Serum magnesium and protein concentrations during the first five years of insulin-dependent diabetes in children.

Acta. Paediatr., 418: 7 - 10.

Ursini F., and Bindoli A. (1987):

The role of selenium peroxidases in the protection against oxidative damage of membranes.

Chem. Phys Lipids, 44: 255 - 76.

Van Poppel G. (1996):

Epidemiological evidence for β -carotene in prevention of cancer and cardiovascular disease.

Eur. J. Clin. Nutr., 50 (3): S 57 - 61.

Verhaeghe J., Van Bree B., Van Herck E., et al. (1993):

C-peptide, insulin-like growth factor I and II, and insulin-like growth factor binding protein-1 in umbilical cord serum: correlation with birth weight.

Am. J. Obstet. Gynecol., 169: 89.

Vinson J.A., Staretz M.E., Base P., et al. (1989):

In vitro and in vivo reduction of erythrocytes sorbitol by ascorbic acid.

Diabetes, 38: 1036 - 41.

Von Sonntag C. (1987):

The chemical basis of radiation biology. London : Taylor and Francis.

Walter R.M.J.R., Uriuhare J.Y., Olin K.L., et al. (1991):

Copper, zinc, manganese, and magnesium status and complications of diabetes mellitus.

Diabetes Care, 14 (11): 1050 - 6.

Ward W.K., Johnston C.L.W., Beard J.C., et al. (1985):

Insulin resistance and impaired insulin secretion in subjects with a history of gestational diabetes mellitus.

Diabetes, 34: 861 - 9.

Warren J.S., Johnson K.J., and Ward P.A. (1991):

Consequences of oxidant injury. In: Crystal R.G., and West J.B. (eds.), *The lung*. Scientific foundations. New York: Raven Press, pp. 1829 - 38.

Wasil M., Halliwell B., Hutchison D.C.S., et al. (1987):

The antioxidant action of human extracellular fluids. Effects of human serum and its protein components on the inactivation of α_1 -antiproteinase by hypochlorous acid and by hydrogen peroxide.

Biochem. J., 243: 219 -23.

Weirusz-Wysocka B., Wysochi H., Byks H., et al. (1995):

Metabolic control quality and free radical activity in diabetic patient.

Diabetes Research and Clin. Pract.

White P. (1978 a):

Classification of obstetric diabetes.

Am. J. Obstet. Gynecol., 130: 228.

White P. (1978 b):

Pregnancy complicating diabetes.

Am. J. Obstet. Gynecol., 130: 1127.

White P., Titus R.S., and Joslin E.P. (1939):

Prediction and prevention of late pregnancy accidents in diabetes.

Am. J. Med. Sci., 198: 487.

Winklhofer-Roob B.M. (1994):

Oxygen free radicals and antioxidants in cystic fibrosis: the concept of an oxidant-antioxidant imbalance.

Acta. Pediatr., 395: 49 - 57.