

Contents

	Page
Aim of the work	i
Summary	ii
Introduction	
Synthesis and chemical reactions of imidazole derivatives	1
A- Synthesis of imidazole derivatives	1
(1) From dicarbonyl derivatives	1
(2) Weidenhagen modification	2
(3) Synthesis of condensed imidazole derivatives	2
(a) Imidazo[1,2-a]pyrimidine derivatives	2
(b) Imidazo[1,2-c]pyrimidine derivatives	3
(c) Imidazo[1,5-a]pyrimidine derivatives	5
(d) Imidazo[1,5-c]pyrimidine derivatives	5
1- 6-Methylthioimidazo[4,5-d]pyrimidines	6
2- 4,8-dimethylthioimidazo[4,5-d]pyrimidines	12
(4) New one step synthesis of 2-Aryl-1H-Imidazoles	13
B- Reactions of imidazole derivatives	14
(1) Synthesis of heterocyclic 2,6-Bis(imidazol-1-yl)-4-methyl pyridine	14
(2) Reaction of imidazole derivatives with thiourea	14
(3) Reaction with active methylene compounds	15
(4) Reactions of Imidazo[4,5-d]pyrimidine derivatives	16
(a) 2-Methylthioimidazo[4,5-d]pyrimidines	16
(b) Purine derivatives	17
(c) Imidazole derivatives with phosphorous pentasulfide	22
(d) Chlorination of imidazo[4,5-d]pyrimidines derivatives	23

(5) Novel imidazole	24
Biological activity of imidazole derivatives	26
Discussion	
Part I	
Synthesis and reactions of 6-phenyl-8-(phenylhydrazono)- 2,4,8-trihydroimidazo [5,1-c][1,2,4]triazin-3-one	27
(A) Reactions of 6-phenyl-8-(phenylhydrazono)-2,8- dihydroimidazo [5,1-c] [1,2,4]triazine-3-one (3)	31
(a) Reaction with aromatic aldehydes; Formation of 4-arylidene-6-phenyl-8- (phenylhydrazono)-2,8-dihydroimidazo [5,1-c] [1,2,4] triazin-3-one (4a-c)	32
(b) Reaction with aryldiazonium chloride; Formation of triazine derivatives (5a-c)	32
(c) Reaction with acrylonitrile; Formation of 2-cyano ethyl 6-phenyl-8-(phenyl-hydrazono)4,8-dihydro- imidazo [5,1-c][1,2,4] triazin-3-one (6)	33
(d) Reaction with formaldehyde; Formation of 2-(N- hydroxymethyl)-6-phenyl-8-(phenyl-hydrazono)- 2,8-dihydro-imidazo[5,1-c] [1,2,4] triazin-3-one (7).	36
(e) Reaction with formaldehyde and secondary amine	38
(f) Reaction with POCl ₃ / PCl ₅	39
Reactions of chlorotriazine derivatives	40
(a) Reaction of compound (9) with	40

amines: Formation of triazine derivatives (10a-c).	41
(b) Reaction with glycine: Formation of 3-N glycyyl [6-phenyl-hydrazono)-4,8-dihydro-imidazo [5,1-c] [triazin-3-ylamino]-acetic acid (11).	42
(c) Reaction with thiourea: Formation of 6- phenyl-8-(phenyl-hydrazono)-4,8-dihydro - imidazo[5,1- c][1,2,4]triazin-3-thiol (13).	46
(d) Reaction of compound (9) with hydrazine: Formation of 3-hydrazono 6-phenyl-8- (phenyl-hydrazono) 2,4,8-trihydro-imidazo [5,1-c] [1,2,4] triazine (15).	52
Biological activities of synthesized compounds	52
Part II	55
Separation of Lanthanum by Oxime derivatives	55
Introduction	57
Reaction of (1) with hydroxyl amine hydrochloride to give 3-hydroxy-2-phenyl-5-(phenyl-hydrazono)3,5dihydro- imidazol-4-one (19).	59
Extraction coefficient calculation	60
Results and Discussion	69
Stripping of the extracted species (recovery)	69
Advantages of the process	70
Conclusion	72
Experimental	72

References

83

Arabic Summary