

R E F E R E N C E S

=====

- \* Abram, A., and Baron, C. (1968):  
Mg and Na: K pump.  
Biochemistry, 7: 501-506.
  
- \* Abramowicz, M.; Barnett, H.L., and Edelman, C.M. (1970):  
Controlled trial of azothioprine in  
children with nephrotic syndrome.  
Lancet 1: 929.
  
- \* Aggett, P.J. (1983):  
Acrodermatitis enteropathica.  
J. Inherit. Metab. Dis. 6, suppl. 1, 39-  
43.
  
- \* Aggett, P.J. (1987):  
Inborn errors of trace metals metabolism.  
Brit. J. Hosp. Med. Sept. 190-201.
  
- \* Aikawa, J.K. (1976):  
Trace elements in human health and  
diseases.  
Vol. II (A.S. Prasad, red).  
Academic press. 47-78.
  
- \* Aikawa, J.K. (1981):  
Magnesium and its biological significance.  
Boca Raton, F.L., CRC. Press.

- \* Alfery, A.C. and Smith, W.R. (1981):  
Trace element abnormalities in chronic renal failure. Nutritional institutes of health P. 110 - 111.
- \* Allen, C.A. (1986):  
Chronic renal failure.  
In Diseases of the kidney, P. 474.
- \* Al-Rashid, R.A.; Barnett, H.L., and Spanglar, J. (1971):  
Neonatal copper deficiency.  
N. Eng. J. Med. 285: 841.
- \* Altura, B.M. and Altura, B.T. (1981):  
Mg ions and contraction of vascular smooth muscle: Relationship to some vascular diseases.  
Fed. Proc. 40: 2672.
- \* Anagnoston, A.; Fried, and Kurtzman, N.A. (1981):  
Hematological consequences of renal failure in Brenner, B.M. and Jr. F.G.  
The kidney (No. 1). Ed. Philadelphia, W.B. Saunders. P. 2184-2212.
- \* Arlette, J.P. (1983):  
Zinc and the skin.  
Ped. Clin. North. Am. 30 (30): 583-596.

- \* Ashkenazi, A.; Levin, S. and Djaldetti, M. (1973):  
The syndrome of neonatal copper deficiency  
Pediatrics 52: 552.
- \* Baer, M.T.; King, J.C. and Tamura, T. (1985):  
Nitrogen utilization, enzyme activity  
glucose intolerance and leucocyte  
chemotaxis in human experimental zinc  
depletion.  
Am. J. Clin. Nutr., 41: 1220-1235.
- \* Bagdade, J.D.; Porte, D. Jr., and Bierman, E.L. (1968):  
Hypertriglyceriemia: A metabolic  
consequence of chronic renal failure.  
N. Engl. J. Med. 279: 281.
- \* Battle, D.C.; Arruda, J.A.L. and Kurtzman, (1981):  
Hyperkalemic distal renal tubular  
acidosis associated with obstruction  
uropathy.  
N. Engl. J. Med., 304: 373.
- \* Baxter, J.H.; Goodman, H.C., and Havel, R. (1960):  
Serum lipid and lipoprotein alterations in  
nephrosis.  
J. Clin. Invest. 39: 455.

- \* Beel, O.H.; Emslie-Smith, D., and Paterson, C.R. (1976):  
Textbook of physiology and biochemistry  
English language book society and  
Churchill living stone, 9th ed. P. 81.
- \* Beisel, W.R.; Pekarek, R.S. and Wannemacher, R.W.Jr.  
(1976):  
Homostatic mechanisms affecting plasma  
zinc level in acute stress. In Prasad,  
A.S. (ed.): Trace elements in human  
health and disease, Vol. I. New York,  
Academic press, P. 87-106.
- \* Bernard, D.B. (1988):  
Extrarenal complications of the nephrotic  
syndrome.  
Kidney int. 33: 1184.
- \* Bergstein, J.M., and Micheal, A.F. (1987):  
The urinary system: nephrologic diseases.  
In Behrman, R.E. and Vaughan, V.C. (eds).  
Nelson Textbook of pediatrics 13th ed.  
W.B. Saunders. Philadelphia, London,  
Toronto, Montreal, Sydney, Tokyo.

- \* Berns, A.S., and Kollmeier, K.R. (1976):  
Cardiac complications with chronic renal failure.  
Ann. Intern. Med. 85: 760-761.
  
- \* Bischel, M.D.; Neimea, R.S.; Berne, T.V. et al. (1972):  
Hypersplenism in the uremic hemodialysed patient.  
Nephron 9: 146.
  
- \* Boulton, N.J.; Briggo, D.; Hargreave, T.B. (1982):  
Renal physiology. In diseases and management of renal and urinary diseases  
Blackwell scientific publication.
  
- \* Breitenbach, R.P.; Gonerman, W.A.; Erfling, W.L. et al. (1973):  
Dietary magnesium, calcium hemostasis and parathyroid gland activity of chickens.  
Am. J. Physiol. 225: 12.
  
- \* Bricker, N.S.; Fine, L.G. and Kaplan, N.A. (1978):  
Magnification phenomenon in chronic renal failure.  
N. Engl. J. Med., 299: 1287.

- \* Briggs, W.A., and Pederson, M. (1982):  
Mononuclear and polymorphonuclear cell  
function in zinc deficient hemodialysed  
patient.  
Kidney intern. 21: 827-832.
  
- \* Cade, R.; Spooner, G., and Juncos, L. (1977):  
Chronic renal vein thrombosis.  
Am. J. Med. 63: 387.
  
- \* Cameron, J.S. (1968):  
Histology, Protein clearances and response  
to treatment in the nephrotic syndrome.  
Br. Med. J. 4: 352.
  
- \* Cantraw, S. (1973):  
Magnesium metabolism in cantraw  
Biochemistry 643-649.
  
- \* Carber, D.W.; Gottlieb, B.; Marsh, J.B. and Sparks, C.  
(1984):  
Catabolism of very low density lipoprotein  
in expermental nephrosis.  
J. Clin. Investig. 74: 1375.
  
- \* Cohn, M.I.; McNamera, H. and Fimbrage, L. (1970):  
Aldosterone and Mg hoemostasis.  
J. Pediatr. 76: 453-455.

- \* Chiu, J.; McLaine, P.N.; and Draumond K.N. (1973):  
A controlled prospective study of cyclophosphamide in relapsing corticosteroid responsive minimal lesion nephrotic syndrome in childhood.  
J. Pediatr. 82: 607.
- \* Consalazio, C.F.; Matouch, L.O., Neslon, R.A., and Harding, (1983):  
Mg hoemostasis and Dietary requirments.  
J. Nutr. 79: 407-415.
- \* Cordans, A.; Placko, R.P., and Gradham, G.G. (1966):  
Hypocupremia and nutropenia in copper deficiency.  
Blood: 28: 280.
- \* Cousins, R.J. (1979):  
Regulation of zinc absorption.  
Am. J. Clin. Nutr. 32: 339-345.
- \* Cousins, K.J. (1985):  
Absorption, Transport and hepatic metabolism of copper and zinc.  
Phys. Rev. 65 : 238 - 309.

- \* Cunningham, J.; Sharman, V.L. Goodwin, F.J., and March, F.P. (1981):  
Do patients receiving hemodialysis need folic acid supplement?.  
Br. Med. J. 282: 1582.
- \* Dauncy, M.J.; Shaw, J.C.L., and Urman, J. (1977):  
The absorption and reduction of magnesium, zinc and copper by low birth weight infants fed pasteurised human breast milk.  
Paed. Res., 11: 991.
- \* Davidson, S.; Passware, R.; Brock, J.F. and Truswell, A.S. (1979):  
Human nutrition and dietitics churchill living stone, Edinburgh, London, New York, 7th ed. P. 104.
- \* Deen, W.A.; Myers, B.D., and Brenner, B.M. (1982):  
The glomerular barrier to macromolecules.  
In Brenner, B.M. and Stein, J.H. Contemoporary Issues in nephrology chruchill living stone, New York. P. 1.
- \* De Pasquale - Jardieu, P. and Fraker, P.J. (1984):  
Interferance in the development of a secondary immune response in mice by zinc deprivation: persistance of effects.  
J. Nutr. 114: 1762-1769.



- \* De PI, Meulen, J.V.; De Varies, C.P.; Gooren, Vis. R.D.  
and Mear J.V. (1984):  
The clinical relevance of trace element  
deficiencies in patients on hemodialysis.  
In Atsumi, K, Maekaw, M., Ota, K. (eds):  
Progress in artificial organs - 1983.  
Cleveland : ISAO pres P.P. 481-486.
- \* Dillon, H.C. (1972):  
Streptococcal infections of the skin and  
their complications, impigo nephritis. In  
Wannamaker, L.W., and Masten, J.M. (eds):  
Streptococcol diseases.  
Academic Pres, New York, P. 571.
- \* Dirks, J.H. (1983):  
The kidney and magnesium regulation.  
Kid. Inter. Vol. 23. PP. 771 - 7.
- \* Du, X.H.; Glas Greenwalt P.; Kant, K.S. et al. (1985):  
Nephrotic syndrome and renal vein  
thrombosis: Pathogenitic importance of  
plasmin inhibitor (alpha-2-antiplasmin).  
Clin. Nephrol 24: 186.
- \* Duncan, G.G. (1964):  
Diseases of metabolism. W.B. Saunders  
company 5th ed. P. 290.

- \* Dunlop, W.M.; Watson, J. and Hume, D.M. (1974):  
Anemia and neutropenia caused by copper deficiency.  
Ann. Intern. Med. 80: 470.
  
- \* Dychner, T.; and Wester, P.O. (1978):  
Serum Mg in acute myocardial infarction.  
Acta. Med. Scand. 204: 269-282.
  
- \* Ellin, R.J.; Utter, A.; Tan, H.K., et al. (1980):  
Effect of Mg deficiency on erythrocyte aging in rats.  
Am. J. Physiol. 100: 765.
  
- \* Estep, H.; Shaw, W.A., Waltington, C.; Hobe, R.; Holland, W., and Jucker, S.G. (1969):  
Mg and Ca absorption in gastrointestinal tract.  
J. Clin. Endocrinol. Metabolism. 29: 842-848.
  
- \* Esterly, N.B. (1987):  
Vesiculobullous disorders. In Behraman, R.E., and Vaughan, V.C. (eds): Nelson textbook of pediatrics 13th ed. W.B. Saunders company, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, 1402-1403.

\* Evans, G.W. (1973):

Copper hoemostasis in the mamelian system.

Physiol. Rev. 53: 535.

\* Evans, G.W. (1976):

Zinc absorpion and transport. In Prasad,  
A.S (editor): Trac elements in human  
health and disease, New York Academic  
Press, 181.

\* Evans, G.W. (1977):

Deffective prostoglandin synthesis in  
acrodermatitis enteropathica Lancet 1: 52.

\* Fairly, K.F., and Brich, D.F. (1982):

Hematuria; a simple method for identifying  
glomerular bleeding.

Kidney Int. 21: 105.

\* Ferrario, F.; Kourilsky, O., and Morel Maroger, L. (1983):

Acute endocapillary glomerulonephritis.

Clin. Nephrol. 19: 17.

\* Fine, L.G., and Nord, E.P. (1985):

Chronic renal failure. In Arieff, A. and  
Defronzo, A. (eds): Electrolyte and acid  
base balance disorders.

London, Churchil Living stone, P. 683.

- \* Fisher, P.W.F.; Giroux, A., and L'Abbe, M. (1980):  
The effect of dietary zinc on intestinal  
copper absorption.  
Western Hemisphere Nutrition congress. VI  
(A program, P. 84, Los Anglos, Abstr.).
- \* Fishman, R.A. (1965):  
Respiratory impairment in chronic renal  
failure.  
Arch. Neur. 12: 561-569.
- \* Flink, E.B. and Jones, J.E. (1969):  
Mg and central nervous system.  
Ann. N.Y. Acad. Sci. 162: 901-905.
- \* Flink, E.B. (1976):  
Copper and zinc in some huuman diseases.  
In Prasad, A.S. (ed): Trace elements in  
humman health and disease Vol. II.  
Academic Press, New York, Sanfransisco,  
London, P. 1-21.
- \* Flink, E.B. (1978):  
A study of some trace elements on rats.  
Ann. Int. Med., 81: 282.

- \* Fraker, P.J. (1983):  
Zinc deficiency a common immunodeficiency state.  
Surv. Clin. Immunol. 2, 155-163.
- \* Friedman, J. Van de Rijn, I.; Okuni, H. et al. (1984):  
Immunological studies of post-streptococcal sequelae: Evidence for presence of streptococcal antigens in circulating immune complexes.  
J. Clin. Invest. 74: 1027.
- \* Fukomato, S.; Matsumoto, T.; Tanaka, Y et al (1987):  
Renal Mg wasting in a patient with short syndrome with Mg deficiency.  
J. Clin. Endocrinal metab. 65: 1301.
- \* Gerber, M.A. and Paronetto, F. (1971):  
IgE in glomeruli of patients with nephrotic syndrome.  
Lancet 1: 1077.
- \* Ghaliongui, P. and Ghareeb, A. (1978):  
Endocrine diseases and some common metabolic disorders P. 482.

- \* Ghoneim, M.M. and Long, I.P. (1970):  
The interaction between magnésium and  
other neuromuscular blocking agents.  
Anesthesiology 92: 23.
- \* Giangiacoma, J. Clearly, T.G., and Cole, B.R. (1975):  
Serum immunoglobulins in nephrotic  
syndrome.  
N. Engl. J. Med. 293: 8.
- \* Gillman, A.G., and Goodman, L.S. (1980):  
Pharmacological basis of therapeutics.  
Macmillan publishing Co., Inc. New York,  
Toronto, London, 6th ed. P. 977.
- \* Gilteman, H.S. and Welt, L.G. (1969):  
Magnesium deficiency.  
Adv. Intern. Med. 20: 233.
- \* Gitlin, D. (1956):  
Studies on the metabolism of plasma  
proteins in the nephrotic syndrome.  
J. Clin. Invest. 35 : 44.
- \* Glassock, R.J. (1985):  
The pathophysiological consequences of  
heavy proteinuria. In Aram, M. (ed.):  
proteinuria. Plenum, New York P. 135.

- \* Glassock, R.J.; Adler, S.G.; Ward, H.J. and Cohen, A.H.:  
(1986):  
Primary glomerular diseases: In Brenner,  
B.M. and Rector, F.C. Jr. (eds). The  
Kidney, 3 rd ed. W.B. Saunders,  
Philadelphia. P. 929.
- \* Glassock, R.J. (1989):  
Proteinuria: In Massary, S., and Glassock,  
R.J. (eds.): Textbook of Nephrology 2 nd  
ed. Williams & Wilkins, Blatimore.
- \* Glassock, R.J.; Adler, S.G.; Ward, H.J. and Cohen, A.H.  
(1991):  
Primary glomerular diseases. In Brenner,  
B.M., and Rector, F.C. Jr. (eds.) : The  
kidney 4 th ed. W.B. Saundrs,  
philadelphia, london, Tornoto, Monterial,  
Syndey, Tokyo.
- \* Goldstein, D.A.; Feinstein, E.I.; Chiu, L.A. (1980):  
The relationship between the abnormalities  
in EEG and blood levels of parathyroid  
hormone in dialyzed patients.  
J. Clin. Endocrinol. Metab., 51 : 130.

- \* Goldstein, D.A.; Holdimann, B. and Sherman, D. (1981):  
vitamin D metabolites and calcium  
metabolism in patients with nephrotic  
syndrome and normal renal function.  
J. Clin. Endocrinol. Metab. 52 : 146.
- \* Gorden, E.F.; Gorden, R.C. and Passal, D.B. (1981):  
Zinc Metabolism : Basis of clinical and  
behavioral aspects. J. Ped. 99 (3): 341.
- \* Graham, G.G. and Cordano, A. (1976).  
Copper deficiency. In prasad, A.N. (ed.):  
Human subjects in trace elements in health  
and diseases, Vol. I. Academic press P.  
363.
- \* Groshong, T.; Mendelson, L. and Mendosa, S.; (1973):  
Serum IgE in patients with minimal change  
nephrotic syndrome J. Pediatr. 83 : 767.
- \* Guyton, A.C. (1981):  
Role of magnesium muscle contraction.  
Medical physiology, W.B. Saunders Co.,  
philadelphia P. 22, 41, 52-53, 104, 107,  
109.



- \* Habib, R.; Kleinknecht, C. and Gubler, M.C. (1973):  
Extramembranous glomerulonephritis in  
children. Report of 50 cases.  
J. Pediatr. 82 : 754.
- \* Habib, R. (1974):  
Glomerulonephritis. In Roger, P., Habib,  
R. and Mathew, H. (eds.): The major  
syndromes in major problems in clinical  
pediatrics XI ed. W.B. saunders Co.,  
philadelphia P. 260.
- \* Habib, R.; Levy, M. and Gubler, M.C. (1979):  
Clinicopathologic correlation in the  
nephrotic syndrome. Pediatrician 8 : 325.
- \* Hambidge, K.M. (1981):  
Zinc deficiency in man, its origin and its  
effects. Philos. R. soc. Lon (Biol.). 249 :  
129.
- \* Hamid, I.A. and Lindeman, M. (1978):  
Gastrointestinal manifestations in  
hypomagnesemia.  
Ann. Intern. Med. 89 : 222-223.

- \* Hill, C.H. and Martone, G. (1970):

Chemical parameters in the study of in vivo and in vitro interactions of transition elements.

Fed. Proc., 29 : 1474-81.

- \* Hinglais, N.; Garcia-Torres, R. and Kleinknecht, D. (1974):

Long term prognosis in acute glomerulonephritis. Am. J. Med. 56 : 52.

- \* Hollerman, C.E. (1979):

Chronic renal failure. In pediatric nephrology. Medical examination publishing Co. Inc. An Excerta Medica company. New York.

- \* Hollerman, C.E. (1979):

Nephrotic syndrome.

Acta. Pediatr. Scand. 61 : 470.

- \* Horowitz, C.J. (1972):

Metabolic disturbances in uremia.

Abst. Proc. V th Int. Cong. Nephrol. (Mexico) P. 598.

- \* Hoskaw, S.; Oymaguchi, A. and Yoshida, O. (1990):

trace elements and complications in patients undergoing hemodialysis.

Nephron; 55 : 375 - 379.

- \* Hurely, L.S.; Lonnerdal, B. and Stanislawski, A.G. (1979):  
Zinc citrate, human milk and  
acrodermatitis enteropathica.  
Lancet., 1 : 677 - 8.
- \* Iseri, L.T.; Chung, P. and Tobis, J. (1983):  
Mg therapy for intractable ventricular  
tachyarrhythmias in normomagnesium  
patients. West J. Med. 138 : 823.
- \* James, J.A.; Liberman, E.; Fine, R.N. (1976):  
Chronic renal failure. In Renal Disease  
in childhood, 3rd ed. The C.V. Company.  
Saintlouis.
- \* Johanson, G.; Danielson, B.G.; Djunghal, S. and Wiblet, L.  
(1981):  
Mg and Diabetic Ketoacidosis.  
Riksstoman Dec. 206.
- \* John, J.A.; Ellin, L. and Richard, N.F. (1976):  
Chronic renal failure.  
Renal disease of childhood P. 343.
- \* Jones, J.E.; Desper, P.C.; Shon, S.R. and Flink, E.B.  
(1966):  
Mg and endocrinal disturbances.  
J. Clin. Invest. 45 : 891 - 900.

\* Juan, C.P. (1990):

Acute glomerulonephritis. In Ichikawa, L.  
(eds) : Pediatric Textbook of fluids and  
electrolytes. Williams and Wilkins.  
Baltimore: Hongkong, London, Sydney P.  
308.

\* Karpel, J.T., and Peden, V.H. (1972):

Copper deficiency in long term parenteral  
nutrition. J. Pediatr. 80 : 32.

\* Kauffman, R.H., Veltkamp, J.J.; Vantiburg, N.; and Vanes.  
L.A. (1978):

Acquired antithrombin III deficiency and  
thrombosis in nephrotic syndrome.  
J. Pediatr. 85 : 612...

\* Kaupen, G.A.; Jones I, Martin, V. and Hutchison, F.:  
(1989):

A low protein diet restricts albumin  
synthesis in nephrotic rates.  
J. Clin. Invest. 83 : 1623..

\* Kaysen, G.A.; Gambertoglio, J.; Felts, J. and Hutchison,  
F. (1987):

Albumin synthesis and hyperlipidemia in  
nephrotic patients. Kidney int. 31 : 1368.

- \* Kempe, C.H.; Silver, H.K. and Brien, D. (1980):  
In current Pediatric Diagnosis and  
treatment. 16 th ed. Lange Medical  
puplication, california Lossaltos.. P.  
116.
- \* Kim, E.K. and Swartz, C. (1988):  
Cardiovascular complications of end stage  
renal disease.  
In Diseases of the kidney. P. 3093.
- \* Kingston, M.E.; Alsibai, M.B. and Skooge, W.C. (1986):  
Clinical manifestations of hypomagnesemia.  
Crit. Care. Med. 14 : 950.
- \* Koomans, H.A.; Kortland, W.; Gears, A.B. et al., (1985):  
Lowered protein content of tissue fluid in  
patients with nephrotic syndrome.  
Nephron 40 : 391.
- \* Krebs, N.F. and Hambidge, K.M. (1986):  
Zinc requirments and zinc intakes of  
breast fed infants.  
Am. J. Clin. Nuutr., 43 : 288-92.
- \* Krieger, I. (1982):  
Mineral dificiencies, In pediatric  
disorders of feeding nutrition.  
Metabolism. 1st ed. New York P. 262 : 66.

- \* Largure, G.K.; Kherenmont, S., and Brannellec, A (1975):  
Lymphokines and nephrotic syndrome.  
Lancet. 1: 271.
  
- \* Law-Chin-Yung, L., and Freed, D.L.J. (1977):  
Nephrotic syndrome due to milk allergy.  
Lancet. 1: 1056.
  
- \* Leer, T., and Gron, C. (1968):  
Magnesium Metabolism.  
Arch. Chem. 26: 12-16.
  
- \* Lemann, J.Jr., and Lennon, E.J. (1972):  
Role of diet, gastrointestinal tract and  
bone in acid base hoemostasis.  
Kidney, Int. 1, 275.
  
- \* Lewy, J.E.; Salinos-Modrigal, L.; Herdson, P.B et al.  
(1971):  
Clinicopathologic correlations in acute  
post-streptococcal glomerulonephritis.  
Medicine, 50: 453.
  
- \* Lindeman, R.D. (1989):  
Trace minerals and the kidney.  
J. Am. Coll. Nutr. Vol (4) : 285 - 91.

- \* Lindsay, R. M.; Burton, J.A.; Dargie, H.J. et al. (1973):  
Dialyser blood loss.  
Clin. Nephrol 1: 24.
- \* Mabel, L.P. and Barbara, R.C. (1990):  
Chronic renal failure. In Ichikawa, L..  
(ed.): Pediatric Textbook of fluids and  
electrolytes Williams & Wilkins  
Blatimore, Hongkong, London, Sydney, P.  
292..
- \* Madaio, M.P. and Harrington, J.T.. (1983):  
The diagnosis of acute glomerulone-  
phritis. N. Engl. J. Med., 309: 1299
- \* Mahajan, S.K.; Prasad, A.S.; Kabbini, P.; William, A.B.  
and Mc Donald, F.D. (1982):  
Zin deficiency : a reversible complication  
of uremia.  
Am. J. Clin. Nutr. 36, Dec : 1177 - 83.
- \* Mahajan, S.K.; Speck, J.; Varghese, G.; Abu Hamdan, D.;  
Migdal, S.D.; Briggs, W.; Prasad, A.S.  
and Mc Donald, F.C. (1985):  
Zinc metabolism in nephrotic syndrome.  
Nutr. Res. 1 (suppl.) 360 - 362.

- \* Mahajan, S.K.; Kye, D.; Sondheimer, J.H. and McDonald, f.D. (1985):  
Copper metabolism in uremia: effect of dialysis and zinc supplementation.  
Trans. Am. Soc. Artif. Internorg. 31 :  
521-525.
- \* Mahajan, S..K. (1989):  
Zinc in kidney disease.  
J. Am. Coll. Nutr.. 8 (4), 296-304.
- \* Mansouri, K.; Halsted, J.A. and Gomboses, E.A. (1970):  
Zinc, copper, Magnesium and calcium in dialysed and nondialysed uremic patients.  
Arch.. Intern. Med. Vol. 125, Jan. P.. 88-92.
- \* Marks, P. and Hawari, A. (1978):  
Apathetic hypothyroidism with hypomagnese-  
mia and raised alkaline phosphatase conce-  
ntration.  
Brit. Med. J. 2: 821.
- \* Mataseshe, J..W.; Philips, S.F., Malaglada, J.R. and McCall, J.T. (1980):  
Studies of different metals and supplements.  
Am. J Clin. Nutr, 33: 1946: 1953.



- \* Mc Caroon, D.A. (1983):  
Calcium and magnesium nutrition in human hypertension.  
Ann. Intern. Med. 98: 800.
  
- \* Mc Connell, J.B; Thyodleifsson, D.. and Stewart, W.K.  
(1975):  
Gastric function in chronic renal failure.  
Lancet 1: 1121-1123.
  
- \* Mc Enery, P.T., and Strife, C.F. (1982):  
Nephrotic syndrome in childhood.  
Pediatr. Clin North. Am. 29 (4): 826.
  
- \* Mclean, R.H.; Forsgren, H. and Bjorkstom, B. (1977):  
Decreased serum factor (B) concentration  
Pediatr. Res... 11: 910.
  
- \* Mc Nair, A.R. and his coworkers (1979):  
Hypomagnesemia and diabetic retinopathy.  
Lancet 7: 762.
  
- \* Mema, H.E.; Dimitrios, G.; Oreopoulous and Kapoport, A.C.  
(1987):  
Serum magnesium level and artierial calcification in end stage renal disease  
kid. Intern. Vol. 32 PP. 388 - 394.

\* Mendosa, S.G.; Kashyp, M.L.; Chen, C.Y. and Lutmer, R.F.  
(1976):

High density lipoproteinemia in nephrotic  
syndrome metabolism.

Metabolism, 25: 1149.

\* Mordes, J.P. and Wachter, W.E.C. (1978):

Cardiac complications with hyper-  
magnesemia.

Pharmacological Rev. 29, 273-300.

\* Morre, E.W. (1970):

Ionized calcium in normal serum,  
ultrafiltrates and whole blood determined  
by Von exchange electrodes.

J. Clin. Invest. 49: 318.

\* Moskova, H.; Schuck, O.; Lepsi, P. (1987):

Renal excretion in patients with chronic  
renal failure.

Cas lek 126 : 232 - 236.

- \* Mostqura, J.A., and Rodriguez-Itrube, B. (1986):  
Granular binding sites for peanut  
agglutinin in acute postinfectious  
glomerulonephritis.  
Clin. Nephrol. 26: 227.
  
- \* Murphy, J.F.; Gray, O.P.; Rendall, J.R., and Henry, S.  
(1985):  
Zinc deficiency, a problem with preterm  
breast milk.  
Early, Hum. Dev. 10 (3-4): 303-307.
  
- \* Navalesi, R.; Pilo, A., and Lenzi, S. (1975):  
Insulin metabolism in chronic uremia and  
in anephric state.  
J. Clin. Endocrinology Metab., 40: 70-85.
  
- \* Naveh, Y.; Lightman, A. and Zinder, O. (1983):  
Effect of diarrhea on serum zinc  
concentration in infants and children.  
J. Ped. 101: 730.
  
- \* Nelson, P.; Johansson, S.G. and Danielson, B.G. (1984):  
Magnesium studies in hemodialysis patients  
before and after treatment with low  
Dialysate magnesium.  
Nephron 37: 25 - 29.

\* Nishi, Y.; Lifshitz, F. and Bayne, M.A. (1980):

Zinc states and its relation to growth retardation in children with chronic inflammatory bowel disease.

Am. J. Clin. Nutr. 33: 2613.

\* Nordin, B.E.C. (1976):

Calcium, phosphate and Mg metabolism In. Nordin, B.E.C. (ed.).

Longman, Inc. New York. P.1.

\* Norman, M.E. (1982):

Vitamin D in bone disease.

Pediatr. Clin. North. Am. 29: 947.

\* Norman, M.E. (1987):

Renal osteodystrophy. In Behrman, R.E., and Vaughan, V.C. (eds). Nelson Textbook of Pediatrics 13th ed. W.B. Saunders, Philadelphia, London Toronto, Monterial, Sydney, Tokyo. P. 1384.

\* Oelshlegel, F.J.; Brewer, G.J.; Knutsen, C.; Prasad, A.S.

and Schomaker, E.B. (1974):

Studies on the interaction of zinc with human hemoglobin. Zinc deficiency in sickle cell disease.

Nutr. Rev., 33 (9): 266: 267.

- \* Overback, H.W.; Doughy, R.M. and Huddy, F.J. (1969):  
Magnesium and blood pressure.  
J. Clin. Invest., 48: 1944-56.
  
- \* Parfish, A.M. and Kleere Koper, M. (1980):  
Clinical disorders of fluid and  
electrolytes. In Maxwell, M.H. and  
Kleeman, C.R. (eds).  
Metabolism 3rd. ed.. New York, Mc Graw  
Hillbook Co. P. 974: 1151.
  
- \* Petel, R. and Savage, A. (1979):  
Symptomatic hypomagnesemia associated with  
gentamycin therapy. Nephron. 23: 50.
  
- \* Pierre, R. and Fenee, H. (1979):  
Chronic renal failure. Pediatric  
Nephrology Vol. XI. in clinical pediatric  
2nd ed. W.B. Saunders Co. Philadelphia,  
London Toronto, Chap. II.
  
- \* Prasad, A.S. (1978):  
Trace elements and iron in human  
metabolism.  
Plenum Medical Book. Company, New York,  
London, P. 17.

\* Prasad, A.S.; Rabbini, P.; Abbasi, A.; Bowersox, E. and

Foxspivary, M.R. (1978):

Expermental zinc deficiency in human.

Ann. Intern. Med. 89 : 483.

\* Prasad, A.S. (1979):

Clinical, Biochemical and pharmacological  
role of zinc.

Ann. Rev. Pharmacol. Toxicol. 20: 393.

\* Prasad, A.S. and Rabbini, P. (1981):

Nucleoside phosphorylase in zinc  
deficiency. Transactions of the  
association of the American Physicans, 94:  
314-21.

\* Prasad, A.S. (1983):

Clinical, biochemical and nutrional  
spectrum of zinc deficiency in human  
subjects.

An. Update Nut. Rev. 41 (7): 197-208.

\* Prasad, A.S. (1985):

Clinical, endocrinological and biochemical  
effects of zinc deficiency.

Clin. Endo. Metab., 14 (3): 575.

- \* Reeves, W.G.; Cameron, J.S., and Johanson, S.G. (1975):  
Seasonal nephrotic syndrome.  
Br. Soc. Allergy, Clin. Immunol. 5: 121.
- \* Reimold, E.W. (1980):  
Changes in zinc metabolism during the  
course of the nephrotic syndrome.  
Am. J. Dis. Child. Vol., 134, Jan: 46-50.
- \* Reinhart, R.A. and Desbins, N.A. (1985):  
Hypomagnesemia in patients entering the  
IUC.  
Crit. Care Med. 13: 506.
- \* Rieselbach, R.E.; Klahr, S. and Bricker, N.S. (1967):  
Diffuse bilateral cortical necrosis A  
longitudinal study of the functional  
characteristics of residual nephrons.  
An. J. Med. 42 : 457.
- \* Rodriguoz-Itrube, B.; Rubio, L. Valbuena, R., and Cuenca,  
L. (1979):  
Acute post-streptococcal glomerulone-  
phritis. A review of recent developments.  
Pediatrician 8: 307.
- \* Rodriguoz-Itrube, B.; Castillo, L., and Gracia, R. (1981):  
Attack rate of post-streptococcal  
nephritis in families. A prospective  
study.  
Lancet 1: 401

\* Rodriguez, B. (1984):

Epidemic post-streptococcal glomerulonephritis. *Kidney inter.*, 25: 129.

\* Rothbaum, R.J.; Maur, P.R., and Farrell, M.K. (1982):

Serum alkaline phosphatase and zinc under nutrition in infants with chronic diarrhea. *A. J. Clin. Nutr.*, 35: 595.

\* Rubin, M.J. (1975):

Chronic renal failure, nephrotic syndrome. In Rubin, M.J. and Barnett, T.M. (eds). *Pediatric Nephrology*. Baltimore. Williams and Wilkins Co.

\* Rubin, M.L. and Martin, T.B. (1975):

Chronic renal failure. In Rubin, M.J. and Barnett, T.M. (Eds). *Pediatric Nephrology* Baltimore. Williams and Wilkins, Co.

\* Rude, R.K.; Adams, J.S.; Ryzem, E. et al. (1985):

Magnesium homeostasis in renal diseases. *J. Clin. Endoc. Metab.*, 61: 933.

\* Rudolph, A.M. (1977):

Trace elements in pediatrics. Acc. New York. 16th ed. P. 200.



\* Rodriguez, B. (1984):

Epidemic post-streptococcal glomerulonephritis. *Kidney inter.*, 25: 129.

\* Rothbaum, R.J.; Maur, P.R., and Farrell, M.K. (1982):

Serum alkaline phosphatase and zinc under nutrition in infants with chronic diarrhea. *A. J. Clin. Nutr.*, 35: 595.

\* Rubin, M.J. (1975):

Chronic renal failure, nephrotic syndrome. In Rubin, M.J. and Barnett, T.M. (eds). *Pediatric Nephrology*. Baltimore. Williams and Wilkins Co.

\* Rubin, M.L. and Martin, T.B. (1975):

Chronic renal failure. In Rubin, M.J. and Barnett, T.M. (Eds). *Pediatric Nephrology* Baltimore. Williams and Wilkins, Co.

\* Rude, R.K.; Adams, J.S.; Ryzem, E. et al. (1985):

Magnesium homeostasis in renal diseases. *J. Clin. Endoc. Metab.*, 61: 933.

\* Rudolph, A.M. (1977):

Trace elements in pediatrics. *Acc.* New York. 16th ed. P. 200.

\* Rur, M. and Solomons, N. (1987):

Fecal zinc excretion during oral rehydration therapy for acute infectious diarrhea. Fed. Proc., 40: 478 (Abstr.).

\* Sabatini, S. (1983):

The acidosis of chronic renal failure  
Med. Clin. North. Am., 67: 845-858.

\* Sandstead, H.H., Vo-Khactu, K.P., and Solomons, N. (1976):

Conditioned zinc deficiencies. In Prasad, A.S., (ed). Trace elements in human health and disease, Vol. I, New York, Academic Press: 33.

\* Sasdelli, M.; Rovinette, C. and Cognolish, L. (1980):

Lymphocyte subpopulations in minimal change nephropathy. Nephron, 25: 72.

\* Scheinbery, J.G. and Sternleib, J. (1969):

Metabolism of trace elements. In Bondy, P. (ed). Duncan's disease of metabolism. W.B. Saunders Company.. 6th ed. P. 1321.

\* Schlesinger, E.R.; Sultz, H.A., and Mosher, W.E. (1968):

Nephrotic syndrome, its incidence and complications for the community.  
Am. J. Dis. Child. 116: 623.

- \* Schnaper, H.W. and Avne, T.M. (1985):  
Identification of the lymphocyte soluble immune response suppressor in urine of nephrotic syndrome.  
J. Clin. Invest. 76: 341.
  
- \* Schroeder, H.A. and Nasen, A.P. (1971):  
Trace element analysis in clinical chemistry. Clin. Chem., 17: 461.
  
- \* Seeling, M.S. (1980):  
Mg deficiency in the pathogenesis of disease. Early roots of cardiovascular, skeletal and renal abnormalities.  
New York. Plenum.
  
- \* Shaloub R.J. (1974):  
Pathogenesis of lipid nephrosis. A disorder of T-cell function.  
Lancet 2: 557.
  
- \* Shaw, J.C.L. (1979):  
Trace elements in the foetus and young infant. A. J. Dis. Child., 133: 1260-1268.
  
- \* Sinclair, L. and Milline, J.K. (1979):  
Copper metabolism. Metabolic disease in childhood. Blactwell scientific publication, London, Oxford, Edinburg.

\* Sjöholm, A.G. (1979):

Complement components and complement activation in acute glomerulonephritis. Int. Arch. Allerg. Appl. Immunol., 58: 3.

\* Smith, H. (1967):

The distribution of antimony arsenic and copper in human tissues. J. foremm. Sci., 7: 97.

\* Smythe, W.R.; Allen, C.; Allrey, M.D. and Peter, W. (1982):

Trace elements in chronic uremia. Ann. Int. Med., 96 : 302 - 310.

\* Solomons, N.W., and Cousins, R.J. (1984):

Zinc. In solomons, N.W. and Rosenborg, I.H. (eds). Absorption and Malabsorption of mineral nutrients. New York. Alan, R. Liss, P. 125-197.

\* Solomons, N.W. and Rusell, R.M. (1980):

The interaction of vit D and zinc implication for human nutrition. Am. J. Clin. Nuutr., 33: 2031.

\* Solomons, N.W., and Shrimpton, R. (1984):

Zinc. Tropical and Geographic Medicine. New York, Mc. Graw, Hill book Co.

- \* Sondheimer, J.H.; Mahajan, S.K.; Rye, D.L.; Abu Hamdan, D.K.; Migdal, S.D.; Prasad, A.S. and McDonald, F.D. (1988):  
Elevated plasma copper in chronic renal failure.  
Am. J. Clin. Nutr; 47: 896 - 9.
- \* Spencer, H.; Gataza, C.A.; Kramer L. and Osis, D. (1980):  
Zinc in Environment. In Nriagu, J.O. (ed).  
John Wiley, New York, P. 105-119.
- \* Spence, K.B.G.; Schmitz, J.; Hetzel, D. (1984):  
Zinc and sexual dysfunction contr.  
Nephrol. 38 : 119 - 125.
- \* Stec, J. Podracka, L.; Pavkovceková, O.; Koller, J.  
(1990):  
Zinc and copper metabolism in nephrotic  
syndrome. Nephron, 56: 185-187.
- \* Steele, T.H.; Fengwen, S.; Evenson, M.A. and Rieselbach, R.E. (1968):  
The contribution of the chronically  
diseased kid. to magnesium homeostasis.  
J. Lab. and Clin. 455 - 63.
- \* Suitta, S.; Ikeda, K.; and Hayashida, Y. (1984):  
Zinc and copper requirements during  
parenteral nutrition in the newborn.

- \* Tanaka, Y.; Hatano, S. and Nishi, Y. (1980):  
Nutritional copper deficiency in a  
Japanese. J. Pediatr. 96 (2): 255.
  
- \* Thomson, C.; Forbes, C.D.; Prentice, C.R.M. and Kenedy,  
A.C. (1974):  
Changes in blood coagulation and  
fibrinolysis in nephrotic syndrome.  
Q.J. Med. 43: 399.
  
- \* Thomson, N.M.; Stevens, B.J.; Humphery, T.J. and Atkins,  
R.C. (1983):  
Comparison of trace elements in  
peritoneal dialysis, hemodialysis and  
uremia.  
Kid. Int. 23 : 9 - 14.
  
- \* Thomson, P.D. Barnett, T.M., and Stokes, G.R. (1974):  
HLA antigens and atopic features in  
steroid responsive nephrotic syndrome of  
childhood.  
Lancet 2: 765.
  
- \* Trompeter, R.S.; Barnett, T.M. and Kay, R. (1980):  
HLA, atrophy and cyclophosphamide in  
steroid responsive in childhood nephrotic  
syndrome. Kidney Inter. 17: 11B.

- \* Tumer, N.; Baskani, S.; Arcasoy, A.; Cavdor, A.O. and Ekim, M. (1989):  
Zinc Metabolism in Nephrotic syndrome.  
Nephron, 52 : 95.
- \* Turlapty, P.D. and Altura, B.M. (1980):  
Mg deficiency produces spasm of coronary arteries. Science, 208: 198.
- \* Underwood, E.J. (1962):  
Trace elements in human and animal nutrition. Academic press. New York, London 2nd ed. P. 48.
- \* Underwood, E.J. (1977):  
Trace elements in human and animal nutrition. 4th ed. Academic press, New York, London, P. 196-242.
- \* Velhote, V.; Saldanha, L.B.; Malheiros, P. et al. (1986):  
Acute glomerulonephritis.  
Clin. Nephrol. 26: 307.
- \* Villarreal, H.; Fishetti, V.A.; Van de Rijn, I., and Zabriskie, J.B. (1979):  
The occurrence of protein in the extracellular products of streptococci isolated from patient with acute glomerulonephritis.  
J. Exp. Med. 149: 459.

- \* Vogt, A. Batsford, S.; Rodriguez, Itrube, B. and Garcia, R. (1983):  
Antigens in post-streptococcal glomerulonephritis.  
Clin. Nephrol. 20: 271.
  
- \* Wacker, W.B., and Parisi, A. (1968):  
Magnesium metabolism.  
J. Med. 278: 658-772.
  
- \* Walling, M.W.; Choveski, A.C. and Iskachi, W.A. (1975):  
Effects of Mg deficiency and thyroparathyrodectomy on Ca active transport by rat duodenum.  
Proc. Soc. Exp. Biol. Med. 148: 1038.
  
- \* Walravans, P.A. (1979):  
Zinc metabolism and its complications in clinical medicine.  
West. J. Med., 130: 133.
  
- \* Walravans, P.A.; Hambidge, M. and Keepfer, D.M. (1989):  
Zinc supplementation in infants with nutritional pattern of failure to thrive. A double Blind controlled study.  
Ped. 83 (4) Apr.
  
- \* Wannamaker, L.W., and Ferrieri, P. (1975):  
Streptococcal infections.  
Updated disease a month october.



- \* Wannemacher, R.W.; Dupont, H.L. and Pekarek, R.S. (1972):  
An endogenous mediator of depression of  
aminoacids and trace elements in serum  
during typhoid fever.  
J. Invest. Dermatol., 71: 396.
- \* Weismann, K. (1980):  
Zinc metabolism and the skin in Rook, A.,  
and Savin, J. (eds). Recent advance in  
dermatology. Churchill Living stone 3:  
109.
- \* Whang, R. (1987):  
Mg deficiency Pathogenesis, prevalence and  
clinical implications.  
Am. J. Med., 82: (suppl 3A ): 24.
- \* Whang, R., and Hamiter, J.K. (1977):  
Mg deficiency and refractoriness to  
potassium replation.  
J. Chronic Dis. 30: 65.
- \* Whang, R.; Aikaw, J.K. Oei, T.O. et al. (1980):  
DRoutine serum magnesium determination: An  
unrecogonized need. In cantin, M., and  
seeling, M.S. (eds): Magnesium in health  
and disease, New York, Spectrum.

- \* White, R.H.R.; Glasgow, E.F. and Mills, R.J. (1970):  
Clinicopathological study of nephrotic  
syndrome of childhood. *Lancet*. 1: 1353.
- \* Widdowson, F.M. Dauncy, L. and Shaw, J.C.L., (1974):  
Trace elements in foetal and infantile  
postnatal development.  
*Proc. Water Soc.* 33: 275.
- \* Widmer, B.; Gerhardt, R.E., and Harrington, J.T., (1979):  
Serum electrolyte and acid base  
composition. The influence of graded  
degrees of chronic renal failure.  
*Arch. Intern. Med.*, 135: 1099.
- \* Wills, M.R., and Savary, J. (1983):  
Aluminum poisoning. Dialysis encephalopathy,  
osteomalacia and anemia. *Lancet*, 2: 29.
- \* Wirth, P.L. and Linder, M.C. (1985):  
Distribution of copper among components of  
human serum.  
*J. Nat. Cancer Inst.*, 75: 277: 284.

\* Wynn, V. (1978):

Hypermagneemia and chronic renal failure.  
In scolt R.B. (ed.): Price's Text book of  
practice of medicine. 12th ed. Oxford  
Medical Puplication. The English Language  
Book Society, Oxford University, P. 410-  
11.

\* Yssing, M. (1969):

Albumin metabolism and gastrointestinal  
protein loss in children with nephrotic  
syndrome. Acta Pediatr. Scand. 58: 109.

\* Ziegler, E.E.; Figueroa-Colon, R. Serfass, R.E. (1987):

Effect of low dietary zinc on zinc  
metabolism in infancy.  
Am. J. Clin. Nutr., 45: 849-52.

\* Zimmerman, A.W. Hambidge, M.J. and Lepor, M.L. (1982):

Acrodermatitis in breast fed premature  
infants evidence for a defect of mamary  
zinc secretion. Pediatrics. 69: 176-183.

\* Zoltikin, S.H. and Buchaman, B.E. (1983):

Meeting zinc and copper intake  
requirements in the parentally fed  
preterm and full term infant.  
J. Ped. 103: 44-46.