




## REFERENCES

- Ahlberg N.E.; Bartley O, and Chidekel N. (1966):**  
Right and left gonadal veins. An anatomical and statistical study.  
Acta. Rad., 4: 593
- Amelar R.D. and Dubin L. (1987):**  
Right varicocelectomy in selected infertile patients who have failed to improve after previous left varicocelectomy.  
Fertil. Steril., 47; 833.
- Andrawis,RI, (1993):**  
Financial analysis of laparoscopic versus open varicocelectomy.  
Urol. 46.256-259.
- Anderson DJ. And Hill JA. (1988):**  
Cell mediated immunity in infertility. Am. J. Reprod. Immunol. Micobiol; 17:22.
- Atassi O. and kass E.J. (1994).**  
Testicular growth following successful varicocele correction and adolescents: comparison of artery sparing techniques with the palomo procedure.  
J. Urol. 151:188.
- Austoni E; Cazzaniga A; Gatti G; Baroni P; Gentilini O; and Levorato CA(1998)**  
Varicocele and its repercussion on infertility. Indications and limitations of surgical intervention  
Arch-Ital-Urol-Androl. Apr; 70 (2): 103-7
- Ayodeji O. and Baker H.W. (1986).**  
Is there a specific abnormality of sperm morphology in men with varicoceles?  
Fertil. Steril., 45:839.
- Baba S; Nakagawa K; Nakamura K; Deguchi N; Hata M; Murai M; and Tazaki H (1996):**  
Experience of 143 cases of laparoscopic surgery in urology—clinical outcome in comparison to open surgery  
Nippon-Hinyokika-Gakkai-Zasshi. May; 87(5): 842-50
- Bach JP.; and Cronie W.J.(1985):**  
Evaluation and treatment of the preadolescent varicocele.  
Urol. Din. N. Airier., 12: 1-12.
- Bailey R.W. (1991):**  
Complications of laparoscopic general surgery. In: Surgical laparoscopy, edited by zucker, K.A.  
Quality Medical Publishing, PP.:311.
- Baker W.H.G.; Burgery H.G.; and Dekrester D.M. (1985):**



Testicular vein ligation and fertility in men with varicocele.  
Br. Med. J., 291: 1678:

**Barwell R. (1885):**

100 cases of varicoceles treated by the subcutaneous wire loop.  
Lancet. 1: 978.

Quated from: tan et al., 1995,

**Baschi AJ ; Harrison RB. ; Brendridge AN. (1980):**

Distended left renal vein:  
CT/ sonographich normal variant.  
Am, J, Radiol., 135: 339.

**Beck EM ; and Goldstein M. (1991):**

Varicocele Anatomy: A macro-arid microscopic study. American  
Urological Association Annual Meeting Toronto.

**Berci G. and Cusheiri A. (1986):**

Complications of laparoscopy. In: Practical laparoscopy, edited by  
Berci, g, and Cusheiri, A. Balliere.  
Tindall,PP: 165,

**Black J; Beck RO; Hickey NC., and Wndsor CWO. (1991):**

Laparoscopic Surgery in the treatment of varicocele.  
Lancet, 338: 383,

**Bloom DA. ; Gamy EJ ; and Ritchey ML. (1994):**

Normal and abnormal peleviscopic anatomy at internal. inguinal  
ring in boys and the vasal triangle.  
Urology Dec. 44 (6); 905 - 908.

**Brown J.S.; Dubin L.; and Becker M. (1967):**

Venography in the subfertile Iran with varicocele,  
J, Urol., 98: 388.

**Callea A; Berardi B; Dillorenzo V; salerno G; and Jacobellis U  
(1997):**


Echo-color doppler in the topogr aphic study of varicocele.  
Arch-Ital-Urol-Androl. 69(3):189-92.

**Cameron DF.; Syndle FE. ; and Ross MH. (1980):**

Ultrastructural alteration in the adlumina testicular compartment  
in men with varicocele.  
Fertil Sterill. 33:526

**Casciola L; Ceccarelli G; Mazzoli W; Di-Zitti L; Giulianelli F; Fedeli  
c; and Flamini Fo (1998):**

Varicocele. Ligation of the internal spermatic vein using  
laparoscopic approach.  
Minerva-Chir. Mar; 53(3): 153-61



**Chiou RK; Anderson Jc; Wobig RK; Rosinsky DE; Matamoros A Jr; Chen WS; and Taylor RJ (1997):**

Color Doppler ultrasound criteria to diagnose varicoceles: correlation of a new scoring system with physical examination. Urology. Dec; 50(6): 953-6

**Cockett A. T.K. ; Takihara H, and Cosentino M.J. (1984):**

The varicocele.

Fertil. Steril. , 41 : 5 .

**Cohen M.S.; Plaine L, and Brown J.S. (1975):**

The role of internal spermatic vein plasma catecholamines determination in subfertile men with varicoceles.

Fertil. Steril. 76: 1243 - 1249.

**Comhaire F.H Kunnen M.; and Nahoum, (1981):**

Radiologic anatomy of the internal spermatic veins in 200 retrograde venograms.

Int. J. Androl; 4: 379. (Abstr.)

**Comhaire F, and Vernieulen A. (1982):**

Plasma testosterone in patients with varicoceles and sexual inadequacy.

J. Din. Endocrinol. Metab; 40; 824.

**Coolsaet BL. (1980):**

The varicocele syndrome: venography determining the optimal level for surgical management.

J. Urol 124: 833.

**Cooperman A.M (1992):**

Complications: Creative solutions. In : Laparoscopic cholecystectomy, difficult cases and creative solutions Quality Medical Publishing, PP.: 145.

**Coptcoat M.J. (1992):**

Laparoscopy in urology: perspectives and practice.

Br. J. Urol., 69:561

**Curlik M.R.; Lotfi M.A. and Gomella L.G. (1994):**

Anesthetic considerations in laparoscopy. In : Laparoscopic urologic surgery, edited by Gomella, L.G. et al., (1<sup>st</sup> ed)/.

New York, Raven Press, PP.: 85.

**D'Agostino S; Musi L; Colombo B; and Belloli G (1996):**

Varicocele: epidemiologic study and indications for its treatment. Pediatr-Med-Chir. Sep-Oct; 18(5 suppl): 27-30

**Dewire BM.; Thomas AJ.; and JR Falk RM. (1994).**

Clinical out-come and cost comparison of percutaneous embolization and surg. Ligation of varicocele.


J. Androl., 15:385-425.



- Donovane J.F. and winfield H.N. (1992):**  
Laparoscopic varix ligation.  
J. Urol., 147:77.
- Donovan J.F. and Winfield H.N. (1994):**  
Laparoscopic varix ligation. In: laparoscopic urologic surgery, edited by gomella, L.G. et al., (1<sup>st</sup> ed). New York:  
Raven Press, PP.: 137.
- Dubin L. and Amelar R.D. (1970)**  
Varicocele size and results of varicocelectomy in selected subfertile men with varcoceles.
- Dubin L. and Amelar R.D. (1977)**  
Varicocelectomy 986 cases in a twelve- year study  
Urology, 10: 446.
- Dudai M.: and Sayfan J. Mesholam, J; (1995)**  
Laparoscopic simultaneous ligation of internal and external spermatic veins for varicoceele.  
J. Urol., 153: 704.
- Enquist E.; Stein B.S. and Sigman M. (1994):**  
Laparoscopic versus subinguinal varicocelectomy: A comparative study.  
Fertil. Steril., 61:1092.
- Etriby A.A.: Ibrahim A.A and Mahmoud K.Z. (1975):**  
Subfertility and varicocele a: Venogram demonstration of anastomosis sites in subfertile me,  
Fertil. Steril., 26:1013.
- Fahlenkamp D.; Sreinmann J.; and Lenk S.A. (1994):**  
Experience with 173 casses of laparoscopic varcocelectomy.  
J.Urol., 151: 1078A.
- Farris B.L.; Fenner D.K.; Jab W.H. and thomason A.M. (1981):**  
Seminal characteristics in the presenc of varicocele as compared with those of expectant fathers and prevasectomy men.  
Fertil. Steril., 35:325-327.
- Flati G.; Porowska B.; Flati D. and Carboni M.C. (1990):**  
Microsurgical Treatment of varicocele Selecting Most appropriate shunt.  
Urol., 35:121.
- Fritiofsson , A. And Ahran,c.(1967)**




- Studies on varicocele and subfertility.  
Scand. J. Urol. Nephrol. 1:55-62
- Fuse H.; Okumura A.; and Sakamoto M. (1996):**  
Laparoscopic varicocele ligation. Int. Urol. Nephrol., 28  
(1) : 91.
- Gebauer A.; Antes G.; Staehler G. (1982):**  
Diagnosis and differential diagnosis of varicocele by  
ultrasound in varicocele and male infertility. In: Jecht, EW  
and Zeiter, E (eds) recent advances in diagnosis and therapy,  
New. PP. 132.
- Gehr NR (1996):**  
Ambulatory laparoscopic varicolectomy. The first  
experiences. Ugeskr-Laeger. Apr 8; 158(15): 2123-5
- Goldstein D.S and Eid Jf. (1989):**  
Elevation of intratesticular and scrota skin surface  
J. Urol; 142: 743
- Goldstein M.; Gilbert B.R.; and Dicker A.P. (1992):**  
Microsurgical inguinal varicolectomy with delivery of  
the testis: an artery and lymphatic sparing technique. J.  
Urol., 148:1808.
- Goldstein M.; Gilbert BR.; Dicker A.; Dwosh J. and Gnecco, C.  
(1990):**  
Intra operative venography and lowering of the recurrence rate.  
Fertil. Steril. 35:244.
- Goldstein D.S and Winfield H.N. (1994):**  
Laparoscopic instrumentation. In: Laparoscopic Urologic  
Surgery, edited by Gomella, L.G. et al., (1<sup>st</sup> ed).  
New York, Raven Press, PP.21.
- Golomb J.; Nurit V.; Homonnai ZT.; Braf Z.; and Yust I. (1986):**  
Demonstration of antispermatozoal antibodies in  
varicocele related infertility with and enzyme linked  
immunosorbant assay (ELISA).  
Fertil. Steril.; 45;397.
- Gomella L.G. and Albala D.M. (1994):**  
Perioperative laparoscopic preparation. In: Laparoscopic  
Urologic Surgery, edited Gomella, L.G. et al.,  
New York, Raven Press, PP.:17
- Gomella L.G.; Lotfi M.A. and Bagley D. (1992);**  
The use a self-cleaning laparoscope in minimally invasive  
surgery.  
J. Minimally invasive therapy, 1:401.



- Gomella L.G. and Strup S.E. (1993):**  
History of laparoscopy: Urology's perspective  
J. Endo., 7:1
- Gonzales R.; Reddy P. and Narayan P. (1983):**  
Comparison of Doppler examination and retrograde  
spermatic venography in the diagnosis of varicocele.  
Fertil. Steril., 40:96.
- Gooding GA.; Leonhard W.; and Stein R. (1987);**  
Testicular cysts: US findings.  
Radiology; 163:537. (Abstr).
- Grant JCB (1962):**  
Anatomy of the inguino-scrotal region. Gran't Atlas of  
Anatomy.  
The Williams and Wilkins Co. Baltimore. PP. 154.
- Gray's Anatomy (1992):**  
Anatomy of the inguino-scrotal region. Williams PL and  
kDyson M (eds): 37<sup>th</sup> edition, Churchill livingstone,  
medical division of Longman U.K. PP. 666, 726-731,  
1201-1210.
- Green, L.S.; Loughling, K.R. and Kavoussi, L.R (1992)**  
Management of epigastric vessel injury during laparoscopy  
J. Endoural., 9(2): 99
- Greenberg, S.H. (1984):**  
Varicolectomy. In : Current operative urology, edited  
by Haper (2<sup>nd</sup> ed.) philadelphia, New York, London,  
Sydney Row publishers, pp.: 1616
- Greenberg S.H.; Lipshultz L.I.; and Morganroth J. (1977):**  
The use of the doppler stethoscope in the evaluation of  
varicoceles.  
J. Urol. 117:606.
- Grillo Lopez AJ. (1971):**  
Primary right varicocele.  
J. Urol.: 105:540.
- Gunning J.E. (1977):**  
History of laparoscopy. In: Laparoscopy, edited by  
Phillips.  
J.M. and corson, S.L. Baltimore:  
Williams and wilkinks, PP.: 6-16.
- Haans L.C.; Laven J.S.; and Mali W.P. (1991):**



- Testis volumes, semen quality and hormonal patterns in adolescents with and without a varicocele. *Fertil. Steril.*, 56:731.
- Hagood P.G.; Mehan G.J.; and Worischeck J.H.; (1992);**  
Laparoscopic varicocelectomy: Preliminary report of a new technique.  
*J. Urol.*, 147:73.
- Halden W. and White R.I. (1987):**  
Outpatient embolotherapy of varicocele.  
*Urol. Clin. North Am.*, 14:137.
- Hargreave T.B. (1993):**  
Varicocele-A clinical enigma.  
*Br. J. Urol.*, 72:40.
- Harrison R.M.; Lewis R.W.; and Roberts J.A. (1986):**  
Pathophysiology of varicocele in non human primates: long-term seminal and testicular changes.  
*Fertil. Steril.*; 45:500.
- Hasson H.M. (1974):**  
Pen laparoscopy: a Report of 150 cases.  
*J. Reprod. Med.*, 12:234.
- Hinman F. Jr. (1993):**  
The testes and adnexae: structure and function. In : Atlas of urosurgical anatomy, edited by Hinman, F. Jr. Philadelphia, London, Toronto, Montreal, Sydney, Tokyo: W.B. Saunders co., PP.: 484.
- Hinman F. Jr. (1995):**  
Normal surgical anatomy. In: Atlas of surgical management of male infertility, edited by Thomas, A.J. and Nagler, H.M., New York, Tokyo : Igaku-Shoin Co., pp.: 9.
- Hirokawa M.; Matsushita K.; and Yamamoto, T. (1993):**  
Assessment of Palomo's operative method for infertile varicocele. *Andrologia*, 25:47.
- Hirsh A.V.; Keellett M.J.; and Robertson G. (1980 a):**  
Doppler flow studies, venography and thermography in the evaluation of varicoceles of fertile and subfertile men.  
*Br. J. Urol.*, 52:560.
- Hirsh A.V.; Cameron K.M.; and Tyler J.P. (1980 b):**  
The Doppler assessment of varicoceles and internal spermatic ven reflux in infertile men. *Br. J. Urol.*, 52:50.
- Hollinshead W.H. and Rosse C. (1985):**



The inguinal and femoral canals; the scrotum, the applied anatomy of hernia. In : textbook of anatomy, edited by Hollinshead, W.H. and Rosse, C. (4<sup>TH</sup> edition), Philadelphia, New York, London: Harper and Row Co., PP.: 627.

**Howards S.S (1984)**

Varicocele. Fertil. Steril., 41:356.

**Howards S.S. (1990):**

Varicocele: Adolescent. In : Common problems in infertility and impotence, edited by Rajfer, J., Chicago, London. Year Book Medical Co., PP.; 60.

**Huckins C.; and Hellerstein DK. (1991):**

Development of the testis and establishment of spermatogenesis in Lipshultz Li and Howard SS (eds):

Infertility in the male, Mosby year Book, Boston. Pp. 45.

**Hudson RW, Terez Marrero RA.; and Crawford VA. (1985):**

Hormonal parameters of men with varicocele before and after varicocelectomy.

Fertil. Steril.; 43:905.

**Hudson, R.W. (1988):**

The Endocrinology of varicoceles.

Fertil. Steril., 49:199.

**Huk J; Fryczkowski M; Kaletka Z; Gabriel A; and Polec R (1998)**

Evaluation of fertility after surgery for varicocele in boys and adolescents.

Wiad-Lek. 51 Suppl 3: 68-70.

**Hulka J.F. (1985):**

Complications. In : Textbook of laparoscopy, edited by Hulka, J.F.; Orlando, Florida: Grune and Stratton, PP.:19.

**Ibrahim A.A.; Awad H.A.; El-Hagger S. and Mittawy B.A. (1977):**

Bilateral testicular biopsy in men with varicocele.

Fertil. Steril., 28:663-667.

**Iselin-CE : Almagbaly - u : Borst-F. Rohner-s Schmidlin-F. Compana-A. Graber.p.(1997)**

Safety and efficiency of laparoscopic varicocelectomy in one hundred consecutive cases


Urol. Int. 58(4) . 213-7

**Ito H.; Fuse H.; Minagawa H. (1982):**

Internal spermatic vein prostaglandins in varicocele patients.

Fertil. Steril., 37:218.

**Ivanissevich O (1960):**



Left varicocele due to reflux. Experience with 4,470 operative cases in forty-two years.  
J. Int. Cell. Surg. 34:742-744.

**Jacobaeus HC. (1911):**

Kurze ubersich ueber meine Erfahragen. Quoted after  
Srg. Clin. North Am: 72:997

**Jarow J.P; Assimos D.G. and Pittaway D.E. (1993):**

Effectiveness of laparoscopic varicoceletomy.  
Urol., 42:544.

**Johns A. (1993):**

Perforation of the inferior epigastric vessels. In:  
complications of laparoscopy and hysteroscopy, Oxford,  
London and Edinburgh: Blackwell Scientific Publishing,  
PP.: 38.

**Johnsen S.G. and Agger P. (1978):**

Quantitative evaluation of testicular biopsies before and  
after operation for varicocele.  
Fertil. Steril., 29:58.

**Kass E.J. and Belman A.B. (1987):**

Reversal of testicular growth failure by varicocele  
ligation.  
J. Urol., 137:475.

**Kass E.J.; Chandra R.S. and Belman A.B. (1987):**

Testicular histology in the adolescent with a varicocele  
Pediatrics, 79:996.

**Kass E.J.; Freitas J.E. and Bour J.B. (1989):**

Adolescent varicocele: Objective indications for  
treatment.  
J. Urol., 142:579.

**Kass E.J.; Freitas J.E.; and Salisz J.A. (1993):**


Pituitary gonadal dysfunction in adolescents with  
varicocele.  
Urol., 42:179.

**Kass E.J. and Marcol B. (1992):**

Results of varicocele surgery in adolescents: a comparison of  
techniques.  
J. Urol., 148:694.

**Kaufman SL., Kadir S.; and Barth KH. (1983):**


Mechanism of recurrent varicocele after ballon occulsion  
or surgical ligation of the internal spermatic vein.  
Radiology; 147:435. (A



- Kavoussi L.R.; Sosa R.E. and Capelout C. (1992):**  
Complications of laparoscopic surgery  
J. Endourol., 6 (2) : 95.
- Klaiber E.L.; Broverman D.M. and Vogel W. (1980):**  
Increased incidence of testicular varicocele in cigarette smokers. Fertil. Steril., 34:64-65.
- Klein SR. (1991):**  
Endoscopic Surgery, 1st edition, Mosby Year Book Inc. St.Louis.  
Ch. 4, PP.86.
- Kormano M.; Kadhanpaa K.; and Tahti E. (1970):**  
Thermography of varicocele.  
Fertil. Steril., : 558-564.
- Kozminski M.; Gomella L.G.; and Stone N.N. (1992):**  
Laparoscopic urologic surgery outcome assessment.  
J. Urol., 147:245A.
- Last RJ. (1990):**  
Anatomy regional and applied, 8th edition, Churchill Livingstone, London.  
Chapter 5 part 1, PP. 305-307.
- Leeson CR.; Leeson TS.; and Paparo AA. (1985):**  
The male reproductive system, In Leeson, TS.; Lesson TS and Paparo AA (eds): Textbook of histology. WB Saunders Company, Philadelphia, PP.492.
- Lenk, S.; Fahlekamp, D.; Gliech, V.; Lindeke, A. (1994):**  
Comparison of different methods of treating varicocele (Abstr.).  
J. Urol., 137:716.
- Levitt, S.; Gill, H. And Reda, E.(1987):**  
Routine intraoperative post- ligation venography in the treatment of paediatric varicocele.  
J. Urol., 137:716
- Lewis E.L.; Rasor M,O. and Overstreet J.W. (1985):**  
Measurement of human testicular consistency by tonometry. Fertil. Steril., 43:911.
- Lich R.J. and Howerton L.W. (1979):**  
Anatomy and surgical approach to the urogenital tract in the male. In: Urology, edited by Campbell, M.F. and Harrison, J.H., Philadelphia, London, Toronto. W.B. Saunders Co, PP.:31.
- Lipshultz L.I. and Corriere J.N. (1977)**  
Progressive testicular atrophy in the varicocele patients.  
J. Urol., 117:175.



- Lipshultz L.I. and Corriere J.N. (1985):**  
Measurement of human Testicular consistency by tonometry.  
Fertil. Steril., 43:911.
- Loffer F.D. and Pent D. (1977):**  
Statistics. In: laparoscopy, edited by Phillips, J.M. Williams and Wilkins, PP.: 242.
- Lotfi, M.A.; Kozminski, M. and Gomella, L.G. (1993);**  
Complications of laparoscopy: Prevention and management. AUA update series, X11-31: 242
- Lukkarinen O; Hellstrom P; Leinonen s; and Juntunen k (1997):**  
Is varicocele treatment useful? Ann-Chir-Gynaecol. 86(1): 40-4
- Lund L.; Rasmussen H.H. and Ernst E. (1993):**  
Asymptomatic varicocele testis. Scand. J. Urol. Nephrol., 27: 395-398.
- Lynch W.J.; Badenoch D.F. and McAnena O.J. (1993):**  
Comparison of laparoscopic and open ligation of the testicular vein.  
Br. J, Urol., 72 : 796,
- Lyon R.P.; Marshall S. and Scott M.P. (1982):**  
Varicocele in childhood and adolescence: Implications in adulthood ifertility? Urol., 19: 641,
- MacLeod J. (1965):**  
Seminal cytology in he presence of varicocele.  
Fertil. Steril., 16: 735 - 757,
- Macleod J. (1969):**  
Further observation on the role of varicocele in human male infertility,  
Fertil. Steril., 20: 545.
- Madjar S; Moskovitz B; Issaq E; weinberger M; and Nativ o (1998)**  
Low inguinal approach for correction of recurrent varicocele.  
Int-Urol-Nephrol. 30 (1): 69-73
- Mandressi A; Buizza C; Antonelli D; and Chisena S (1996):**  
Is laparoscopy a worthy method to treat varicocele? Comparison between 160 cases of two-port laparoscopic and 120 cases of open inguinal spermatic vein ligation. J-Endourol. Oct; 10(5): 435-41
- Marks J.L.; McMahon R. and Lipshultz (1986):**  
Predictive parameters of successful varicocele repair.  
J, Urol., 136: 609.



**Marsman J.W.P. (1985) :**

Clinical versus subclinical varicocele: venographic findings and improvement of fertility after embolization. Radiology, 155: 635,

**Matsuda T; Horii H and Yoshida, O. (1993):**

Should the testicular artery be preserved at varicocelectomy? J. urol 149: 1357.

**McClure R.D. and Robaire B. (1983)**

Relationship of varicocele size to testicular volume and to effect on varicocelectomy outcome Presented at the Annual Meeting of the American Urological Association, Las Vegas (abstract 504).

**McClure, R.D.; Khoo D.; and Javri K. (1991):**

Subclinical varicocele: The effectiveness of varicocelectomy. J. Urol., 145:789.

**McMinn R.H.M, (1990):**

Abdomen. In: Last's Anatomy regional and applied, edited by McMinn, R.H.M. (8<sup>th</sup> ed.), Edinburgh, London, Melbourne, New York: Churchill Livingstone Co., PP.: 295.

**Mehan D.J. (1996):**

Laparoscopic varicocelectomy. In: Urologic laparoscopic surgery, edited by Parra, R.O., New York: McGraw-Hill Co., PP.: 87.

**Meisel C. (1982):**

The Doppler technique for the diagnosis of varicocele. In: Varicocele and male infertility., recent advances in diagnosis and Therapy, edited by Jecht, E.W. and Zeiter, E., Springer-Verlag, Berlin, New York. PP:78-91.

**Mieusset R.; Bujan L.; and Mondinat LA. (1987):**


Association of scrotal hyperthermia with impaired spermatogenesis in infertile men. Fertil. Steril., 48:1006.

**Milad MF; Zein TA; Hussein EA; Ayyat FM; Schneider MP; and Sant GR (1996):**

Laparoscopic varicocelectomy for infertility. An initial report from Saudi Arabia. Eur-Urol. 29(4): 462-5

**Minevich-E; Wacksman-J; Lewis-AG; Sheldon-CA**

Inguinal microsurgical varicocelectomy in the adolescent : technique and preliminary results. j. urol. 1998 Mar ; 159(3) : 1022-4



- Mischinger H.J.; Clomb T.; and Rauchenwald M. (1994):**  
Laparoscopic procedure for varicocelectomy.  
Br.J. Urol., 74:112.
- Morag B.; Rubinstein Z.J. and Goldwasser B. (1984):**  
Percutaneous venography and occlusion in the  
management of spermatic varicocele. Amer.  
J. Roentgen., 143:635-638.
- Moreno J.G.; Lotfi M.A.; and Gomella L.G. (1994):**  
Gasless laparoscopic varicocele ligation.  
J.Urol., 151:457A.
- Murray RR. Jr.; Mitchell SE.; and Kadir S. (1986):**  
Comparison, of recurrent varicocele anatomy following  
surgery and percutaneous balloon occlusion. Urol.  
135:286.
- Musi L; Colombo B; and Belloli G (1996):**  
Modern trends in the treatment of varicocele.  
Peditar-Mrd-Chir. Sep-pct; 18(5 Suppl): 31-4
- Nadel S.N.; Hutchins G.M.; and Albertson P.c. (1984):**  
Valves of internal spermatic vien: potential for  
misdiagnosis of varicoceles by venography.  
Fertil. Steril., 41:479.
- Naftulin B.N.; Sammels S. and Lewis E. (1991):**  
Semen quality in varicocele patients is characterized by  
tapered sperm cells.  
Fertil. Steril. 56:149-151.
- Nagler HM.; and Zippe CD. (1991):**  
Varicocele: Current concepts and treatment. In: Lipshultz  
LI. Howards SS (eds.) : Infertility in the male. New York:  
Churchill Livingstone; 2<sup>nd</sup> edition. P. 313.
- Nagao RR.; Plymate SR.; and Berger RE. (1986):**  
Comparison of gonadal function between fertile and  
infertile men with varicoceles.  
Fertil. Steril.; 46:930.
- Narayan P.; Gonzales r.; and Amplatz K. (1980):**  
Varicocele and male subfertility.  
Presented at the American Fertility Society, Houston,  
Texas. Quaoed after Winfield et al.,  
Urology laparoscopic surgery.  
J. Urol 146: 941.
- Netto NR.; JR.; Lemos G.C.; and Degoes G.M. (1977):**



Varicocele relation between anoxia and hypospermatogenesis.  
Int. J. Fertil., 22: 147 (Absstr.)

**Nobles A. (1991):**

Image production and visualization systems. Endoscopic surgery, 49:61-92.

**Nord H.J. (1987):**

Technique of laparoscopy. Gastroenterologic endoscopy. 24:693-700.

**Nord H.J. (1992):**

Complications of laparoscopy. Endoscopy, 25:693.

**Paduch DA; and Niedzielski J (1996):**

Semen analysis in young men with varicocele: Preliminary study.  
J-Urol. Aug; 156(2 pt 2): 788-90

**Palomo A. (1949):**

A radical cure of varicocele by a new technique.  
J. Urol., 61 :604

**Penfield, A.J. (1977):**

Trocar and needle injuries. In: Laparoscopy, edited by Phillips, J.M. Williams and Wilkins, PP.: 236.

**Peng CH.; Tomashefsky P.; and Nagler HM. (1990):**

The Cofactor effect: varicocele and infertility.  
Fertil. Steril. 54:143.

**Pentecoast, M.P. and Curtis, E.M. (1981):**

Laparoscopy. In: gynecologic surgery: errors, safeguards, salvage, edited by Ridley, J.H. Williams and Wilkins, PP.: 135.

**Pointner J; Janetschek G; Reissigl A; Peschel R; and Bartsch G (1996):**

Laparoscopic spermatic vein ligation.  
Urologe-A. May; 35(3): 196-201

**Poppas D.P.; Gomella L. G. and Ernest Sosa R. (1994):**

Basic laparoscopy: Pneumoperitoneum and trocar placement. In: Laparoscopic urologic surgery, edited by Gomella, L.G. et al., (1<sup>st</sup> ed.). New York, Raven Press, PP.: 75.

**Porst H.; Bahren W. and Lenz M. (1984):**


Percutaneous sclerotherapy of varicocele-An alternative to conventional surgical methods.  
Brit.J. Urol., 56 :73.

**Portuondo J.A.; Clabozo M. and Echanojauregui A.D. (1983):**


Morphology of spermatozoa in infertile men with and without varicocele.



- J. Androl., 4:312-315.
- Pozza D.; D'Ottavio G. and Masci P. (1983):**  
Left varicocele at puberty.  
Urol., 22:271.
- Preminger G.M. (1994):**  
Video systems for laparoscopic surgery. In: Laparoscopic urologic surgery, edited by Gomella, L.G. et al., (1<sup>st</sup> ed.)  
New York, Raven Press, PP.: 53.
- Pryor J.L. and Howards S.S (1987):**  
Varicocele.  
Urol. Clin. North. Am., 14:499.
- Pryor J.L. and Howards S.S. (1988):**  
Varicocele. In: Contemporary Management of Impotence and infertility, edited by Tanagho, E.; Lue, T. and McClure, R.D. Williams Baltimore, Hong Kong, London.  
PP: 247-256.
- Raboch J. and Starka L. (1971):**  
Hormonal activity in men with varicocele  
Fertil. Steril. 22:152-155.
- Ralfer J.; Walsh P. (1977):**  
Testicular descent. In balndan D (eds): Morphogenesis and Malformation of the genital systme, Alan R Liss, New York. PP. 654.
- Ralph D.J.; Timoney, A.G.; Parker C. Et al. (1993):**  
Laparoscopic varicocele ligation  
Br.J. Urol., 72 : 230
- Reitelman, C.; Burbige, K.A; Sawezuk, I.S. et al. (1987):**  
Diagnosis of surgical correction of the pediatric varicocele  
J. Urol., Partz, 138 : 1038
- Rodriquez-Rigau, L.J.; Smith, K.D. and Steinberger, E. (1978):**  
Relationship of varicocele to sperm output and fertility of male parteners in infertile couples.  
J. Urol., 120:691.
- Rodriquez-Rigau, L.J.; Smith, K.D. and Steinberger, E. (1981):**  
Varicocele and the morphology of spermatoza.  
Fertil. Steril., 35 : 54
- Ross, L.S. and Ruppman, N. (1993):**  
Varicocele vein ligation in 565 patients under local anaesthesia : A long term review of technique, results and



- complications in light of proposed management by laparoscopy  
J. Urol., 149 : 1361.
- Rothman, L.P; Newmark, M. and Karson, R (1981):**  
The recurrent varicocele : A poorly recognized problem.  
Fertil. Steril., 35:552.
- Saleh, J.W. (1988):**  
Complications. In: Laparoscopy, edited by Saleh J.W.  
W.B. Saunders, pp.: 253.
- Salgarello, G.; Cagossi, M.; Salgarello, T.L. et al. (1990):**  
Transvenous sclerotherapy of the gonadal veins for treatment of varicocele: Long term results.  
Angiology, 41 : 427
- Sayfan J.; Adam Y.; and Loffer Y. (1980):**  
A New Entity In Vaecicocele Subfertility: The "cremasteric reflux". Fertil. Steril., 33:88.
- Sayfan J.; Soffer Y. and Orda R. (1992):**  
Varcocele treatment: Prospective randomized trial of three methods.  
J. Urol., 148:1447.
- Saypol D.C. (1981)**  
Varicocele. J. Androl., 2:61.
- Saypol D.C.; Lipshultz L.I. and Howards S.S. (1983):**  
Varicocele. In: Infertility in the male., edited by Lipshultz, L.I. and Howards, S.S; Churchil Livingstone, New York. PP: 299-313.
- Seyferth W.; Ject E.; and Zeitler E. (1981):**  
Percutaneous sclerotherapy of varicoceles. Radiology, 139:335.
- Shafik A. (1973):**  
Venous plexuses of the spermatic cord. Anatomy and role in varicocele.  
Urologia. 40;419-122.
- Shafik A.; and Bedeir G. (1980):**  
Venous tension patterns in cord veins. In normal and varicocele individuals.  
J. Urol.; 123:383.
- Soper N.J. (1993):**  
Laparoscopic gneral surgery-past, present and future.  
Surgery, 113:1.
- Spaziani E Silecchia G; Ricci S; Raparelli L;Materia A; Fantini A; and Basso N., (1997)**



Minimally invasive approach for the treatment of idiopathic varicocele.

Surg-Laparosc-Endosc. Apr; 7(2) :140-3

**Stellato T.A. (1992):**

History of laparoscopic surgery. Surg. Clin. N. Am., 72:997.

**Stepanov VN; (1997):**

The laparoscopic treatment of varicocele. Urol-Nofrol-Mosk. Jan-Feb (1): 3-5

**Stephensn J.D. and O'Shaughnessy E.J. (1988):**

Hypothermia and its relationship to varicocele and intrascrotal temperature.

Fertil. Steril., 19:110-117.

**Stewart B.H. (1974):**

Varicocele in infertility: Incidence and results of surgical therapy.

J. Urol., 112:222-223.

**Student-V; Zatura-F; Sheinar-J; Vrtal-R; vrana -J**

Testicle hemodynamics in patients after laparoscopic varicoelectomy

Eur-urol.1998; 33(1): 91-3

**Szabo, R. and Kessler, R. (1984):**

Hydrocele following internal spermatic vein ligation.

J. Urol., 132:924.

**Takahara H.; Cosentino M.J. and Cockett A.T.K. (1983):**

Significance of a new orchidometer in andrology clinci testicular atrophy in varicocele patients and recovery ater varicoelectomy. Presented at the Annual Meeting of the American Urological Association. Las vegas (abstract 503).

**Tan S.M.; NG.; F.C.; and Ravintharan T.; and Lim P.H.C. (1995):**

Laparoscopic varicoelectomy: technique and results Br. J. Urol., 75:523.

**Thomas A.J. and Geisinger M.A. (1990):**

Current management of varicoceles. Urrol., Clin. N. Am., 17:893.


**Tierney W.J.; Daly I.W.; and Abbatiello, R. (1979):**

The effect of prostaglandins FIA and on spermatogenesis. Int. J. Fertil., 24:206. (abstr.)


**Tinga D.J.; Jager S.; Kremer J. and Mensink H.J. (1984):**

Factors related to semen improvement and fertility after varicocele operation. Fertil. Steril., 41:404-410.

**Turek P.J. and Lipshultz L.I. (1995):**



- The varicocele controversies. I. Etiology and pathophysiology.  
II. A.U.A.; XIV-13:106.
- Ulker V; Garibyan H; and Kurth KH (1997)**  
Comparison of inguinal and laparoscopic approaches in  
the treatment of varicocele. Int-Urol-Nephrol. 29(1): 71-7
- Urbanowicz W; and Gorniak M 1998**  
Laparoscopic treatment of varicocele in boys. Wiad-Lek.  
51 Suppl 3: 25-8
- Wahlstrom H.E. (1993):**  
Laparoscopy and bowel injuries. In: Complications of  
laparoscopy and hysteroscopy, oxford, London  
edinburgha: Blackwell Scientific Publishing, PP.81.
- Wheatley J.K.; Fajman W.A.; and Witten F.R. (1982):**  
Clinical experinece with the radio-isotope varicocele scan  
as a screening methods for the detection of subclinical  
varicocele.  
J. Urol.; 128:57.
- Wheatley J.K.; Bergman W.A.; and Green B. (1991):**  
Transvenous occlusion of clinical and subclinical  
varicoceles.  
Urol., 37:362.
- W.H.O. (world Health Organization ) (1985)**  
Comparison among different methods for diagnosis of  
varicocele  
Fertil,steril,43-575-582
- Wiley G.G. (1985):**  
Varicocele and puberty. The critical factor?  
Br.J. urol., 57:194.
- Williams P.L.; Warwick R.; and Dvson M. (1989):**  
Angiology, lateral visceral branches of the aorta, hepatic  
portal system. In: Gray's anatomy, 37<sup>th</sup> ed., edinburgh,  
London, Melboure, New York: Churchill Livingstone  
Co., PP:210&774.
- Winfield H.N.; Donovan J.F; and See W.A. (1991):**  
Urological laparoscopic surgery.  
J. Urol., 146:941.
- Wosnizter M.; and Roth JA. (1983):**  
Optical magnification and Doppler ultrasound probe for  
varricocelectomy.  
Urol., 22:24.
- Wright EJ; Young Gp; and Goldstein M (1997):**



Reduction in testicular temperature after varicocelectomy in infertile men. *Urology*. Aug; 50(2):257-9

***Wright J. and goldstein M. (1994):***

Ligation of the testicular artery during microsurgical varicocelectomy: Incidence and complications. *J.Urol.*,151:141A.

***Wuernsechimmel E.; Lipsky H.; and Noest G. (1995):***

Laparoscopic varicocele ligation: a recommendable standard procedure with good long term results. *Eur-Urol.* 27(1): 18-22. (Abstr.).

***Yavetz H.; Levy R.; and Papo J (1992):***

Efficacy of varicocele embolization versus ligation of the left internal spermatic vein for improvement of sperm quality.

*Int. J. Ansrol.*, 15:338.

***Zorgniotti A.W. and MacLeod J. (1973):***

Studies in temperature, human semen quality and varicocele.

*Ferti. Steril.*, 24:854-863.