

## REFERENCES

REFERENCES

- Abo-Elkheir, H.M.; Korashi, E. and Arafa, N. (1981):  
Ultrasound for evaluation of amoebic liver abscess  
Annals, of Surgery 20 : 140 - 43.
- Adson, M.A. (1981):  
Diagnosis and surgical treatment of primary and  
secondary solid hepatic tumours in the adult.  
Surgical Clinics of north America. 61:181-196.
- Amir-Jahed, A.K.; Fardin, R.; Farzad, A. and Bakshandeh, K.  
(1975):  
Clinical echinococcosis. Annals of Surgery 182:  
541-546.
- Arthur, M.J.P.; Hall, A.J. and Wright, R. (1984):  
Hepatitis B, hepatocellular carcinoma and strate-  
gies for prevention. Lancet 1 : 607 - 610.
- Babcock, L.J. and Ozer, H. (1978):  
Ultra-sound appearance of liver hydatid disease.  
British Journal of Radiology 54 : 335 - 338.
- Barnett, P.H.; Zerhouni, E.A.; White, R.I. and Siegelman,  
S.S. (1980):  
Computed tomography in the diagnosis of cavernous  
haemangioma. American Journal of Roentgenology  
134 : 439 - 447.
- Barrows, G.H. and Christopherson, W.M. (1983):  
Human liver tumours in relation to steroidal, usage.  
Environmental Health Perspectives 50 : 201 - 208.
-

- Baum, J.K.; Holtz, F. and Brookstein, J.J. (1973):  
Possible association between benign hepatoma and oral contraceptive. *Lancet* ii : 926 - 929.
- Baxter, P.J.; Anthony, P.P.; Macsween, R.N.M. and Scheuer, P.J. (1977):  
Angiosarcoma of the liver, 1963-73. *British medical Journal* ii : 919 - 921.
- Beard, T.C. (1980):  
Evidence that a hydatid cyst is seldom "as old as the patients". *Lancet* ii : 30 - 32.
- Berk, R.N. (1978):  
Diagnostic imaging of the liver and bile ducts. *Investigative Radiology*. 13 : 265 - 278.
- Berman, C. (1951):  
Primary carcinoma of the liver. *British Med. J.* 4 : 137 - 401.
- Berman, M.M.; Libbey, N.P. and Foster, J.H. (1980):  
Hepatocellular carcinoma. *Cancer* 46:1448-1455.
- Bernardino, M.E. (1982):  
The computed tomography diagnosis of hepatic metastases. *Radiology* 133 : 437 - 441.
- Besson, P.; Besson-Proye, F.; Pollet, J.C. and Adenis, L. (1982):  
Detection des metastases hepatiques: etude comparee clinique, biologique, echographique. Scanographique et-scintigraphique. *Journal d'El-Ectrologie et de Medecine ultrasonor*, 3 : 183-186.

- Bondestam, S.; Anthony, R. and Perttala, Y. (1979):  
Scintigraphy and Sonography in the investigation  
of liver metastases. Diagnostic Imaging  
ultrasound. 8 : 232 - 236.
- Boxer, M.; Millward-Sadler, G.H. and Wright, D.H. (1985):  
Involvement of the liver by lymphoreticular disease:  
pathophysiology, diagnosis and management. American  
J. of Surgery, 6 : 112 - 116.
- Bree, R.L. and Silver, T.M. (1979):  
Differential diagnosis of hypoechic and anechic  
masses with grey scale Sonography. New observati-  
ons. J. Clin. Ultra-sound 7 : 249 - 254.
- Bree, R.L.; Schwab, R.E. and Neiman, H.L. (1983):  
Solitary echogenic spot in the liver: is it dia-  
gnostic of a haemangioma? American Journal of  
Radiology 140 - 41 - 45.
- Brunt, P.W. (1966):  
Genetics of liver disease. Clinics in Gastroent.  
2 : 615.
- Burgener, F.A. and Hamlin, D.J. (1983):  
Contrast enhancement of hepatic tumours in CT:  
Comparison between bolus and infusion techniques.  
American Journal of Rontgenology, 140:291-295.
-

Conn, H.O. and Yesner, R. (1963):

A re-evaluation of needle biopsy in the diagnosis of metastatic cancer of the liver. *Ann. intern. Med.* 59 : 53.

Conn, H.O. (1973):

Rational use of liver biopsy in the diagnosis of hepatic cancer. *Gastroenterology* 62 : 142 - 146.

Conn, H.O. (1976):

Ultrasonography and liver biopsy in the diagnosis of hepatic tumour: a comparative evaluation of the available techniques. *Clinics in Gastroenterology* 5 : 665 - 680.

Cooke, L.; Jones, F.A. and Keech, M.K. (1953):

Carcinoma of the gall bladder, a statistical study. *Lancet* 2, 585.

Coombes, G.B.; Reiser, J.; Paradensa, F.J. and Furn, (1978):

An androgen-associated hepatic adenoma in a transsexual. *British Journal of surgery* 65:869-870.

Cooper, W.H. and Martin, J.F. (1962):

Hemangioma of the liver with thrombocytopenia. *Amer. J. Rontgenol.* 88, 751.

Cosgrove, D.O. (1981):

Liver in: Goldberg B.B. (ed) *Ultrasound in cancer.* Churchill living stone, New York, 341 - 346.

Cotton, M.; Amuso, M. and Cotton, P. (1978):

Endoscopic retrograde cholangiography in hepatic hydatid disease. *British Journal of surgery* 65: 107 - 108.

- Craig, J.R.; Peters, R.L.; Edmondson, H.A. and Omata, M. (1980):  
Fibrolamellar carcinoma of the liver: a tumour of  
adolescents and young adults with distinctive  
clinico-pathologic features. *Cancer* 46:372-379.
- Cunningham, D.S. and Cariffin, F.M., (1976):  
Failure of metronidazole to cure hepatic amebic  
abscess. *New Engl. J. Med.* 288; 1397.
- Czerniak, P.; Bank, H. and Pauzner, Y. (1964):  
Radio-isotopic scanning in liver echinococcosis.  
*Radiology* 83 : 690 - 696.
- Davis, J.B.; Schenken, J.R. and Zimmerman, O. (1975):  
Massive hemoperitoneum from rupture of hepato-  
cellular carcinoma. *Surgery* 73, 181.
- Davidson, O. and Henry, J.B., Eds. (1974):  
Todd-Sanford clinical diagnosis by laboratory  
methods 15<sup>th</sup> ed. W.B. Amer. J. Med. 26, 903.
- DeBakey, D. and Ochsner, C. (1957):  
Diagnosis and treatment of rupture of amoebic  
abscess of the liver. *Engl. J. Med.* 288:1397.
- Dennis, P.M. (1980):  
Fatal pulmonary embolism due to thrombosis of  
a hepatic cavernous haemangioma. *Medicine,  
Science and the Law* 20:287-288.
- Diamond, I. and Schmid, R. (1966):  
Experimental bilirubin encephalopathy. The mode  
of entry of bilirubin <sup>14</sup>C into the central nervous  
system. *J. Clin. Invest.* 45, 678.

Dixon, A.G. and Burns, W.A. (1973):

Liver biopsy in patients with malignancy. A post mortem study. *Laboratory Investigation* 28 : 405.

Doust, B.D. (1976):

The use of ultrasound in the diagnosis of gastroenterological disease. *Gastroenterology*, 70 : 602 - 10.

Dusheiko, G.M. and Kew, M.C. (1981):

Paraneoplastic manifestations of hepatocellular carcinoma, In: *frontiers of liver diseases* 5th ed. Thieme Stratton. New York, p. 310.

Dwarkin, B. and Winwer, S.J. (1981):

Comment on Neuberget, Benign and malignant hepatic tumours due to "The pill". *Gastroenterology*, 80 : 1074 - 1076

Edmondson, H.A. (1958):

Tumour of the liver and intrahepatic bile ducts. In: *Atlas of tumours pathology, section VII, fascicle 25*. Armed Forces Institute of Pathology, 7 : 125 - 130.

Edmondson, H.A. (1976):

Benign epithelial tumours and tumour like lesions of the liver. In Okuda K., Peters, R.L. *Hepatocellular carcinoma*. John Wiley and Sons, New York, Ch. 13, p. 309 - 330.

Edmondson, H.A.; Henderson, B. and Benton, B. (1976):

Liver cell adenomas associated with use of oral contraceptives. *Human pathology* 8 : 255 - 268.

- Elias, J.R. (1969):  
Ultrasonic anatomy of the liver. Amer. J. of  
Surgery, 2 : 31 - 37.
- Ernest, N.S. (1975):  
Gray Scale ultra sound imaging.  
Radiol, 90 : 210 - 13.
- Etienne, J.P.; Chaput, J.C. and Chousterman, M. (1974):  
Laparoscopy in liver disease. Lancet. 1 : 1191.
- Evander, A.; Ihse, I. and Lunderquist, A. (1977):  
Percutaneous cysto diagnosis of carcinoma of the  
pancreas and bile duct. Annals of surgery 188:  
90 - 92.
- Farreil, S.T.; Free, R.J. and Zikria, C. (1975):  
Primary Hepatocellular carcinoma with liver cirrhosis.  
American Journal of Clinical Pathology. 60:380-91.
- Falk, H., Thomas, L.B. and Propper, H. (1979):  
Hepatic angiosarcoma associated with androgenic-  
anabolic steroids. Lancet ii:1120-1123.
- Farhi, D.; Shikes, R.H. and Murari, P.J. (1983):  
Hepatocellular-Carcinoma in young people. Cancer  
52:1516-1525.
- Fechner, R.E. (1977):  
Benign hepatic lesions and orally administered  
contraceptives. Human pathology 8 : 211 - 16.
-

Federlin, K. and Sandritter, W. (1961):

Vergleichende histologische Untersuchungen and Punktionszylindern and an Exzisionsstucken der leber. Munch Med Wschr, 103 : 803.

Filly, R.A. and Carlsen, E.N. (1976):

Newer ultrasonographic anatomy in the upper abdomen: II. The major systemic veins and arteries with a special note on localization of the pancreas. J. Clin. Ultrasound. 13 : 382 - 86.

Finnish Cancer Registry (1974):

The institute for stastical and epidemiological cancer research. Cancer incidence in Finland 19 : 8 - 9 .

Finnish Cancer Regestry (1975):

The institute for stastical and epidemiological Cancer research. Cancer incidence in Finland 20 : 8 - 9.

Flint, L.M., Ays, E.T.; Aaron, W.S.; Fulton, R.L. and Plk, H.C. (1977):

Selectivity in the management of hepatic trauma. Annals of surgery 185 : 613 - 618.

Fortiner, J.G. (1958):

An appraisal of the pathogenesis of primary carcinoma of the extrahepatic biliary tract. Surgery 43, 563.

Foster, J.H. (1977):

Primary benign solid tumours of the liver. The American journal of surgery 133 : 536 - 541.

- Foster, J.H.; Donohue, T.A. and Berman, M.M. (1978):  
Familial liver cell adenomas and diabetes mellitus.  
New England Journal of Medicine 299:239-241.
- Foster, J.H. (1982):  
Benign liver tumours.  
World, J. of Surg. 6 : 25.
- Free, R.J. and Rogers, J. (1983):  
Solitary echogenic Spot in the liver: diagnostic  
of hemangioma. American Journal of Radiology  
121 : 41 - 45.
- Futch, C., Zikria, B.A. and Neo, H.C. (1973):  
Bacteroides liver abscess. Surgery 73, 5 - 9.
- Garancis, J.C.; Tang, T.; Panares, R. and Jurevics, I. (1969):  
Hepatic adenoma: biochemical and electron micro-  
scopic study. Cancer, 24 : 560.
- Garrett, W., Kossoff, G.; Uren, R. and Carpenter, D. (1976):  
Gray scale ultrasonic investigation of focal detects  
on <sup>99m</sup>Tc sulphur colloid liver scanning.  
Radiology, 119 : 425 - 8.
- Gilley, E. and Taylor, K.J.W. (1975):  
Ultrasound monitoring of hepatic metastases during  
chemotherapy: preliminary communication. Br. Med. J.  
1 : 371 - 3.
- Gold, J.H.; Guzman, I.J. and Rosai, J. (1978):  
Benign tumours of the liver. Pathological examina-  
tion of 45 Cases. American Journal of Clinical  
pathology 76 : 6 - 17.

- Goldberg, S.J. and Fonkalsrud, E. (1969):  
Successful treatment of hepatic hemangioma with  
corticosteroids. J. Amer. Med. Ass. 208, 2473.
- Goldberg, S.J. (1975):  
Sound and ultrasound waves.  
Radiology, 112 : 325 - 17.
- Gots, R.E. and Zuidema, G.D. (1970):  
Dilatation of the intra-hepatic biliary ducts in a  
patient with a choledochal cyst. Amer. J. Surg.  
119 : 726.
- Grant, J.C.B. (1962):  
An Atlas of anatomy. Baltimore. The Williams and  
Wilkins Co., New York Publication p. 401 - 19.
- Green, B., Bree, R.L.; Goldstein, H.M. and Stanley, C. (1977):  
Gray scale ultrasound evaluation of hepatic neoplasm:  
patterns and correlations. Radiology, 124:203-8.
- Green, W.M.; King, D.L. and Casarella, W.J. (1976):  
A reappraisal of sonolucent renal masses.  
Radiology, 121 : 163 - 71.
- Grossman, B., Goldstein, M.J. and Koss, L.G. (1972):  
Cytological examination as an adjunct to liver  
biopsy in the diagnosis of hepatic metastases.  
Gastroenterology 62 : 50 - 60.
- Harinasuta, T., Bunnage, D., Jaroonvesama, M.D. (1968):  
Amoebiasis study of 769 cases. Eighth International  
Congress on Tropical Medicine and Malaria, Tehran.  
Abstract and reviews, 258.

- Hassani, M.P. and Smith, E.I. (1976):  
Nonoperative management of subcapsular heamatoma of  
the liver. American Journal of surgery 140:852-857.
- Hensen, D.J. and Kerr, D.N.S. (1956):  
Congenital hepatic fibrosis. Quart. J. Med. 30, 91.
- Holm, H.H.; Rasmussen, S.N. and Kristensen, J.K. (1973):  
Ultrasonically guided percutaneous puncture  
technique. J. Clin. Ultrasound 1 : 27.
- Holmes, J.H. (1967):  
Diagnosis of tumours by ultrasound. Progr. Clin.  
Cancer, 3 : 135 - 50.
- Hunter, F.M.; Akdamar, K.; Sparks, R.D.; Reed, R.J. and  
Brown, C.L., Jr. (1966):  
Congenital dilation of the intra-hepatic bile  
ducts. Amer. J. Med. 40, 188.
- Illingworth, C.F.W. (1935):  
Carcinoma of the gall bladder. Brit. J. Surg.  
23 : 4.
- Isaacson, P. and Wirght, D.H. (1978):  
Intestinal lymphoma associated with malabsorption.  
Lancet. i : 67 - 70.
- Ishak, K.G. (1976):  
Mesenchymal tumour of the liver. In Okuda, K.,  
and Peters, R.L. Hepatocellular carcinoma. John  
Wiley and Sons, New York, Ch. 1, 2, p. 247-308.
-

Ishak, K.G. and Rabin, L. (1975):

Benign tumours of the liver. Medical clinics of north America 59 : 995 - 1013.

Ishak, K.G.; Willis, G.W. and Cummins, S.D. (1977):

Biliary cystadenoma and cystadenocarcinoma. Report of 14 cases and review of the literature. Cancer 38 : 322 - 338.

Itai, Y., Ohtomo, K., Araki, R., Furuis, M. Liom, S. and Atoni, Y. (1983):

Computed tomography and sonography of cavernous haemangioma of the liver. American Journal of Radiology, 141 : 315 - 320.

Jackson, B.T. and Saunders, P. (1971):

Perforated choledochus cyst. Brit. J. Surg. 58, 38.

Johnson, C.M.; Sheedy, P.F.; Stanson, A.W.; Hattery, R.R. and Adson, M.A. (1981):

CT and angiography of cavernous haemangiomas of the liver. Radiology, 138 : 119 - 121.

Kagan, I.G. (1968):

A review of serological tests for the diagnosis of hydatid disease. Bulletin of the world health organization, 39 : 25 - 37.

Kamin, P.D.; Bernadine, M.E. and Breen, B. (1979):

Ultrasound manifestations of hepatocellular carcinoma. Radiology, 131 : 459 - 461.

Kahn, M.G. and Tilney, N.L. (1972):

Hepatic abscess produced by extension of a perinephric abscess. Amer. J. Surg. 124, 687.

- Kato, M., Sugawara, I., Okada, A., Kuwata, K., Satani, M. and Okamoto, E. (1975):  
Haemangioma of the liver. Diagnosis with combined use of laparoscopy and hepatic arteriography. The American Journal of surgery, 129 : 698-704.
- Kawasaki, H., Sakaguchi, S. and Iriya, T. (1978):  
Value of B-scan ultra-sonography in the diagnosis of liver cancer. Am. J. Gastro enterol, 69:436-42.
- Kemny, J.C. and Green, W.M. (1982):  
Gray scale ultrasound evaluation of hepatic neoplasm  
Radiology, 24 : 104 - 8.
- Kerlin, P., Davis, G.L., McGill, D.B.; Weiland, L.H.; Adson, M.A. and Sheedy II, P.F. (1983):  
Hepatic adenoma and focal nodular hyperplasia:  
Clinical, pathologic and radiologic features.  
Gastroenterology 84 : 994 - 1002.
- Kew, M.C.; Dos Santos, H.A. and Sherlock, S. (1971):  
Diagnosis of primary cancer of the liver. Br. J. of surgery, 4 : 408.
- Kew, M.C. and Levin, J. (1974):  
False negative Se-selenomethionine scans in primary liver cancer. J. Nucle. Med. 15 : 234.
- Kew, M.C.; Desmyter, J.; Bradburn, A.F. and McNab, G.M. (1979):  
Hepatitis B virus infection in southern African Blacks with hepatocellular cancer. J. Natl Cancer Inst. 62 : 517.
- Kew, M.C., and Desmyer, J. (1981):  
Hepato-cellular carcinoma in southern African.  
Proger. Med. Virol. 27 : 41.

- Khilnani, M.T. (1961):  
Calcified liver metastasis from carcinoma of the  
colon. Amer. J. Dig. 6 : 229.
- Kido, C.; Sasaki, T. and Kaneko, M. (1971):  
Angiography of primary liver cancer. Amer. J.  
Roentgenol, 113 : 70.
- Klatskin, G. (1977):  
Hepatic tumours: possible relationship to use of  
oral contraceptives. Gastroenterology 73:386-394.
- Kossoff, G. (1972):  
Improved techniques in ultrasonic cross-sectional  
echography. Ultrasonics, 10 : 221 - 7.
- Kossoff, G. and Garrett, W.J. (1972):  
Ultrasonic film echoscopy for placental locali-  
sation. Aust. N.Z.J. Obstet. Gynec. 12 : 117-21.
- Lahman, K.J. (1969):  
Ultra-sonic anatomy of the upper abdomen.  
Lancet. 12 : 30 - 33.
- Lamb, G. and Taylor, I. (1982):  
An assessment of ultrasound scanning in the  
recognition of colorectal liver metastases.  
Annals of the Royal College of Surgeons of  
England 64 : 391 - 393.
- Lamont, E.A. and Pooler, (1958):  
Hepatic amoebiasis. A study of 250 cases.  
Quart. J. Med. 29 : 389.

Lass, N., Laver, Z. and Lengy, J. (1973):

The immunodiagnosis of hydatid disease. Post-operative evaluation of the skin test and four, serological tests. *Annals of Allergy* 31:430-436.

Lee, F.I. and Harry, D.S. (1974):

Angio-Sarcoma of the liver in a vinyl chloride worker. *Lancet*, 1, 1316.

Leopold, M.S.; Kurtz, A.B. and Cooper, H.S. (1975):

Ultrasound anatomy of the liver: A review with new applications. *Journal of clinical ultrasound* 7 : 137 - 146.

Leyton, B.; Halpern, S.; Leopold, G. and Hagen, S. (1973):

Correlation of ultrasound and collid scintiscan studies of normal and diseased liver. *J. Nucl. Med.* 3 : 312 - 22.

Little, J.M. (1976):

Hydatid diseases at Royl Prince Alfred Hospital 1964 to 1974. *Medical Journal of Australia* i:903-908.

Loitman, B.S.; Cassel, M.A. and Holtz, S. (1962):

Papillomas of the gall bladder. *Amer. J. Roentgenol.* 88 : 783.

Mac Ardle, C.R. (1978):

Ultrasonic appearance of a hepatic haemangioma. *Journal of clinical ultrasound*, 6 : 73.

Machintosh, I.J.C. and Davey, D.A. (1972):

Relationship between intensity of ultrasound and induction of chromosome aberrations. *Br. J. Radiol*, 45 : 230.

- MacSween, R.N.M.; Vettters, J.M.; Ross, S.K.; Ferguson, J.;  
Johnstone, J.M. and Sandison, A.T. (1969):  
Haemangio-endothelioma of the liver. J. Path.  
109 : 39.
- Madden, J.J. and Smith, C.W. (1974):  
Multiple biliary papillomatosis.  
Cancer 34 : 1316 - 1320.
- Maginness, M.G.; Plummer, J.D. and Meindl, J.D. (1974):  
An acoustic image sensor using a transmit-receive  
array. Acoustical Holography, ed. P.S. Green, Vol.  
5. pp. 619-31. Plenum Press, New York.
- Makk, L., Delamore, F. and Creech, J.L. (1976):  
Clinical and morphological features of hepatic  
angiosarcoma in vinyl chloride workers. Cancer  
37 : 149 - 163.
- Mall, J.G.; Ghahremani, G.G. and Bower, J.L. (1974):  
Caroli's disease associated with congenital hepatic  
fibrosis and renal tubular ectasia. A case report.  
Gastro enterology 46 : 1029.
- Malt, R.A.; Galdabini, J.J. and Jeppsson, B.W. (1983):  
Abnormal sex steroid milieu in young adults with  
hepatocellular carcinoma. World Journal of Surgery  
7 : 247 - 252.
- Marchal, G., Crolla, D. and Baert, A.L. (1978):  
Gall bladder wall thickening: New sign of gall  
bladder disease visualized by grey-scale cholecy-  
sto-sonography. J. of Clinical Ultrasound, 6:177-179.

- Marks, W.M.; Jacobs, P.R. and Goodman, P.C. (1976):  
Hepatocellular carcinoma. Clinical and angiographic findings. Predictability for surgical resection. American Journal of radiology 132 : 7-11.
- Marks, W.M.; Filly, R.A. and Callen, P.W. (1979):  
Ultrasonic anatomy of the liver: A review with new applications. Journal of Clinical Ultrasound 7 : 137.
- Martin, E.D. and Potet, F. (1974):  
Pathology of endocrine tumours of the G.I. Tract. In: Bonfils S. (ed.) Clinics in Gastroenterology 3. W.B. Saunders Co., Ltd. London, Ch3., p. 511-532.
- Matossian, R.M. (1977):  
The immunological diagnosis of human hydatid disease. Transactions of the Royal Society of Tropical Medicine and Hygiene, 71 : 101 - 104.
- Matossian, R.M. (1979):  
The serodiagnosis of human hydatid disease : 2. Additional studies on selected sera using indirect assay (ELISA) and defined antigen substrate spheres (BASS). Journal of Helminthology 53:287-291.
- Morris, D.L.; Doust, B. and Hanks, T. (1967):  
The roentgenologic and radioisotopic assessment of hydatid disease of the liver. American Journal of Roentgenology, 101 : 519 - 542.
- Murray-Lyon, K.N.; Shilkin, K.B.; Laws, J.W.; Illing, R.C. and Williams, R. (1972):  
Non-obstructive dilatation of the intra-hepatic biliary tree with cholangitis. Quart. J. Med. 41, 477.

- Nanba, K.; Soban, E.J. and Bowling, M.C. (1977):  
Splenic pseudosinususes and hepatic angiomatous  
lesions. Distinctive features of hairy cell  
leukaemia. American Journal of clinical pathology  
67 : 415 - 426.
- Nazarewicz, T.; Krawczynski, K. and Slusarczyk, K.J. (1977):  
Cellular localisation of hepatitis B. Virus antigens  
in patients with hepatocellular carcinoma coexisting  
with liver cirrhosis. Journal of Infection Diseases  
135 : 298 - 302.
- Neale, G.; Caughey, D.E.; Mollin, D.L. and Booth, C.C. (1966):  
Effects of intra-hepatic and extrahepatic infection  
on liver function. Brit. Med. J. 1, 382.
- Neiman, R.S.; Rosen, P.J. and Lukes, Sr. (1973):  
Lymphocyte depletion Hodgkin's disease: a clinic-  
opathological entity. New England Journal of  
Medicine 288 : 751 - 755.
- Neuberger, J., Nunnerley, H.B.; Davis, M.; Portmann, B.;  
Laws, J.W. and Williams, R. (1980):  
Oral contraceptive-associated liver tumour:  
Occurrence of malignancy and difficulties in  
diagnosis. Lancet February 9 : 273 - 276.
- Nguyen, L., Shandling, B., Ein, S. and Stephens, C. (1982):  
Hepatic haemangioma in childhood: Medical management  
or surgical management? Journal of pediatric surgery  
17 : 40 - 69.
- Okuda, K., Kudo, Y., and Okazaki, N. (1977):  
Clinical aspects of intrahepatic bile duct carcinoma  
including hilar carcinoma. A study of 57 autopsy  
proven cases. Cancer 39 : 232 - 246.

- Olken, S.M.; Bledsoe, R. and Neomark, M. (1978):  
The ultrasonic diagnosis of primary carcinoma of  
the gall-bladder. *Radiology*, 129 : 481 - 482.
- O'sullivan, J.P. and Wilding, R.P. (1976):  
Liver hamartomas and adenomas in patients on oral  
contraceptives. *Brit. Med. J.* 3, 7.
- Osler, C.J.; Prates, M.D. and Zikia, C. (1979):  
Hepatocellular carcinoma clinical and angiographic  
finding. *American Journal of Radiology*, 80:4-8.
- Ozarda, A. and Pickren, J. (1962):  
The tomographic distribution of the liver metastases:  
its relation to surgical and isotopic diagnosis. *J.  
Nucl. Med.* 3 : 149 - 52.
- Parker, P., Burr, I., Slonim, A., Ghishan, F.K. and Greene,  
H. (1981):  
Regression of hepatic adenomas in type I A glycogen  
storage disease with dietary therapy. *Gastro-  
enterology* 81 : 534 - 536.
- Patterson, D.K.; Ozeran, R.S.; Galntz, G.L.; Miller, A.B.  
and Finegold, S.M. (1967):  
Pyogenic liver abscess due to microaerophilic  
streptococci. *Ann. Surg.* 165 : 362.
- Peetrons, P.H.; Osteaux, M. and Jeanmart, L. (1982):  
A comparison of ultra-sonography and computed  
tomography in the detection of liver metastases,  
*Amer. Journal of Radiology* 116 : 541 - 547.

- Peetrons, P.H.; Osteauz, M. and Marchal, G.J. (1984):  
Benign tumours of the liver. Journal Belge de  
Radiologie, 67 : 285 - 289.
- Peetrons, P.H.; Stienon, M.; Divano, L. and Jeanmart, L. (1981):  
Ultrasound diagnosis of hepatic metastases. Journal  
Belge de Radiologic, 64 : 83 - 88.
- Peters, R.L. (1976):  
Pathology of hepatocellular carcinoma. In: Okuda  
K, Peters, R.I. (eds). hepatocellular carcinoma.  
John Wiley and Sons, London, p. 107 - 169.
- Perlumutter, K. and Goldberg, S.J. (1976):  
Ultra sonic anatomy of upper abdomen, portal vein  
and common bile duct. Radiology. 108:330 - 37.
- Pollard, S. and Millward-Sadler, C.H. (1974):  
Malignant haemangio-endothelioma involving the  
liver. Journal of clinical pathology 27:217-221.
- Poon, M.C. and Sanders, M.G. (1972):  
Hepatic abscess caused by salmonella paratyphi B.  
Canad. Med. Ass. J. 107, 529.
- Popper, J.R. (1948):  
Liver Spleen and gall bladder. Amer. J. of Surgery.  
3 : 31 - 40.
- Prates, M.D. (1961):  
Cancer and cirrhosis in the liver in the portuguese  
east African. Acta Unio. Ant. Contra Cancerum  
17 : 718.

Pyritex, L.J. and Bartus, S.A. (1965):

Hepatic pyemia. *New Engl. J. Med.* 272, 551.

Rappaport, A.R.; Filly, E.N. and Cameron, J.L. (1958):

Liver, gall bladder and spleen. *Radiology clin. North Amer*, 30 : 348 - 401.

Ralls, U.; Niron, A. and Ozer, H. (1979):

Ultrasound appearance of liver hydatid disease. *Brit. J. of Radiology* 54 : 335 - 338.

Ramm, O.T. von, Thurstone, F.L. and Kisslo, J. (1975):

Cardiovascular diagnosis with real time ultrasound imaging. In *Acoustical Holography*, ed. N. Booth, Vol. 6, pp. 91 - 102. Plenum Press, New York.

Ranson, J.H.C, Adams, P.X. and Localio, S.A. (1973):

Preoperative-assessment for hepatic metastases in carcinoma of the colon and rectum. *Surg. Gyn. Obstet.* 137 : 435.

Ringertz, N. (1971):

Cancer incidence in Finland, Iceland, Norway and Swed. A comparative study. *Acta path. Microbial Scand. Sec. A Suppl.* 224 : 620 - 29.

Rooks, J.B.; Ory, H.W.; Ishak, K.G.; Strauss, L.T.; Green-

Span, J.R. and Hill, A.P. (1979):

Epidemiology of hepatocellular adenoma. The role of oral contraceptive use. *Journal of American Medical Association* 242:644-648.

Ross, C. (1974):

Ultrasonic appearance of the liver amoebic abscess. *Brit. J. of Radiology*, 54 : 340 - 343.

- Sabbaj, J., Sutter, V.L. and Fine-Gold, S.M. (1972):  
Anaerobic pyogenic liver abscess. Ann. intern.  
Med. 77, 629.
- Saghatoeslami, M.; Khodarahmi, K. and Epstein, B.S. (1962):  
Calcified intrahepatic metastasis from carcinoma  
of the breast. J. Amer. Med. Ass. 181:1139.
- Sandler, M.A.; Petrocelli, R.D. and Mark, D.S. (1980):  
Ultrasonic features and radionuclide correlation  
in liver cell adenoma and focal nodular  
hyperplasia. Radiology, 135 : 393.
- Sanfelliippo, M.W. and King, D.L. (1974):  
Ultrasonography for evaluation of primary cysts of  
the liver. Am. J. Roentgenol, 20 : 140 - 44.
- Satiani, B., and Davidson, E.D. (1978):  
Hepatic abscess: Improvement in mortality with  
early diagnosis and treatment. The American  
Journal of Surgery. 135 : 647 - 650.
- Schaefer, J. and Schiff, L. (1965):  
Liver function tests in metastatic tumour of the  
liver: study of 100 cases. Gastroenterology,  
49 : 360.
- Scherer, U., Weinzierl, M., Sturm, R., Schildberg, F.W.;  
Zrenner, M. and Lissner, J. (1978):  
Computed tomography in hydatid disease of the liver.  
Journal of Computer Assisted Tomography 2:612-617.

- Schonland, M., Millward-Sadler, G.H. and Wright, R. (1985):  
Hepatic tumours, In: Wright R., Millward-Sadler  
G.H., Aberti, K.G.; M.M, Karran, S. (eds.). Liver  
and biliary disease: pathophysiology, diagnosis  
and management: Amer. J. of Surgery, 91 : 441.
- Sewell, J.H. and Weiss, K. (1970):  
Spontaneous rupture of hemangioma of the liver.  
Arch. Surg. 83, 729.
- Shafritz, D.A.; Shouval, D. and Sherman, H.I. (1981):  
Integration of hepatitis B virus DNA into the  
genome of liver cells in chronic liver disease and  
hepocellular carcinoma. New England Journal of  
Medicine 305 : 1067 - 1073.
- Sherlock, S. (1971):  
Disease of the liver and biliary system. 4<sup>th</sup> ed.  
Black well Publication Oxford and Edinburgh, p.47.
- Sherlock, S. (1980):  
Hepatitis virus infection with hepatocellular car-  
cinoma. Ame. J. of Surgery, 3 : 202 - 5.
- Sherman, J.D. and Robbins, S.L. (1960):  
Changing trends in the casuistics of hepatic  
Abscess. Amer. J. Med. 28 , 943.
- Smith, I.E.; Taylor, K.J.W.; McCready, V.R.; Powles, T.J. and  
Bondy, P.K.A. (1976):  
Comparison of grey-scale ultrasound with other  
method for the detection of liver metastases from  
breast carcinoma. Clinical Oncology, 2 : 47-53.

- Snow, J.H.; Goldstein, H.M. and Wallace, S. (1979):  
Comparison of scintigraphy, sonography and computed tomography in the evaluation of hepatic neoplasm. Am. J. Roentgenol, 132 : 915 - 8.
- Somer, J.C. and Kamphuisen, H.A.C. (1972):  
Principle and results of electronic sector scanning with ultrasound for medical diagnosis. In ultrasonics in Biology and medicine, ed. L. Filipczynski pp. 215 -20. Polish Scientific Publishers, Warsaw.
- Sotaniemi, E.A.; Pelkonen, R.O.; Ahokas, J.T. and Pirttiaho, H.I. (1978):  
Relationship between in vivo and in vitro drug metabolism in man. Eur. J. Drug. Metabolism and pharmacokinetics, 1 : 39 - 45.
- Spiegel, R.M.; King, D.L. and Green, W.M. (1977):  
Ultrasonography of primary cysts of the liver. Am. J. Roentgenol, 131 : 235 - 8.
- Stanley, R.J.; Sagel, S.S. and Levitt, R.G. (1977):  
Computed tomography of the liver. Radiological clinics of north America 15 : 331 - 348.
- Starzl, T.E.; Koep, L.J.; Wil III R.H.; Kano, T. and Iwatsuki, S. (1980):  
Excisional treatment of Cavernous haemangioma of the liver. Annals of surgery 192 : 25 - 27.
- Szmuness, W. (1978):  
Hepatocellular carcinoma and the hepatitis B virus. Evidence for the causal association. Progress in Medical Virology 24 : 40 - 69.

- Tanga, M.R. and Ewing, J.B. (1970):  
Primary malignant tumours of the gall bladder:  
report of 43 cases. *Surgery* 67:1, 418.
- Taraka, S.; Kitamura, T., Imakoa, S., Sasaki, Y. and Ishiguro,  
S. (1983):  
Hepatocellular carcinoma: Sonographic and histologic  
correlation. *American Journal of Roentgenology*,  
140 : 701 - 707.
- Taylor, K.J.W.; Carpenter, D.A. and Hill, C.R. (1976):  
Gray scale ultrasound imaging. *Radiology*, 119:415-23.
- Taylor, K.J.W. (1978):  
Atlas of Gray Scale Ultrasonography. Churchill  
Livingstone, New York, Edinburgh and London, 1-97.
- Taylor, K.J.W.; Carpenter, D.A. and Mc Cready, V.R. (1973):  
Gray scale echography in the diagnosis of intrahepatic  
disease. *J. Clin. Ultrasound* 1 : 284.
- Taylor, K.J.W.; Carpenter, D.A. and Mc Cready, V.R. (1974):  
Ultrasound and scintigraphy in the differential  
diagnosis of obstructive jaundice. *J. Clin.  
Ultrasound* 2 : 105.
- Taylor, K.J.W. and Mc Cready, V.R. (1976):  
A clinical evaluation of grey-scale ultrasonography.  
*Br. J. Radiol.* 49 : 244 - 52.
- 
- Sweet, A.F. and Arneil, J.F. (1975):  
Areal time ultrasonic B-Scan/Doppler artery  
imaging system. *Phys. Med. Biol.*, 17 : 261-69.
- Thacker, J. (1973):  
The possibility of genetic hazard from ultrasonic  
radiation. *Current topics in Radiation Research  
Quarterly*, 8 : 235.
-

- Trastek, V.F.; Van Heerden, J.A.; Sheedy, I.I. P.F. and Adson, M.A. (1983):  
Cavernous haemangiomas of the liver: resect or observe. American Journal of surgery 145:45-53.
- Truell, J.E.; Peck, S.D. and Reiquam, C.W. (1973):  
Hemangiosarcoma of the liver complicated by disseminated intravascular coagulation. Gastroenterology, 65 : 936.
- Trump, D.L.; Fahnestock, R.; Cloutier, C.T. and Dickman, M.D. (1978):  
Anaerobic liver abscess and intrahepatic metastases. Cancer, 41 : 682-686.
- Umek, H. (1979):  
Morphological liver diagnosis in radiology. Acta Med. Austriaca, Suppl 5 : 1 - 22.
- Vadheim, J.L.; Gray, H.K. and Dockerty, M.B. (1944):  
Carcinoma of the gall bladder: a clinical and pathologic study. Amer. J. Surgery, 73, 173.
- Varela-Diaz, V.M.; Coltori, E.A.; Perzioso, U.; Lopez-lemes M.H. Guisantes, J.A. and Yarzabal, L.A. (1975):  
Evaluation of three immunodiagnostic tests for human hydatid disease. Amer. J. of Tropical Medicine and hygiene 24 : 312 - 319.
- Vena, J. Murphy, G.P.; Aronoff, B.L. and Baker, H.W. (1979):  
Survey of primary liver tumours and oral contraceptive use. Journal of toxicology and environmental Health 5 : 255 - 273.

- Verleden, W.L. and Frey, C.F. (1980):  
Management of liver abscess. The American Journal  
of Surgery 140 : 53 - 59.
- Vicary, F.R. and Shirley, J. (1974):  
Ultrasound and hepatic metastases. British J. of  
Radiology 51 : 596 - 598.
- Vicary, F.R.; Cusick, G.; Shirley, I.M. and Blackwell, R.J.  
(1977):  
Ultrasound and abdominal hydatid disease. Trans-  
actions of the Royal Society of Tropical medicine  
and hygiene 71 : 29 - 31.
- Viot, S.D. and Baxter, P.J. (1983):  
Gray Scale ultrasound evaluation of hepatic neoplasm.  
Amer. J. of Surgery, 33 : 122 - 29.
- Weaver, J.P. and Capron, M. (1978):  
Treatment of hepatic cystic disease. British Medical  
Journal, ii : 1356.
- Weill, F.S. (1978):  
The liver in ultrasonography of digestive diseases.  
Radiological clinics of north America 12:228-236.
- Weill, F., Eisenscher, A.; Zeltner, F.; Rohmer, P.; Bihr, E.  
and Sauget, Y. (1979):  
Aspect ultrasonore des cancers de la vesicule  
biliaire. Annales de Radiologie, 22 : 17 - 21.
- Wellbrock, W.L.A. (1974):  
Occurrence and possible significance of adenoma of  
gall-bladder. Amer. J. Surg. 23 , 358.
-

- Wells, P.N.T. (1969):  
Physical principles of ultrasonic diagnosis.  
Academic press. London, New York, 3rd ed. 1 - 26.
- Westaby, D., Portmann, B. and Williams, R. (1983):  
Androgen related primary hepatic tumour in non  
Fanconi patients. Cancer 51 : 1947-1952.
- Whittingham, T.A. (1976):  
A hand-held electronically switched array for  
rapid ultra-sonic scanning. Ultrasonics 14 : 29-33.
- Who Technical Report No 691 (1983):  
Prevention of liver cancer. Lancet 32 : 430-39.
- Wilcocks, M.G. and Manson-Phar, D.K. (1972):  
Significance of the complement fixation test in  
the diagnosis of amoebiasis in an endemic area.  
Brit. Med. J. 1 : 837.
- Willis, R.A. (1973):  
Secondary tumour of the liver. The spread of tumours  
in the Human Body London, Butterworth, p. 178.
- Wilmot, D.R. (1962):  
Amebiasis of the liver. Diagnosis, Prognosis and  
treatment. Amer. J. Dig. Dis. 41 - 43.
- Witzleben, D. and Williams, R. (1982):  
Androgen related to primary hepatic tumours.  
Cancer 51 : 1947 - 1952.
-

Wooten, W.B.; Green, B. and Goldstein, H.M. (1978):

Ultrasonography of necrotic hepatic metastases.

Radiology, 128 : 447 - 450.

Wirght, D.H. (1979):

Involvement of the liver by lymphoreticular disease,  
diagnosis and managment.

Ann. Surg. 174 : 711.

Wright, D.H. (1985):

Involvement of the liver by lymphoreticular disease.

In: Wright R. Mollward-Sadler G.H.M.M., Karran S.

(eds.). Liver and biliary disease: Pathophysiology,  
diagnosis and managment.

Arch. Surg. 95 : 964.

Yeh, H.C. (1979):

Ultrasonography and computed tomography of carcinoma  
of the gall bladder. Radiology, 133 : 167-173.