

REFERENCES

Abe, C., Hosojima, S., Fukasawa, Y., Takahashi, M., Hirano, K. and Mori, T. 1992: Comparison of MB-Check, BACTEC, and egg-based media for recovery of mycobacteria. *J. Clin Microbiol*, 30:878.

Abe, C., Hirano K., Wada M., Kauzumi Y., Takahashi M., Fukasawa Y., Youshimura T., Miyagi C., and Goto S., 1993: Detection of mycobacterium tuberculosis in clinical specimens by polymerase chain reaction and Gen-Probe amplified mycobacterium tuberculosis direct test. *J. Clin. Microbiol.* 31:3270-3274.

Aber, V.R., Allen, B.W., et al., *Tubercle* 61(3):123:33.

Adler.J.J. and Rose, D.N.: Transmission and pathogenesis of tuberculosis. In: tuberculosis. 1st ed. Edited by W.N. Rom and S.M. Garay. Boston : Little, Brown and Co., Chapt. 9,p. 129, 1996.

Agarwalla, B., Mohanty, G.P., Sahu, L.K. et al.: tuberculosis of the penis: Report of two cases. *J. urol.* 124:927, 1980.

Albert H, Muzaffar R, Mole RJ, Trollip AP (2002): Use of the FASTPlaque test for TB diagnosis in low-income countries. *Int J Tuberc Lung Dis*; 6:12 1130-1; author reply 1131-2

- Albert, H., Heydenrych, A. Brookes, R., Mole, R.J., Harely, B., Subotsky, E. Henry, R. and Azevedo, V.:* Performance of a rapid phage-based test, FASTPlaque TB to diagnose pulmonary tuberculosis from sputum specimens in South Africa. *Int. J. Tuberc Lung Dis.* 6(6):529-537, 2002.
- Anderson, A. B., S. Thybo, P. Godfrey-Faussett, and N.G. Steker. 1993.* Polymerase chain reaction for detection of mycobacterium tuberculosis in sputum. *Eur. J. Clin. Microbiol. Infect. Dis.* 12:922-927.
- Aoki, M., Katayama T., Yamagishi F., Yokota S., Kameda K., Saito H., Hara K., Eraki T., Kawai T., Yotsumoto H., and Sckiguchi S., 1994:* Efficiency of PCR-microwell plate hybridization method (AMPLICOR MYCOBACTERIUM) for detection of *M. tuberculosis*, *M. avium* and/or *M. intracellulare* in clinical specimens. *Kekkaku.* 96: 593-605. (In Japanese).
- Ausubel, F.M., Brent R., Kingston R.E., Moore D.D., Seidman J.G., Smith J.A. and Struhl K. 1992:* Short protocols in molecular biology (eds.) John Wiley & Sons. New York, Chichester.
- Baess.I. (1966)* *Amer. Rev. resp. Dis.*, 93, 622; (1969) *Acta path. Microbiol. Scand.* 76, 464; (1971) *Ibid.* 79, 428; (1979) *Ibid.* B87, 221.
- Barksdale, L. and Kim, K. S. (1977)* *Bact. Rev.* 41, 217.
- Bates, J. H. and Fitzhugh, J. K. (1967)* *Amer. Rev. resp. Dis.* 96,7.
- Bates, J. H. and Mitchison, D.A. (1969)* *Amer. Rev. resp. Dis.* 100, 189.

References

- Bates, J. H. and Stead, W. W. 1993:* The history of tuberculosis as a global epidemic. *Med. Clin. North. Am.* 77: 1205-1217.
- Behr MA, Warren S, Salamon H et al. (1999):* Transmission of mycobacterium tuberculosis from patients smear negative for acid fast bacilli. *Lancet*; 353: 444-9.
- Bengard anderson, A. and Hansen, E. B.:* structure and mapping of antigenic domains of protein antigen b, a 38.000 molecular weight protein of mycobacterium tuberculosis. *Infect. Immun*, 57: 2481, 1989.
- Bloom, B. R. and Murray C.J.L. 1992:* Tuberculosis: Commentary on a reemergent Killer. *Science* 257: 1055-1064.
- Bönicke, R. and Saito, H. (1970)* *Bull. Un. Int. Tuberc.* 43, 217.
- Boom, R., Sol C.J.A., Salimans M.M.M., Janson C.L., Wertheim-van Dillen P.M.E. and Van der Noorda J. 1990:* Rapid and simple method for pyrifification of nucleic acids. *J. Clin. Micobiol.* 28: 495-503.
- Boom, R., Sol C.J.A., Heijtkink R., Wertheim-Van Dillen P.M.E. and Van der Noorda J., 1991:* Rapid purification of hepatitis B virus DNA from serum. *J. Clin. Microbiol.* 29: 1804-1811.
- Bradely, D.E. (1967)* *Bact. Rev.* 31,230.
- Brisson-Noel, A., Aznar C., Chureau v., Ngyen S., Pierre C., Bartoli M., Bonete R., Pialoun G., Gieqel B., and Garrigue G., 1991:* Diagnosis of tuberculosis by DNA amplification in clinical practice evaluation. *Lancet.* 338: 364-366.

- Buraczewska, M., Kwiatkowski, B., Manowska, W. and Rdultowska, H. (1972)** Amer. Rev. resp.. Dis. 105,22.
- Buraczewska, M., Manowska, W. and Rdultowska, H. (1970)** Amer. Rev. resp.. Dis. 103, 116; Ibid. 104, 760.
- Burg, J.L., Grover C.M., Pouletty P., and Boothhroyd J.C., 1989:** Direct and sensitive detection of pathogenic protozoan *Toxoplasma gondii* by polymerase chain reaction. J. Clin. Microbiol., 27:3584-3591.
- Cantwell. M.F., Snider, D.E. and Cauthen, G.M.:** Epidemiology of tuberculosis in the United State 1985 through 1992. J.A.M.A., 272:535, 1994a.
- Cantwell. M.F., et al.:** Congenital tuberculosis. N. Engl. J. Med., 14: 1051, 1994b.
- Chain, K. 1995.** Clinical microscopy, in. Murray. R., Baron E.j., Tenover, M.A., Tenover, Yolken, R.H., (ed.). Manual of Clinical Microbiology, P. 33-51. 6th ed. American Society for Microbiology, Washington, D.C.
- Chambers, R.M.:** Tuberculosis urethral fistula, Br.J.Urol. 43:243, 1971.
- Chebil M, Njah M, Mezni F, Ben Fadhel S, Bornaz M, Zmerli S, Ayed M (1991):** Urinary tuberculosis and bladder tumors. Ann Urol (Paris); 25:5 224-6

- Chien, A., Edgar, D.B. and Trela, J.M., 1976.** Deoxyribonucleic acid polymerase from the extreme thermophil *Thermus aquaticus* J. Bacteriology. 127: 1550-1557.
- Chijioko A (2001):** Current views on epidemiology of renal tuberculosis. West Afr J Med; 20:4 217-9
- Cho SN, Van der Vliet GME, Park S, Baik SH, Kim SK, ChongY, Kolk AHJ, Klatser PR and Kim JD (1995):** Colorimetric microwell plat hybridization assay for the detection of amplified mycobacterium T.B. DNA from sputum samples. J clin microbiol; 33 : 752.
- Chou, Q., Russel, M., Birch D.E., Raymond J., and Blooh W. 1992.** Prevention of pre-PCR mis-priming and primer dimerization improves low-copy-number amplification. Nucleic acid Res. 20: 1717-1723.
- Cinman, A.C.:** Genitourinary tuberculosis. Urology. 20: 353, 1982.
- Clarridge, J E., Shawar R.M., Shinnick T.M., Plikaytis B.B. 1993.** Large scale use of polymerase chain reaction for the detection of mycobacterium tuberculosis in a routine mycobacteriology laboratory. J. Clin. Microbiol., 31: 2094-2056.
- Comstock, G.W. and cauthen G.M., 1993:** Epidemiology of tuberculosis, P. 23-48. In Reichman L.B. and Hershfeld E.S. (ed.), tuberculosis: a comparison international approach. Marcel Dekker, Inc., New York.
- Comstock, G.W.:** Epidemiology of tuberculosis, Amer.Rev.Respir. Dis., 125 (suppl.): 8, 1982.

- Daly, L.E., Bourk, G.J. and McGilvary, J.:* Interpretation and uses of medical statistics, 4th edition. Edited by L.E. Daly. Oxford: Blackwell scientific publications. Pp. 182, 184, 1992.
- Dannenberg. A.M., Jr.:* Immune mechanisms in the pathogenesis of pulmonary tuberculosis. Rev. Infect. Dis., 11 (supp;.2): S 369, 1989.
- Dovlatian AA (1993):* Treatment of renal and urethral tuberculosis (lecture). Probl Tuberk:5 26-30
- Drobniewski FA, Kent RJ, Stoker NG and Uttley AHC (1994):* Molecular biology in diagnosis and epidemiology of T.B. J Hosp infect; 28:249 .
- Dutt, A.K. and Stead, W.W.:* epidemiology and host factors. In: Tuberculosis and nontuberculous mycobacterial infections, 4th ed. Edited by D. Schlossberg. Philadelphia: W.B. Saunders Co., Chapt. 1, p.3, 1993.
- Ehlers S., Ignatius, R., Regnath, T., and Hahn, H.:* Diagnosis of extra pulmonary tuberculosis by gene-probe amplified Mycobacterium tuberculosis direct test. J. Clini. Microbiol. Sept 2275-2279, 1996.
- Eisenach, K.D., Sifford M.K., Cave M.D., bates J.H., and Grawford J.T., 1991:* Detection of mycobacterium tuberculosis in sputum samples using a polymerase chain reaction. Am. Rev. Respir. Dis. 144: 1160-1163.

- Elcuaz Romano, R., Martin Casabona, N., Goz. Lez Fuente, T., et al.:**
Mycobacterial infection: Yield of bacillary microscopy in different clinical samples. *Med. Clin. (Bare.)*, 97: 211, 1991.
- Eltringham, I. J., Drobniewski, F. A., Mangan, J. A., Butcher, P. D., Wilson, S. M.:** Evaluation of reverse transcription-PCR and a bacteriophage-based assay for rapid phenotypic detection of rifampin resistance in clinical isolates of *M. tuberculosis*. *J. Clin. Microbiol* 37:3524-3527, 1999.
- Engel, H.W.B., Berwald, L.G., Grange, J.M. and Kubin, M. (1980a)**
Tubercle 61, 11.
- Erlich, H.A., 1989:** PCR Technology Pub. M. Stockton Press, New York, London.
- Farer, L.S., Lowell, A.M. and Meador, M.P.:** Extrapulmonary tuberculosis in the United States. *Amer.J.Epidemiol.*, 109: 205, 1979.
- Forbes, B.A. and Hicks K.E.S., 1993:** Direct detection of mycobacterium tuberculosis in respiratory specimens in a clinical laboratory polymerase chain reaction. *J. Clin. Microbiol.* 31: 1688-1694.
- Foulds J and O'Brien R (1998):** New tools for the diagnosis of tuberculosis: The perspective of developing countries. *Int. J. Tuberc. Lung. Dis.* 1998; 2 (10): 778-83.
- Freedman, L.R.:** In: Strauss and Welt's Diseases of the kidney, 3rd ed. Edited by L.E. Earky and C.W. Gottschalk. Boston: Little, Brown and Co., p. 859, 1979.

Froman, S., Will, D.W. and Bogen, E. (1954) Amer. J. Publ. Health. 44,1326.

Furuchi, A. and Tokunaga, T. (1972) J. Bact. 111,404.

Gamboa, F., Dominguez, Z. J., Padilla, E., et al.: Rapid diagnosis of extrapulmonary tuberculosis by ligase chain reaction amplification. J. Clin. Microbiol, 36 (5): 1324, 1998.

Garcia_Leoni ME, Martin_Scapa C, Rodeno P, Valderrabano F, Moreno S, Bouza E (1990): High incidence of tuberculosis in renal patients. Eur J Clin Microbiol Infect Dis; 9:4 283-5.

Gardner, G.M. and Weiser, R.S. (1947) Proc. Soc. Exp. Biol. Med. 66,205.

Githui, W., Kitui, F., E.S., et al.: A comparative study on reliability of the fluorescence microscopy and Ziehl-Neelsen method in the diagnosis of pulmonary tuberculosis. East Afr. Med. J., 70: 263, 1993.

Glickman, S.E., Kilburn, J.O., Butler, W.R., et al.: Rapid identification of mycolic acid patterns of mycobacteria by high-performance liquid chromatography using pattern recognition software and a mycobacterium library. J.Clin.Microbiol., 32: 740, 1994.

Godfrey-Fausett, P. 1994: Of molecules and men: the detection of tuberculosis past, present and future, In tuberculosis: Back to the future. Porter, J.D.H., McAdam, K.P.W.J., (Eds). John Wiley & Sons Ltd. London 1994.

- Goldfarb, D.S. and Saiman, L.** Tuberculosis of the genitourinary tract. In: Tuberculosis, 1st ed. Edited by W.N. Rom and S.M. Garay. Boston: little, Brown and Co., Chapt. 4, P. 609, 1996.
- Gomha, M.A., El-Kenaway, M. and Hamid, M.H.:** Live-donor kidney transplantation: A source for tuberculosis transmission. *Afric. J. Urol.*, 4(No. 2): 62, 1998.
- Gong Y, Lu GS, Song B, Xiong EQ, Jin XY (2003):** Characteristics on diagnosis and treatment of renal tuberculosis. *Zhonghua Wai Ke Za Zhi*; 41:1 55-7
- Gordin F., Slutkon G., 1990:** The validity of acid-fast smears in the diagnosis of pulmonary tuberculosis. *Arch. Path. Lab. Med.* 114: 1025-1027.
- Goren, M.B., McClatchy, J.K., Martens, B. and Brokl, O. (1972)** *J. Virol.* 9,999.
- Goto, M., Oka, S., Okuzumi, K., et al.:** evaluation of acridinium ester labeled DNA probes for identification of mycobacterium tuberculosis and mycobacterium avium intracellulare complex in culture. *J. Clin. Microbiol*, 29(11): 2473, 1991.
- Gow, J.G., 1992:** Genitourinary tuberculosis. In. Walsh, P.C. (ed.) *Champell's urology*. Philadelphia: W.B. Saunders, Pp. 951-981.
- Gow, J.G.:** Genitourinary tuberculosis. In: *Campbell's Urology*, 7th ed. Edited by P.C. walsh, A.B. Retik, E.D. Vaughan and A.J. Wein. Pheladelphia: W.B. Saunders Co., Chapt. 24, p. 807, 1998.

References

- Gow, J.G.:** the current management of patients with genitourinary tuberculosis. AUA update series., vol. 11: Lesson 26, 1992.
- Grange, J.M. et al., (1977)** Tubercle 58,207.
- Grange, J.M., Aber, V.R., Allen, B.W., Mitchison, D.A. and Goren, M.B. (1978)** J. gen. Microbiol. 108,1.
- Grange, J.M., and Bird, R.G. (1975) J. Med. Microbiol. 8,215; (1978a)** Ibid. 11,1; (1978b) In: Genetics of the Actinomycetales, p.243. Ed. By E. Freerksen, I. Tarnok and J.H. Thumin. Gustav Fischer, Stuttgart.
- Grange, J.M., and Redmond, W.B. (1978)** Tubercle 59,203.
- Grange, J.M., and Stanford, J.L. (1974)** Int. J. syst. Bact. 24,320.
- Grant, J. (1971)** Appl. Microbiol. 21, 1091; (1973) Int. Res. Commun. Syst., 25,1.
- Greenbaum, M., Beyt B.E., Jr., and Murray P.R., 1980:** The stain accuracy of diagnosing pulmonary tuberculosis at a teaching hospital. Am. Rev. Respirat. Dis. 121: 477-481.
- Griffith, D.P., Saccomani, M.N. and Johanson, C.F.:** Sensitivity studies in bacteriologic diagnosis of urinary tuberculosis. Urology. 6: 172, 1975.
- Grigg, E. 1985:** the arcana of tuberculosis. Am. Rev. Tuber. Pulm. Dis. 78: 151-603.

Gryzbowski, S., Barnet, G.D. and styblo, K.: Contacts of cases of active tuberculosis. Bull. Int. Union. Tuberc. Lung. Dis. 50:80, 1975.

Gunnals, J.J. and Bates, J.H. (1972) Amer. Rev. Resp. Dis. 105,288.

Hanna, B.A. : Diagnosis of tuberculosis by microbiologic techniques. In: tuberculosis, 1st ed. Edited by W.N. Rom and S.M. Garay. Boston: Little. Brown and Co., Chapter. 11, P. 149, 1996.

Hanna, B.A., Walters, S.B., Bonk, S.J. et al. (1995): Recovery of mycobacteria from blood in mycobacteria growth indicator tube (MGIT) and on Lowenstein-Jensen slant after lysis centrifugation. J. Clin. Microbiol., 33: 3315, 1995.

Hellyer, T.J., Fletcher, T.W., Bates, J.H., Stead, W.W., Templeton, G.L., Cave, M.D., and Eisenach, K.D.: Strand displacement amplification and the PCR for monitoring response to treatment in patients with pulmonary tuberculosis. J. Infect. Dis., 173: 934, 1996.

Higuchi, R. 1989: Simple and rapid preparation of samples for PCR, in Erlich, A.H. (ed.). p. 31-37. PCR technology. Pub. M., Stockton Press, New York, London.

Hussein MM, Mooij JM, Roujouleh H (2003): Tuberculosis and chronic renal disease. Semin Dial, 16:1 38-44

Innis, M.A., Gelfand D.H., Sninsky J.J. and White T.J., 1990: PCR protocols: A guide to methods an applications. (ed.). Academic Press. New York.

References

Holmberg, S.D. (1990): The rise of tuberculosis in America before 1820. *Am Rev Resp Dis*, 142: 1228-1232.

Jonas, V., Alden M.J., Curry J.I., Kamisango K., Knott C.A., Lankford R., Wolfe J.M., and Moore D.F., 1993: detection and identification of mycobacterium tuberculosis directly from sputum sediments by amplification of rRNA. *J. Clin. Microbiol.* 31: 2410-2416.

Jones, W.D., and Beam, R.E. (1969) *Canad. J. Microbiol.* 15,1112.

Jones, W.D., and David, H.L. (1970) *Amer. Rev. Resp. Dis.* 102,818;
(1972) *Tubercle* 53,35.

Juhasz, S.E. and Bönicke, R. (1965) *Canad. J. Microbiol.* 11,235;
(1970) *Pneumology* 142, 181.

Juhasz, S.E., Gelbart, S. and Harize, M. (1969) *J. gen. Microbiol.* 56,251.

Kambashi B, Mbulo G, McNerney R, et al. Utility of nucleic acid amplification techniques for the diagnosis of pulmonary tuberculosis in sub-Saharan Africa. *Int. J. Tuberc. Lung Dis.* 2001; 5:364-369.

Kemp, D.J., Smith D.B., Foote S.J., Samoras N., and Peterson G. 1989. Colorimetric detection of specific DNA segments amplified by polymerase chain reaction (PCR). *Neurology* 40: 1617-1618.

Kendrew, J., and Lawrence, E., 1994: *The Encyclopedia of molecular Biology* (ed.). Blackwell Science Ltd. Oxford. U.K.

Kent PT and Kubica GP (1985) : Public health microbacterium : a guide for the level III Lab. U.S. Depart of health & Human services, Centern for disease control: Atlanta .

Kim, T.C., Blackman R.S., Heatwole K.M., Kim T., and Rochester D.F., 1984: Acid-fase bacilli in sputum smears of patients with pulmonary tuberculosis. Am. Rev. Respir. Dis. 129: 264-268.

Kirschner, p., Springer B., Vogel U., Meier A., Wrede a., Kickenbeck M., bange F.C., and Bottger E.C. 1993: genotypic identification of mycobacteria by nucleic acid sequence determination: report of 2-year experience in a clinical laboratory. J. Clin. Microbiol. 31: 2882-2889.

Kitchin, P.A., Szotyrim Z., Fromholc C., and Almond N., 1990: Avoidance of false positives. Nature (London) 344:201.

Kleppe, E., Ohtsuka E., Kleppe R., Molineux R.C. and Khorana H.G. 1971: studies on polynucleotides. Replication of short synthetic DNA's as catalyzed by DNA polymerasese. J. Mol. Biol. 56:341-361.

Kolbel, H. (1967) Beitr. Klin. Tuberc. 136, 107.

Kolk, A. H.J., Schuitema A.R.J., Kuijper S., van Leeuwen J., Hermans P.W.M., van Embden J.D.A., and Hartskeeri R.A., 1992: Detection of mycobacterium tuberculosis in clinical samples by using polymerase chain reaction and a nonradioactive detection system. J. Clin. Microbiol. 30: 2567-2575.

Koneman, E.W., Allen S.D., Janda W.M., Schreckenberger P.C., and Winn W.C., Jr., 1992: Color atlas and text book of diagnostic microbiology, 4th edition, J.B. Lippincott Company, Philadelphia. U.S.A.

Kox, L.F.F., Khienthong D., Medo Miranda A.M., Udosantisku N., Ellis K., van Leeuwen J., van Heusden S., Kuijper S., and Kolk A.H.J. 1994: A more reliable PCR for detection of mycobacterium tuberculosis in clinical samples. J. Clin. Microbiol. 32: 672-678.

Kozloff, L.M. Sundar Raj, C.V., Nagaraja Rao, R. Chapman, V.A. and DeLong, S. (1972) J. Virol. 9,309.

Kubica, C.P.: Identification of mycobacteria. Am. Resp. Dis. 107,1973; Diagnostic standard, 1974 edition, American Thoracic Society, 1740 Broadway, New York, NY 10019.

Kul-chavenia EV (2003): Differential diagnosis of tuberculosis of the urinary system Probl Tuberk; 2 46-8

Kwok, S. and Higuchi, R., 1989: Avoiding false positives with PCR. Nature (London) 339:237-238.

Lane, D.J.: Extrapulmonary tuberculosis. Med. Int., 1: 983, 1982.

Lattimer, J.K. and Wechsler, M.: Genitourinary tuberculosis. In: Campbell's Urology, 4th ed. Edited by J.H. Harrison, R.F. Gittes., A.D. Perlmutter., T.A. Stamey and P.C. Walsh. Philadelphia: W.B. Saunders Co., Chapt. 15.P. 557, 1978.

Lattimer, J.K.: Editorial comment. J.Urol. 129: 613, 1983.

References

- Levy, H., Feldman C., Sachoh., 1989:** A reevaluation of sputum microscopy and culture in the diagnosis of pulmonary tuberculosis. *Chest.* 95: 1193-1197.
- Lewis, E.L.:** Tuberculosis of the penis. A report of 5 new cases and a complete review of the literature. *J. Urol.* 56: 737, 1946.
- Lick., Chan, Y.F. and Har, C.M.Y.:** congenital tuberculosis. *Aut. Paediatr. J.,* 25: 366, 1989.
- Lindahl, T., Ljungquist S., Siegert W., Nyberg B., and Sperens B. 1977.** DNA glycosidase from *Escherichia coli*. *J.Biol.Chem.* 252:3286-3294.
- Longo, M.C., Berninger M.S., and Hartley J.L., 1990:** Use of uracil DNA glycosylase to control carry-over contamination in polymerase chain reaction. *Gene* 93:125-128.
- Lurie, M.B.:** Resistance of tuberculosis: Experimental studies in native and acquired defensive mechanisms. Cambridge Harvard University press, 1964.
- MacCallum, L.J., 1995:** Detection of PCR amplified products. In C.R. Newton (ed.) p. 99-127. *PCR essential data.* John Wiley & Sons. Chichester.
- MacMillan, E.W.:** Blood supply of the epididymis in man. *Br. J. Urol.* 26:60, 1954.
- McNerney, R. (1996):** Diagnosis present difficulties and prospects for the future. *Africa Health* 1996; November, Pp. 22-23.

Maher, D. and Raviglione, M.C.: the global epidemic of tuberculosis: A world Health Organization perspective. In: tuberculosis and nontuberculous mycobacterial infections, 4th ed. Edited by D. Schlossberg. Philadelphia: W.B. Saunders Co., Chapt. 10, P. 104, 1999.

Maher, D., Chaulet, P., Spinaci, S., et al.: treatment of tuberculosis: Guidelines for national programs. 2nd ed. Geneva, WHO/TB/97, 220, WHO, 1997.

Mankiewicz, E. and Liivak, M. (1975) Amer. Rev. Resp. dis. 111, 307.

Mankiewicz, E. and Redmond, W.B. (1968) Amer. Rev. Resp. Dis. 98,41.

Mankiewicz, E. and Tamari, M.G. (1972) Amer. Rev. Resp. Dis. 106,609.

Marszalak, W.A. C. and Dahi, A.: Genitourinary tuberculosis. S. Afr. Med. J. 62:158, 1982.

Martinez F, Gil-Albarellos R, Cabezudo JI, Soria S, Ardanza A, Otero G (1994): Primary tuberculosis of the penis. Actas Urol Esp; 18:3 245-8

Mathew, S., Alexander, C., Thyagarajan, K., et al.: Evaluation of a cold staining method for acid-fast bacilli in sputum. Indian. J. Chest. Dis. Allied. SCI., 36: 125, 1994.

Michelson, H.E.: the primary complex of tuberculosis of the skin. Arch. Derm. Syph., 32:589, 1935.

- Miller, N., Hernandez S.G., and Cleary T.G., 1994:** Evaluation of gen-probe™ amplified mycobacterium tuberculosis direct test PCR for direct detection of mycobacterium tuberculosis in clinical specimens. *J. Clin. Microbiol.* 32: 393-397.
- Miyazaki, K., Koga H., Kohno S., Kaku M., 1993:** Nested polymerase chain reaction for detection of mycobacterium tuberculosis in clinical samples. *J. Clin. Microbiol.* 31: 2228-2232.
- Mole, R., Heydenrych, A., Linkley, K., and Albert H (1999):** Evaluation of Fast plaque TB-RIF™, for the rapid diagnosis of TB. The millenium Bug, Antwerp, Belgium.
- Mono, L., Angarano G., Carbonara S., Coppola S., Costa D., Quarto M., and Pastore, G. 1991:** Emergence of drug-resistant mycobacterium tuberculosis in HIV-infected patients. *Lancet*, 337:852 (Letter).
- Morgan, M.A., Horstmeier, C.D., De Young, D.R., et al.:** comparison of a radiometric method (BACTEC) and conventional culture media for recovery of mycobacteria from smear-negative specimens. *J. Clin. Microbiol.*, 18: 384, 1983.
- Mostofi, F.K. and Davis, C.J., Jr.:** Male reproductive system and prostate. In : Anderson's pathology. Edited by J.M. Kissane and W.A.D. Anderson. St. Louis: Mosby Co., Chapt. 21, P. 791, 1985.
- Moussa OM, Eraky I, El-Far MA et al. (2000):** Rapid diagnosis of genitourinary tuberculosis by polymerase chain reaction and non-radioactive DNA hybridization, *J. Urol.*; 20:584.

- Mullis, K.B., 1990:** The unusual origin of the polymerase chain reaction. *Sci. Am.* 262:56-65.
- Mullis, K.B., Faloona F., Scharf S., Saiki R.K., Horn E., and Erlich H., 1986:** Specific enzymatic amplification of DNA in vitro. *Cold spring Harbor Symp. Quant. Biol.* 51:620.
- Mullis, K.B., Faloona F.A., 1987:** Specific synthesis of DNA in vitro via a polymerase catalyzed chain reaction. *Methods Enzymol.* 155:335-350.
- Murray, C.J.L., Styblo, K. and Rouillon, A.:** tuberculosis in developing countries: Burden, intervention and cost. *Bull. Int. Union. Tuberc. Lung. Dis.*, 55:6, 1990.
- Muzaffar, R., Batool, S., Aziz, F., Naqui, A. and Rizvi, A. (2001):** Evaluation of Fast plaque TB assay for the direct detection of mycobacterium tuberculosis in sputum specimens. 32nd IUATLD World Conference on lung health, Paris, France.
- Muzaffar, R. Batool, S., Aziz, F., Naqui, A. and Rizvi, A.:** Evaluation of FASTPlaque TB assay for direct detection of Mycobacterium tuberculosis in sputum specimens. *Int. J. Tuberc Lung Dis.* 6(7):635-640, 2002.
- Naif, H.M., Daniel R.C.W., Cogle W.G., and lavin. M.F. 1992:** early detection of bvine leukemia virus by using an enzyme linked assay for polymerase chain reaction-amplified proviral DNA in experimentally infected cattle. *J. Clin. Microbiol.* 30: 675-679.

References

- Nair, S.S., Naganathan, G. N. Rao, K.P. Bannerjee, G.C. and Rajalakshmi, G.C.:* Indian J. Tuberculosis 23: 152-159, 1976.
- Napier, J. and Mumbai (2001):* Fast plaque TB: A new and timely TB detection kit. Health Care Management Newspaper.
- Narayana, A.S., Kelly, D.J., and Duff, F.A.:* tuberculosis of the penis. Br. J. Urol. 48:274, 1976.
- Newton, C.R., 1995:* PCR, Essential data (ed.). John Wiley & Sons, Chichester, U.K.
- Nolte, F.S., metchock B., J.E., McGowan, A. Edwards Jr., Okwumabua O., Thurmond C., Mitchell P.S., Plikaytis B., and Shinnick T., 1993:* Direct detection of mycobacterium tuberculosis in sputum by PCR and DNA hybridization. J. Clin. Microbiol. 31: 1777-1782.
- Noordhoek, G.T., Kolk A.H.J., Bjune B., Catty D., Dale D.W., Fine P.E.M., P., Godfrey-Faussett, Cho S.N., Shinnick T., Svenson S.B., Wilson S., and J.D.A. van Embden J.D.A., 1994:* Sensitivity and specificity of PCR for detection of Mycobacterium tuberculosis a blind comparison study among seven laboratories. J. Clin. Microbiol. 32: 277-284.
- Nordström, G. and Grange, J.M. (1974)* Acta path. Microbiol. Scand. B82,87.
- O'Leary, P.A. and Harrison, M.W.:* Inoculation tuberculosis. Arch. Derm. Syph., 44:371, 1941.

- Orus P, Berlanga N, gali FA, Blanco S, Benitez MA, Dominguez J ,
Pedrose P, Qusina RM (2001) :** Usefulness of a new
mycobacteriophage-based technique for the rapid diagnosis
of pulmonary T.B. . Clinical microbiology (suppl. 1).
- Ou, C.Y., Kwok S., Mitchel S.W., Mack D.H., Sninsky J.J., Krebs J.W.,
Feorino P., Warfield D. and Schochestman G., 1988:** DNA
amplification for direct detection of HIV-1 in DNA of
peripheral blood mononuclear cells. Science 239:295-297.
- Pang, J., Modlin J., and Yolkin R. 1992:** The use of modified
nucleotides and uracil-DNA glycolase (UNG) for the control
of contamination in the PCR-based amplification of RNA.
Mol.Cell.Probes 6:251-256.
- Patoir, G., Spy, E. and Cordier, R.:** Trois cas de fistules vesico ou
urethro rectales tuberculouses. J.Urol.Nephrol. 75:210, 1969.
- Persing, D.H., 1993:** In vitro nucleic acid amplification techniques, P.
51-87. In D.H. Persing, T.F. Smith, F.C. Tenover and T.J.
White (ed.), Diagnostiv molecular biology: Principle and
applications. American Society for Microbiology,
Washington, D.C.
- Persing, D.H., and Cimino G.D., 1993:** Amplification product
inactivation methods.
- Peters, T.B., Reiter, C.G. and Bosell, R.L.:** transmission of tuberculosis
by kidney transplantation. Transplantation, 28:514, 1984.
- Pfyfferer, G.E., Kissling P., Wirth R., and Weber R., 1994:** direct
detection of mycobacterium tuberculosis complex in

respiratory specimens by a target amplified test system. J. Clin. Microbiol. 32: 918-923.

Pierre, C., Lecossier D., Boussougant Y., Bocart D., Joly V., Yeni P., and Hance A.J., 1991: Use of a reamplification protocol improves sensitivity of detection of mycobacterium tuberculosis in clinical samples by amplification of DNA. . J. Clin. Microbiol. 29: 712-717.

Popkova GG, Aksenova VA (2003): Clinical and epidemiological characteristics of renal tuberculosis in children and adolescents. Probl Tuberk:1 39-42

Rado, T.A. et al. (1975) Amer. Rev. Resp. Dis. 111,459.

Raghavatah, N.V.: tuberculosis of the male urethra. J. Urol. 122:417, 1979.

Raleigh, J.W., and wichelhausen, R. W. (1973) Amer. Rev. Resp. Dis. 108,639.

Raleigh, J.W., and wichelhausen, R. W., Rado, T.A. and Bates, J.H. (1975) Amer. Rev. Resp. Dis. 112,497.

Raviglione, M.C., Snider, D.E. and Kochi, A.: Global epidemiology of tuberculosis. J.A.M.A., 273 (3): 220, 1995.

Redmond, W.B. (1963) *Advance. Tuberc. Res.* 12,191; **(1970a)** Bull. Un. Int. Tuberc. 43,214; **(1970b)** Pneumonology 142,191.

Redmond, W.B. and Ward, D.M. (1966) Bull. World Hlth. Org. 35,463.

- Rieder, H.L., Sinder, D.E. and Cauthen, G.M.:** Extrapulmonary tuberculosis in the United State. *Amer. Rev. Respir. Dis.*, 141:347, 1990.
- Roberts GD (1981):** Mycobacteria and nocardia. In: Washington J, *Laboratory procedures in clinical microbiology*. Springer-Verlag, New York, Berlin, Ch. 6, P. 366-67.
- Roberts, G.D., Godman, N.L., Heifets, L. et al.:** evaluation of the BACTEC radiometric method for recovery of mycobacteria and drug susceptibility testing of mycobacterium tuberculosis from acid fast smears positive specimens. *J. Clin. Microbiol.*, 18:689, 1983.
- Roberts, G.D., Knoeman E.W., Kim Y.K., 1991:** Mycobacterium. In : Balows A, Hausler W.J., heremann K.L., Isenberg H.D. and Shadomy H.J. 1991: *Manual of clinical microbiology* P. 304-339. American Society for microbiology, Washington DC.
- Rodier, G., Gravier P., Sevre J., Binson G. and Omar C.S. 1993:** Multi drug-resistant tuberculosis in the Horn of Africa. *J. infect. Dis.* 168:523-524.
- Rolfs A, Beige J, Finckh U, Kohler B, Schaberg T, Lokies J, Lode H (1995):** Amplification of Mycobacterium tuberculosis from peripheral blood. *J Clin Microbiol*; 33:12 3312-4
- Ross, J.C.:** Calcification in genitourinary tuberculosis. *Br. J. Urol.*, 42:656, 1970.
- Ross, J.C.:** Renal tuberculosis. *Br. J. Urol.*, 25:277, 1953.

References

- Rouillon, A., Predrizet, S. and Parrot, R.:** Transmission of tubercle bacilli: the effect of chemotherapy. *Tubercle*, 57:275, 1976.
- Saiki, R.K., 1989:** The design and optimization of PCR, In A.H., Erlich (ed.). P. 7-16. *Pcr Technology Pub. M. Stockton Press*, New York, London.
- Saiki, R.K., Gelfand D.H., Stoffel S., Scharf S.J., Higuchi R., Horn G.T., Mullis K.B., and Erlich H.A., 1988:** Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239: 487-491.
- Saiki, R.K., Scharf S., Faloona F, Mullis, K.B., Horn, G.T., Erlich, H.A. and Arnheim, N. (1985):** Enzymatic amplification of b-globin genomic sequences and restriction site analysis for the diagnosis of sickle-cell anaemia. *Science*, 230: 1350-1354.
- Saksena, N.K., Dwyer D. and Barre-Sinoussi F. 1991:** A “Sentinel” technique for monitoring viral aerosol contamination. *J. Infect. Dis.*, 164:1021-1022.
- Salfinger, M.:** characteristic of the various species of mycobacteria. In: *Tuberculosis*, 1st ed. Edited by W.N. Rom and S.M. garay. Boston: Little Brown and Co., Chapt. 12, P. 161, 1996.
- Sambrook, J., Fritsch E.F., and Maniatis T., 1989:** In vitro amplification of DNA by the polymerase chain reaction. In. “Molecular cloning: A laboratory manual” PP. 14.1-140.4. 2nd ed. Cold Spring Harbor, Laboratory Press, New York.

References

- Schluger, N.W., 1996:** The polymerase chain reaction in the diagnosis of tuberculosis. In. Rom W.N., garay S.M., Bloom B.R. Boston, New York, Toronto, London.
- Senzaki H, Watanabe H, Ishiguro Y (2001):** A case of very rare tuberculosis of the testis. Nippon Hinyokika Gakkai Zasshi; 92:4 534-7
- Sepkopwitz, K.A., J., Riley L., Kiehn T.E., and Armstrong D. 1995:** Tuberculosis in the AIDS era. Cli. Microbiol. Rev.: 180-199.
- Shafer, R.W., Kim, D.S., Weiss, J.P., et al.:** Extrapulmonary tuberculosis in patients with human immunodeficiency virus infection. Medicine, 70:384, 1991.
- Shanker, P., manjunath N., Mohan K.K., Prasad K., Behari M., sheriniwas, and Ahuja G.D., 1991:** Rapid diagnosis of tuberculosis meningitis by PCR. Lancet. 337: 5-7.
- Shlomai, J., and Kornberg A. 1978.** Deoxyuridine triphosphate of Esherichia coli. Purification, properties, and use as a reagent to reduce uracil incorporation into DNA. J. Biol. Chem. 352: 3305-3312.
- Simon, H.B., Weinstein, A.J., Pasternak, M.S., et al.:** Genitourinary tuberculosis. Clinical features in a general hospital population. Amer. J. Med., 63:410, 1977.
- Sjobring, U., Mecklenbyrg, M., Bengard Anderson, A., et al.:** Polymerase chain reaction for detection of Mycobacterium tuberculosis. J. Clin. Microbiol., 28:2200-2204, 1990.

- Smid, I. And Sifinger, M.:* Mycobacterial identification by computer aided gas liquid chromatography. *Diagn-Microbiol. Infect. Dis.*, 32:740,1994.
- Sommers, H.M. and Good, R.C., 1985:* Mycobacterium in lenette, E.H., Balows, A., Hausler, W.J., and Shadomy, H.J. *Manual of clinical microbiology* 4th ed. American Society for Microbiology. Washington D.C.
- Sporer, A. and Auerbach, O.:* tuberculosis of the prostate. *Urology.* 11:362, 1978.
- Styblo, K.:* Epidemiology of tuberculosis. The hauge, VEB Gustav Fischer verleg Jena., p. 82,1984.
- Sudre, P., Ten Dam, G. and Kochi, A.:* Tuberculosis: A global overview of the situation today. *Bull World Health Organ.*, 70:149, 1992.
- Telenti, M., de quiros, J.F., Alvarez, M., et al.:* The diagnostic usefulness of a DNA probe for mycobacterium tuberculosis complex (Gene-probe) in BACTEC culture versus other diagnostic methods. *Infection.* 22:18, 1994.
- Tenover, F.C., Crawford, J.T., Huenr R.E., Geiter, L.G., Horsburgh, C.R. and Good, R.C. (1993):* The resurgence of tuberculosis: is your laboratory ready? *J. Clin. Microbiol.*; 31: 767-770.
- Thornton, C.G., Hartley J.L., Rashtchian A. 1992. Utilizing uracil DNA glycolase to control carry over contamination in PCR: characterization of residual UNG activity following thermal cycling. Biotechniques* 13: 180-182.

- Thornton, G.F.:*** Extrapulmonary tuberculosis excluding the central nervous system. In: Tuberculosis. Clinical management and new challenges, 1st ed. Edited by M.D. Rossman and R.R. MacGregor. New York: McGraw-Hill, Inc. Chapt. 11, p.173, 1995.
- Tindall, K.R., Kunkle, T.A., 1988:*** Fidelity of DNA synthesis by thermus aquaticus DNA polymerase. Biochemistry 27:6008-6013.
- Triglia, T., Argropoulos V.P., B.E., Davidson and Kemp D.J., 1990:*** Colorimetric detection of PCR products using The DNA.
- Van Vollenhoven, P., Heyns, C.F., de beer, P.M., et al.:*** PCR in the diagnosis of urinary tract tuberculosis. Urology Res., 24: 107, 1996.
- Walker, D.A., Taylor, I.K., Mitchell, D.M., et al.:*** Comparison of PCR amplification of two mycobacterial DNA sequences, IS 6110 and the 65 K Da antigen gene, in the diagnosis of tuberculosis. Thorax. 47: 690, 1992.
- Warren, N.G. and Body, B.A.:*** Bacteriology and diagnosis. In: Tuberculosis Clinical management and new challenges. 1st ed. Edited by M.D. Rossman and P.R. MacGregor. New York: MacGrow-Hill inc., chapt. 3,p.35, 1995.
- White, T.J., Arnheim, N., and Erlich, H.A., 1989:*** the polymerase chain reaction. Trends in Genetics 5:185-189.
- Wilson, S.M., Al-Suwaidi, Z., McNerney, R. and et al. (1997):*** Evaluation of a new rapid culture-based method for drug susceptibility

References

testing of Mycobacterium tuberculosis. *Nature Medicine*; 3: 465-468.

Wit, D.D., Steyn L., Shoemaker S., and Sogin M., 1990: direct detection of mycobacterium tuberculosis in clinical specimens by DNA amplification. *J. Clin. Microbiol.* 28: 2437-2441.

Wolf, J.S., Jr. and McAninch, G.W.: Tuberculosis epididymo-orchitis. Diagnosis by fine needle aspiration. *J. Gen. Microbiol.*, 63:41, 1970.

Wong, S.H. and Lau, W.Y.: The surgical management of non-functioning tuberculous kidneys. *J. Urol.*, 124:187, 1980.

Yuen, K.Y., Chan, K.S., Chan, C.M., et al.: Use of PCR in routine diagnosis of treated and untreated pulmonary tuberculosis. *J. Clin. Pathol.*, 46: 318, 1993.

Zheng, X. and Roberts, G.D.: Diagnosis and susceptibility testing. In: *Tuberculosis and nontuberculous mycobacterial infections*, 4th ed. Edited by D. Schlossberg. Philadelphia: W.B. Saunders Co., Chapt. 4, p. 57, 1999.