


References



References

Alarcon-Segovia and Ward, L.E. (1966):

Marked destructive changes occurring in osteoarthritis finger joints, after intra-articular injections of corticosteroides. *Arthritis Rheum.* 9:443.

Altman, R.; Asch, E. and Block, D. (1986):

Development of Criteria for the classification and reporting of osteoarthritis.
Arthritis Rheum., 29:1039-1049.

Altman, R.D., Fries, J.F.; Bloch, D.A.; Consten, J.; Cooke, T.D.; Genant, H.; Goflons, D.; Groth, H., McShane, D.J.; Murphy, W.A. Sharp, J.T.; Spitz, P.; Williams, C.A. and Walfe, F. (1987):

Radiographic assessment of progression of osterarthritis. *Arthritis Rheum.*, 30: 1214-1225.

Altman, R. Alarcon, G. and Applerouth, D.; (1990):

The American College of Rheumatology Criteria for the Classification and reporting of osteoarthritis of the hand, *Arthritis Rheum.*, 33: 1601-1610.

Altman, R.D. (1991):

Criteria for classification of clinical osteoarthritis, *J. Rheumatol.*, 18 (27): 10-12.

Altman, R.D. (1995):

Classification of osteoarthritis *J. Rheumatol. Suppl.* 43 (22), 42-3

Anderson, J.J.; Felson, D.F. (1988):

Factors associated with osteoarthritis of the knee in the first national Health and Nutrition Examination survey (NHANESI) Am. J. Epidemiol., 128, 179-189.

Apley, A.G., Soloman, L. and Mankin, H.J. (1993):

Osteoarthritis and related disorders in : Apley,s system of orthopaedics and fractures, 7th edition: 80-92. Edited by Apley, A.G.: Solomon, L., and Mankin, H.J. Butterworth Heinmann.

Arai, K.I.; Lee, F. Mijazima, A., (1990):

Cytokin; coordinators of immune and inflammatory response. Annu., Rev. Bioche, 59:783.

Arend, W.P., and Dayer, J.M. (1993):

Cytokines and cytokine inhibitors or antagonists in Rheumatoid arthritis. Arthritis Rheum. 33: 305.

Arner, E.D.; and Pratta, M.A. (1989):

Independent effects of interleukin-1 on proteoglycan breakdown, proteoglycan synthesis and prostaglandin E₂ release from cartilage in organ culture. Arthritis Rheum. 32: 288.

Aston, J.N.; and Hughes, S.; (1976):

A short textbook of orthopaedics and traumatology second Edition
Hodder and Stoughton P. 91.

Basmjian, J.A., (1984):

Practical functional anatomy. In (Rehabilitation of the hand) ed. By
Hunter, J.A., Schneider, L.H., Mackin, E.J.; and Callahan A.D.; 2nd
edition, C.V. Mosby Company, P. 13.

Bellamy, N., Sothorn, B.R. and Comptell, J., (1990):

Rhythmic variation in pain perception in osteoarthritis of the knee,
J. Rheumatol., 3 (17): 364-372.

Behrens, F., Shepa, H., and Mitchell, N., (1976):

Alteration of Rabbit articular cartilage by intraarticular injection of
glucocorticoids. J. Bone Joint surg. 58A: 1157.

Boniface, R.J., Cain, P.R. and Evans, C.H. (1988):

Articular responses to purified cartilage proteoglycans. Arthritis
Rheum. 31: 258-66.

Bond, J.S, and Butler, P.E (1987):

Intracellular proteases. Annu. Rev. Biochem. 56, 333.

Brandt, K.D and Fife, R.S.(1986) :

Aging in relation to the pathogenesis of osteoarthritis clinical
Rheum , Dis, 12, 117.

Brandt, K.D. and Flusser, D (1991):

Osteoarthritis in N. Bellamy (ed.) prognosis in Rheumatic disease
Lancaster, U.K. Klumer Academic publisher P 11-35.

Brandt, K.D., Fife, R.s Br aunstem, E.M and Katr, B(1991):

Radiographic grading of severity of knee osteoarthritis. Relation of
the Kellgren and Lawrence grade to a grade based on joint space
narrowing and correlation with arthroscopic evidence of articular
cartilage degeneration Arthritis Rheum 34(11) :1381- 1386

Brandt K.D., and Makin, H,J.(1993):

Pathogenesis osteoarthritis: Etiologic factors in Kelley W.N.,
Harris, E.D., Ruddy, S. and Sledge, C.B (eds.) :Text book of
Rheumatology, Fourth Edition, Volum. 3, W.B. Saunders
company, Philadelphia P 1365- 73.

Brandt K.D (1993) :

Management of osteoarthritis in textbook of Rheumatology, 4th
edition Valum. 3. Edited by Kelley, W.N., Harris, E.D: Ruddy S.
and Seldge, C.B, sounder company Philadelphia

Brandt, K.D.(1994):

Osteoarthritis in: Harrison,s principles of internal medicine 13th
edition, volume 4: 1689-1692. Edited by: Isselbacher, K.J, Martim,
J.B, Brounwald, E., Fauci, A.s, Wilson, J.D and Kaşper, D.L.

Brighton, S.W, Harpe, A.L, De Ia and Vonstaden, D.A. (1985):

The prevalence of osteoarthritis in a rural African community
British journal of Rheum., 24: 321-325

Buckwalter, J .A (1995):

Osteoarthritis and articular cartilage use, disuse and abuse, Experimental studies. J Rheumatol, suppl. 43 (22), 42-3.

Bullough, P.G (1981):

The geometry of diarthroidal joints its physiologic maintenance, and the possible significance of age related changes in geometry to load distribution and development of osteoarthritis clin orthop, 156 :61.

Bulter, M., Colomba, C., Hickman, L. O'Byrne, E. Stecte, R.,Steinitz, B. Quintvalla. J. and Yokoyama N. (1983):

A new model of osteoarthritis. In Rabbits III Evaluation of antiarthrotic effects of selected drugs administered intra-articulary. Arthritis. Rheum. 26, 1132.

Burkhardt D. and Ghosh. P (1987):

Laboratory evaluation of antiarthritic drugs as potential chondroprotective agents. Semin. Arthritis Rheum 17(1):3

Cailliet, R (1992):

The knee in gait: Normal and Abnormal in Cailliet, R. (ed) knee pain and disability Third edition , F. A Davis company Philadelphia, P 262-75

Chamberlain, M.A, care G. and Harfield, B. (1982):

Physiotherapy in osteoarthritis of the knee. A controlled trial of hospital versus home exercises int. Reha. 6

Cramare, P. and Dieppe, P.A (1993):

Novel drug treatment strategies for osteoarthritis J, Rheumatol. 20:
1461-4

Cushnghan, J. and Dieppe P (1991):

Study of 500 patients with limb Joint osteoarthritis: Analysis by
Age, sex and distribution of symptomatic Joint sites. Ann.Rheum
Dis . 50 . 8.

**Davis, M.A.; Ettinger, W.H.; Nauhaus, J.M. and Hauck, W.W.
(1988):**

Sex differences in osteoarthritis of the knee, the role of obesity.
Am. J. Epidemiol., 127: 1019-1030.

**Davis, M.A.; Ettinger, W.H; Nauhous, J.M.; Cho, S.A. and Hauck,
W.W. (1989):**

The association of knee injury and obesity with unilateral and
bilateral osteoarthritis of knee. Am. J. Epidemiol., 130: 278-288.

Davis, M.A.; Ettinger, W.H. and Nauhous, J.M. (1990):

Obesity and osteoarthritis of the knee evidence from the National
Health and Nutrition Examination Survey (NHANES-1), Semin,
arthritis Rheum. 20 (1): 42-50.

Dieppe, P.A.; (1984):

Osteoarthritis are we asking the wrong questions ? . Br. J.
Rheumatology; 23: 161-3.

Digiovine, F.S.; and Duff. G.W. (1990):

Interleukin-1. The first interleukin. Immunol. Today, 11:13.

Dinarllo, C.A. (1989):

Interleukin-1 and its biologically related cytokines Aur. Immunol. 44:153.

Ehrlich, G.E. (1984):

Erosive inflammatory and primary generalized osteoarthritis in: Moskowitz, R.W., Howell, D.S., Goldberger, V.M. and Mankin, H.J. (eds.): osteoarthritis: Diagnosis and Management. Philadelphia W.B. Saunders company; P: 199-210.

Emery, S.E.; and Bohlman, H. (1992):

Osteoarthritis of the cervical spine in : Moskowitz, R.W.; Howell, D.S.; Goldberg, V.M. and Mankin, H.J. (eds): osteoarthritis: Diagnosis and management. Philadelphia, W.B.; Saunders company; P 651-68.

Eymontt, M.J. Gordon, G.V. Schumacher, H.R. and Honsell, J.R. (1982):

The effects on synovial permeability and synovial fluid leukocyte counts in symptomatic osteoarthritis after intraarticular corticosteroid administration J. Rheumatol. 9.

Eyre, D.R. (1990):

Structure and function of the cartilage collagen: Role of Type IX collagen in articular cartilage. In K.D. Brandt (ed.) cartilage changes in osteoarthritis Indianapolis: Indiana university, school of Medicine P: 12-16.

Felson, D.T. (1990):

The epidemiology of knee osteoarthritis: Results from the pramingham osteoarthritis study.
Semin. Arthritis Rheum. 20(1) 42-50.

Felson, D.T. (1995):

Weight and osteoarthritis, J. Rheumatol., Suppl. 43 (22), 7-9.

Fife, R.S.; Brandt, K.D.; Braunstein, E.M.; Katz, B.P.; Shelbourne, K.D. Kalosinski, L.A. and Ryan, S. (1991):

Relationship between arthroscopic evidence of joint space narrowing in early osteoarthritis of the knee-Arthritis, Rheum. 34: 377-82.

Flatt A.E., (1983):

Kinesiology in "Care of the arthritic hand" 4th edition, C.V. Mosby Company, P. 15.

Fries, J.F.; Spitz, P.W. and Young, D.Y. (1982):

The dimensions of health outcomes: the health assessment questionnaire disability and pain scales. J. Rheumatology 1989; 9: 789-93.

Goldeng, D.N. (1989):

A synopsis of Rheumatic Disease.

Goldenberg, D.L.; Egon, M.S., and Cohen, A.S. (1982):

Inflammatory synovitis in degenerative joint disease J. Rheumatol. 9: 204-209.

Grant, J.C. (1972):

Grant's atlas of anatomy 6th ed. By the Williams & Wilkins company.

Gray, H. (1980):

Grays Anatomy.

Gray, R.G.; and Gottlieb, N.L. (1983):

Intraarticular corticosteroids orthop. 177: 235.

Griffin, M.R.; Pifer, J.M.; Snowden, M. and Ray, W.A. (1991):

Nonsteroidal anti-inflammatory drug use and increased risk for peptic ulcer disease in elderly persons, Am. Intern. Med. 14:257.

Hardingham, T.E. (1986):

Structure and biosynthesis of proteoglycans. Rheumatology, 10; 143-83.

Hardingham, T. and Bayliss, M. (1990)

Proteoglycan of articular cartilage, changes in aging and in joint disease semin. Arthritis Rheum. 20 No. 3 (1): 12-33.

Harper, P. and Nuki, (1979):

Genetic factors in osteoarthritis. In: Nuki, G (ed.), the etiopathogenesis of osteoarthritis. London, Pitman Medical.

Harris, W.H. (1986):

Etiology osteoarthritis of the hip. Clin. Orthop.; 213-20.

Hart, D., Spector, T.; Egger, P. Coggon D. Cooper, C. (1994):

Defining osteoarthritis of the hand for epidemiological studies : The Chingford study, Ann. Of Rheumat. Dis. 53: 220-223.

Hartz, A.J.; Fischer; M.E.; Bril, G.; (1986):

The association of obesity with joint pain and osteoarthritis the NHANES data. J. chronic. Dis. 39: 311-9.

Heliovara, M. Nakela, M. impivaara, O., et al., (1993):

Association of over-weight, trauma and workload with osteoarthrosis: A health survey of 7217 person. Acta orthop. Scand., 64, 513-8.

Hewitt, A.T.; Varner, H.H.; Silver, M.H., Dessar, W.; wilkes, C.M. and Martin, V.W. (1982):

The isolation and partial characterization of chondronectin, an attachment factor for chondrocytes. J. Biol. Chem. 257:2330.

**Hirsch, R., Lathbridge, M., William, W., Reichle, R. Plato, C.
Topin, G. Hochberg, M. (1996):**

Association of hand and knee osteoarthritis: evidence for a polyarticular disease subset. *Ann. Of the rheum. Dis.* 55: 25-29.

Hochberg, M.C. (1991):

Epidemiology of osteoarthritis, current concepts and new in rights.
J. of Rheumatology, 18 (27): 1-6.

**Hockberg, M.C., Lethbridge-Cekum, Ploto, C.C., Wigley, F.M.;
Tobin, J.D. (1991):**

Factors associated with osteoarthritis of the hand in males, data from the Boltimor longitudinal study of aging. *Am. J. Epidemil.* 134: 112-7.

Hodgkinson, R., and Woolf, D (1979):

A five year clinical trial of indomethacin in osteoarthrosis of the hip practitioner 210-372.

Hollander, J.L. (1953):

Intraarticular hydrocortisone in arthritis and allied conditions, *J. Bone Joint Surg.* 35: A. 983.

Horn, C.A.; Bradley, J.D.; Brandt, K.D., Kreipke, D.L.; Slowman, S.D. and Kalasinski, L.A. (1992):

Impairment of osteophyte formation in hyperglycemic patients with type II Diabetes Mellitus and knee osteoarthritis. *Arthritis Rheum.* 38 (3): 336-342.

Hough, A.J. and Sokoloff, L. (1989):

Pathology of osteoarthritis and Allied conditions, 11th edition.
Edited by McCarty, D.J.; Lee and Febiger. Philadelphia.

Howell, D.S. (1992):

Osteoarthritis (degenerative joint disease) in: Cecil textbook of
Medicine, 19th edition, Vol., 3: 1554-1557. Edited by:
Wyngaarden, J.B.; Smith, LiH. And Bennett, C.J.

Hughes, C.E.; Fosang, A.J. Murphy, G.; et al., (1992):

Proteolytic digestion of cartilage proteoglycans involves
destruction of the second globular domain. J. Bone Joint Surg.;
57A, 413.

Hutton, C. and Dieppe, P. (1988):

Genetics of osteoarthritis in: Bailliere's clinical rheumatology, Vol.
2, No. 3: 703-710.

Jimene, S.A. (1991):

Molecular biological approaches to the study of heritable
osteoarthritis J. Rheumatol. Suppl. 27 (18), 7-9.

Jones, A.C.; Pattrick, M.; Dperty, S. and Doherty, M. (1992):

A double blind trial of intraarticular hyaluromic acid versus
intraarticular triaminolon hexacetonide in knee osteoarthritis.
Arthritis Rheum. 35:132.

Kallman, D.A; Wigley, F.M.; Scott, W.W. Jr.; Hochberg, Mc. And Tobin, J.D. (1989):

New radiographic grading scale for osteoarthritis of the hand: Reliability for determining prevalence and progression. *Arthritis Rheum.*, 32:1584-1591.

Kallman, D.A.; Wigley, F.M., .; Scott, W.W. Jr.; Hochberg, Mc. And Tobin, J.D. (1990):

The longitudinal course of hand osteoarthritis in a male population, *Arthritis Rheum.* 33: 1323-1332.

Kannus, P., and Jarvinen, M., (1989):

Post traumatic anterior cruciate ligament insufficiency as a cause of osteoarthritis in a knee joint. *Clin. Rheumatol.*, 8:251.

Kelley, J. (1990):

Cytokines of the lung, *Am. Rev., Respir. Dis.* 141:765.

Kellgren, J.R. and Lawrence J.S. (1958):

Osteoarthritis and disc degeneration in an urban population. *Ann. Rheum. Dis.*, 17: 367-388

Kellgren, J.H. (1963):

The epidemiology of chronic rheumatism 2nd edition, Philadelphia, F.A. Davis: 950-952.

Kerwan, J.R. and Silman, A.J. (1987):

Epidemiological, sociological and environmental aspects of rheumatology in: Bailliere's clinical rheumatology, Vol. 1, No., 3: 457-489.

Kilgore, E.S., and Graham, W.P., (1981):

Current surgical, Diagnosis and treatment ed. By: Engiebert G.D.; and Lawrence, W.W., Middle East. Education, Hand Surgery, P. 976.

King, G.B. (1968):

A radiological skeletal survey of elderly identical twins with reference to the incidence of arthritis. Arthritis and Rheum. Council, Am. Report, 1066:68.

Kisner, C.; and Colby L.A.; (1990):

Therapeutic exercise foundations and techniques second edition ed. By Kisner C. and Colby L.A. by F.A. Davis Company 1990 the wrist and hand P. 289, 290, 292, 294.

Klippel, J.H. (1997):

Primer on the rheumatic disease ed. 11, by: Arthritis foundation.

Lane, N.E.; Michel, B.; Bjorkengren, A.; aehlert, J.; Shi, H.; Block, D.A. and Fries, J.F. (1993):

The risk of osteoarthritis with running and aging A 5 year longitudinal study. *J. Rheumatol.*, 20: 461-468.

Lawrence , J.S.; Gelsthorpe, K. and Morell, G. (1983):

Heberden's nodes and H.L.A. markers in generalised nodal arthritis
J. of Rheumatism, 16-Suppl. (9): 32-33.

Lawrence, R.C.; Hochberg, M.C.; and Kelsey, J.L. (1989):

Estimates of the prevalence of selected arthritic and musculoskeletal disease in the United States.
J. Rheumatology, 16: 427-441.

Le, J. and Vilcek, J. (1987):

Tumor necrosis factor and interleukin-1: cytokines with multiple overlapping biological activities *Lab. Invest* 26:234.

Lequesne, M. (1982):

Clinical features diagnostic criteria, functional assessments and radiological classification of osteoarthritis (excluding the spine).
In: *Ballieres clinical Rheumato.* 7:1-10.

Lindblad, S. and Hodfors, E. (1987):

Arthroscopic and immunohistologic characterization of knee joint synovitis in osteoarthritis.
Arthritis Rheum. 30: 1081-1088.

Mankin, H.J (1989):

Clinical features of osteoarthritis, textbook of Rheumatology, 3rd edition P. 1480-1498. Edited by: Kelley, W.N., Harris, ED. Jr.; Ruddy, S. and Sledge, C.W.B. Saunders Company, Philadelphia.

Mankin, H.J. and Brandt, K.D. (1989):

Pathogenesis of osteoarthritis in: textbook of Rheumatology, 3rd edition Saunder company, Philadelphia,: 1469-1477- Edited by : Ruddy, S. and Sledge, C.W.B. Saunders company, Philadelphia.

Mankin, H.J. (1992):

Clinical features of osteoarthritis. In: textbook of Rheumatology, 4th edition, P. 363-377, Edited by: Kelley, W.N., Harris, E.D. Jr.; Ruddy, S. and Sledge, C.W.B. Saunders company, Philadelphia.

Mankin, H.J. (1993):

Clinical features of osteoarthritis. In: textbook of Rheumatology, 4th edition, P. 1374-1384, Edited by: Kelley, W.N., Harris, E.D. Jr.; Ruddy, S. and Sledge, C.W.B. Saunders company, Philadelphia.

Maroudas, A.; Katz, E.P.; Wachtel, E.H., Hizrah, J., and Soudry, M. (1986):

Physiochemical properties and functional behavior of normal and osteoarthritic human cartilage. In Keuttner, K.E., Schleyerbach, R., and Hascall, V.C. (ed.) Articular cartilage Biochemistry, Newyork, Raven press, P. 311:330.

McCarty, D.J. and Hogan, J.M. (1964):

Inflammatory reaction after intrasynovial injection of Microcrystalline Adrenocorticosteroids esters. *Arthritis Rheum.* 7:359.

McMinn (1990):

Anatomy, regional and applied english edition. Churchill Livingston.

Menkes, C.J. (1991):

Radiographic criteria for classification of osteoarthritis. *J. Rheumatol.*, 18 (suppl. 27) 13-15.

Moskowitz, R.W. (1976):

Clinical and Laboratory finding in osteoarthritis. In Hollander, J.L. and McCarty, D.J. (eds.) *Arthritis and Allied conditions*: Page 1932-1039.

Moskowitz, R.W.; Howell, D.S.; Goldberg, V.M. and Mankin, H.J. (1984):

Osteoarthritis: Diagnosis and management Philadelphia: W.B. Saunders company.

Moskowitz, R.W. (1992):

Osteoarthritis: Signs and symptoms in: Moskowitz, R.W.; Howell, D.S. Goldberg, V.M. and Mankin H.J. (eds.) : *osteoarthritis: Diagnosis and management*, W.B. Saunders company, Philadelphia, P. 255-63.

Myers, S.L. (1985):

Suppression by corticosteroid suspensions of hyaluroic acid synthesis in synovial organ cultures, arthritis Rheum. 11:1275.

Myers, S.L.; Brandt, K.D; Ehlich, J.W., Braunstein, E.M.; Shelbourne, K.D.; Heck, D.A. and Kalasinski, L.A. (1990):

Synovial inflammation in-patients with early osteoarthritis of the knee. J. of Rheumatology, 12(17): 1662-1669.

Neustadt, D.H. (1992):

Intraarticular steroid therapy. In: Moskowitz, R.W.; Howell, D.S.; Goldberg, V.M., and Mankin, H.F. (eds.) osteoarthritis. Diagnosis and management 2nd ed. Philadelphia, W.B. Saunders company P. 493-510.

Oldberg, A.; Antonsson, P., Hedbom, E.; and Heinergard, D. (1990):

Structure and function of extracellular matrix proteoglycan Biochem. Soc. Trans. 18:789.

Palmer, M.L., Epler, M.E., (1990):

Clinical Assessment procedures in physical therapy, ed. By Palmer, M.; Lynn.; and Epler Marcia, E., by J.B. Lippincott company, wrist and hand P. 141.

Palottie, A.; ATT, J. and Elima, K. (1989):

Predisposition to familial osteoarthritis linked to type II Collagen gene. Lancet 1:924.

Patrick, H.; James, V. and Dougherty, M. (1987):

Alpha 1 anti-trypsin (P1) Phenotype and HLA markers in nodal generalised osteoarthritis.

British Journal of Rheumatism, 26 (2): 106.

Paulus, H.E.; and Bulpitt K.J. (1993):

Non steroidal anti-inflammatory agents and corticosteroids. In: Schumacher, H.R., Klippel, J.H. and Koopman, W.J. (eds) primer on the Rheumatic disease. Tenth edition, Arthritis foundation, Atlanta. Georgia. P. 298-303.

Pelletier, J.P. and Martel-Pelletier, J. (1989):

Protective effect of corticosteroids on cartilage lesions and osteophytes formation in the Paul-Nuki dog. Model of osteoarthritis and Rheum. 32, 181.

Peyron, J.G. (1991):

In osteoarthritis is preventable disease, J. Rheum. 18 (27) 2-3.

Peyron, J.G. and Altman, R.D. (1992):

The epidemiology of osteoarthritis in Moskowitz, R.W.; Howell, D.S.; Goldberg, V.M. and Mankin, H.J. (eds.) osteoarthritis: Diagnosis and Management, Philadelphia, W.B. Saunders company, 15-38.

Ravell, P.A.; Mayston, V., Lalor, P., and Mapp, P. (1988):

The synovial membrane in osteoarthritis: A histological study including the characterization of the cellular infiltrate present in inflammatory osteoarthritis using monoclonal antibodies. *Ann., Rheum. Dis.* 47: 300-7.

Romanes, G.J., (1976):

Cunningham's manual of practical anatomy, Fourteenth edition, volume one P. 12, P, 83, 85, 86.

Romanes, G.J., (1984):

Joints of Lower limb, in Cunningham's manual of practical anatomy. 14th ed. Oxford university, P 167-172.

Roughly, P.J. and White, R.J. (1980):

Age related changes in the structure of the proteoglycan subunits from human articular cartilage, *J. Biol. Chem.* 755:217-24.

Ryu, J. Treadwell, B.V. and Mankin, H.J. (1984):

Biochemical and metabolic abnormalities in normal and osteoarthritic human articular cartilage, *Arthritis Rheum* 27: 6-13.

Shumaker, Sally, Heuser, Mork Dr, Pieggy, James, Johnny, Monu, W., Jock Rejeski , Walter, H.E.; Ettinger, J., and Reobest, B. (1995)

The evaluation of pain in patients with knee osteoarthritis. The knee pain scale, *J. Rheumatolo.*, 22, 1124-9.

Siedman, D.S. Ever Hadani, and Gale, R. (1989):

The effect of maternal weight gain in pregnancy on birth weight.
Obstet. Gynecol 74(2) 240-246,

Siegel, D.B.; Gelderman, R.H. and Smith, R. (1992):

Osteoarthritis in hand and wrist. In osteoarthritis diagnosis and management. W.B. Saunders company Philadelphia: 547-560.
Edited by: Moskowitz, R.W., Howell, D.S.; Goldberg, B.M and Mankin, H.J.

Sirca, A., and Susec-Michieli, M. (1980):

Selective type II fibre muscular atrophy in patients with osteoarthritis of the hip, J. Neural Sci., 44: 149.

Sokoloff, L. (1980):

The pathology of osteoarthritis and the role of aging. In G.Nuki (ed.). The aetiopathogenesis of osteoarthritis. Wells, England: Pitman Medical Publishing Co. Ltd. P 1-15.

Sokoloff, L. (1985):

Endemic forms of osteoarthritis clinics in Rheumatic diseases, 11: 187-202.

Soloman, L.; Beighton, P. and Lawrence, J.S. (1975):

Rheumatic disorders in the South African Nigra, part II, osteoarthritis. South African Medical Journal, 49: 1737-1740.
Quoted from Bailliere's clinical Rheumatology. 1988, Vol. 7: 7070..

Sowers, M. Zobel, D. Weinfeld, L.; Hamthorne, V.M. and Carman, W. (1991):

Progression of osteoarthritis of the hand and metacarpal bone loss. A twenty-year follow up of incident cases. *Arthritis Rheum.*, 34 (1): 36-42.

Sowers, M.F., Hochberg, M., Crabbe, J.P., Muhich, A., Custehfield, M., Updike S, (1996):

Association of bone Mineral and sex hormone level with osteoarthritis of hand and knee in premenipousal women. *Am. J. Epidemil. J.* 1: 143 (1)-38-47.

Spector, T.D. and Campion (1989):

Generalised osteoarthritis hormonally mediated disease. *Ann. Rheum. Dis.* 48: 523-527.

Spector, T.D. (1990):

Fat on the joint, osteoarthritis and obesity. *J. Rheumatology*, 17, (3): 283-284.

Spector, T.D.; Perry, L.A. Jubb, R.W. (1991):

Estrogen sex steroid levels in women with generalized osteoarthritis. *Clin. Rheumatol.* 10(3): 316-9.

Stanescu, V. (1990):

The small proteoglycans of cartilage matrix, *semin, Arthritis Rheum.* 20 No. 3 (1): 51-64.

Steinberg, E.P.; whittle, S.D.; anderson, G.F.; Herberts, R. and Hochberg, M.C. (1990):

Incidence and indication of total hip replacement among elderly Americans (abstr.) Arthritis Rheum., Vol., 3, (139).

Stullberg, S.D. (1984):

The etiology and natural course of osteoarthritis of the hip (osteoarthritis) in: Moskowitz, R.W.; Howell, D.S.; Goldberg, V.M. and Mankin, H.J. (eds.) osteoarthritis diagnosis and management, Philadelphia, W.B. Saunders, Company, 265-273.

Swanson. A.B.; (1984):

Pathomechanics of deformities in hand and wrist in Rehabilitation of the hand" ed. By Hunter, J. A., Schneider L.H.; Mackin, E.J., and Callahan, A.D., 2nd edition, C.V. Mosby compancy P. 630.

Tepper, S. and Hochberg, M.C. (1991):

Factors associated with hip osteoarthritis, data from national health and Nutrition Examination survey (NHANES-1) (abs-1) Arthritis Rheum., (34): 1587-1592.

Vansaase, J.L. c.M., Van Romunde, L.K.J.; Cats, A., Vanden broucke, J.P. and valkenburg, H.A. (1989):

Eidemiology of osteoarthritis zietermaes survey comparison of radiological osteoarthritis in a Dutch, population with that in 10 other populations. *Ann. Rheum. Dis.*, 48: 271-280.

Waldron, T. (1995):

Changes in the distribution of osteoarthritis over historical time. *int. j. osteoarcheol.* 5: 385-9.

Weinberger, M.; Tierney, W.M.; Booher, P. and Katz, B.P (1989):

Can the provision of information to patients with osteoarthritis improve functional status? *Arthritis Rheum.* 32; 1577:82.

Weinberger, M.; Tierney, W.M.; Booher, P. and Katz, B.P (1991):

The impact of increased connect on physiological outcomes in patient with osteoarthritis: A randomized controlled trial. *J. Rheumatol.* 18:849-54.

Werb, Z. (1989):

Proteinasis and matrix degradation, in Kelley, W.N.; Harris, E.D.; Jr. Ruddy, S., and Sledge C.B. (eds.): *textbook of Rheumatology*, 3rd ed. Philadelphia, W.B.; Saunders 9 P. 300-321.

Yu, L.P.; Smith, G.N.; Hasty, K.A. and Brandt, K.D. (1991):

Doxycyclin inhibits type 1x collagenolytic activity of extracts from human osteoarthritic cartilage and of chondrocytes. J. Rheumatol. 18: 1450-2.

Appendix

Appendix (A)
Personal and clinical data of patients with knee OA without hand OA
(Group I)

Case No.	Personal history		General examination				Radiographic grading of knee OA	
	Age	Sex	Dur. d.	W. (kg)	H.(cm)	BMI kg/m ²	Rt. hand	Lt. hand
1	50	M	10y	76	175	24.8	II	II
2	55	F	0.5y	65	168	23.0	II	I
3	70	M	8y	75	170	26.0	IV	IV
4	53	M	2y	82	176	26.5	II	II
5	68	F	10y	140	160	54.7	IV	IV
6	40	F	0.5y	98	153	41.9	II	II
7	42	F	5y	84	167	31.1	III	III
8	68	M	3y	81	175	26.5	III	III
9	60	F	8y	116	166	42.1	IV	IV
10	47	F	9y	95	163	35.8	III	III
11	42	F	2y	90	151	39.5	II	II
12	40	F	5y	89	152	38.5	III	II
13	55	M	0.5y	95	170	32.7	IV	I
14	45	F	2y	88	150	39.1	II	II
15	70	M	10y	100	175	32.7	IV	IV
16	66	F	8y	95	160	37.1	IV	III
17	50	F	1y	90	150	40.0	II	II
18	58	F	3	103	160	40.2	III	III
19	48	F	3	90	170	31.1	IV	IV
20	53	M	3	82	160	32.0	III	III
21	40	M	0.5	84	170	29.1	III	III
22	55	F	1	79	170	27.3	III	II
23	45	F	0.67	66	158	26.4	III	III
24	54	M	1	72	165	26.5	III	0
25	66	F	10	48	160	18.8	III	III
26	60	M	0.75	70	160	27.8	II	II
27	67	F	1	95	165	34.9	III	III
28	47	F	0.5	74	176	23.9	III	II
29	45	F	8	66	170	22.3	III	III
30	54	M	1	72	158	28.8	III	0
31	60	M	0.75	70	160	27.3	II	II
32	67	F	1	95	165	34.9	III	III
33	47	M	0.5	74	176	23.9	III	II
Mean±S.D	54.2±9.7		3.6±3.6	84.8±16.8	164.4±8.0	31.7±7.5		

No. = number
H. = height
Kg. = Kilogram
M. = male

Dur. D. = duration of disease/year
BMI = Body mass index
Rt. = right
F. = female

w. = weight
cm. = Centimeter
Lt. = left

Appendix (B)
Personal and clinical data of patients with knee OA with hand OA
(Group II)

Case No.	Personal history		General examination				Radiographic grading of knee OA	
	Age	Sex	Dur. d.	W. (kg)	H.(cm)	BMI kg/m ²	Rt. hand	Lt. hand
1	48	F	2	87	160	34.0	II	II
2	60	F	1.0	95	152	41.1	III	III
3	75	M	4	90	170	31.1	I	0
4	65	F	2y	67	157	27.2	III	III
5	50	F	1	100	166	36.3	III	III
6	48	M	5	95	175	31.0	I	I
7	62	F	1	120	182	35.3	III	III
8	60	F	0.5	81	162	30.9	0	0
9	70	M	1	75	170	26.0	0	0
10	68	F	2	140	160	54.7	0	0
11	42	F	1	84	167	30.1	0	0
12	60	F	2	116	166	42.1	0	0
13	60	F	1	111	157	45.0	0	0
14	40	F	0.5	98	152	38.5	0	0
15	60	F	0.5	99	155	41.2	0	0
16	66	F	1	78	160	30.5	0	0
17	57	F	1y	92	165	33.8	0	0
Mean±S.D	38.3±9.8		5.53±2.76	95.2±18.2	163.4±8.2	35.8±7.3		

No. = number

H. = height

Kg. =Kilogram

M. = male

Dur. D. = duration of disease/year

BMI = Body mass index

Rt. = right

F. = female

w. = weight

cm. = Centimeter

Lt. = left

Arabic Summary