

# REFERENCES

## REFERENCES

- Anyaegbunam, A., Langer, O. and Brusman, L. (1988): The application of uterine and umbilical artery velocimetry to antenatal supervision of pregnancies complicated by maternal sickle cell hemoglobinopathies. *Am. J. Obstet. Gynecol.*, 159:644-547.
- Berkowitz, G.S., Mehalek, K.E., Chitakara, U., Rosenberg, J., Cogswell, C. and Berkowitz, R.L. (1988): Doppler umbilical velocimetry in the prediction of adversed outcome in pregnancies at risk for intrauterine growth retardation. *Obstetrics and Gynecology* 71:742-746.
- Bewley, S., Campbell, S. and Looper, D. (1989): Uteroplacental Doppler flow velocity waveforms in the second trimester. A complex circulation. *Br. J. Obstet. Gynecol.*, 96:1040-1046.
- Borgatta, L., Shront, P.E. and Divon, M.Y. (1988): Reliability and reproducibility of non stress test reading. *Am. J. Obstet. Gynecol.*, 159:544-548.

Bracero, L., Schulman, H., Farmakides, G. and Rochelson, B. (1986): Fetal blood flow velocimetry in diabetes and pregnancy. *J. Obstet. Gynecol.*, 68:554-658.

Bradley, R.J., Brudenell, J.M. and Nicolaides, K.M. (1988): Chronic fetal hypoxia in diabetic pregnancy. *B.M.J*296:790.

Brosens, I. and Dixon, H.G. (1966): Anatomy of maternal side of the placenta. *Br. J. Obstet. Gynecol.*, 73:357-363.

Brian, J., Trudiuger, B.J., Giles, W.B. and Cook, C.M. (1989): Uteroplacental blood flow velocity Waveforms in normal and complicated pregnancy. *Br. J. Obstet. Gynecol.*, 92:39-45.

Camevon, D., Trudinger, B.J. and Baird, P. (1988): Fetal umbilical artery flow velocity Waveforms and placental resistance of pathological correlation. *Br. J. Obstet. Gynaecol.*, 92:31-38.

Campbell, S. and NeWman, G.B. (1971): Growth of fetal biparietal diameter during normal pregnancy. *J. Obstet. Gynecol.*, 78:513-519.

Campbell, S., Recasens, J. and Griffin, D.R. (1983): New Doppler technique for assessing uteroplacental blood flow. *Lancet*, 35:675-677.

Campbell, S., Hernandez, C.J. and Cohen-overbeek T.A. (1984): Assessment of fetoplacental and uteroplacental blood flow using duplex pulsed Doppler ultrasound in complicated pregnancies. *J. Perinat. Med.*, 12:262-265.

Danforth, D.N. (1982): Abnormal pregnancy other complication and disorders due to pregnancy, post term pregnancy. *Textbook of Obstetric and Gynaecology 4<sup>th</sup>ed.* Philadelphia Cambridge, Newyork, London, Sydney, Harpor and Rowpubs P-P 478-480.

Dawes, G.S. (1992): The umbilical circulation. *Am. J. Obstet. Gynecol.*, 84:1634-1648.

Ducey, J., Schulman, H. and Farmakides, E. (1987): A classification of hypertension in pregnancy based on Doppler velocimetry. *Am. J. Obstet. Gynecol.*, 157:680-685.

Eik-Nes, S.H., Brubbakk, A.O. and Ulstein, M.K. (1982): Measurement of fetal blood flow. *Lancet I*: 283-285.

- Eik-Nes, S.H., Marsal, K. and Kristofferson, K. (1984): Methodology and basic problems related to blood flow studies in the human fetus. *Ultrasound in Medicine and Biology* 10:329-38.
- Erskine, R.L., Ritchie, J.W. and Murnagham, G.A. (1986): Antenatal diagnosis of placental anastomosis in a twin pregnancy using Doppler ultrasound. *Br. J. Obstet. Gynecol.*, 93:955-9.
- Evertson, L., Gaushies, R., Shifrin, B., and Paul, R. (1979): Antepartum fetal heart rate. Evaluation of NST. *Am J. Obstet. Gynecol.*, 133:29-33.
- Farmakides, G., Schulman, H. and Winter, D. Ducey, J., Guzman, E. and Penny, B. (1988a): Prenatal surveillance using non stress testing and Doppler velocimetry. *Obstet. Gynecol.*, 71:184-187.
- Farmakides, G., Schulman, H. and Ducey J. (1988): Uterine and umbilical blood Doppler velocimetry in post-term pregnancies. *J. Rep. Med.* 33:259-261.
- Fitzgerald, D.E. and Drumm, J.E. (1977): Non invasive measurement of human fetal circulation using ultrasound. *Br. Med. J.*, 2:1450-51.

- Fleisher, A., Schulman, H., and Farmakides, G. (1986): Uterine artery Doppler velocimetry in pregnant women with hypertension. *Am. J. Obstet. Gynecol.*, 154: 806-13.
- Fok, R., Parlova, Z., Benirschke, K. and Paul, R. (1989): The correlation of arterial lesions with umbilical artery Doppler velocimetry in the placentas of small for dates pregnancies proceedings of the Eighth Annual Meeting of the Society of perinatal Obstetricians, New orleans.
- Freeman, R., Garite, J., Modanlon, M. and Dorchesters, W. (1981): Postdate pregnancy: utilization of contraction test for primary fetal surveillance. *Am. J. Obstet. Gynecol.*, 140:128-134.
- Freeman, R., Anderson, G. and Dorchesters, W. (1982): A prospective mutiinstitutional study of antepartum fetal heart rate monitoring II. CST versus NST for primary surveillance. *Am. J. Obstet. Gynecol.*, 143:778-781.
- Giles, W.B., Trudinger, B.J. and Baird, P.J. (1985): fetal umbilical artery flow velocity waveforms and placental resistance: Pathological correlation. *Br. J. Obstet. Gynecol.*, 92:31-38.

- Gosling, R.G. and King, D.H. (1975): Ultrasound angiology In: Marcus, AW and Adanson, L. (eds) Arteries and veins Edinburgh: Churchill Livingstone, PP (61-98).
- Griffin, D., Bilardo, K., and Masini, L. (1984): Doppler blood flow waveforms in the descending thoracic aorta of human fetus. Br. J. Obstet. Gynecol., 91: 997-1006.
- Guidetti, D.A., Divon M.Y., Cavalieri, R.L., Langer, O. and Merkatz, I.R. (1987): Fetal umbilical artery flow velocimetry in postdate pregnancies. Am. J. Obstet. Gynecol., 157:1521-3.
- Hadlock, F.P., Deter, R.L., and Harrist, R.B. (1983): Sonographic detection of fetal intrauterine growth retardation. Applied Radiology 12:28.
- Harbinder, S. and Brar, (1989): Fetal electrocardiography and Doppler ultrasonography in post-term fetus. Clinical obstetrics and Gynecology 32(2):245-56.
- Haynes, D.M. (1982): Course and conduct of normal pregnancy. In Danforth D.N. (ed). 4<sup>th</sup>ed. Philadelphia, Newyork, London, Sydney, Harber and low Pubs P.358.

- Hellman, L.M. and Pritchard, A.J. (1976): Management of normal pregnancy - Diagnosis of pregnancy. Williams Obstetrics textbook. 14<sup>th</sup>(ed) New delhi, Bombay, Calcutta, New York, Amerind Pubs. P. 278.
- Huddleston, J.F. Williams, G.S. and Fabbri, E.L. (1993): Antepartum Assessment of the fetus. In Knipple, R.A., Drukker, J.E., eds. High risk pregnancy. Philadelphia, London, Toronto. W.B. Saunders Company P-P 38-51.
- Johnstone, F.D., Steel, J., Haddad, N., Hoskins, P., Greer, I.A. and Chambers, A. (1992): Doppler umbilical artery flow velocity waveforms in diabetic pregnancy. Br. J. Obstet. Gynecol., 99:135-140.
- Juan, L. (1984): Survey of management of post-term pregnancy. J. Obstet. Gynecol., 63:651-653.
- Kjellmer, I., Karlsson, K., Olsson, T. and Rosen, K.G. (1974): Cerebral circulation and oxygen consumption in the fetal brain . Paediatric Research, 8:50-57.
- Kurjak, A., Breyer, B., Jurkovic, D., Alfircvic, Z. and Miljan, M. (1987): Colour flow mapping in obstetrics. J. Perinatal. Med., 15:271-81.



Landen, M., Gabbe, S., Bruner, J., and Ludmir, J. (1989): Doppler umbilical artery velocimetry in pregnancy complicated by insulin dependent diabetes mellitus. *Obstet. Gynecol.*, 73:961-65.

Laurin, J., Lingman, G., Marsal, K., and Persson, P.K. (1987): Fetal blood flow in pregnancies complicated by intrauterine growth retardation. *J. Obstet. Gynecol.*, 69:895-902.

Lombardi, S.J. and Mond, R.R. (1989): Umbilical artery velocimetry as a predictor of adverse outcome in pregnancy complicated by oligohydramnios. *J. Obstet. Gynecol.*, 70:338-341.

Manning, F.A. and Platt, L.D., Sipos, L. (1980): Antepartum fetal evaluation: Development of fetal Biophysical profile. *Am. J. Obstet. Gynecol.*, 136:781-787.

Mari, G., Moise, K.J., Deter, R.L., Kirshon, B., Carpenter, R.J. and Huhta, J.C. (1989): Doppler assessment of pulsatility index in the cerebral circulation of human fetus. *Am. J. Obstet. Gynecol.*, 160:698-703.

- Mari, G., Moise, K.J., and Deter, R.L., (1990): Flow velocity waveforms of umbilical and cerebral arteries before and after intravascular transfusion. *J. Obstet. Gynecol.* 75:584-8.
- Marsal, K. and Persson, P.H. (1988): Ultrasonic measurement of fetal blood velocity waveform as a secondary diagnostic test in screening for intrauterine growth retardation. *J. Clin. Ultrasound.*, 16:239-244.
- McGowan, L.M., Mullen, B.M., and Ritchie, K. (1987): Umbilical artery flow velocity waveforms and the placental vascular bed. *Am. J. Obstet. Gynecol.*, 157:900-907.
- McParland, P., and Pearce, J.M. (1988): Review article: Doppler blood flow in pregnancy. *Placenta* 9:427-50.
- McParland, P., and Pearce, J.M. (1990): Doppler studies in pregnancy in: Bonnarj, ed. *Recent advanced in obstetrics and gynecology*. Edinburgh, London, Melbourne, Newyork: Charchill Livingstone 16:43-73.
- Mehalek, K.E., Rosenberg, J., Berkowitz, R.L. and Chitkara, U.S. (1988). Comparison of continuous wave and pulsed Doppller S/D ratios of umbilical and uterine arteries. *J. Obstet. Gynecol.*, 72:603-6.

- Meizner, I., Katz, M., Lunefield, E. and Insler, V. (1987): Umbilical and uterine flow velocity Waveforms in pregnancies complicated by major fetal anomalies. *Prenatal diagnosis*. 7:491-496.
- Milliez, J., Blanchard, D., Diebold, B., Vacher-Leven, M.C., Peronneau, P., and Sureau, C. (1983): Etude par L'echographie Doppler de la circulation placentaire du foetus de mere normale et hypertendue. *Pres. Med.*, 12:1649-1653.
- Neilson, J.P. and Commentary, (1987): Doppler ultrasound. *Br. J. Obstet. Gynecol.*, 91:929-934.
- Papoz, L., Eschwege, E. and Pequignot, G. (1982): Maternal smoking and birth weight in relation to dietary habits. *Am. J. Obstet. Gynecol.* 142:870.
- Pearce, J.M. (1985): Ultrasound in obstetrics. *J. Practitioner* 229:703-709.
- Pearce, J.M. (1987): Uteroplacental and fetal blood flow. *Bailliere's clinical obstetrics and Gynecology.*, I: 157-183.

Pearce, J.M and Campbell, S. (1987): A comparison of symphyseal fundal height and ultrasound as screening test for light for gestational age infants. *Br. J. Obstet. Gynecol.*, 94:100.

Porcelot, L. (1974): Applications clinique de L'examen Doppler transcutane In: *velocimetric ultrasonar Doppler* (ed) Perpanneau. P. Inserm, 34:213-40  
Quoted from Newnham, J.P., Patterson, L.L., James, I.R., Diepeveen, D.D. and Reid, S.E. (1990): An evaluation of the efficacy of Doppler flow velocity waveform analysis as a screening test in pregnancy. *Am. J. Obstet. Gynecol.*, 162:403-10.

Pritchard, D., Macdonald and Gant. (1985): Technique to evaluate fetal health. *Williams obstetrics textbook*. 17<sup>th</sup>(ed) Sydney, New York, London, Appleton Century Cruft, Connecticut Prentic-Hall, inc P-P 267-293.

Radrinquez, M., and Hellen. (1989): Ultrasound evaluation of postdate pregnancy. *Clinical obstetrics and Gynecology*. *Unipcolt* 32(2):258.

Ramsey, E.M., Corner, G.W. and Donner, M.W. (1963): Serial and cineradioangiographic visualisation of maternal circulation in the primate placenta. *Am. J. Obstet. Gynecol.*, 86:213-222.

- Richard, D., (1982). Clinical evaluation of fetal status in: Danforth DN (ed).  
Textbook of obstetric and Gynecology 4<sup>th</sup>(ed). Philadelphia, Cambridge,  
Newyork, London, Sydney, Harper and Low pubs P-P 802-835.
- Rightmire, D.A. and Campbell, S. (1987): Fetal and maternal blood flow.  
parameters in post-term pregnancies. J. Obstet. Gynecol., 69:891-94.
- Robert, D., Robert, Z. and Barry, Y.S. (1982): Comparison of antepartum  
testing scheme for the management of post-data pregnancy. Am. J.  
Obstet. Gynecol., 144:683-691.
- Sarmandel, P., Bailey, S.M., and Grant, J.M. (1989): A comparison of three  
methods of assessing interobserver variation applied to ultasonic fetal  
measurements in the third trimester. Br. J. Obstet. Gynecol.,  
96:1261-1265.
- Schifrin, B.,Lapidus, M. and Geeti, S. (1975):Contraction stress test for  
antepartum fetal evaluation. Am. J. Obstet. Gynecol., 45(4):433-438.
- Schulman, H., Fleischer, A., Farmakides, G., Bracero, L., Rochelson, B. and  
Grunfeld, L. (1986): Development of uterine artery compliance during

pregnancy as detected by Doppler ultrasound. *Am. J. Obstet. Gynecol.*,  
155:1031-6.

Schulman, H. (1987): The clinical implication of Doppler ultrasound analysis of  
uterine and umbilical arteries. *Am. J. Obstet. Gynecol.* 156:889-93.

Sepula, M., Kegan, A.R., David, J.R. and Ralph, W.D. (1972):  
Alpha-phetoprotein: An index of gestational age. *Am. J. Obst. Gynecol.*,  
144:395.

Shepard, M.J., Richards, V.A. and Berkowitz, V.A. (1982): An evaluation of  
two equations for predicting fetal weight by ultrasound. *Am. J. Obstet.*  
*Gynecol.*, 142:47.

Sokol, K.J., Larson, J.W. and Landy, H.J. (1991): Methods of assessment for  
pregnancy at risk. Pernoll, M.L. *Current obstetrics and Gynecologic  
diagnosis and treatment.* 7<sup>th</sup>ed. Prentice Hall, Norwalk, Connecticut,  
California, Appleton, Lange P-P 269-272.

Stuart, B., Drumm, J., Fitzgerald, and Duignan, N.M. (1980): Fetal blood  
velocity waveforms in normal pregnancy. *Br. J. Obstet. Gynecol.*,  
87:279-87.

- Sutliff, J.G. and Huddleston, J.F. (1986): Antepartum Bioelectric and Biochemical fetal evaluation. In Knuppel, R.A., Drukker, J.E., Eds. High risk pregnancy Philadelphia, London, Toronto: W.B. Saunders Company. P-O 38-51.
- Thaler, I., Manar, D. and Hskovitz, J. (1990):. Changes in uterine blood flow during human pregnancy. Am. J. Obstet. Gynecol., 162:121-5.
- Trudinger,, B.J., Giles, W.B. and Cook, C.M. (1985): Flow velocity Waveforms in the maternal uteroplacental and fetal umbilical circulation. Am. J. Obst. Gynecol., 162:153-163.
- Tyrell, S.N. (1988): Doppler studies in diabetic pregnancy. Br. J. 298:428.
- Vintzileos, A.M., Campbell, W.A. and Nichimson, D.J. (1983): The fetal biophysical profile and its predictive value. J. Obstet. Gynecol., 62:271-5.
- Vyas, S. (1988): Sounding out fetal defects. Middle East Health 12:11-13.
- White, P. (1965): Pregnancy and diabetes, medical aspects. Med Clin North Am. 49:1015-24.

Whittle, M.J. and Morrow, R.J. (1991). Doppler ultrasound is it any use ? In: studd (Ed). Progress in obstetrics and Gynecology Vol 9: Churchill Livingstone. Edinburg P-P 19-30.