

REFERENCES

REFERENCES

Aclom, J.C. (1981):

Rheumatoid arthritis of shoulder in outline of orthopaedic, Ed. by Aclom, J.C. 9th Ed. Churchill, Livingstone, London. 232.

Alarcon, G.S. (1985):

Toxicity to methotrexate in rheumatoid arthritis : Clinical and HLA studies (Abst.).
Arthritis Rheum., 28 : S36.

Alarcon, G.S.; Tracy, I.C. and Blackburn, W.D. (1989) :

Methotrexate in rheumatoid arthritis. Toxic effects as the major factor in limiting longterm treatment.
Arthritis Rheum. 32 : 671-676.

Alarcon, G.S.; Schrohenloher, R.E.; Bartolucci, A.A.; Ward, J.R.; Williams, H.J. and Kopmann, W.J. (1990):

Suppression of RF production by (MTX) in patients with (RA). Arthritis Rheum, 33 (8), 1158-61.

Anderson, M.J. (1983):

Human parvovirus, the cause of erythema infectiosum.
Lancet 1 : 1378.

Andersen, P.A.; West, S.G. and O'Dell, J.R. (1985):

Weekly pulse methotrexate in rheumatoid arthritis
Ann. Intern. Med. 103 : 489-496.

Arnett, F.C. (1973):

Methotrexate therapy in polymyositis.
Ann. Rheum. Dis., 32 : 536-546.

Arnett, F.C.; Edworthy, S. and Block, D.A. (1988):

The 1987 Revised ARA criteria for classification of RA.
Arth. Rheum. 31 : 315.

Baggott, J.E.; Vaughn, W.H. and Hudson, B.B. (1986):

Inhibition of 5-aminoimidazole-4-carboxamide ribotide transformylase, adenosine deaminase and 5-adenylate deaminase by polyglutamates of methotrexate and oxidized folates and by 5-aminoimidazole-4-carboxamide riboside and ribotide.

Biochem. J. 236 : 193-200.

Balis, F.; Holcenberg, J.S.; Zimm, S.; Tubergen, D.; Collins, J.M.; Murphy, R.F.; Gilchrist, G.S.; Hammond, D. and Poplack, D.G. (1987):

Methotrexate on the Bioavailability of 6-Mercaptopurine.

Clin. Pharmacol. Therap. 41 : 384-387.

Barnes, C.G. and Mason, M. (1975):

Rheumatoid arthritis. In an Introduction to Clinical Rheumatology Ed. by Mason, G.M. and Currey, H.L.F., Pitman Medical, 24.

Baum, C.; Kennedy, D.L. and Forbes, M.B. (1985):

Utilization of non-steroidal antiinflammatory drugs. Arthritis. Rheum., 28 : 686-692.

Beer, A.E. and Billingham, R.E. (1978):

Immunoregulatory aspects of pregnancy. Fed. Proc. 37 : 2374.

Benett, J.C. (1985):

Rheumatoid arthritis, Cecil Textbook of medicine Edited by Wyngaarden, J.B. and Smith, Jr., Philadelphia, WB Saunders.

Bennett, J.C. (1988):

Clinical features of Rheumatoid Arthritis in "Primer on the Rheumatic Diseases" Ed-by Schumacher, H.R.; Klippel, J.H. and Robinson, D.R.; 9th Ed., Arthritis Foundation, Atlanta GA, 87-92.

Bird, H.A.; Ring, E.F. and Bacon, P.A. (1979):

A thermographic and clinical comparison of three intraarticular steroid preparations in rheumatoid arthritis.

Ann. Rheum. Dis., 38 : 36-39.

Bjarnason, I., Zanelli, G.; Smith, T.; Prouse, P.; Williams, P.; Smethurst, P.; Delacey, G.; Gumel, J. and Levi, A.J. (1987):

Nonsteroidal anti-inflammatory drug-induced intestinal inflammation in humans.

Gastroenterol. 93 : 480-489.

Boh, L.E. (1986):

Low-dose weekly oral methotrexate therapy for inflammatory arthritis.

Clin. Pharmacol., 5 : 503-508.

Bourke, R.S. (1975):

Inhibition of renal tubular transport of methotrexate by probenecid.

Cancer. Res., 35 : 110-116.

Buchanan, W.W. (1989):

The value of laboratory data in diagnosis, prognosis and monitoring of current and new therapies in Sandoz Journal of Medical Science. (28) : 25.

Bunch, T.W. (1984):

Controlled trial of hydroxychloroquine and D-penicillamine singly and in combination in the treatment of rheumatoid arthritis.

Arthritis Rheum., 27 : 267-276.

Burney, D.P.; Martin, C.E. and Thomas, C.S. (1979):

Rheumatoid pericarditis clinical significance and operative management.

J. Thorac. Cardiovasc. Surg., 77 : 511-515.

- Buyon, J.P.; Korchak, H.M.; Rutherford, L.E.; Ganguly, M. and Weissmann, G. (1984):**
Female hormones reduce neutrophil responsiveness in vitro.
Arthritis Rheum. 27 : 623.
- Campbell, M.A.; Perrier, D.G.; Dorr, R.T. (1985):**
Methotrexate : Bioviability.
Cancer Treat. Rev. 69 : 833-838.
- Cannon, G.W. and Ward, J.R. (1989):**
Cytotoxic Drugs in "Textbook of Arthritis and Allied Conditions" Ed. by Mc Carty, D.J. and Hollander, J.L.; 11th Ed.
Lea and Febiger, Philadelphia, London, 563-592.
- Capell, H.A.; Lewis, D. and Carey, J. (1986):**
A three year follow-up of patients to placebo, or oral or injectable gold therapy for rheumatoid arthritis.
Ann. Rheum. Dis., 45 : 705-711.
- Carmichael, J. and Shankel, S.W. (1985):**
Effects of non-steroidal antiinflammatory drugs on prostaglandins and renal function.
Am. J. Med. 78 : 992-1000.
- Carson, C.W. (1987):**
Pulmonary disease during the treatment of rheumatoid arthritis with low dose pulse methotrexate.
Semin. Arthritis Rheum., 16 : 186-195.
- Castillo, B.A.; El-Sallab, R.A. and Scott, J.T. (1965):**
Physical activity, cystic erosions, and osteoporosis in rheumatoid arthritis.
Ann. Rheum. Dis., 29 : 522-527.
- Chabner, B.A.; Allegra, C.J. and Gurt, G.A. (1985):**
Polyglutamation of methotrexate.
J. Clin. Invest. 76 : 907-912.

Chang, L.W. (1972):

Entrapment neuropathy of the posterior interosseous nerve.
Arthritis Rheum., 15 : 350-352.

Cohen, B.J. (1986):

Human parvovirus infection in early rheumatoid and inflammatory arthritis.
Ann. Rheum. Dis., 45 : 832-838.

Colburn, K.K. and Cao, J.D. (1986):

Thymoma associated with rheumatoid arthritis in a patient taking methotrexate.
J. Rheumatol., 13 : 437-439.

Combe, B.; Cosso, B.; Clot, J.; Bonneau, M. and Sany, J. (1985):

Human placenta. eluted gamma globulins in immunomodulating treatment of rheumatoid arthritis.
Am. J. Med. 78 :920.

Craig, S.R. and Rosenberg, E.W. (1971):

Methotrexate-induced carcinoma.
Arch. Dermatol., 103 : 505-506.

Cream, J.J. and Pole, D.S. (1980):

The effect of methotrexate and hydroxyurea on neutrophil chemotaxis.
Br. J. Dermatol. 101 : 557-563.

Daly, H.; Boyle, J.; Roberts, C. and Scott, G. (1986):

Interaction between methotrexate and nonsteroidal antiinflammatory drugs.
Lancet. 1 : 557.

Daly, H.M.; Scott, G.L.; Boyle, J. and Roberts, C.J.C. (1986):

Methotrexate toxicity precipitated by azapropazone.
Br. J. Dermatol., 114 : 733-735.

Davis, P. (1984):

Auranofin.
Clin. Rheum. Dis., 10 : 369-383.

Decie, J.V. and Lewis, S.M. (1975):

Practical haematology, 3rd. Ed., New York.
Grune and Stratton Inc.

Dessureault, M. and Carette, S. (1989):

Triangle Sandoz, J. of Med. Sc., (28) N. 1/2.

Dieppe, P.A.; Doherty, M.; Macfarlane, D. and Maddison, P. (1985):

Clinical features of RA in "Rheumatological medicine" 1st Ed. Churchill Livingstone, Edinburgh, 44-58.

Dorfman, H.; Norma, A. and Smith, R. (1970):

Bone erosion in relation to subcutaneous rheumatoid nodules.
Arth. Rheum., 13 : 69.

Dromagoole, S.H.; Furst, D.E. and Paulus, H.E. (1981):

Rational approaches to the use of salicylates in the treatment of rheumatoid arthritis.
Semin. Arthritis Rheum., 11 : 257-283.

Edelman, M.B.; Biggs, D.F.; Jamali, F. and Russel, A.S. (1984):

Lowdose methotrexate kinetics in arthritis.
Clin. Pharmacol. Ther., 35 : 382-386.

Evans, W.E. and Christensen, M.L. (1985):

Drug interactions with methotrexate.
J. Rheumatol., 12 (Suppl. 12) : 15-20.

Farber, S.; Diamond, L.K.; Mercer, R.D.; Sylvester, R.F.Jr. and Wolff, J.A. (1948):

Temporary remission in acute leukemia in children produced by folic acid antagonist, 4-amino-pteroyl-glutamic acid (aminopterin).
N. Engl. J. Med. 238 : 787-793.

Fehlauer, C.S.; Carson, C.W.; Cannon, G.W. and Waro, J.R. (1989):

Two year follow-up of efficacy and toxicity of methotrexate therapy in rheumatoid arthritis.
J. Rheumatol. 16 : 307-312.

Firestein, G.S.; Tsai, V. and Zvaifler, N.J. (1987):

Cellular immunity in the joints of patients with rheumatoid arthritis and other forms of chronic synovitis.
Clin. Rheum. Dis. 13 : 191-213.

Fischer, T.J. (1979):

Childhood dermatomyositis and polymyositis-treatment with methotrexate and prednisone.
Am. J. Dis. Child, 133 : 386-389.

FitzGerald, O.; Hanly, J.; Molony, J. and Bresnihan, B. (1984):

Poor long-term results from low-dose methotrexate therapy in rheumatoid arthritis.
Arthritis Rheum., 27 : 599-600.

Furst, D.E. (1985):

Clinical pharmacology of very low dose methotrexate for use in rheumatoid arthritis.
J. Rheumatol., 12 (Suppl. 12) : 11-14.

Gabriellie, A.; Leone, P. and Danieli, G. (1987):

Methotrexate and nonsteroidal antiinflammatory drugs.
Brit. Med. J. 294 : 176.

Galivan, J. (1980):

Evidence for the cytotoxic activity of the polyglutamate derivatives of methotrexate.
Mol. Pharmacol. 17 : 105-110.

GarberFan, P.T. and Bluestone, R. (1981):

Realistic guidelines of corticosteroids therapy in rheumatic diseases.
Semin. Arthritis Rheum., 11 : 231-256.

Gardner, D. (1978):

Pathology of rheumatoid arthritis in "Copeman's textbook of the rheumatic diseases. 5th Ed.
Ed. by J.T. Scott, Livingstone, London., 273.

Gault, S.J. and Spyker, J.M. (1969):

Beneficial effect of immobilization of joints in rheumatoid arthritis.
Arthritis Rheum., 17 : 34-44.

Gerald, P.; Rodnan, Ralph Schumacher and Nathan, J.; Zvaifler (1983):

Pathology of rheumatoid arthritis in "Primer textbook on the rheumatic diseases" 8th Ed.
Published by the Arthritis Foundation, Atlanta, GA.

Gerster, J.C.; Vischer, T.L. and Bennani, A. (1977):

The painful heel : Comparative study in rheumatoid arthritis, ankylosing spondylitis, Reiter's syndrome, and generalized osteoarthritis.
Ann. rheum. Dis. 36 : 343-348.

Giercksky, K.E. (1986):

Piroxicam and gastrointestinal bleeding.
Am. J. Med., 81 : 2-5.

Gispen, J.G.; Alarcon, G.S.; Johnson, J.J.; Acton, R.T.; Barger, B.O., Koopman, W.J. (1987):

Toxicity to methotrexate in rheumatoid arthritis.
J. Rheumatol. 14 : 74-79.

Golding, D.N. (1989):

Rheumatoid arthritis in synopsis of rheumatic diseases "5th Ed.
Bristol., London, Boston, J. Wrightsone.

Graig, S.R. and Rosenberg, E.W. (1971):

Methotrexate-induced carcinoma?
Arch. Dermatol., 103 : 505-506.

Gowans, J.D.C. (1979):

Long-term therapy of psoriatic and rheumatoid arthritis with oral methotrexate monitored by serial liver biopsies. (A tract).
Arthritis Rheum., 22 : 615-616.

Gubner, R.; August, S. and Ginsberg, V. (1951):

Therapeutic suppression of tissue reactivity II. Effect of aminopterin in rheumatoid arthritis and psoriasis.
Am. J. Med. Sci., 221 : 176-182.

Hall, G.H.; Jones, B.J.M.; Head, A.C. and Jones, V.E. (1978):

Intra-articular methotrexate. Clinical and laboratory study in rheumatoid and psoriatic arthritis.
Ann. Rheum. Dis. 37 : 351-356.

Harris, E.D.; Emkey, R.D. and Nichols, J.E. (1983):

Low dose prednisone therapy in rheumatoid arthritis.
J. Rheumatol. 10 (5) : 713-721.

Harris, E.D. (1985):

Pathogenesis of RA. In "Textbook of rheumatology" Ed. by Kelley, W.N.; Harris, E.D.; Ruddy, S. and Sledge, C.B. 2nd Ed., Saunders Co., Philadelphia, London, Toronto.

Harris, E.D. (1989):

The clinical spectrum of Rheumatoid arthritis. In "Textbook of Rheumatology" Ed. by Kelley, W.N.; Harris, E.D.; Ruddy, S. and Sledge, C.B. 3rd Ed., Saunders Co., Philadelphia, London, Toronto, 928-963.

Harris, E.D. (1989):

Pathogenesis of rheumatoid arthritis. In "Textbook of Rheumatology" Ed. by Kelley, W.N.; Harris, E.D.; Ruddy, S. and Sledge, C.B. 3rd Ed., Saunders Co., Philadelphia, London, Toronto, 905-935.

Harris, E.D. (1990):

Rheumatoid arthritis pathophysiology and implication for therapy.

The new Eng. J. of Med. (322) 18, 1277-1289.

Haslak, D.I.; Wright, V. and Harriman, D.G.F. (1970):

Neuromuscular disorders in rheumatoid arthritis.

Q. J. Med., 39 : 335-358.

Hasler, A.; Bluestein, H.G. and Zvaifler, N.J. (1983):

J. Immunol., 131, 768.

Hendel, J. and Nyfors, A. (1984):

A nonlinear renal elimination kinetics of methotrexate due to saturation of renal tubular reabsorption.

Eur. J. Clin. Pharmacol., 26 : 121-124.

Henderson, F.S.; Adamson, R.H. and Oliverio, V.T. (1965):

The metabolic rate of tritiated methotrexate, absorption and excretion in man.

Cancer. Res. 25 : 1018-1024.

Herman, R.A.; Veng-Pedersen, P.; Hoffman, J.; Koehnke, R. and Furst, D.E. (1989):

Pharmacokinetics of low dose methotrexate in rheumatoid arthritis patients.

J. Pharm. Sci. 78 : 165-171.

Hertz, R.; Ross, G.T. and Lipsett, M.B. (1963):

Primary chemotherapy in non metastatic trophoblastic disease in women.

Am. J. Obstet. Gynaecol. 86 : 808-814.

Hess, E.V. (1988):

Treatment of RA. In "Primer on the rheumatic diseases : Ed. by Schumacher, H.R.; Klippel, J.H. and Robinson, D.R.; 9th Ed., Arthritis Foundation, Atlanta GA, 93.

Hoffmeister, R.T. (1983):

Methotrexate therapy in rheumatoid arthritis.
Am. J. Med. 12 (Suppl.) 69-73.

Hollander, J.T.; Koopman, W.J. and Fallahi, S. (1984):

Rheumatoid myositis, clinical histologic features
and possible pathogenesis.
Arthritis Rheum., 27 : 737.

Hunninghake, G.W. and Fauci, A.S. (1979):

Pulmonary involvement in the collagen vascular
diseases.
Am. Rev. Respir. Dis. 119 : 471-503.

Ibsen, H. (1986):

Electroencephalographic examination in seven
patients treated with methotrexate for psoriasis.
Acta Pharmacol. Toxicol. (Copenh). 58 : 303-304.

Inman, R.D. (1982):

Rheumatic manifestations of hepatitis virus B
infection.
Semin. Arthritis. Rheum., 11 : 406-420.

Iven, H. and Brasch, H. (1988):

The effects of Antibiotics and Uricosuric Drugs on
the Renal Elimination of Methotrexate and 7-OH-
Methotrexate in Rabbits.
Can. Chemother. Pharmacol. 21 : 337-342.

Jaffe, N.; Takawe, Y.; Takashi, A. and Robertson, R. (1985):

Transient neurologic disturbances induced by high-
dose methotrexate treatment.
Cancer., 56 : 1356-1360.

Jasin, H.E. and Dingle, J.T. (1981):

Human mononuclear cell factors mediate cartilage
matrix degradation through chondrocyte activation.
J. Clin. Invest. 68 : 571-581.

Jasin, H.E. (1985):

Autoantibody specificities of immune complexes sequestered in articular cartilage of patients with rheumatoid arthritis and osteoarthritis.
Arthritis Rheum. 28 : 241-248.

Jolivet, J. and Chabner, B.A. (1983):

Intracellular pharmacokinetics of methotrexate polyglutamates in human breast cancer cells.
J. Clin. Invest. 72 : 773-778.

Jolivet, J. (1983):

The pharmacology and clinical use of methotrexate.
N. Engl. J. Med., 309 : 1094-1104.

Josipovic, D.B. and Masi, A.T. (1977):

Proceedings of the fourteenth international congress of rheumatology. 249.

Jurik, A.G.; Davidsen, D. and Graudal, H. (1982):

Prevalance of pulmonary involvement in rheumatoid arthritis and its relationship to some characteristics of the patients.
Scand. J. Rheumatol. 11 : 217-224.

Kahan, A. and Amor, B. (1985):

Arthr. and Rheum., 28, 961.

Koizumi, S.; Curt, G.A. and Fine, R.L. (1985):

Formation of methotrexate polyglutamates in purified myeloid precursor cells from normal human bone marrow.
J. Clin. Invest. 75 : 1008-1014.

Korn, S. and Dahoratius, R.J. (1989):

MTX in the treatment of RA.
Am Fan. Physician, 40 (4) 293-6.

Kraag, G.R. (1989):

Clinical aspects in rheumatoid arthritis.
Triangle., Sandoz. J. of Med. Sci. (28) 1/2 : 15-24.

- Kremer, J.; Galivan, J.; Streckfuss, A. and Kamen, B. (1986):**
Methotrexate metabolism analysis in blood and liver of rheumatoid arthritis patients : association with hepatic folate deficiency and formation of polyglutamates.
Arthritis. Rheum. 29 : 832-835.
- Kremer, J.M. and Lee, J.K. (1986):**
The safety and efficacy of the use of methotrexate in long-term therapy for rheumatoid arthritis.
Arthritis Rheum., 29 : 822-831.
- Kremer, J.M.; Lee, J.K. (1988):**
A long term prospective study of the use of methotrexate in rheumatoid arthritis.
Arthritis. Rheum. 31 : 577-584.
- Krey, P.B.; Cohen, A.J. and Brondt, K.D. (1975):**
Synovial fluid, laboratory diagnostic procedures in the rheumatic diseases 2nd Ed. Boston, Little, Brown.
- Lacey, S.W. and Bennett, J.C. (1986):**
Cardiac manifestations of connective tissue diseases, Rheumatology and Immunology. 2nd Ed. Ed. by Choen, A.S.; Bennett, J.C.; Orlando; Grune and Stratton.
- Lally, E.V. and Ho-George, Jr. (1985):**
A review of methotrexate therapy in Reiter syndrome semin.
Semin. Arthritis. Rheum., 15 : 139-145.
- Lawrence, C.M. and Dahi, M.G.C. (1984):**
Two patients of skin ulceration induced by methotrexate in patients with psoriasis.
J. Am. Acad. Dermatol., 11 : 1059-1065.
- Letendre, P.W.; De Jorg, D.J. and Miller, D.R. (1985):**
The use of methotrexate in rheumatoid arthritis.
Drug Intell. Clin. Pharm. 19 : 349-358.

Liddle, B.J. and Marsden, J.R. (1989):

Drug Interactions With Methotrexate.
Brit. J. Dermatol. 120 : 582-583.

Liegler, D.G.; Henderson, E.S.; Hahn, M.A. (1969):

The effect of organic acids on the renal clearance of methotrexate in men.
Clin. Pharmacol. Therap. 10 : 849-857.

Lightfoot (1989):

Treatment of rheumatoid arthritis. In "Textbook of Rheumatology. Ed. by McCarty, 11th Ed. Lea and Febiger, Philadelphia 772-781.

Mackinnon, S.K.; Starkebaum, G. and Wilkens, R.F. (1985):

Pancytopenia associated with low dose pulse methotrexate in the treatment of rheumatoid arthritis.
Semin. Arthritis Rheum., 15 : 119-126.

Mandel, M.A. (1976):

The synergistic Effect of Salicylates on Methotrexate Toxicity. Plas. Reconst. Surg., 57 : 733-737.

Manson, I. and Olhagen, B. (1974):

Fecal Clostridium perfringens and rheumatoid arthritis.
J. Infect. Dis., 130 : 444-445.

Marks, C.A.; Willkens, R.F.; Wilske, K.R. and Brown, P.B. (1984):

Small-vessel vasculitis and methotrexate.
Ann. Intern. Med., 100 : 916.

Marshall, A.J.; Brownlee, W.C. and Keen, G. (1979):

Constrictive pericarditis with rheumatoid arthritis.
Ann. Rheum. Dis. 38 : 387-389.

Martel, W. (1977):

Pathogenesis of cervical discovertebral destruction in rheumatoid arthritis.
Arthritis Rheum. 20 : 1217-1225.

Matheson, D.S.; Green, B. and Hoar, D.I. (1983):

The influence of methotrexate and thymidine on the human natural killer cell function in vitro.
J. Immunol. 131 : 1619-1621.

Mc Carty, D.J. (1972):

Treatment of rheumatoid joint inflammation with triamcinolone hexatonide.
Arthritis Rheum., 15 : 157-173.

Mc Carty, D.J. and Carrea, G.F. (1982):

Treatment of intractable rheumatoid arthritis with combined cyclophosphamide, azathioprine and hydroxychloroquine.
JAMA 248 ; 1718-1722.

Mc Carty (1989):

Clinical pharmacology of antinuclear drugs in "Textbook of Arthritis and Allied conditions "Ed. by McCarty, D.J. and Hollander, J.L. 11th Ed. Lea and Febiger, Philadelphia, London, 563-576.

McCarty, D.J. (1989):

Clinical picture of Rheumatoid Arthritis. In "Textbook of Arthritis and Allied Conditions. Ed. by McCarty, D.J. and Hollander, J. 11th Ed. Lea and Febiger, Philadelphia.

Mihranian, M.H.; Wang, Y.M. and Daly, M.J. (1984):

Effects of nutritional depletion and repletion on plasma methotrexate pharmacokinetics.
Cancer 10 : 2268-2271.

Miller, J.A. (1985):

Ultrasound as a screening procedure for methotrexate induced hepatic damage in severe psoriasis.
Br. J. Dermatol., 113 : 699-705.

Mills, J.A. (1971):

Value of bed rest in patients with rheumatoid arthritis.

N. Engl. J. Med., 289 : 453-458.

Mills, D.G.; Boda, I.T. and Philip, R.B. (1974):

Effects of in vitro aspirin on blood platelets of gastrointestinal bleeders.

Clin. Pharmacol. Ther. 15 : 187-192.

Miossec, P.; Kashiwado, T. and Ziff, M. (1987):

Inhibition of interleukin-2 in rheumatoid synovial fluid.

Arthritis Rheum. 30 : 121-129.

Miyaska, N.; Satok, Yamamoto, K.; Gata, M. and Nishioka, Ki. (1989):

Immunological and Immunohistochemical analysis of rheumatoid nodules.

Ann. Rheum. Dis. 48 : 220-226.

Morgan, E.; Kelly, P. and Nies, K. (1973):

Tinnitus as an indication of therapeutic salicylate levels.

JAMA, 226 : 142-145.

Morgan, S.C.; Baggot, J.E. and Alz-Smith, M. (1987):

Folate status of RA patients receiving long term dose MTX therapy.

Arthritis Rheum. 30 : 1348-1356.

Mueller, M.N. and Juist, J.M. (1973):

Skeletal status in rheumatoid arthritis.

Arth. and Rheum., 16 : 66.

Navarro, M. (1986):

Leukocytoclastic vasculitis after high-dose methotrexate.

Ann. Intern. Med., 105 : 471-472.

Nierenberg, D.W. (1983):

Compètitive inhibition of methotrexate accumulation in rabbit kidney slices by nonsteroidal antiinflammatory agents.

J. Pharmacol. Exp. Therapeut. 22 : 1-6.

Norgaard, F. (1969):

Earliest rontgen changes in polyarthritis of the rheumatoid type : continued investigations.

Radiology, 92 : 299-303.

Nouri, A.M. and Panayi, G.S. (1985):

J. Rhematol., 14 : 902.

Nyfors, A. (1977):

Liver biopsies from psoriasis related to methotrexate therapy.

Acta Pathol. Microbiol. Scand. [A], 85 : 511-518.

Olsen, N.J.; Callahan, L.F. and Pincus, T. (1987):

Immunologic studies of rheumatoid arthritis patient treated with methot. rexate.

Arthritis Rheum. 30 : 481-488.

Olsen, N.J. and Murray, L.(1989):

Antiproliferative effects of methotrexate on peripheral blood mononuclear cells.

Arthritis Rheum. 32 : 378-385.

Otha, N.; Nishimura, Y.K. and Tanimoto, K. (1982):

Huma. Immunol. 5 : 123.

Partiridge, R.E. and Duthie, J.J. (1963):

Controlled trial of the effects of complete immobilization of the joints in rheumatoid arthritis.

Ann. Rheum. Dis., 22 : 91-99.

Perruquet, J.L.; Harrington, T.M. and Davis, D.E. (1983):

Pneumocystis carinii pneumonia following methotrexate therapy for rheumatoid arthritis.

Arthritis Rheum., 26 : 1291-1292.

Phale, J.A. and Raunio, P.(1969):

The influence of wrist position on finger deviation in the rheumatoid hand : a clinical and radiological study.

J.Bone Joint Surg. 51B : 664-676.

Podurgie, B.J. (1973):

Liver injury associated with methotrexate therapy for psoriasis.

Mayo Clin. Proc., 48 : 787-792.

Ralph Schumacher, Jr.; Klippel, J.H. and Robinson, D.R. (1988):

"Pathogenesis of rheumatoid arthritis" in "primer textbook on the rheumatic diseases.

Ninth edition published by the arthritis foundation, atlanta, G.A.; 87.

Resnick,D. and Niwayama,G. (1981):

Diagnosis of Bone and joint disorders, philadelphia, WB Saunders, 906-1007.

Ritchie, D.M.; Boyle, J.A.; McInnes, J.M.; Jasani, M.K.; Dalakas, T.G. and Buchanan, W. (1968):

Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis.

Qusrterly J. Med., 37 : 393-406.

Robrt, W.C.; Kehoe, J.A. and Carpenter, D.F. (1968):

Cardiac valuvlar lesions in rheumatoid arthritis.

Arch. Intern. Med. 122 : 141-146.

Robinson, J.K.; Baughman, R.D.; Auerbach, R. and Cimis, R.J. (1980):

Methotrexate hepatotoxicity in psoriasis.

Arch. Dermatol, 116 : 413-415.

Rodenhuis, S.; Kremer, J.M. and Bertino, J.R. (1987):

Increase of dihydrofolate reductase in peripheral blood lymphocytes of rheumatoid arthritis patients treated with low-dose oral methotrexate.

Arthritis Rheum. 30 : 369-374.

- Ropes, M.W.; Bennet, G.A. and Cobb, S. (1956):**
Bull. Rheum. Dis. 7, 121.
- Roven, R.W.; Beher, F.P. and Price, L.W. (1948):**
The necrobiotic nodules of rheumatoid arthritis case in which the scalp, abdominal wall, larynx pericardium, pleura, peritonium.
Ann. Rheum. Dis., 7 :63.
- Schroder, H. (1986):**
Methotrexate pharmacokinetics in Age-fractionated erythrocytes.
Cancer Chemother. Pharmacol. 28 : 203-207.
- Schumacher, H.R.; Klippler, J.H. and Robinson, D.R. (1988):**
Rheumatoid Arthritis in primer on the rheumatic diseases. 9th Ed.
- Scott, D.L. (1987):**
Long term outcome of treating rheumatoid arthritis.
Lancet. 1 : 1108-1111.
- Segal, R.; Mozes, E.; Taron, M.; Tartakovsky, B. (1989):**
The effects of methotrexate.
Arthritis Rheum. 32 : 370-377.
- Segal, R.; Yaron, M. and Tartakovsky, B. (1990):**
Mechanism of action of methotrexate in rheumatoid arthritis.
Seminars in Arthritis and rheumatism, (20), 3 : 190-199.
- Shiroky, J.; Allegra, C. and Inghirami, G. (1988):**
High dose intravenous methotrexate with leucovorin rescue in rheumatoid arthritis.
J. Rheum. 15 : 251-255.
- Sholar, P.W.; Baram, J.; Seither, R. and Allegra, C.J. (1988):**
Inhibition of folate dependant enzymes by 7-OH methotrexate.
Biochem. Pharmacol. 37 : 3531-3534.

- Short, C.L.; Bauer, W.; Reynolds, W.S. (1957):**
Rheumatoid arthritis.
Cambridge, Harvard University Press.
- Sokoloff, L. (1989):**
Pathology of rheumatoid arthritis and allied disorders in "Arthritis and Allied Conditions". Ed. by McCarty, D.J. and Hollander.
J. 11th ed. Lea and Febiger, Philadelphia, 674-697.
- Steinberg, S.E. (1982):**
Enterohepatic circulation of methotrexate in rats invitro.
Cancer Res., 42 : 1279-1282.
- Steinberg, A.D. (1988):**
Textbook of primer on rhematic diseases, 9th Ed. by Schumacher, Jr., Klippel, J.H. and Robinson, D.R.; the Arthritis foundation, Atlanta GA. Principles in the use of immunosuppressive Agents. 288-294.
- Steinbroker, O.; Traeger, C.H. and Batterman, R.C. (1949):**
Therapeutic criteria in rheumatoid arthritis.
JAMA, 140 : 659-662.
- Steinson, K.; Weinstein, A.; Korn, J. and Abeles, M. (1982):**
Low dose methorexate in rheumatoid arthritis.
J. Rheumatol. 9 : 860-866.
- Stewart, S.M.; Alexander, W.R.M. and Duthie, J.J.R. (1969):**
Isolation f diphtheroid bacilli from synovial membrane and fluid i rhematoid arthritis.
Ann. Rheum. Dis., 28 : 477-487.
- Stewart, C.F.; Chiistensen, M.L.; Evens, R.P.; Cremer, M. and evans, W.E. (1987):**
Influence of concomitant aspirin or prednisone on methotrexate synovial fluid concentration.
J. Pharm. Exp. Therapeut. 243 : 131-137.

- Strober, S.; Toney, A. and Field, E. (1985):**
 Efficacy of total lymph node irradiation in intractable rheumatoid arthritis.
 Ann. Intern. Med. 102 : 441-449.
- Sussman, A. and Leonard, J.M. (1980):**
 Psoriasis, methotrexate and oligospermia.
 Arch. Dermatol., 116 : 215-217.
- Swanson, M.A.; Schwartz, R.S. (1967):**
 Immunosuppressive therapy : the relations between clinical response and immunologic competence.
 N. Engl. J. Med. 277 : 163-170.
- Thadani, U.; Iveson, J.M. and Wright, V. (1975):**
 Cardiac tamponade, constrictive pericarditis and pericardial resection in rheumatoid arthritis.
 Medicine., 54 : 261-270.
- Thompson, R.N.; Watts, C.; Edelman, J.; Russell, A.S. (1984):**
 A controlled two center trial of parenteral methotrexate therapy for refractory rheumatoid arthritis.
 J. Rheumatol. 11 : 760-763.
- Tiliakos, N.A.; Lawrence, T.A.B. and Wilson, C.H. (1982):**
 Intra-articular methotrexate in intractable rheumatoid knees.
 Arthritis Rheum., 25 (Suppl.): 565.
- Tiliakos, N.A. (1986):**
 Low dose cytotoxic drug combination therapy in intractable rheumatoid arthritis.
 Arthritis Rheum. 29 (Suppl. 4) 579 (Abst.)
- Tingle, A.J.; Allen, M. and Petty, R.E. (1986):**
 Ann. Rheum. Dis., 305, 1238.
- Tishler, M.; Caspi, D.; Rosenbach, T.O.; Fishel, B.; Wigler, I.; Segal, R.; Gazit, E. and Yaron, M. (1988) :**
 Methotrexate in rheumatoid arthritis.
 Ann. Rheum. Dis. 47 : 654-659.

- Tishler, M.; Caspi, D. and Fishel, B. (1988):**
The effect of leucovorin on methotrexate therapy in rheumatoid arthritis.
Arthritis Rheum. 31 : 906-908.
- Tolman, K.G.; Cleggy, D.O.; Lee, R.G. and Ward, J.R. (1985):**
Methotrexate and the liver.
J. Rheumatol., 12 (Suppl. 12) : 29-34.
- Tsoufou, G.; Rook, G.A.; Van-Embsden, J.D. (1989):**
Raised serum IgG and IgA antibodies to mycobacterial antigens in rheumatoid arthritis.
Ann. Rheum. Dis. 48 : 118-23.
- Uehlinger, I. (1971):**
Bone changes in rheumatoid arthritis and their pathogenesis. In "Rheumatoid arthritis" ed. by Muller, W. Harmerth, H.G. and Febr, K. Academic, Press London and New York, 25.
- Ungar, A.; Kay, C.R.; Griffin, A.J. and Panayi, G.S. (1983):**
Disease activity in rheumatoid arthritis during pregnancy.
Br. Med. J. 286 : 750.
- Vandenbroucke, J.P.; Witteman, J.C.M. and Valkenburg, H.A. (1986):**
J. Amer. Med. Ass. 255, 1299.
- Wallace, D.; Goldfinger, D. and Lowe, C. (1982):**
A double-blind controlled study of lymphoplasma pheresis versus sham apheresis in rheumatoid arthritis.
N. Engl. J. Med. 306 : 1406-1410.
- Walsdorfer, U.; Christophers, E. and Schroder, J.M. (1983):**
Methotrexate inhibits polymorphonuclear leukocyte chemotaxis in psoriasis.
Br.J. Dermatol. 108 : 451-454.

Walton, K.; Dyer, P. and Grennan, D. (1985):

J. Rheumatol., 12 : 223.

Wards, J.R. et al. (1975):

The pathogenesis of arthritis associated with acute hepatitis B surface antigen positive hepatitis.

J. Clin. Invest., 22 : 930 -936.

Warkany, J. (1978):

Aminopterin and methotrexate : Folic acid deficiency.

Teratology, 17 : 353-358.

Watson, R.G. (1965):

A more specific method for detecting and quantitating rheumatoid factors using a simple modification of the rheumatoid arthritis test.

Am. J. Clin. Path., 43 : 152.

Webband, J. and Payne, W.H. (1972):

Rheumatoid nodules of the vocal cords.

Ann. Rheum. Dis., 31 : 122.

Weinblatt, M.E. et al. (1985):

Efficacy of low dose methotrexate in rheumatoid arthritis.

N. Engl. J. Med., 312 : 818-822.

Weinblatt, M.E.; Trentham, D.E.; Fraser P.A., et al. (1988):

Long term prospective trial of low dose methotrexate in rheumatoid arthritis.

Arthritis Rheum. 31 : 167 - 175.

Weinblatt, M.E. (1989):

Methotrexate, in textbook of rheumatology, 3d Ed. by Kelley, W.N., Harris, E.D.; Jr., Ruddy, S. and Sledge, C.B., W.B. Saunders Company, Philadelphia.

- Weinstein, A.; Marlowe, S.; Korn, J. and Farouhar, F. (1985):**
Low-dose methotrexate treatment of rheumatoid arthritis.
Am. J. Med., 79 ; 331-337.
- Weinstein, A.; Marlowe, S.; Korn, J. and Farouhar, F. (1985):**
Low-dose methotrexate treatment of rheumatoid arthritis.
Am. J. Med. 79 : 331.
- Weisman, M.J. (1981):**
Dislocation of the manubriosternal joint in rheumatoid arthritis.
Ann. of Rheum. Dis., 40 : 307 - 308.
- Weisman, B.N. (1982):**
Prognostic features of atlanto-axial subluxation in rheumatoid arthritis.
Radiology, 144 : 745 - 751.
- White, J.C.; Loftfield, S. and Goldman, I.D. (1975):**
The mechanism of action of methotrexate. III.
Mol. Pharmacol. 11 : 287 - 297.
- Wilder, R.L. (1987):**
Rheum. Dis. Clin. 13, 293.
- Wilke, W.S. Mackenzie, A.H. (1986):**
Methotrexate therapy in rheumatoid arthritis.
Drugs 32 : 103 - 113.
- Wilke, W.S.; Schennen, Y.R.; Clough, J.D. (1989):**
Combination chemotherapy for severe rheumatoid arthritis.
Intern. Med. Specialist 10 : 59 - 76.
- Wilkins, R.F.; Watson, M.A.; Paxson, C.S. (1980):**
Low dose pulse methotrexate therapy in rheumatoid arthritis.
J. Rheumatol. 7 : 501 - 505.

Williams, H.J.; Ward, J.R. and Reading, J.C. (1983):

Lowdose D-penicillamine therapy in rheumatoid arthritis.

Arthritis Rheu. 26 : 581-592.

Williams, H.J.; Wilkens, R.F.; Samuelson, C.O. et al. (1985):

Comparison of low dose oral pulse methotrexate and placebo in the treatment of rheumatoid arthritis.

Arthritis Rheum. 28 : 721-730.

Williams, R.C. and McCarty, D.J. (1989):

Clinical picture of rheumatoid arthritis in "textbook of Arthritis and Allied conditions "Ed. by McCarty, D.J. and Hollander, J.L. 11th Ed.

Lea and Febiger, Philadelphia, London, PP. 715-747.

Woodrow, J.C. (1988):

J. Rheumatol. 15 : I.

Zachariae, H.; Kragballe, K. and Soggard, H. (1980):

Methotrexate induced liver cirrhosis.

Br. J. Derm., 102 : 407 - 412.

Zvaifler, N.J. (1973):

Immunopathology of joint inflammation in rheumatoid arthritis.

Adv. Immunol. 16 : 265 - 336.

Zvaifler, N.J. (1988):

Etiology of Rheumatoid arthritis. In "Primer on the Rheumatic Diseases "Ed. by Schumacher MR. Klippel J.H. and Robinson DR. 9 th Ed. The Arthritis Foundation, Atlanta GA, PP. 83 - 93.