

# REFERENCES

## **REFERENCES**

### **A**

***Aafjes JH, Vdijver JCM, and Sehent PE (1978):***

The duration of infertility .An important datum for the fertility prognosis of men with semen abnormalities. *Fertil.Steril.*,30:423.

***Abdalla H, Al-Moye M, Brinsden P et al.,(1987):***

The effect of the dose of human chorionic gonadotropin and type of gonadotropin stimulation on oocyte rate in an in vitro fertilization program. *Fertil. Steril.*,48:958.

***Abdel Razik M, Nossier M, Affifi et al., (1995):***

The role of intraperitoneal insemination in assisted human reproduction. The first international annual conference of the Egyptian Fertility and Sterility Society. September 28<sup>th</sup> –29<sup>th</sup> ,Cairo, 1995.

***Aboulghar MA, Mansour RT and Serour GI et al.,(2001):***

Controlled ovarian hyperstimulation and intrauterine insemination for treatment of unexplained infertility should be limited to a maximum of three trials.*Fertil. Steril.*, 75(1):88-91.

***Aboulghar MA, Mansour RT and Serour GI (1989):***

Ovarian superstimulation in the treatment of infertility due to peritubal and peri-ovarian adhesions. *Fertil.Steril.*,51:834.

***Adamson GD, Subak LL, Boltz NL et al.,(1991):***

Failure of intrauterine insemination in a refractory infertile population. *Fertil. Steril.*56:361-363.

***Adeghe A, (1987):***

Effect of washing on sperm surface autoantibodies. *Br. J.Urol.*, 60:360.

***Ahmed S, Seang LT, Marinko M and Togas TF (2000):***

A randomized study of the effect of 10 minutes of bed rest after intrauterine insemination. *Fertil. Steril.* 74,3:509-511.

**Aiman J, (1984):**

Infertility diagnosis and management . Pub :Springer- Verlag, New York, Tokyo,,277-287.

**Aitken RJ(1990):**

Evaluation of human sperm function. British Medical Bulletin 46:654-74.

**Allen NC, Herbert CM, Mascon WS et al., (1985):**

Intrauterine insemination :A critical review. Fertil. Steril., 44:569.

**Alisa B , Goldberg MD , Mara B et al .,(2001):**

Misoprostol and pregnancy ,The New England J. of Medicine,Vol.344, 1 ,4:38-47.

**Amy M, Antman BA, Joseph A et al.,(2002):**

Conversion of high response gonadotropin intrauterine insemination cycles to in vitro fertilization results in excellent ongoing pregnancy rates.Fertil. Steril.77,4. 715-720.

**Andrea W, Markus M, Sami B et al.(2004):**

Minimal stimulation using recombinant follicle- stimulating hormone and a gonadotropin- releasing hormone antagonist in woman of advanced age. Fertil. Steril:81,4:1002-1006.

**Arici A, Byrd W, Bradshaw K et al.,(1994):**

Evaluation of clomiphene citrate and human chorionic gonadotrophin treatment : a prospective, randomized, cross-over study during intrauterine insemination cycles.Fertil. Steril.61:314-318.

## **B**

**Badraoui MHH, Kandil OF, Aref IAM et al ., (1993):**

Factors influencing the success of intrauterine and intraperitoneal artificial insemination. Al Azhar Medical Journal, Vol 21 sup. 4<sup>th</sup> congress of Al Azhar Faculty of Medicine, 21-23 Oct.

**Baird DT (1987):**

A model for follicle selection and ovulation : lessons from superovulation.J .Steriod Biochem. 27:15-23.

**Balasz J, Balleca JL, Pimentel C et al., (1994):**

Late low-dose pure follicle stimulating hormone for ovarian stimulation in intrauterine cycles. Hum. Reprod.9: 1863-1866.

**Balen J and Jacob D (2003):**

Infertility in practices (ed.) Churchill Livingstone press, Edinburgh, London, New York, Oxford, Philadelphia, St Louis, Toronto..

**Barroso G, Karchemer S, Castelazo E et al.,(2001):**

A prospective randomized trial of impact of misoprostol(PgE1) on pregnancy rate after intrauterine insemination(IUI) therapy : a preliminary report. Ginecol Obstet.Gynecol.Mex;69:346-50.

**Barwin BN (1986):**

Artificial insemination . In : Andrology, Male Fertilty and Sterility. Edited by Paulson, J. Negro- Vilar, A. and Lucana, E.;Academic press Inc., p.461.

**Bateman B, Klop L, Nunley W et al.,(1992):**

Subclinical pregnancy loss in clomiphene citrate treated women. Fertil. Steril., 57:25.

**Beck ww (1984):**

Two hundred years of artificial insemination. Fertil. Steril., 41:193.

**Behre HM, Kuhlage J, Gabner C et al.(2000):**

Prediction of ovulation by urinary hormone measurements with the home use Clear Plan Fertility Monitor: Comparison with transvaginal ultrasound scans and serum hormone measurements.Hum.Reprod.15,12:2478-2482.

**Bendvold E, Svanborg K, Eneroth P et al., (1984) :**

The natural variations in prostaglandin concentration in human seminal fluid and its relation to sperm quality. Fertil.Steril. 41 , 743- 747 .

**Bendvold E, Gottlieb C, Svanborg K et al.,(1986):**

Absence of prostaglandins in semen of men with cystic fibrosis is an indication of contribution of the seminal vesicles J. reprod. Fertil., 78 , 311- 314.

**Benson GS And McConnel J (1991):**

Erection ,emission and ejaculation: Physiological mechanisms. In : Lipshultz Lt, Howards, SS,(eds). Infertility in the male . 2<sup>nd</sup> edition. St louis : Mosby- Year Book, 155- 176.

**Berg U, Brucker C and Berg FD (1997):**

Effect of motile sperm count after swim-up on outcome of intrauterine insemination. Fertil Steril.67(4):747-750.

**Bernink FJ , Domowski WP and Ericsson RJ( 1993):**

Sex preselection through albumin separation of sperm. Fertil.Steril.59:382-386.

**Blackwell R and Hammond K (1994):**

Recent development in ovulation induction . In :Behraman , S., Patton, G. (eds.): Progress in infertility . Little Brown and Company, 4<sup>th</sup> ed.,363.

**Bolton VN , Braude PR , Ockenden k et al., (1989):**

An evaluation of semen analysis and in vitro tests of sperm function in the prediction of outcome of intrauterine AIH. Hum.Reprod.,4:674.

**Bostofte E , Bagger P, Michael A and Stakeman G (1990) :**

Fertility prognosis for infertile men. Results of follow- up study of semen analysis in infertile men from two different populations evaluated by the cox regression model. Fertil. Steril., 54: 1100.

**Bradley JV, Mitchell BR, Amy ET et al., (2001):**

Effect of the total motile sperm count on the efficacy and cost – effectiveness of intrauterine insemination and in vitro fertilization.Fertil.Steril .75,4:661-668.

**Brasch JG, Rawlings R, Tarchala S and Radwanska E (1994):**

The relationship between total motile sperm count and the success of intrauterine insemination. Fertil.Steril.,62:150.

**Brenda S , Peter,M , Michael R and Victor Y (2002):**

Factors influencing pregnancy rates with a combined clomiphene citrate gonadotropin protocol for non-assisted reproductive technology fertility treatment. Fertil. Steril.77,2: 384-386.

**Bronson R (1988):**

Current concepts on the relation of antisperm antibodies and infertility. *Sem. Reprod. Endocrinol.*,6:363.

**Bronson R, Cooper G and Rosenfeld, D (1984):**

Auto immunity to spermatozoa : effect on sperm penetration of cervical mucus as reflected by post-coital testing . *Fertil.Steril.*,41:609.

**Brook P, Barratt C and Cooke I (1994):**

The more accurate timing of insemination with read to ovulation does not create a significant improvement in pregnancy rates in a doner insemination program. *Fertil. Steril.*,61:3108.

**Brown E, Toner P, Schnorr A et al.,(2001):**

Vaginal misoprostol enhance intrauterine insemination .*Hum. Reprod.* 16 .96- 101.

**Bygdeman M, Gottlieb C, Svanborg K and Swahn ML (1987):**

Role of prostaglandin in human reproduction:recent advances.*Adv. Prostaglandin Thromboxane Leukot.Res*;17:1112-6.

**Byrd W, Ackerman GE, Carr BR et al.,(1987):**

Treatment of refractory infertility by transcervical intrauterine insemination of washed spermatozoa. *Fertil. Steril.*,48:921.

**C**

**Carrell DT, Kuneck PH, Peterson CM et al.,(1998):**

A randomized, prospective analysis of five sperm preparation techniques before intrauterine insemination of husband sperm. *Fertil. Steril.*69:122-126.

**Cedar MI (1997):**

Controlled ovarian hyperstimulation as therapy for unexplained infertility. *Clinics of North America*, 8: 649.

**Chaffkin LM, Nulsen JC, Luciano AA et al., (1991):**

A comparative analysis of the cycle fecundity rates associated with combined human menopausal gonadotrophin and intrauterine insemination versus either HMG or IUI alone. *Fertil. Steril.*55:252-257.

**Chaitali G , Germaine B , Roger B et al.,(2003):**

Follicular response and pregnancy among infertile woman undergoing ovulation induction and intrauterine insemination .Fertil. Steril.80,2: 328-335.

**Chan PJ ,Corselli JU ,Patton WC et al., (1998):**

Heat activation of sperms. J Assis. Reprod. Genet.15 (1): 32-38.

**Charbonnel B (1981):**

Prostaglandins and reproduction ,Contracept. Fertil. Sex (paris) 9(5), 367-75.

**Check JH ,Shanis B , Bollendorf A et al., (1989):**

Semen characteristics and infertility in aging .Arch.Androl.,23:275.

**Check JH , Lurie D , Peymer M et al., (2000):**

Efficacy of intrauterine insemination without ovarian hyperstimulation for cervical factor. Arch. Ansrol., 44(3):193.

**Cheung L P (2000):**

Patient selection for assisted reproductive technology treatments. Hong Kong Med., J., 6(2):177.

**Clark J H and Makaverick B M (1982):**

The agonistic-antagonistic properties of clomiphene:a review. Pharmacol. Ther.,15:467.

**Cohen B M , Berry L , Roettemeyer V et al.,(1993):**

Sonographic assessment of late proliferative phase endometrium during ovulation induction .J.Reprod.Med.,37:685.

**Collins J A (1990):**

Superovulation in the treatment of unexplained infertility seminars. Reprod. Endocrinol.,8:165.

**Collins PW , Pappo R and Dajani E Z (1985):**

Chemistry and synthetic development of misoprostol .Dig. Dis. Sci., 30 , 114S- 117S .

**Corson S L , Batzer FR , Gocial B and Mislin,G.(1989):**

Intrauterine insemination and ovulation stimulation as treatment of infertility .J.Reprod.Med.,34:397.

**Costello MF, Hughes G J, Garrett DK et al.,(2001):**

Prognostic value of serum estradiol in controlled ovarian hyperstimulation of women with ,unexplained, infertility. Aust. N.Z.J.Obstet.Gynecol., 41 (1) :69.

**Coulam C , Bushillo M , Soenksen D et al.,(1994):**

Ultrasonographic predictors of implantation in assisted reproduction , Fertil. Steril.62:1004.

**Coulam C, Hill L and Breekel R (1982):**

Ultrasonic evidence of luteinization of unruptured preovulatory follicles. Fertil. Steril.,37:524.

**Crosignani PG , Walters DE and Soliani A (1993):**

Unexplained infertility :The recommendations of the ESHRE workshop. Hum.Reprod.,8:977.

**Crosignani PG , Fagni G , Finzi G et al., (1991):**

Intraperitoneal insemination in the treatment of male and unexplained infertility. Fertil.Steril. 55(2):333-337.

**Curole DN , Dickey RP , Taylor SN et al., (1989):**

Pregnancies in cancelled gamete intrafallopian transfer cycles Fertil. Steril. 51 : 363.

## **D**

**Das UN and Padma MC (1987):**

Role of prostaglandins in human fertility. Prostaglandins Med. 1(4):319-21.

**David SG , Michael WS , David GA et al.,(1998):**

Efficacy of treatment for unexplained infertility.Fertil. Steril.70,2:207-213.

**Davis O and Rosenwak Z (1994):**

Advances in ovarian hyperstimulation. In : Behraman, S.;Patton,G.; Holtz,G.(eds.) :Progress in infertility, Little Brown and Company, 4<sup>th</sup> ed., 55.

**Davis R , Yarker YE and Goa KL(1995):**

Diclofenac misoprostol. A review of its pharmacology and therapeutic efficacy in painful inflammatory conditions; Drugs & Aging 7(5): 372-93.

**Daya S (2000):**

Recombinant versus urinary follicle stimulating hormone for ovarian stimulation in assisted reproduction cycles. Cochrane Database Syst.Rev.,(4): CD002810.

**de Aquino MM and Cecatti JG(2003) :**

Misoprostol versus oxytocin for labor induction in term and post-term pregnancy: Randomized Controlled Trial; Sao Paulo Med. J. 5; 121(3): 102-6.

**Dickey R and Hottkamp D (1996):**

Development pharmacology and clinical experience with clomiphene citrate. Hum. Reprod. Update, 2:483.

**Dodson WC and Haney HF (1991):**

Controlled ovarian hyperstimulation and intrauterine insemination for treatment of infertility. Fertil. Steril.,55:457.

**Dodson WC , Hughes CL and Haney A F (1988):**

Multiple pregnancies conceived with intrauterine insemination during super-ovulation: an evaluation of clinical characteristics and monitored parameters of conception cycles .Am.J.Obstet. Gynecol.,159:382.

**Dodson WC, Whitesides D B , Hughes CL et al.,(1987):**

Superovulation with intrauterine insemination in the treatment of infertility : a possible alternative to gamete intrafallopian transfer and in vitro fertilization. Fertil. Steril., 48:441.

**Dubin L and Amelar RD (1971):**

Etiologic factors in 1294 consecutive cases of male infertility . Fertil.Steril.22:169.

## E

***Ecochard R, Mathieu C, Royere D et al., (2000):***

A randomized prospective study comparing pregnancy rates after clomiphene citrate and human menopausal gonadotropin before intrauterine insemination. *Fertil. Steril.*, 1:90.

***Edvinsson A, Forssman L, Milsom I and Norfors G (1990):***

Factors in the infertile couple influencing the success of artificial insemination with donor semen. *Fertil. Steril.*,53:81.

***Elder K and Dale B (2000):***

In vitro fertilization ,Campridge united press ,United Kingdom,(ed):135-141 .

***Eleonora BP, Tommaso F, Jeffrey MG et al.,(1999):***

Risk factors for multiple gestation in woman undergoing intrauterine insemination with ovarian stimulation. *Fertil. Steril.*72,4: 613-618.

***Ellenbogen A, Rosenberg R, Shulman et al., (1996):***

A follicular scoring system for monitoring ovulation induction in polycystic ovarian syndrome patients based solely on ultrasonographic estimation of follicular development. *Fertil. Steril.*,65:1175.

***El-Refaey H and Templeton A (1995):***

Early abortion induction by a combination of mifepristone and oral misoprostol and their effect on blood pressure. *Br J Obstet Gynecol.*, 101.9: 798.

***Ezra Y, Simon A and Laufer N (1992):***

Defective oocytes :a new subgroup of unexplained infertility. *Fertil. Steril.*,58:24.

## F

***Fanchin R, Hazout A, Olivennes F et al., (1995):***

A new system for fallopian tube sperm perfusion leads to pregnancy rates twice as high as standard intrauterine insemination . *Fertil. Steril.* 64 :505-510.

**Farrag MM , Zakaria A ,G horab N et al ., (1998):**

Uterine sperm perfusion versus intrauterine insemination in cases on unexplained infertility .The Journal of Egyptian Society of Obstetrics & Gynecology. Vol. XXIV , 4. 575-581.

**Fauser B C (1998):**

Developments in human recombinant FSH technology: are we going in the right direction? Hum. Reprod.,13:1285.

**Federman C (1990):**

Relative efficiency of therapeutic donor insemination using a Luteinizing hormone monitor . Fertil . Steril., 54: 489.

**Felberbaum RE , Reissmann T, Kupker W et al.,(1995):**

Preserved pituitary response under ovarian stimulation with HMG and Gn RH- antagonists (cetorelix) in woman with tubal infertility.Eur. J. Obstet.Gynecol.Reprod.Biol.,61:151.

**Finegold WJ(ed) (1980):**

Artificial insemination with husband sperm . Charles C Thomas. Springfield, USA., 40-60.

**Fletcher HM, Mitchell S, Frederick J et al.,(1993):**

Intravaginal misoprostol versus dinoprostone as cervical ripening and labor inducing agents; Obstet Gynecol .,88: 244-47.

**Florence L , Catherine A , Arry B and Jean P (2002):**

A computerized decision support system for ovarian stimulation by gonadotropins. Fertil. Steril.77:3:456-460.

**Fluker M , Urman B , Mckinnon M and Barrow S (1994):**

Exogenous gonadotropin therapy in World Health Organization group I and II ovulatory disorders.Obstet.Gynecol.,83:189.

**Formelli G , Rinaldi AM, Finelli C et al.,(1993):**

Thr role of prostaglandins in infertility. Experimental resear. Boil Soc.Ital.Biol.Sper. 69(1):33-8.

**Fox CA , Meldrum Sj and Watson BW(1973):**

Continuous measurement by radiotelemetry of vaginal p H during human coitus. J.Reprod.Fertil.33:69-75.

**Friedman A J (1990):**

Sextuplet pregnancy after human menopausal gonadotropin superovulation and intrauterine insemination; A case report. *J.Reprod.Med.*,35:113.

**Friedman A J, Juneau-Norcross M, Sedensky B et al.,(1991):**

Life table analysis of intrauterine insemination pregnancy rates for couples with cervical factors male and idiopathic infertility. *Fertil. Steril.*,51:1005.

**Fujii S, Kagiya A and Atsushi F (1997):**

The effects of clomiphene citrate on normally ovulatory women. *Fertil.Steril.*,68:997.

**G**

**Gagliardi CL, Emmi AM, Weiss G and Schmidt CL (1991):**

Gonadotropin-released hormone agonist improves the efficiency of controlled hyperstimulation intrauterine insemination. *Fertil. Steril.*,55:393.

**Galle PC, McRae M A, Collvier JA and Alexander JS (1990):**

Sperm washing and intrauterine insemination for cervical factor, oligospermia immunologic infertility and unexplained infertility *J.Reprod.Med.*,35:116.

**Garcia JE, Jones GS, Acosta AA and Wright G (1983):**

Human menopausal gonadotropin human chorionic gonadotropins follicular maturation for oocytes aspiration: phase I and II. *Fertil.Steril.*39:167-179.

**Gilbaugh JH (1997):**

Intrauterine insemination. In *infertility in the male*, 3<sup>rd</sup> ed. Lipschultz, L.I.and Howards, SS,(eds), Mosby- Year Book, Inc., Missouri, USA, 439.

**Girault(1837):**

Quoted from Prietl G, Van der ven HH and Krebs D (2000):Artificial intrauterine insemination: non – invasive management of subfertile couples. In : Rabe T, Diedrich K and Runnebaum B (eds) *Manual on assisted reproduction*, 2<sup>nd</sup> update edition. Springer- Verlag, Berlin, Heidelberg, New York,601-25.

**Glassman AB(1980):**

Semen analysis criteria for crypreservation of human spermatozoa.  
Fertil.Steril.,34:66.

**Glissant A , de Mouzon J and Frydman R (1985):**

Ultrasound study of endometrium during in vitro fertilization  
Fertil. Steril.44:786.

**Goldberg J , Goering P , Froedman C et al.(1990):**

Antisperm antibodies in women undergoing intrauterine  
insemination. Am.J.Obstet.Gynecol.,163:65.

**Gottlieb C , Svanborg K , Eneroth P and Bygdeman M (1988):**

Effect of prostaglandins on human sperm fuction in vitro and  
seminal adenosine triphosphate content .Fertil. Steril. 49; 2:322-7.

**Gottlieb C , Ploen L , Kvist U et al., (1991):**

The fertility potential of male cystic fibrosis patients . Int. J.  
Androl., 14, 437- 440 .

**Goverde AJ , McDonnell J, Vermeiden JP et al.,(2000):**

Intrauterine insemination or in- vitro fertilization in idiopathic  
subfertility and male subfertility: a randomized trial and cost-  
effective analysis. Lancet, 1;355:13-8.

**Greenblatt R (1961):**

Chemical induction of ovulation. Fertil.Steril.,12:402.

**Greenhill E and Vessey M (1990):**

The prevalence of subfertility : a review of current confusion and a  
report of two new studies . Fertil .Steril., 54: 978.

**Greenland S and Ackerman D (1995):**

Clomiphene citrate and neural tube defects: pooled analysis of  
controlled epidemiologic studies and recommendations for future  
studies. Fertil. Steril.,64:936.

**Grzegorz S, Rodney W, Catherine M et al.,(1992):**

Relative immunosuppressive activity of human seminal  
prostaglandins. Journal of Reproductive Immunology 22:185-195.

**Guzick D , Sullivan M , Admson G et al.,(1998):**

Efficacy of treatment of unexplained infertility. Fertil. Steril. 70: 207-13.

## H

**Haas GJD , Cruz O and Denum B (1988):**

Effect of repeated washing on sperm bound immunoglobulin G. J.Androl.,9:190.

**Hamilton MPR (1993):**

Unexplained Infertility .In recent advances in Obstetrics and Gynecology. Edited by Bonnar, J., 17<sup>th</sup> ed .; Churchill Livingstone, Edinburgh, London and Tokyo, 109-122.

**Hany AF (1995):**

Controlled ovarian hyperstimulation and intrauterine insemination . In Keye RW,Chang JR,Reber WR et al ., (eds). Infertility Evaluation and treatment . WB Saunders Company, Philadelphia, London, Toronto. 745-758.

**Hauser R , Yogev L , Botchan A et al.,(2001):**

Intrauterine insemination in male factor subfertility: significance of sperm motility and morphology assessed by strict criteria. Andrologia, 33(1):13.

**Heiss (1972):**

Quoted from Prietl G, Van der ven HH and Krebs D (2000):Artificial intrauterine insemination: non – invasive management of subfertile couples. In : Rabe T, Diedrich K and Runnebaum B (eds) Manual on assisted reproduction, 2<sup>nd</sup> update edition. Springer- Verlag, Berlin, Heidelberg, New York,601-25.

**Hendin BN , Falcone T , Hallak J et al.,(2000):**

The effect of semen characteristics on live birth rates following intrauterine insemination: a retrospective study .J.Assist.Reprod. Genet., 17(5):245.

**Herrero MB , Viggiano JM , Boquet M and Gimeno MA (1997):**

Prostaglandin modulation of mouse and human sperm capacitation;

Prostaglandins, Leukotrienes & Essential fatty acids., 57(3): 279-84.

**Hershlag A , Schif SH and Decherney AH (1991):**  
Retrograde ejaculation. Hum. Reprod,6:225.

**Hesla J and Schoolcraft W (1997):**  
Treatment of idiopathic infertility in assisted reproductive technology In : Surrey, E.(ed.): Unexplained infertility. Clinics N.Am.WB.Saunders Company,8:665:

**Hewitt J , Cohen J , Krishnaswamy V et al ., (1985):**  
Treatment of idiopathic infertility cervical mucus hostility and male infertility, artificial insemination with husband's semen or in vitro fertilization. Fertil. Steril.,44:350.

**Ho PC , So WK , Chan YF and Yeung WSB (1992):**  
Intrauterine insemination after ovarian stimulation as a treatment for subfertility because of subnormal semen: prospective randomized controlled trail. Fertil. Steril.,58:995.

**Hofmeyr GJ, Gulmezoglu AM (2003):**  
Vaginal misoprostol for cervical ripening and induction of labor; Cochrane Database syst Rev ., (1): CD 000 941.

**Horvath PM , Bohrer MR , Shelden RM and Kemman E(1989):**  
The relationship of sperm parameter to cycle fecundity in superovulated women undergoing intrauterine insemination. Fertil. Steril.,52:288.

**Houmard BS , Juang MP , Soules MR and Fujimoto VY(2002):**  
Factors influencing pregnancy rates with a combined clomiphene citrate/ gonadotropin protocol for non-assisted reproductive technology fertility treatment Fertil.Steril., 77(2):384.

**Hovatta O , Kurunmaki H , Tiitinen A et al.,(1990):**  
Direct intraperitoneal or intrauterine insemination and superovulation in infertility treatment :a randomized study. Fertil. Steril.,54:330-341.

**Hsu C , Kuo H , Wang S et al.,(1995):**

Interference with uterine blood flow by clomiphene citrate in women with unexplained infertility. *Obstet. Gynecol.*,86:917.

**Huang HY, Lee CL , Lai YM et al.,(1996):**

The impact of total motile sperm count on the success of intrauterine insemination with husband's spermatozoa. *J. Assist. Reprod. Genet.* 13(1): 56-63.

**Huang FJ, Chang SY, Lu JY et al.,(2000):**

Two different timings of intrauterine insemination for non-male infertility. *J. Assist. Reprod. Genet.*, 17(4):213.

**Hughes EC, Collins J and Vandekerckhove P (2001):**

Clomiphene citrate for unexplained subfertility in women . *Cochrane Database Syst. Rev.*,(2):CD000057.

**Hull MGR , Glazener CM , Kelly NY et al.,(1985):**

Population study of causes, treatment, and outcome of infertility, *Br. Med.J.*,291:1693.

**Hull MGR , Fleming CF , Hughes AO et al ., (1996):**

The age related decline in female fecundity : a quantitative controlled study of implanting capacity and survival of individual embryos after in vitro fertilization . *Fertil. Steril.*65:783-790.

**Hurd WW , Randolph JF , Christman GM et al.,(1996):**

Luteal support with both estradiol and progesterone after clomiphene citrate stimulation for in vitro fertilization. *Fertil. Steril.*66:587.

**Husson JF (1971) :**

Prostaglandins and their role in the physiology of reproduction . *Gynecol. Obstet.(Paris)*.May- Jun;70(3):361-8.

## I

**Ingerslev HJ , Hojgaard A , Hindjaker J and Kesmodel U (2001):**

A randomized study comparing IVF in the unstimulated cycle with IVF following clomiphene citrate. *Hum.Reprod.*, 16(4):696.

**Isidori A , Conte D , Laguzzi G et al.,(1980):**

Role of seminal prostaglandins in male fertility.I.Relationship of prostaglandin E and 19 –OH. prostaglandin with seminal parameters.Endocrinol.Invest. 3(1):1-4.

## **J**

**Jacobs SL , Metzger DA , Doson WC et al.,(1989):**

Effect of age on response to Pergonal stimulation Presented at the 36<sup>th</sup> annual meeting of Society for Gynecologic Investigation, San Diego, California, March 15 to 18, 1989.Published by the society for Gynecologic- investigation, in the program supplement. 137.

**Jam's C (1990):**

Prostaglandin hormone and neucleotide:Lewis pharmacology. 387.

**Jeffrey H , James M , Francis T et al.(2002):**

Success of intrauterine insemination in woman aged 40-42 years. Fertil.Steril.78,1:29-33.

**Jing S (2000):**

Use of Misoprostol in Obstetrics & Gynecology Review Article – Obstet . Gynecol. Survey55 (8), 503 – 510.

**John H (1728-1793):**

Quoted from Prietl G, Van der ven HH and Krebs D (2000):Artificial intrauterine insemination: non – invasive management of subfertile couples. In : Rabe T, Diedrich K and Runnebaum B (eds) Manual on assisted reproduction, 2<sup>nd</sup> update edition. Springer- Verlag, Berlin, Heidelberg, New York,601-25.

**Jones JS (1989):**

Use of purified gonadotropins for ovulation stimulation in NF. New Clinical Issues in In Vitro Fertilization Clinics. Obstet. Gynecol.,12:775.

**Jordan J , Craige K , Clifton DK and Soules MR (1994):**

Luteal phase defect : the sensitivity and specificity of daignostic methods in common clinical use. Fertil. Steril.,62:54.

**Joseph G , Whelan M and Nikos F (2000):**

The ovarian hyperstimulation syndrome . Fertil. Steril.73, 883-896.

## K

**Kahn JA , Von Duing V, sunde A et al.,(1992):**

Fallopian tube sperm perfusion: First clinical experience.  
Hum.Reprod. 7 supp 1:19-24.

**Kamal A , Mansour R , Fahmy I et al.,(1999):**

Easily decapitated spermatozoa defect: a possible cause of unexplained infertility. Hum. Reprod.,14:2791.

**Kaneko PF, Austin DJ and Kobanawa K et al.,(1986):**

Purification of human sperm by a discontinuous percoll density gradient with an inner column. Biol. Reprod., 35:1059.

**Kaplan PF , Austin DJ and Frend R (2000):**

Human menopausal gonadotropin administration for controlled ovarian hyperstimulation with intrauterine insemination cycles. Am. J. Obstet. Gynecol., Jun., 182(6):1421.

**Karande VC , Rao R , Pratt DE et al. , (1995):**

A randomized prospective comparison between intrauterine insemination and fallopian sperm perfusion for the treatment of infertility .Fertil, Steril.64:638-640.

**Karlestrom PO , Bergh T and Lundkvist O (2000):**

Addition of gonadotrophin-releasing hormone agonist and/or two inseminations with husband's sperm do not improve the pregnancy rate in superovulated cycles. Acta. Obstet. Gynecol.Scnad., 79(1):37.

**Karlstrom PO , Bergh T and Lundkvist O (1993):**

A prospective randomized trial of artificial insemination versus intercourse in cycles stimulated with human menopausal gonadotrophin or clomiphene citrate .Fertil. Steril.59: 554-559.

**Karlstrom PO , Bakos O , Bergh T et al., (1992):**

Hormone and ultrasound parameters in ovarian stimulation cycles for direct intraperitoneal insemination. Hum Reprod. 7(6):813-820.

**Keller DW , Strickler RC and Wareen JC (1984):**

Artificial insemination .In :Clinical Infertility, 188.

**Kelly B and Marc D (2002):**

Prospective, randomized double blind study of the effect of misoprostol versus placebo on the pregnancy rate after intra-uterine insemination Uro-Gynaecology ,Intern.Cen. Reprod.:100.

**Kelly RW , Cooper I and Templeton AA (1979):**

Reduced prostaglandin levels in the semen of men with very high sperm concentration.J.Reprod. Fertil.56:195.

**Kerin J and Quinn P (1987):**

Washed intrauterine insemination in the treatment of oligospermic infertility .Semin.Reprod. Endocrinol.,5:23.

**Kessel B and Hsuch AJW (1987):**

Clomiphene citrate augments follicle-stimulating hormone induced luteinizing hormone receptor content in cultured rat granulosa cells. Fertil. Steril.,46:334.

**Kim H and Hornstein M (1997):**

Unexplained infertility: Defining the problem and understanding study design. In:Surrey, E (ed.): Unexplained infertility.Clinics North Am.,W.B.Saunders,8:487.

**Kirby CA , Flaherty SP , Godfrey BM et al., (1991):**

A prospective trail of intrauterine insemination of motile spermatozoa versus timed intercourse. Fertil. Steril.,56:102.

**Klausch B and Kyank H (1972):**

Prostaglandins in Gynecology and Obstetrics .Zentralbl Gynakol.,3:94(22): 705-19.

**Klentzeris LD , Li TC , Dockery P and Cooke ID (1992):**

The endometrial biopsy as a predictive factor of pregnancy rate in woman with unexplained infertility. Eur. J. Ostet. Gynecol. Reprod. Biol.,45:119.

**Koninck P and Brosens IA (1977):**

Delayed onset of luteinization as a cause of infertility.  
Fertil.Steril.,28:292.

***Kos M and Bilkei G (2004):***

Prostaglandin F2 alpha supplemented semen improve reproductive performance in artificially inseminated sows. Anim Reprod Sci.: 80 (1-2) 113-20.

***Kossov L (1989):***

Luteinizing hormone and ovulation timing in a therapeutic donor insemination program using frozen semen . Am. J. Obstet. Gynecol.,160:1169.

***Kousta E , White D and Frank S (1997):***

Modern role of clomiphene citrate in induction of ovulation . Hum.Reprod. Update,3:359.

***Kovacs GT and King C (1994):***

The use of gamete intrafallopian transfer with donor spermatozoa after failed donor insemination. Hum. Reprod.,9:859.

***Kreysel CO (1994):***

Value of prostaglandins in andrology. Fortschr Med. 20; 112 (14): 203-6.

***L***

***Lacroix O-Paulmyer , Molle L , Noizet A et al.,(1998):***

Intrauterine insemination with husband sperm: Conclusion of five years experience. Contracept. Fertil. sex ,26 (4): 300-6.

***Lamb EJ (1972):***

Prognosis for infertile couple. Fertil. Steril.,23:320.

***Leffler CW and Amberson JJ. (1982):***

Intravaginal prostaglandin E1 increase vaginal blood flow. Prostaglandins Leukot.Med. 9(6);587-9.

***Lin YH , Hwang LW , Hsieh BC et al.,(2003):***

Ovarian stimulation by clomiphene citrate and HMG in combination with cetorelix ac ICSI cycles. Human. Reprod.18,1:45-49.

***Lu PY, Lee SH, Chen ALJ et al.,(1996):***

Minimal stimulation achieves pregnancy rates comparable to human menopausal gonadotropins in the treatment of infertility. Fertil. Steril. 65:583-587.

***Lunenfeld B, Lunenfeld E and InslerV(1997):***

Human gonadotrophins .In:Rabe T, Diedrich K, Runnenbaum B (eds), Manual in assisted reproduction. Springer- Verlag,:81.

## ***M***

***Macnamee MC, Edwards RG and Howles CM (1988):***

The influence of stimulation regimes and luteal phase support on the outcome of IVF. Hum. Reprod. 3(2):43-52.

***Mahmood TA and Templeton A (1991):***

The luteal phase after oocyte recovery in a spontaneous cycle. Fertil. Steril.,55:86.

***Makler A (1988):***

Modern methods in semen analysis evaluation .In :behrman SJ, Kistner RW and Patton GW (eds):Progress In Infertility.Little Brown Co, Boston, 633.

***Manzi D, Dumez S, Scott DB and Nulsen JC (1995):***

Selective use of leuprolide acetate in woman undergoing superovulation with intrauterine insemination results in significant improvement in pregnancy outcome. Fertil.Steril.,63:866.

***March C (1997):***

Induction of ovulation In :Lobo R, Mishell D, Paulson R and Shoupe D (eds.) : Mishell textbook of infertility, contraception and reproductive endocrinology. Blackwell Science, 4<sup>th</sup> ed.507.

***Marik J and Hulka (1978):***

Luteinized unruptured follicle syndrome : a subtle cause of infertility. Fertil. Steril., 25:292.

**Marmar J, Praiss D and DeBenedictis T (1979):**

An estimate of fertility potential of the fractions of the split ejaculate in terms of the total mitile count. *Fertil.Steril.*,32:202.

**Martin DC , Hubert GD , Vander- Zwaag R et al.,(1989):**

Laparoscopic appearancs of pelvic endometriosis. *Fertil.Steril.*, 51 :63.

**Martinz AR , Bernardus RE , Vermeiden JP and Shoemaker J (1993):**

Basic questions on intrauterine insemination: An update *Obstet. Gynecol.* 48:811.

**Martinz A (1992):**

Reliability of hormone urinary LH tests for timing of insemination: A Consumer's study. *Hum. Reprod.*,7:751.

**Menken J , Trusell J and Laisen U (1986):**

Age and infertility . *Science*, 233:1389.

**Messinis IE (1989):**

Drugs used in invitro fertilization Procedures.*Drugs*,38:148-159.

**Messinis IE , Templeton AA and Baird DT (1986):**

Comparison between clomiphene citrate plus pulsatile human menopausal gonadotrophin and clomiphene plus pulsatile follicle stimulating hormone in induction of multiple follicular development in woman. *Hum. Reprod.*1:223-226.

**Michael CW , Bettina S , Dagmar VH et al.,(2004):**

A comparison of 3-day and daily follicle stimulating hormone injections on stimulation days1-6 in women undergoing controlled ovarian hyperstimulation.*Fertil.Steril.*81,4:996-1001.

**Moghissi KS (1986):**

Some reflections on intrauterine insemination. *Fertil. Steril.*,47:13.

**Montanaro G , Smith K , Van Der Merwe JP and Lombard CJ(2001):**

Stepwise regression analysis to study male and female factors impacting on pregnancy rate in an intrauterine insemination programme. *Andrologia*, 33:135.

***Moretti-Rojas I, Rojas, F, Leisure M et al., (1990):***

Intrauterine insemination with washed human spermatozoon does not induce formation of antisperm antibodies. *Fertil. Steril.* 53:180.

***Morshedi M, Hakan E, Steven T and Sergio O (2003):***

Efficacy and pregnancy outcome of two methods of semen preparation for intrauterine insemination : a prospective randomized study. *Fertil. Steril.* 79(3):1625-1632

***Mortimer D and Templeton AA (1982):***

Sperm transport in the human female reproductive tract in relation to semen analysis characteristics and time of ovulation *J. Repeod. Fertil.* 46(2):401-8.

***Mosher WD and Pratt WF (1988):***

The demography of infertility in USA. In Asc.R.H.; Studd JW.; editors, *Annual progress in reproductive Medicine*, Pathenon Published Group. Pead River. New York,; 37-43.

## N

***Naftulin BN, Samuels SJ, Hellstrom VJG et al., (1991):***

Semen quality in varicocele patients is characterized by tapered sperm cells. *Fertil. Steril.* 56:149-151.

***Nakamura Y, Sugino N, Ono M et al., (1997):***

Effects of clomiphene citrate on endometrial thickness and echogenic pattern of the endometrium. *Fertil. Steril.*, 67:256.

***Norman JE, Thong KJ and Baird DT (2000):***

Uterine contractility and induction of abortion in early pregnancy by misoprostol and mifepristone. *Lancet*, 338: 1233-6.

## O

***Oehninger S, Franken D and Kruger T (1997):***

Approaching the next millennium: How should we manage andrology diagnosis in the intra cytoplasmic sperm injection ?  
Fertil.steril. 67 ,434- 436.

***Olson DM and Zakart T(1993):***

Intrauterine tissue prostaglandin synthesis: regulatory mechanisms seminars. Repord. Endocrin, 11: 234.

***Orga S , Kerton K , Tomasi T and Lippes G (1994):***

Prostaglandins in human fallopian tube. Fertil.Steril.61:250-255.

***Out H and Bennink H (1998):***

Clomiphene citrate or gonadotropins for induction of ovulation?  
Hum. Reprod .,13:2358.

***Overstreet JW and Davis OR (1995):***

Methods and interpretation of semen analysis .In : Keye RW, Chang JR, RebarWR et al.,(eds). Infertility evaluation and treatment. WB Saunders Company, Philadelphia, London, Toronto. 580-591.

***Overstreet JW , Hanson FW , Brazil C et al.,(1988):***

Antisperm antibodies in woman receiving intrauterine insemination (Abstr.138) Presented at the 35<sup>th</sup> Annual Meeting of the Society for Gynecologic Investigation, Baltimore,Maryland , 17-20.

***P***

***Paulson R , Suaer M and Lobo R (1997):***

Potential enhancement of endometrial receptivity in cycles using controlled ovarian hyperstimulation with anti progestins: a hypothesis. Fertil. Steril.,67:321.

***Pepperell RJ and McBain JC (1985):***

Unexplained infertility ; a review. Br. J.Obstet. Gynecol.,92:569.

***Phillip EE and Carruthers GB (eds).(1989):***

Management of subfertile male .In: Infertility. Williams Hinemans Medical Books Lts London. 232.

***Plosker SM , Jacobson W and Amato P (1994):***

Predicting and optimizing success in an intrauterine insemination program. Hum. Reprod.,9:2014.

**Priett G , Van der ven HH and Krebs D (2000):**

Artificial intrauterine insemination: non – invasive management of subfertile couples. In : RabeT,Diedrich K and Runnebaum B (eds) Manual on assisted reproduction, 2<sup>nd</sup> update edition. Springer-Verlag, Berlin, Heidelberg, New York ,601-25.

**Q**

**Quagliarello J and Arny M (1986):**

Intracervical vs intrauterine insemination: correlation of outcome with antecedent post –coital testing. Fertil. Steril.,46:870.

**Queenan JT , O'Brien GD , Bains LM et al.,(1980):**

Ultrasound scanning of the ovaries to detect ovulation in woman. Fertil. Steril.34:99.

**R**

**Rabe T, Basse H , Thuro H et al., (1997):**

Effect of PGE4 methyl analogue (Misoprostol) on the pregnant uterus in the first trimester. Gebur Tshilfe Frauenheilkd, 47: 324-331.

**Rabinowitz R , Laufer N , Lewin A et al.,(1986):**

The value of ultrasonographic endometrial measurement in the prediction of pregnancy following in vitro fertilization. Fertil. Steril. 45:824.

**Ragni G , Vegetti W , Baroni E et al.,(2001):**

Comparison of gonadotrophin stimulated cycles with or without a gonadotrophin-releasing hormone antagonist. Hum. Reprod., 16(11): 2258.

**Ramati MAI , Leader A and Leveille MC (1998):**

An allergic reaction following intrauterine insemination. Hum. Reprod.,13:3368.

**Ramwell PW , Foegh M , Loeb R and Leovey EMK (1980):**

Synthesis and Metabolism of prostaglandins, prostacyclins and thromboxane: The arachidonic acid cascade, seminars Perinatol. 4 : 3.

**Randall BG (1994):**

Overdose of misoprostol in pregnancy; Am J. Obstet. Gynecol 171: 561-2.

**Randall J and Templeton A (1991):**

Transvaginal sonographic assessment of follicular and endometrial growth in spontaneous and clomiphene citrate cycles Fertil. Steril.,56:208.

**Randolph JF (2000):**

Unexplained infertility. Clinical Obstet. Gynecol.43:897-901.

**Ranieri M , Beckett VA , Marchant S et al.,(1995):**

Gamete intrafollopian transfer or in vitro fertilization after failed ovarian stimulation and intrauterine insemination in unexplained infertility. Hum.Reprod.,10:2023.

**Ransom MX , Blotner MB , Bohrer,M et al.,(1994):**

Does increasing frequency of intrauterine insemination improve pregnancy rates significantly during superovulation cycles ? Fertil.Steril., 61:303.

**Remohi J , Gastadi C , Patrizio P et al.,(1989):**

Intrauterine insemination and controlled ovarian hyperstimulation in cycle before GIFT.Hum.Reprod.,4:918.

**Rene E , Claudine M , Dominique R et al.,(2000):**

A randomized prospective study comparing pregnancy rates after clomiphene citrate and human menopausal gonadotropin before intrauterine insemination.Fertil.Steril.73,1: 90-93.

**Richard PD , Steven NT , Peter YL et al.,(2004):**

Clomiphene citrate intrauterine insemination before gonadotropin IUI affects the pregnancy rate and the rate of high-order multiple pregnancies.Fertil.Steril.81,3: 545-550.

**Richard PD (2003):**

It has been 15 years of inaction on high order multiple pregnancies due to ovulation induction. Fertil. Steril.79:1 ,28-29.

**Richard PD , Steven NT , Peter YL et al.,(2002):**

Effect of diagnosis, age, sperm quality, and number of preovulatory follicles on the outcome of multiple cycles of clomiphene citrate-intrauterine insemination. *Fertil. Steril.* 78,5:1088-1095.

**Richard PD , Steven NT , Peter YL et al.,(2001):**

Relationship of follicle numbers and estradiol levels to multiple implantation in 3608 intrauterine insemination cycles. *Fertil. Steril.* 75,1:69-78.

**Ripps B , Minhas,B , Carson S et al.,(1994):**

Intrauterine insemination in infertile woman delivers large number of sperms to the peritoneal fluid than intracervical insemination. *Fertil. Steril.*,61:398.

**Ron R , Raziel A , Schachter M et al.,(2000):**

Induction of ovulation after Gn RH antagonists. *Hum. Reprod. Update*, 6(4):318.

## S

**Sallam HN , Sallam AN , Ezzeldin F et al.,(1999):**

Reference values for midluteal plasma progesterone, evidence from HMG-pregnancy cycles. *Fertil. Steril.*,71:711.

**Sallam HN , Sallam AN , Ezzeldin F et al.,(2000):**

Minimal requirements for a successful outcome in woman treated with HMG. *Int.J.Fertil.*,55:876.

**Schoysman DA , Roosenadaal EV and Schoysman R(1988):**

Artificial insemination by husband: AIH,IUI,and AID. In: *Progress in Infertil*, 3<sup>rd</sup> ed., Edited by Behrman SJ, Kistner RW. and Patton JW.633.

**Scott RT , Snyder RR , Strickland DM et al.,(1988):**

The effect of inter observer variation in dating endometrial histology on the diagnosis of luteal phase defects. *Fertil. Steril.*,50:888.

**Sengoku , Tamate K , Takaoka Y et al.,(1994):**

A randomized prospective study of gonadotropin with or without gonadotropin releasing hormone agonist for treatment of unexplained infertility. *Hum.Reprod.*,9:1043.

**Senior J, Marshal K , Sangho R and Clayton JK(1993):**

In vitro characterization of prostanoid receptors on human myometrium at term pregnancy; *Br. J. Pharm* 108-501.

**Serhal PF, Katz M , Little V et al.,(1988):**

Unexplained infertility – the value of pergonal superovulation combined with intrauterine insemination. *Fertil. Steril.*49:602.

**Serour GI , Mansour RT and Aboulghar MA (1993) :**

Ovarian superstimulation and intrauterine insemination for the treatment of unexplained infertility. *Fertil. Steril.*,60:303.

**Setu M and Adam S (1998):**

Antisperm antibodies: etiology, pathogenesis, diagnosis, and treatment. *Fertil. Steril.*70,5:799-810.

**Shelden,R , Kemmann E , Bohrer M et al.,(1988):**

Multiple gestation is associated with the use of high sperm numbers in the intrauterine insemination specimen in woman undergoing gonadotropin stimulation.*Fertil.Steril.*,49:607.

**Sher G , Knutzen VK , Stratton CJ , and Montakhab MM (1984):**

In vitro sperm capacitation and transcervical intrauterine insemination for the treatment of refractory infertility. *Fertil. Steril.*,41:260.

**Shinohara H , Tanaka A , Fujimoto T et al.,(1997):**

Prostaglandin E1 resuscitates hepatic organic anion transport independent of its hemodynamic effect after warm ischaemia; *J Surg. Research.*, 68(1): 56-62.

**Shoham Z , DiCarlo C , Taylors S et al.,(1991):**

Is it possible to run a successful ovulation induction program based solely on ultrasound monitoring? The importance of endometrial measurements. *Fertil. Steril.*,56:836.

**Shoham Z , Schachter M , Loumaye E et al.,(1995):**

The luteinizing hormone surge ,the final stage in ovulation induction: Modern aspects of ovulation triggering. *Fertil. Steril.*,64:237.

***Silove ED (1986):***

Pharmacological manipulation of the ductus arteriosus; *Arch Dis. Child* 61: 827-29.

***Sims (1869):***

Quoted in : Prietl G, Van der ven HH and Krebs D (2000): Artificial intrauterine insemination: non – invasive management of subfertile couples. In : Rabe T, Diedrich K and Runnebaum B (eds) *Manual on assisted reproduction*, 2<sup>nd</sup> update edition. Springer- Verlag, Berlin, Heidelberg, New York :601-25.

***Smith YR , Hurd WW , Menge AC et al., (1992):***

Allergic reaction to penicillin during in vitro fertilization and intrauterine insemination. *Fertil. Steril.*,38:847.

***Soules RM (1995):***

Glossary of terminology for assisted reproductive technology and early embryonic development .In :Keye R.W., Chang JR. Rebar WR.et al.,(eds) *Infertility Evaluation and treatment*.W.B. Saunders Company. Philadelphia, London.731.

***Speroff L , Glass RH and Kase NG (1999):***

Induction of ovulation. In : Speroff,L.; Glass,R.H.and Kase,N.G.(eds), Vol.II,Clinical, Gynecologic Endocrinology and Infertility, Williams and Wilkins,Baltimore, London.

***Steinkampf MP , Kertzer PA , McElory E and Conway-Mayers B A (1992):***

A simplified approach to in vitro fertilization. *J.Med.*,37:199.

***Steven S , Anna C , Pak C and Zev R (2002):***

Infertility treatment in woman over 40 years old: is controlled ovarian hyperstimulation/intrauterine insemination a viable option?.*Fertil.Steril.*,7: 66.

***Stone SC , Maza de La LN and Peterson EM (1986):***

Recovery of microorganism from the pelvic cavity after intracervical or intrauterine artificial insemination. *Fertil. Steril.*,46:61.

***Stovall DW , VanVorohis B , Sparks A et al.,(1998):***

Selective early termination of luteal phase support in assisted reproductive cycles using a gonadotropin releasing hormone agonist during ovarian hyperstimulation. *Fertil. Steril.*,70:1056.

***Stovall DW , Toma S , Hammond M and Tabert LM (1991):***

The effect of age on female fecundity *Obstet.Gynecol.*,77:33.

***Strickler CR (1995):***

Factors influencing fertility :In Keye RW, Chang RJ , Rebar WR et al.,(eds): *Infertility evaluation and treatment*. WB. Saunder Company.Philadelphia, London. :8.

***Svanborg K , Bendvold E , Bygdeman M and Eneroth P (1983):***

Relationship between prostaglandins in human seminal fluid and fertility .In *Advances in Prostaglandin ,Thromoxane and Leukotriene Research*, Edited by B.S amuelsson, R.Paoletti, Ramwell,P.New.York,Raven Press,:455.

***Svanborg K , Bendvold,E , Bygdeman M and Eneroth P (1982):***

Quantification of prostaglandins in human seminal fluid. *Prostaglandins*, 24:363.

## **T**

***Tanabe K , Susumu N , Hand K et al.,(2001):***

Prediction of potentially fertile period by urinary hormone measurements using a new home- use monitor: comparison with laboratory hormone analyses.*Hum.Reprod.*16, 8 :1619-1624.

***Tarlatzis B and Grimbizis G(1998):***

With clomiphene citrate in the 21<sup>th</sup> century. *Hum. Reprod.*, 13: 2356.

***Taymor ML (1996):***

The regulation of follicle growth: Some Clinical implications in reproductive endocrinology. *Fertil. Steril.*,65:235.

**Templeton AA and Penney GC (1982):**

The incidence, characteristics, and prognosis of patients whose infertility is unexplained. *Fertil.Steril.*,37:175.

**Templeton AA , Cooper I and Kelley RW (1978):**

Prostaglandin concentration in the semen of infertile men. *J.Reprod. Fertil.*52:147.

**TeVelde ER ,Van Kooy RJ and Waterreus JJH(1988):**

Intrauterine insemination of washed spermatozoa: A controlled study. *Fertil.Steril.*,51:182.

**Thibodeaux JK , Myers MW, Roussel JD et al., (1992):**

Intrauterine infusion of prostaglandin E2 and subsequent luteal function in cattle prostaglandins, 44 ,531- 541.

**Thompson LA , Barratt CLR , Thornston SJ et al.,(1993):**

The effects of clomiphene citrate and cyclofenil on cervical mucus volume and receptivity over the periovulatory period. *Fertil. Steril.*,59:125.

**Toner J , Dominique de Ziegler , William E et al.,(2001):**

High rates of cramping with misoprostol administration for intrauterine insemination. *Hum. Reprod.*, 16, 5:1151-1153.

**Tony G , Zreik MD , Juan A et al.,(1999):**

Prospective randomized, crossover study to evaluate the benefit of human chorionic gonadotropin- timed versus urinary hormone-timed intrauterine inseminations in chlomiphene citrate – stimulated treatment cycles.*Fertil.Steril.*71,6:1070-1074.

**Tournaye H (2000):**

Management of male infertility by assisted reproductive technologies. *Baillieres Best. Pract. Res. Clin. Endocrinol., Metab.*,1493:423.

**Tredway DR , Chan,P , Hening I et al.,(1990):**

Effectiveness of stimulated menstrual cycles and Percoll, sperm preparation in intrauterine insemination. *J.Reprod.Med.*,35:103.

**Trounson AO , Leeton JF , Wood EC et al.,(1981):**

Pregnancies in humans by fertilization in vitro and embryo transfer in the controlled ovulatory cycle. *Science* 212:681-682.

## U

**Urbancsek J , Rabe T and Strowizki T(2000):**

Ovarian stimulation for in vitro fertilization: past and present : In Rabe,T.;Diedrich,K.and Runnebaum,B.(eds) Manual on assisted reproduction, 2<sup>nd</sup> update edition. Springer- Verlag, Berlin, Heidelberg, New York, 165-195.

## V

**Van Voorhis BJ , Barnett M , Sparks A et al.,(2001):**

Effect of the total motile sperm count on the efficacy and cost-effectiveness of intrauterine insemination. *Fertil. Steril.*, 75(4):661.

**Van Waart J , Kruger TF , Lombard CJ and Ombelet W(2001):**

Predictive value of normal sperm morphology in intrauterine insemination (IUI) : a structured literature review. *Hum. Reprod. Update*, 7(5): 459.

**Verdugo P, Rumery RE and Tam PY (1980):**

Hormonal control of oviductal ciliary activity : effect of prostaglandins .*Fertil. Steril.* 33(2): 193-6.

## W

**Weathersbee PS , Werlin LB and Stone SC (1984):**

Peritoneal recovery of sperm after intrauterine insemination. *Fertil. Steril.*,42:332.

**Wildt L , Diedrich K , Van Der Ven H et al.,(1986):**

Ovarian hyperstimulation for in-vitro fertilization controlled by Gn RH agonist administered in combination with human menopausal gonadotrophins. *Hum.Reprod.*1:15-19.

**Wing DA , Rahall A , Jones MM et al., (1995):**

Misoprostol an effective agent for cervical ripening and labor induction; *Am. J. Obstet. Gynecol.* 172: 1811-16.

**Woods J, Rigby S, Brinsko S et al.,(2000):**

Effect of intrauterine treatment with prostaglandin E2 prior to insemination of mares in the uterine horn or body. *Theriogenology*, 53(9):1827-36.

***World Health Organization(1999):***

WHO laboratory manual for examination of human semen and sperm mucus interaction. 4<sup>th</sup> ed .Cambridge University press, Cambridge. Semen cervical mucus interaction. Geneva.

***Wramsby H , Fredga K and Liedhom P(1987):***

Chromosomal analysis of human oocytes recovered from preovulatory follicles in stimulated cycles. *New Engl. J. Med.*, 316:121.

**Y**

***Yeko TR , Nicosia SM , Marouii GB et al.,(1992):***

Histology of midluteal corpus luteum and endometrium from clomiphene citrate- induced cycles *Fertil. Steril.*,57:28.

**Z**

***Zieman M , Fong SK , Benowitz NL et al., (1997):***

Absorption kinetics of misoprostol with oral or vaginal administration . *Obstet. Gynecol.*,90:80-92.

***Zikopoulos K , West CP , Thongs PW et al.,(1993):***

Homologous intrauterine insemination has no advantage over timed natural intercourse when used in the combination of ovulation induction for the treatment of unexplained infertility. *Hum. Reprod.*, 8:563.